

peerless-AV[®]

Hospitality
Collection





Make your guest's experience one-of-a-kind

Peerless-AV® has provided innovation in hospitality for over 50 years. We understand the service industry and the importance of creating that one-of-a-kind guest experience. Keeping guests entertained and informed is paramount to staying competitive and Peerless-AV has the industry's most comprehensive line of solutions for outfitting the entire hotel facility, including solutions for digital signage advertising, wayfinding, interactive and outdoor displays and kiosks.

- Peerless-AV is the **brand standard** for leading hotel chains and the **most trusted** mounting solution in the hotel industry.
- Peerless-AV has a **dedicated hospitality team** who works directly with TV Manufacturers to ensure mounting solutions are up-to-date.
- Our **Custom Solutions Team** can help you solve even the most complex design and technology integration challenges.
- **Peerless-AV products** give guests the experience they want, with the décor and aesthetics you demand.
- Call a **dedicated Peerless-AV sales representative** who can answer all of your hospitality questions.



Outdoor TVs



TV Wall Mounts



TV Ceiling Mounts



Desktop Mounts





Stands & Carts



Kiosk Solutions



Video Wall Mounts





Outdoor Solutions

The unique design of the Peerless-AV® Xtreme™ High Bright Outdoor Displays and UltraView™ UHD Outdoor TVs are perfect for outdoor entertainment or digital signage applications. Mount the displays with confidence using Peerless-AV's corrosion resistant and stainless steel mounting solutions. Add the award-winning Xtreme™ Outdoor Soundbar for the full outdoor audio experience or the Xtreme™ Outdoor IR Touch Overlay for an interactive experience. These weather-resistant solutions are ideal for hospitality installations including hotel pool decks, restaurant patios, and more.



Accessories page 19



Xtreme™ High Bright Outdoor Displays



Xtreme™ Active Climate Enclosures

Protects Electronic Components Against Outdoor Elements



Xtreme™ Outdoor IR Touch Overlays

For 43"/49"/55" Xtreme™ High Bright Outdoor Displays



XHB432		XHB492		XHB552		XACE-01/ XACE-02		IRTO43/49/55-200		
Display Size 43" Diagonal		Display Size 49" Diagonal		Display Size 55" Diagonal		Environmental Rating IP66		Environmental Rating IP65		
		Resolution 1920 x 1080				Thermal Electric System Built-in		Touch Point 10 Point Maximum		
Operating Temperature -31°F to 140°F			Environmental Rating IP68			Power AC Input 100-240VAC, 50-60 Hz			Support HID Compliant	

- Daylight readable display, offering 2500nits of light output and FHD 1080p resolution for a bright, crisp picture
- Highest environmental rating (IP68) prevents the ingress of foreign materials, such as water, dust, moisture and insects, from entering the display
- Patented Dynamic Thermal Transfer™ system keeps internal components safely warmed in extreme cold and properly cooled in extreme heat
- Sealed cable entry protects inputs against outside debris and weather
- Easily transform the Xtreme™ display into an interactive touch screen by adding the Xtreme™ Outdoor IR Touch Overlay accessory



UltraView™ UHD Outdoor TVs



Xtreme™
Outdoor Soundbar



Outdoor Universal
Tilt Wall Mount



Outdoor Articulating
Wall Mount

4K ULTRA HD™        

UV492	UV552	UV652
TV Size 49" Diagonal	TV Size 55" Diagonal	TV Size 65" Diagonal

SPK-080
TV Size 42" and above

EPT650
TV Size 32" to 75"

ESA763PU
TV Size 32" to 80"

Resolution 3840 x 2160

Amplifier Ratings 200 Watts Total System Power
--

Max Load 175lb (79kg)

Max Load 200lb (91kg)

Operating Temperature -22°F to 122°F
--

Environmental Rating IP65

Mounting Pattern 732 x 406mm (28.84"W x 15.94"H)

Mounting Pattern 730 x 405mm (28.74"W x 15.94"H)

- IPS panel provides color accuracy, even at the harshest of angles
- Supports HDMI 2.0 and HDCP 2.2 for increased compatibility with 4K sources
- High TNi panel allows for direct sunlight readability without the risk of isotropic blackout

- Digital optical audio input and standard analog audio input allow for use with all leading outdoor TVs

- Made of corrosion resistant materials for weather resistance

- Wood, concrete and cinder block mounting hardware included



OLED TV Wall Mounts

If you're looking for an OLED TV mount that is ultra-slim, easy to install and adjust to effortlessly find the perfect viewing angle, look no further - Peerless-AV® has created it. Designed exclusively with the aesthetics and functionality of LG's OLED TVs in mind, Peerless-AV mounts are versatile and sleek. Choose between flat, pull-out pivot or articulating models that offer contemporary, lightweight designs to fit perfectly into any room décor.



RoHS
2002/95/EC



Flat Wall Mount
for OLED TVs



PF640

Compatible OLED Models
For LG 55/65EW960H and OLED 55/65B7P

Max Load
100lb (45kg)

Mounting Pattern
up to 450 x 305mm
(17.72" W x 12.01" H)



Articulating Wall Mount
for OLED TVs*

*Special order item with extended lead times,
please contact Peerless-AV for more information.

SUA-OLED

Compatible OLED Models
For LG 55/65EW960H and OLED 55/65B7P

Max Load
60lb (27kg)

VESA® Pattern
300 x 200mm



Pull-Out Pivot Wall Mount
for OLED TVs

HPF-OLED

Compatible OLED Models
For LG 55/65EW960H and OLED 55/65B7P

Max Load
60lb (27kg)

VESA® Pattern
300 x 200mm

- Ultra-low profile keeps OLED only 1.26" (32mm) from wall

- Up to 50° of side-to-side swivel

- Chic pull handle aids in moving TV

- Pull-out pivot provides quick maintenance access

- Built in swivel up to ±25°



SMARTMOUNT® Flat & Tilt Wall Mounts



With Peerless-AV's line of SmartMount® flat and tilt wall mounts, you'll get versatile and easy to install solutions. The flat wall mounts offer a low-profile design that complement today's ultra slim displays while the tilt wall mounts are designed to create the optimal viewing angle.

NEED MORE STORAGE?

The ACC-UCM Universal AV Component Mount works perfectly to hold a media player behind the TV. Check it out on page 19.



Accessories page 19



SMARTMOUNT.

Universal
Flat Wall Mount

os**h**pd
OPM-0211-13

SF640

Display Size
32" to 50"

Max Load
150lb (68kg)

Mounting Pattern
450 x 405mm
(17.72"W x 15.95"H)

SMARTMOUNT.

Universal
Flat Wall Mount

os**h**pd
OPM-0211-13

SF650

Display Size
39" to 75"

Max Load
175lb (79kg)

Mounting Pattern
742 x 405mm
(29.21"W x 15.95"H)

SMARTMOUNT.

Universal
Flat Wall Mount

os**h**pd
OPM-0211-13

SF660

Display Size
39" to 80"

Max Load
200lb (91kg)

Mounting Pattern
824 x 405mm
(32.44"W x 15.95"H)

SMARTMOUNT.

Universal
Tilt Wall Mount

os**h**pd
OPM-0211-13

ST640

Display Size
32" to 50"

Max Load
150lb (68kg)

Mounting Pattern
458 x 405mm
(18.02"W x 15.95"H)

SMARTMOUNT.

Universal
Tilt Wall Mount

os**h**pd
OPM-0211-13

ST650

Display Size
39" to 75"

Max Load
175lb (79kg)

Mounting Pattern
742 x 405mm
(29.21"W x 15.95"H)

SMARTMOUNT.

Universal
Tilt Wall Mount

os**h**pd
OPM-0211-13

ST660

Display Size
39" to 80"

Max Load
200lb (91kg)

Mounting Pattern
824 x 405mm
(32.44"W x 15.95"H)

- Low-profile design holds display only 1.20" (30mm) from the wall

- Up to 0.25" (6mm) of vertical adjustment on each universal display adaptor bracket for post-installation leveling and height adjustment fine-tuning

- Adjustable up to 15° of forward tilt and -5° backward tilt for optimal viewing angle

- Up to 0.25" (6mm) of vertical adjustment on each universal display adaptor bracket for post-installation leveling and height adjustment fine-tuning



Pivot & Articulating Wall Mounts

Peerless-AV® Pivot and Articulating Wall Mounts offer a stylish appearance and are fully-equipped with exceptional functionality features. Displays can be extended, turned, or tilted to achieve the perfect viewing angle.

NEED MORE STORAGE?


The ACC-UCM Universal AV Component Mount works perfectly to hold a media player behind the TV. Check it out on page 19.



RoHS

Accessories page 19

* Display ranges noted are general. To see if a display size outside of this range will work with our mount, please consult with Peerless-AV hospitality sales team members Kathy Petrin at kpetrin@peerless-av.com or Megan Zeller at mzeller@peerless-av.com with your exact TV make and model for compatibility review.



Hospitality Ultra Slim
Articulating Wall Mount

HA747PU

Display Size

32" to 55" Ultra-thin TVs
less than 3" (76mm) deep

Max Load

60lb (27kg)

Mounting Pattern

200 x 100 to 400 x 400mm



Hospitality
Articulating Wall Mount

PA762-UNMH

Display Size

39" to 90"

Max Load

150lb (68kg)

Mounting Pattern

200 x 100 to 400 x 400mm



Articulating Wall Arm
with Set Top Box Enclosure

HA746-STB

Display Size*


43" to 55"

Max Load

80lb (36kg)

Mounting Pattern

200 x 100 to 400 x 400mm



DesignerSeries™
Articulating Mount
with In-Wall Box

IM747PU

Display Size

37" to 65" Ultra-thin TVs
less than 3" (76mm) deep

Max Load

Articulating Mount: 80lb (36.3kg)
In-Wall Box: 25lb (11.3kg)

Mounting Pattern

200 x 100 to 400 x 400mm

- Arm retracts to 2.68" (86mm) and extends up to 25.63" (651mm) from the wall

- Arm retracts to 3.00" (76mm) and extends 21.32" (542mm) from the wall

- Vented enclosure keeps set top box and associated cables concealed, organized and secured

- Designed to provide a robust solution for low profile/recessed applications requiring access to power and ample space for AV electronics




DesignerSeries™
Universal Ultra Slim
Articulating Wall Mount

SUA747PU

Display Size
32" to 50" Ultra-thin TVs
less than 3" (76mm) deep

Max Load
60lb (27kg)

Mounting Pattern
200 x 100 to 400 x 400mm



DesignerSeries™
Universal Ultra Slim
Articulating Wall Mount

SUA761PU

Display Size
37" to 65" Ultra-thin TVs
less than 3" (76mm) deep

Max Load
80lb (36kg)

Mounting Pattern
200 x 100 to 600 x 400mm



SMARTMOUNT.
Pivoting Wall Mount

SP740P

Display Size
22" to 43"

Max Load
80lb (36kg)

VESA® Pattern
100 x 100, 200 x 100
and 200 x 200mm



SMARTMOUNT.
Articulating Wall Mount

oshpd
OPM-0212-13

SA740P

Display Size
22" to 43"

Max Load
80lb (36kg)

VESA® Pattern
100 x 100, 200 x 100
and 200 x 200mm

- One-Touch™ tilt offers +15°/-5° of viewing angle adjustment

- Up to ±0.5" (13mm) of vertical adjustment for post-installation leveling and height adjustment fine-tuning

- Internal cable management provides clean, professional installation finish



Pull-Out Pivot Wall Mounts

Peerless-AV® Pull-Out Pivot Wall Mounts are ideal for in-wall or recessed applications.



Accessories page 19

* Display ranges noted are general. To see if a display size outside of this range will work with our mount, please consult with Peerless-AV hospitality sales team members Kathy Petrin at kpetrin@peerless-av.com or Megan Zeller at mzeller@peerless-av.com with your exact TV make and model for compatibility review.



Pull-Out Pivot Wall Mount



OPM-0300-13

HPF650



SMARTMOUNT.

Pull-Out Pivot Wall Mount with Tilt

SP840



Pull-Out Pivot Wall Mount

FPS-1000

Display Size*
32" to 65"

ACC-M835 may be required for select displays

Max Load
60lb (27kg)

Mounting Pattern
200 x 100 to 400 x 400mm

Display Size
32" to 80"

Max Load
150lb (68kg)

VESA® Pattern
100 x 100 and 200 x 100mm
Additional hole patterns require dedicated PLP or universal PLP adaptor plate purchase.

- Lightweight design and in-furniture application make mount well suited for use with today's LEDs

- Essential for on-the-wall, low-profile, single or multi-display video wall installations or hospitality recessed applications



SMARTMOUNT[®]

Ceiling, Media Storage & Multi-Display Mounts

Peerless-AV[®] offers a variety of ceiling and multi-display mounts ideal for casinos, bars, lobbies and more. These solutions are designed with superior aesthetics for a sleek and finished look.

RoHS
2002/95/EC

Accessories page 19



SMARTMOUNT.

Universal Ceiling Mounts



PLCM-UNL-CP

TV Size
32" to 90"

Max Load
150lb (68kg)

Mounting Pattern
600 x 400mm
(23.62"W x 15.75"H)



Dual-Display
Ceiling Mount

DST970X2

Display Size
40" to 70"

Max Load
250lb (113kg)

Mounting Pattern
600 x 400mm
(23.62"W x 15.75"H)



Flat/Tilt Universal Ceiling Mount
with Media Device Storage
Accommodates media device
up to 16" x 11" x 3.25"
(406 x 279 x 83mm)

DST995

Display Size
40" to 95"

Max Load
225lb (102kg)

VESA[®] Pattern
In 100mm increments,
starting at 200 x 200
up to 400 x 400mm



Back-to-Back Ceiling Mount
with Media Device Storage

Provide storage for
standard size computers

DST965

Display Size
40" to 65"

Max Load
300lb (136kg)

Mounting Pattern
730 x 405mm
(28.75"W x 15.95"H)

- 360° of side-to-side swivel creates endless viewing possibilities from anywhere in the room

- Peerless-AV EXT103 Aluminum Extension Column included, providing a 36" drop

- Independent swivel and tilt allow each display to be set at the perfect viewing angle

- Security hardware to deter tampering and theft

- Easy access to media player for maintenance or repair



Desktop Swivel Mounts & Security Solutions

Peerless-AV® Desktop Swivel Mounts offer a secure, functional and sleek desktop surface mount for hospitality applications. These mounts seamlessly connect to a variety of flat panel displays, with easy access to cable input connections and provide discreet security that doesn't get in the way of viewing enjoyment.



RoHS

Accessories page 19



Desktop Swivel Mount

HP432-002

Display Size
26" to 37"

Max Load
80lb (36.4kg)

VESA® Pattern
100 x 100, 200 x 100
or 200 x 200mm



Desktop Swivel Mount

HP447

Display Size
32" to 47"

Max Load
75lb (34.1kg)

VESA® Pattern
200 x 100, 200 x 200mm




Universal Desktop Swivel Mount

HP455

Display Size
32" to 55"

Max Load
75lb (34.1kg)

VESA® Pattern
200 x 200, 200 x 400,
300 x 300 and 400 x 400mm



Display Base Lock-down Security Kit

HLC-KIT(-Q10)

Max Load
100lb (45.3kg)

VESA® Pattern
Compliant with all VESA®
mounting hole patterns

- Base plate bolts down for safety and security

- Built-in swivel up to 360° allows for optimum viewing angle

- Optional slope nuts included for added security

- Easily installs to virtually any wood surface



Stands & Carts

When mounting to a wall is not an option or when mobility is key, Peerless-AV® flat panel stands and carts provide a complete solution. Maneuverability is made easy with swivel casters on the carts, while the stand provides versatility and security.

NEED MORE STORAGE?

The ACC-UCM Universal AV Component Mount works perfectly to hold a media player behind the TV. Check it out on page 19.

RoHS

Accessories page 19



Flat Panel Floor Stand



Flat Panel Cart



Full Featured Flat Panel Cart



Cart for use with the Microsoft® Surface™ Hub 55" or 84"



Flat Panel Video Conference Cart



FPZ-600	SR560M	SR575M	SR598-HUB	SR555E
Display Size Up to 75"	Display Size 32" to 75"	Display Size 32" to 75"	Display Size 55" to 98"	Display Size (2) 40" to 55"
Max Load 200lb (90.7kg) per display up to four displays	Max Load 150lb (68.2kg) for the display 25lb (11.4kg) per shelf	Max Load 150lb (68.2kg) for the display 25lb (11.4kg) per shelf	Max Load 300lb (136.1kg) for the display	Max Load 150lb (68.2kg) 75lb (34.1kg) per display
VESA® Pattern 100, 200 x 100 and 200 x 200mm Supports additional VESA® patterns with PLP display adaptor, sold separately	VESA® Pattern 200 x 200 to 600 x 400mm	VESA® Pattern 200 x 200 to 600 x 400mm	VESA® Pattern 200 x 200 up to 1200 x 600mm	VESA® Pattern up to 400 x 400mm for each display

- Fits single or back-to-back displays (up to four with additional dual-display cartridge)

- The pre-assembled base and UL® certification ensure quick assembly while providing a ridged, but attractive, structure that fits into any décor

- The cart sits at Microsoft's recommended viewing height, and offers vertical adjustment so the display can be positioned at any height up to 60" from the floor

- (2) 2RU rack mount locations provide ample space for rack mountable components



Kiosk Solutions

Choose from a versatile array of sleek, slim and attractive kiosk enclosures for virtually any application. Our kiosks are customizable in every way—from the choice of technology to custom paint and vinyl wraps. If you can envision it, we can make it happen. Visit our online KioskBuilder™ to create a custom kiosk that fits your technology needs - kiosks.peerless-av.com



KIPICT2555

All-in-One Kiosk Powered by BrightSign®

Comes fully integrated with 55" display, 10-point IR touch overlay, & a BrightSign® XT1144 Expanded I/O Player



KIPC2555 shown in silver

Floor Standing Portrait Kiosks

For 40"-65" displays



KILH542 shown in black



KIL548 shown in black

Floor Standing Landscape Kiosks

For 40"-55" displays

In addition, count on Peerless-AV® enclosures for:

- Fast screen set-up
- Range of sizes—from tablet to 90" screens*
- Easy accessibility to components for maintenance and upgrades

* Some sizes may require custom design



KIP746-S shown in silver



KIL655 shown with custom color

In-Wall & Wall Kiosks, Portrait & Landscape models

For 40"-55" displays



KIP586-4LG shown in black

Ultra Stretch Portrait Kiosk

For the LG 86BH5C Ultra Stretch
Signage Display(s)



Don't see a design or size you're looking for?

Contact our **dedicated Kiosk design team** to develop a solution that perfectly matches your vision at 800-865-2112 or info@peerless-av.com.

- Optional fan-cooling systems to extend component life

- Additional add-ons include speakers, amplifier, interactive technology, screen protection, antimicrobial paint finishes, power management, and more

- Security features such as key-locked or combination locked doors



Direct View LED Video Wall Mounting Systems

With over 75 years of audio visual experience, our commitment to the creation of cutting-edge technology and standard-setting solutions has elevated us to the status of the industry's most innovative leader. Our Dedicated SEAMLESS LED Solutions Team sets the bar for high quality design, while achieving the pinnacle of aesthetic results. Our dynamic group of LED professionals include structural and mechanical engineers, product managers, project managers, installers, as well as sales and service personnel. The entire Peerless-AV® LED Solutions Team is there every step of the way to ensure every customer receives SEAMLESS product support & service.

Choose between a dedicated solution shown below or create a custom LED video wall mounting system to fit your specific needs. Visit peerless-av.com/SEAMLESS to learn more.

SMARTMOUNT® LED Video Wall Mounting Systems

The SmartMount® LED Video Wall Mounting Systems offer slim, space-saving & aesthetically appealing designs that can be adapted to support all of your LED video wall needs.



Flat LED
Video Wall Mount

model number:
DS-LEDF



Pop-Out LED
Video Wall Mount

model number:
DS-LEDP


Get your project started right with a quick turnaround quote!





Dedicated LED Mounting Solutions

The Peerless-AV® SEAMLESS LED Solutions Team specializes in custom LED solutions. These are dedicated LED mounting solutions created specifically for our partners' LED displays.



SAMSUNG

Smart LED Signage
IF Series


model number:
DS-LEDIF models



Absen

Acclaim Series

model number:
DS-LEDA27 models



NEC

Direct View LED
F-Series

model number:
DS-LEDNECF models



Visit LEDConfigurator.peerless-av.com



SMARTMOUNT®

Full Service Video Wall Mounts

The SmartMount® video wall series offers a comprehensive line of mounts ideal for any environment. Limitless configurations are possible with the ability to accommodate displays in both landscape and portrait orientations. With features such as tool-less micro-adjustment and reusable custom wall spacers, we give you the tools you need to create the perfect video wall.

RoHS



SMARTMOUNT®
Supreme Full Service Video Wall Mount



DS-VW775

Display Size
46" to 60"

Max Load
125lb (56.8kg)

VESA® Pattern
200 x 200 up to
600 x 400mm



SMARTMOUNT®
Supreme Full Service Video Wall Mount with Quick Release



DS-VW775-QR

Display Size
46" to 60"

Max Load
125lb (56.8kg)

VESA® Pattern
200 x 200 up to
600 x 400mm

- Convenient service pop-out quickly releases the mount for service with a simple turn of the lever
- Tool-less micro-adjustment with 1.5" of travel on each of the x, y and z axis

- Quick release pop-out mechanism provides convenient display access in recessed applications
- Tool-less micro-adjustment with 1.5" of travel on each of the x, y and z axis



SMARTMOUNT.

Full Service Video Wall Mount with Quick Release

DS-VW795-QR

Display Size
65" to 95"

Max Load
225lb (102kg)

VESA® Pattern
200 x 200 up to
600 x 600mm

- Quick release pop-out mechanism provides convenient display access in recessed applications
- Tool-less micro-adjustments at 8 points allows the mount to overcome uneven walls and creates a seamless video wall display

Accessories



ACC-UCM
Universal AV Component Mount
Can be mounted to various wall surfaces, Peerless-AV® products, or directly to the TV's VESA® pattern



ACC320
Electrical Outlet Strip with Cord Wrap



ACC-HPF650
In-furniture accessory bracket



IBA2(AC)(-W)
In-Wall Accessories Box for Recessed Cable Management and Power Storage



IBA-3(AC)(-W)
In-Wall Accessories Box for Recessed Cable Management and Power Storage*

*Works with most displays 42" and larger without being visible from behind when used with the HPF650. Verify dimensions for confirmation of compatibility.



IB14X9(-AC)-W
14" x 9" In-Wall Box for Recessed Power and AV Components



IB14X14(-AC)-W
14" x 14" In-Wall Box for Recessed Power and AV Components



PLP-UNM
Universal Adaptor Bracket for 22" to 50" Displays



PLP-UNL
Universal Adaptor Bracket for 32" to 90" Displays



MIS773
Laptop Stand



MIS779
Keyboard Stand

Visit peerless-av.com for a complete line of accessories.

peerless-AV[®]

Driving Technology Through Innovation

For over 75 years, passion and innovation continue to drive Peerless-AV[®] forward.

We proudly design and manufacture the highest quality products, including outdoor displays and TVs, complete integrated kiosks, video wall mounting systems, professional carts and stands, and more. Whether a full-scale global deployment or custom project, Peerless-AV develops meaningful relationships and delivers world-class service. In partnership with Peerless-AV, you are trusting an award-winning team of experts who will support your business every step of the way.

For more information, visit peerless-av.com.



 peerless-av.com
 800-865-2112