

peerless-AV[®]

Education
Collection



Peerless-AV[®]

Education Collection

Award-Winning Audio Visual Solutions

With over 75 years of audio visual experience, Peerless-AV's commitment to the creation of cutting-edge technology and standard-setting solutions has empowered us to become an innovative leader in the industry. From well-designed, quality-built products, unmatched customer service, and outstanding custom project capabilities, Peerless-AV[®] is dedicated to providing customers with the building blocks to create a campus of the future.


- Products are tested by Peerless-AV to UL 2442 standard and OSHPD approved so you can feel safe and secure.
- Peerless-AV is the only major mount manufacturer to have never had a recall.
- Customize your educational technology needs and get a quote within minutes using our online configurators:
 - KioskBuilder™ → kiosks.peerless-av.com
 - LED Configurator → LEDconfigurator.peerless-av.com
- Contact a designated Peerless-AV Education AV Specialist for questions or concerns to make sure you get the right solution to fit your needs (info@peerless-av.com or 630.375.5100).




Carts/Stands



Projector Mounts



Display Wall Mounts



Video Wall Mounts



Integrated Kiosks



Outdoor Displays

Carts & Stands

Peerless-AV® carts and stands are compatible with a wide range of display sizes, and are perfect for portability or when mounting to a wall is not an option. These ADA compliant solutions provide a safe and secure mounting platform for interactive displays, as well as help to increase collaboration in classroom settings.



RoHS

SMARTMOUNT.

Carts & Stands
For 32"-98" displays
SR560M shown



RoHS

SMARTMOUNT.

Motorized
Height Adjustable
Flat Panel Cart
For 42"-86" Interactive Displays
SR598ML3E



RoHS

SMARTMOUNT.

Motorized
Height Adjustable
Tabletop Cart
For 55"-80" Interactive Displays
SR598ML3T



RoHS

SMARTMOUNT.

Motorized
Height Adjustable
Stand/Wall Mount
For 42"-86" Interactive Displays
SS598ML3

- Display and component shelf can be located anywhere along the column for perfect component placement & viewing height


- Adjust center of display 34"-60" from the floor with the touch of a button

- Adjust center of display 34"-60" from the floor or move your display from a standard viewing position to a flat tabletop, or any angle in between, with the touch of a button

- Innovative stand/wall solution designed to safely mount, raise and lower an interactive display

Wall, Projector & White Board Mounts

Peerless-AV® is a one-stop-shop for all mounting hardware. From projectors to interactive displays, we have mounting solutions ideal for any education application.



RoHS  os 


SMARTMOUNT.

Universal Wall Display Mounts
For 10"-98" displays
ST660 shown



RoHS  os  **TAA**
COMPLIANT

Universal Projector Mounts
For up to 50lb projectors
PRGS-UNV shown



RoHS 

White Board Mounts
For attaching over existing marker
boards and chalkboards
IWB680-W shown

- The SmartMount® Wall Mount series delivers the most versatile installation features and mounting options - choose between flat, tilt and articulating models

- Achieve pin-point image alignment by simply turning the adjustment knobs

- Cost effective solution to effortlessly add interactive white boards to classrooms

Video Wall Mounts

For LCD & LED Displays

The SmartMount® video wall series is a comprehensive line of LED and LCD mounts that provide solutions for any environment - from the cafeteria to the lobby. Limitless configurations are possible with the ability to accommodate displays in both landscape and portrait orientations, as well as custom LED configurations.



RoHS 


SMARTMOUNT.

Full-Service Video Wall Mounts
For 65"-98" Displays
DS-VW775-QR Shown



SMARTMOUNT.

LED Video Wall Mounting Systems
For Direct View LED Displays
DS-LEDP shown



RoHS

SMARTMOUNT.

Digital Menu Board
Wall & Ceiling Mounts
For 40"-48" displays
DS-MBZ947L-2X1 shown

- Tool-less micro-adjustment on the x, y and z axis

- Choose between a dedicated solution shown above or create a custom LED video wall mounting system to fit your specific needs

To learn more, visit peerless-av.com/SEAMLESS

- Connecting wall plates create a continuous mounting surface for ease of display alignment

Kiosks & Outdoor Displays

Replace static signage with Peerless-AV® indoor & outdoor digital signage solutions for greater public engagement and seamless updates of digital content whenever, wherever. With a focus on functionality and aesthetics, these solutions are designed to be modern, approachable, practical, and endure the rigors of everyday use. Peerless-AV's kiosks and outdoor displays are ideal for sharing campus information, weather details, wayfinding, advertising, entertainment, and more.



RoHS **FC** **CE** **(ETL) US**

Indoor All-in-One Kiosk
Powered by BrightSign®
KIPICT2555



RoHS    

Outdoor
Smart City Kiosks
KOP2555-XHB shown



All Weather
Rated: IP68



 RoHS **UL** **US** **FC** **CE** **IP**

Xtreme™ High Bright Outdoor Displays
43", 49", 55" available
XHB552 shown

- Comes fully integrated with 55" display, 10-point IR touch overlay, & a BrightSign® XT1144 Expanded I/O Player

- Includes Peerless-AV® 49" or 55" Xtreme™ High Bright Outdoor Display
- Customizable with IR Touch, cameras, analytical/facial recognition software, color and graphics

- For an interactive experience, add the Xtreme™ Outdoor IR Touch Overlay accessory, IRT043/49/55-200



For over 75 years, passion and innovation continue to drive Peerless-AV® forward.

We proudly design and manufacture the highest quality products, ranging from outdoor displays to complete kiosk solutions, digital signage mounts to wireless systems. Whether a full-scale global deployment or custom project, Peerless-AV develops meaningful relationships and delivers world-class service. In partnership with Peerless-AV, you are trusting an award-winning team of experts who will support your business every step of the way.

For more information, visit peerless-av.com.

 peerless-av.com
 800-865-2112