

2.7 mm/3.5 mm LCP® Distal Fibula Plate System

Case Information (eg, Case ID):

DO NOT PUT ANY
PATIENT IDENTIFIABLE
INFORMATION IN
THIS FIELD

To order (USA): 800-523-0322

To order (Canada): 855-946-8999

Date: _____

Hospital: _____

Surgeon: _____

Procedure: _____

Implants

2.4 mm Cortex Screws, self-tapping, with T8 StarDrive™ Recess




	Length		Length		
<input type="checkbox"/>	201.756	6 mm	<input type="checkbox"/>	201.774	24 mm
<input type="checkbox"/>	201.758	8 mm	<input type="checkbox"/>	201.776	26 mm
<input type="checkbox"/>	201.760	10 mm	<input type="checkbox"/>	201.778	28 mm
<input type="checkbox"/>	201.762	12 mm	<input type="checkbox"/>	201.780	30 mm
<input type="checkbox"/>	201.764	14 mm	<input type="checkbox"/>	201.782	32 mm
<input type="checkbox"/>	201.766	16 mm	<input type="checkbox"/>	201.784	34 mm
<input type="checkbox"/>	201.768	18 mm	<input type="checkbox"/>	201.786	36 mm
<input type="checkbox"/>	201.770	20 mm	<input type="checkbox"/>	201.788	38 mm
<input type="checkbox"/>	201.772	22 mm	<input type="checkbox"/>	201.790	40 mm

2.7 mm Cortex Screws, self-tapping



	Length		Length		
<input type="checkbox"/>	202.810	10 mm	<input type="checkbox"/>	202.830	30 mm
<input type="checkbox"/>	202.812	12 mm	<input type="checkbox"/>	202.832	32 mm
<input type="checkbox"/>	202.814	14 mm	<input type="checkbox"/>	202.834	34 mm
<input type="checkbox"/>	202.816	16 mm	<input type="checkbox"/>	202.836	36 mm
<input type="checkbox"/>	202.818	18 mm	<input type="checkbox"/>	202.838	38 mm
<input type="checkbox"/>	202.820	20 mm	<input type="checkbox"/>	202.840	40 mm
<input type="checkbox"/>	202.822	22 mm	<input type="checkbox"/>	202.845	45 mm
<input type="checkbox"/>	202.824	24 mm	<input type="checkbox"/>	202.850	50 mm
<input type="checkbox"/>	202.826	26 mm	<input type="checkbox"/>	202.855	55 mm
<input type="checkbox"/>	202.828	28 mm			

2.4 mm Locking Screws, self-tapping, with StarDrive Recess



	Length		Length		
<input type="checkbox"/>	212.806	6 mm	<input type="checkbox"/>	212.816	16 mm
<input type="checkbox"/>	212.807	7 mm	<input type="checkbox"/>	212.818	18 mm
<input type="checkbox"/>	212.808	8 mm	<input type="checkbox"/>	212.820	20 mm
<input type="checkbox"/>	212.809	9 mm	<input type="checkbox"/>	212.822	22 mm
<input type="checkbox"/>	212.810	10 mm	<input type="checkbox"/>	212.824	24 mm
<input type="checkbox"/>	212.811	11 mm	<input type="checkbox"/>	212.826	26 mm
<input type="checkbox"/>	212.812	12 mm	<input type="checkbox"/>	212.828	28 mm
<input type="checkbox"/>	212.813	13 mm	<input type="checkbox"/>	212.830	30 mm
<input type="checkbox"/>	212.814	14 mm			

2.7 mm Locking Screws, self-tapping, with T8 StarDrive Recess



	Length		Length		
<input type="checkbox"/>	202.208	8 mm	<input type="checkbox"/>	202.220	20 mm
<input type="checkbox"/>	202.210	10 mm	<input type="checkbox"/>	202.222	22 mm
<input type="checkbox"/>	202.212	12 mm	<input type="checkbox"/>	202.224	24 mm
<input type="checkbox"/>	202.214	14 mm	<input type="checkbox"/>	202.226	26 mm
<input type="checkbox"/>	202.216	16 mm	<input type="checkbox"/>	202.228	28 mm
<input type="checkbox"/>	202.218	18 mm	<input type="checkbox"/>	202.230	30 mm

2.7 mm/3.5 mm LCP Distal Fibula Plate System

Implants (cont'd)

3.5 mm Cortex Screws, self-tapping



	Length		Length		
<input type="checkbox"/>	204.810	10 mm	<input type="checkbox"/>	204.830	30 mm
<input type="checkbox"/>	204.812	12 mm	<input type="checkbox"/>	204.832	32 mm
<input type="checkbox"/>	204.814	14 mm	<input type="checkbox"/>	204.834	34 mm
<input type="checkbox"/>	204.816	16 mm	<input type="checkbox"/>	204.836	36 mm
<input type="checkbox"/>	204.818	18 mm	<input type="checkbox"/>	204.838	38 mm
<input type="checkbox"/>	204.820	20 mm	<input type="checkbox"/>	204.840	40 mm
<input type="checkbox"/>	204.822	22 mm	<input type="checkbox"/>	204.845	45 mm
<input type="checkbox"/>	204.824	24 mm	<input type="checkbox"/>	204.850	50 mm
<input type="checkbox"/>	204.826	26 mm	<input type="checkbox"/>	204.855	55 mm
<input type="checkbox"/>	204.828	28 mm	<input type="checkbox"/>	204.860	60 mm

4.0 mm Cancellous Bone Screws, partially threaded



	Length		Length		
<input type="checkbox"/>	207.010	10 mm	<input type="checkbox"/>	207.026	26 mm
<input type="checkbox"/>	207.012	12 mm	<input type="checkbox"/>	207.028	28 mm
<input type="checkbox"/>	207.014	14 mm	<input type="checkbox"/>	207.030	30 mm
<input type="checkbox"/>	207.016	16 mm	<input type="checkbox"/>	207.035	35 mm
<input type="checkbox"/>	207.018	18 mm	<input type="checkbox"/>	207.040	40 mm
<input type="checkbox"/>	207.020	20 mm	<input type="checkbox"/>	207.045	45 mm
<input type="checkbox"/>	207.022	22 mm	<input type="checkbox"/>	207.050	50 mm
<input type="checkbox"/>	207.024	24 mm			

3.5 mm Locking Screws, self-tapping, with StarDrive Recess



	Length		Length		
<input type="checkbox"/>	212.101	10 mm	<input type="checkbox"/>	212.115	36 mm
<input type="checkbox"/>	212.102	12 mm	<input type="checkbox"/>	212.116	38 mm
<input type="checkbox"/>	212.103	14 mm	<input type="checkbox"/>	212.117	40 mm
<input type="checkbox"/>	212.104	16 mm	<input type="checkbox"/>	212.119	45 mm
<input type="checkbox"/>	212.105	18 mm	<input type="checkbox"/>	212.121	50 mm
<input type="checkbox"/>	212.106	20 mm	<input type="checkbox"/>	212.123	55 mm
<input type="checkbox"/>	212.107	22 mm	<input type="checkbox"/>	212.124	60 mm
<input type="checkbox"/>	212.108	24 mm	<input type="checkbox"/>	212.134	44 mm
<input type="checkbox"/>	212.109	26 mm	<input type="checkbox"/>	212.136	46 mm
<input type="checkbox"/>	212.110	28 mm	<input type="checkbox"/>	02.212.054	54 mm
<input type="checkbox"/>	212.111	30 mm	<input type="checkbox"/>	02.212.056	56 mm
<input type="checkbox"/>	212.112	32 mm	<input type="checkbox"/>	02.212.058	58 mm
<input type="checkbox"/>	212.113	34 mm			

2.7 mm/3.5 mm LCP® Lateral Distal Fibula Plates[◇]

	Holes	
<input type="checkbox"/>	02.112.136	3 holes, right
<input type="checkbox"/>	02.112.137	3 holes, left
<input type="checkbox"/>	02.112.138	4 holes, right
<input type="checkbox"/>	02.112.139	4 holes, left
<input type="checkbox"/>	02.112.140	5 holes, right
<input type="checkbox"/>	02.112.141	5 holes, left
<input type="checkbox"/>	02.112.142	6 holes, right
<input type="checkbox"/>	02.112.143	6 holes, left
<input type="checkbox"/>	02.112.144	7 holes, right
<input type="checkbox"/>	02.112.145	7 holes, left
<input type="checkbox"/>	02.112.148	9 holes, right
<input type="checkbox"/>	02.112.149	9 holes, left
<input type="checkbox"/>	02.112.152	11 holes, right
<input type="checkbox"/>	02.112.153	11 holes, left
<input type="checkbox"/>	02.112.156	13 holes, right
<input type="checkbox"/>	02.112.157	13 holes, left
<input type="checkbox"/>	02.112.160	15 holes, right
<input type="checkbox"/>	02.112.161	15 holes, left



4.0 mm Cancellous Bone Screws, fully threaded




	Length		Length		
<input type="checkbox"/>	206.010	10 mm	<input type="checkbox"/>	206.028	28 mm
<input type="checkbox"/>	206.012	12 mm	<input type="checkbox"/>	206.030	30 mm
<input type="checkbox"/>	206.014	14 mm	<input type="checkbox"/>	206.035	35 mm
<input type="checkbox"/>	206.016	16 mm	<input type="checkbox"/>	206.040	40 mm
<input type="checkbox"/>	206.018	18 mm	<input type="checkbox"/>	206.045	45 mm
<input type="checkbox"/>	206.020	20 mm	<input type="checkbox"/>	206.050	50 mm
<input type="checkbox"/>	206.022	22 mm	<input type="checkbox"/>	206.055	55 mm
<input type="checkbox"/>	206.024	24 mm	<input type="checkbox"/>	206.060	60 mm
<input type="checkbox"/>	206.026	26 mm			

[◇]Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.


2.7 mm/3.5 mm LCP Distal Fibula Plate System

Implants (cont'd)

2.7 mm/3.5 mm LCP Posterolateral Distal Fibula Plates[◇]


	Part Number	Holes	
<input type="checkbox"/>	02.112.106	3 holes, right	
<input type="checkbox"/>	02.112.107	3 holes, left	
<input type="checkbox"/>	02.112.108	4 holes, right	
<input type="checkbox"/>	02.112.109	4 holes, left	
<input type="checkbox"/>	02.112.110	5 holes, right	
<input type="checkbox"/>	02.112.111	5 holes, left	
<input type="checkbox"/>	02.112.112	6 holes, right	
<input type="checkbox"/>	02.112.113	6 holes, left	
<input type="checkbox"/>	02.112.114	7 holes, right	
<input type="checkbox"/>	02.112.115	7 holes, left	
<input type="checkbox"/>	02.112.118	9 holes, right	
<input type="checkbox"/>	02.112.119	9 holes, left	
<input type="checkbox"/>	02.112.122	11 holes, right	
<input type="checkbox"/>	02.112.123	11 holes, left	
<input type="checkbox"/>	02.112.126	13 holes, right	
<input type="checkbox"/>	02.112.127	13 holes, left	
<input type="checkbox"/>	02.112.130	15 holes, right	
<input type="checkbox"/>	02.112.131	15 holes, left	

3.5 mm LCP Hook Plate

	Part Number	Holes	
<input type="checkbox"/>	02.113.103	3	

Instruments

Drill Bits, quick coupling

	Part Number	Diameter	Length
			
<input type="checkbox"/>	03.122.002	2.8 mm	248 mm, with 95 mm calibration
<input type="checkbox"/>	310.21 [◇]	2.0 mm	125 mm
<input type="checkbox"/>	310.23 [◇]	2.5 mm	180 mm, gold
<input type="checkbox"/>	310.25 [◇]	2.5 mm	110 mm, gold
<input type="checkbox"/>	315.28 [◇]	2.7 mm	125 mm
<input type="checkbox"/>	310.288	2.8 mm	165 mm
<input type="checkbox"/>	310.35 [◇]	3.5 mm	110 mm
<input type="checkbox"/>	323.062	2.0 mm	140 mm, with depth mark
<input type="checkbox"/>	324.214	2.8 mm	200 mm, with 100 mm calibration

Taps

	Part Number	
		
<input type="checkbox"/>	311.32	for 3.5 mm Cortex Screws
<input type="checkbox"/>	311.34	for 4.0 mm Cancellous Bone Screws

[◇]Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.



Manufactured or distributed by:

Synthes USA Products, LLC
1302 Wrights Lane East
West Chester, PA 19380

Synthes USA, LLC
1101 Synthes Avenue
Monument, CO 80132

To order (USA): 800-523-0322
To order (Canada): 855-946-8999

Note: For recognized manufacturer, refer to the product label.

www.depuyssynthes.com