

Inventory Control Form

2.7 mm/3.5 mm Variable Angle LCP Ankle Trauma System



Patient Information:

SYNTHES (USA) To Order: (800) 523-0322
 SYNTHES (Canada) Ltd. To Order: (800) 668-1119

Date: _____

Hospital: _____

Surgeon: _____

Procedure: _____

Implants

2.7 mm / 3.5 mm Variable Angle LCP Medial Distal Tibia Plates [◇]



<input type="checkbox"/> 02.118.002 4 holes, right	<input type="checkbox"/> 02.118.008 10 holes, right
<input type="checkbox"/> 02.118.003 4 holes, left	<input type="checkbox"/> 02.118.009 10 holes, left
<input type="checkbox"/> 02.118.004 6 holes, right	<input type="checkbox"/> 02.118.010 12 holes, right
<input type="checkbox"/> 02.118.005 6 holes, left	<input type="checkbox"/> 02.118.011 12 holes, left
<input type="checkbox"/> 02.118.006 8 holes, right	<input type="checkbox"/> 02.118.012 14 holes, right
<input type="checkbox"/> 02.118.007 8 holes, left	<input type="checkbox"/> 02.118.013 14 holes, left
	<input type="checkbox"/> 02.118.014 16 holes, right
	<input type="checkbox"/> 02.118.015 16 holes, left

2.7 mm / 3.5 mm Variable Angle LCP Anterolateral Distal Tibia Plates [◇]



<input type="checkbox"/> 02.118.202 4 holes, right	<input type="checkbox"/> 02.118.210 12 holes, right
<input type="checkbox"/> 02.118.203 4 holes, left	<input type="checkbox"/> 02.118.211 12 holes, left
<input type="checkbox"/> 02.118.204 6 holes, right	<input type="checkbox"/> 02.118.212 14 holes, right
<input type="checkbox"/> 02.118.205 6 holes, left	<input type="checkbox"/> 02.118.213 14 holes, left
<input type="checkbox"/> 02.118.206 8 holes, right	<input type="checkbox"/> 02.118.214 16 holes, right
<input type="checkbox"/> 02.118.207 8 holes, left	<input type="checkbox"/> 02.118.215 16 holes, left
<input type="checkbox"/> 02.118.208 10 holes, right	<input type="checkbox"/> 02.118.216 18 holes, right
<input type="checkbox"/> 02.118.209 10 holes, left	<input type="checkbox"/> 02.118.217 18 holes, left

2.7 mm / 3.5 mm Variable Angle LCP Anteromedial Distal Tibia Plates, sterile only



<input type="checkbox"/> 02.118.102S 4 holes, right	<input type="checkbox"/> 02.118.110S 12 holes, right
<input type="checkbox"/> 02.118.103S 4 holes, left	<input type="checkbox"/> 02.118.111S 12 holes, left
<input type="checkbox"/> 02.118.104S 6 holes, right	<input type="checkbox"/> 02.118.114S 16 holes, right
<input type="checkbox"/> 02.118.105S 6 holes, left	<input type="checkbox"/> 02.118.115S 16 holes, left
<input type="checkbox"/> 02.118.106S 8 holes, right	
<input type="checkbox"/> 02.118.107S 8 holes, left	

2.7 mm Variable Angle LCP Distal Tibia L-Plates [◇]



<input type="checkbox"/> 02.118.302 4 holes, right
<input type="checkbox"/> 02.118.303 4 holes, left
<input type="checkbox"/> 02.118.304 6 holes, right
<input type="checkbox"/> 02.118.305 6 holes, left

2.7 mm Variable Angle LCP Lateral Distal Fibula Plates [◇]



<input type="checkbox"/> 02.118.400 3 holes, right	<input type="checkbox"/> 02.118.410 9 holes, right
<input type="checkbox"/> 02.118.401 3 holes, left	<input type="checkbox"/> 02.118.411 9 holes, left
<input type="checkbox"/> 02.118.402 4 holes, right	<input type="checkbox"/> 02.118.412 11 holes, right
<input type="checkbox"/> 02.118.403 4 holes, left	<input type="checkbox"/> 02.118.413 11 holes, left
<input type="checkbox"/> 02.118.404 5 holes, right	<input type="checkbox"/> 02.118.414 13 holes, right
<input type="checkbox"/> 02.118.405 5 holes, left	<input type="checkbox"/> 02.118.415 13 holes, left
<input type="checkbox"/> 02.118.406 6 holes, right	<input type="checkbox"/> 02.118.416 15 holes, right
<input type="checkbox"/> 02.118.407 6 holes, left	<input type="checkbox"/> 02.118.417 15 holes, left
<input type="checkbox"/> 02.118.408 7 holes, right	
<input type="checkbox"/> 02.118.409 7 holes, left	

2.7 mm Variable Angle LCP Distal Tibia T-Plates [◇]



<input type="checkbox"/> 02.118.306 4 holes
<input type="checkbox"/> 02.118.307 6 holes

[◇] Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

Inventory Control Form

2.7 mm/3.5 mm Variable Angle LCP Ankle Trauma System



Implants (cont'd)

2.7 mm Metaphyseal Screws, self-tapping, with T8 StarDrive Recess



	LENGTH		LENGTH
<input type="checkbox"/>	02.118.510 10 mm	<input type="checkbox"/>	02.118.536 36 mm
<input type="checkbox"/>	02.118.512 12 mm	<input type="checkbox"/>	02.118.538 38 mm
<input type="checkbox"/>	02.118.514 14 mm	<input type="checkbox"/>	02.118.540 40 mm
<input type="checkbox"/>	02.118.516 16 mm	<input type="checkbox"/>	02.118.542 42 mm
<input type="checkbox"/>	02.118.518 18 mm	<input type="checkbox"/>	02.118.544 44 mm
<input type="checkbox"/>	02.118.520 20 mm	<input type="checkbox"/>	02.118.546 46 mm
<input type="checkbox"/>	02.118.522 22 mm	<input type="checkbox"/>	02.118.548 48 mm
<input type="checkbox"/>	02.118.524 24 mm	<input type="checkbox"/>	02.118.550 50 mm
<input type="checkbox"/>	02.118.526 26 mm	<input type="checkbox"/>	02.118.552 52 mm
<input type="checkbox"/>	02.118.528 28 mm	<input type="checkbox"/>	02.118.554 54 mm
<input type="checkbox"/>	02.118.530 30 mm	<input type="checkbox"/>	02.118.556 56 mm
<input type="checkbox"/>	02.118.532 32 mm	<input type="checkbox"/>	02.118.558 58 mm
<input type="checkbox"/>	02.118.534 34 mm	<input type="checkbox"/>	02.118.560 60 mm

3.5 mm Variable Angle Locking Screws, self-tapping, with T15 StarDrive recess



	LENGTH		LENGTH
<input type="checkbox"/>	02.127.110 10 mm	<input type="checkbox"/>	02.127.136 36 mm
<input type="checkbox"/>	02.127.112 12 mm	<input type="checkbox"/>	02.127.138 38 mm
<input type="checkbox"/>	02.127.114 14 mm	<input type="checkbox"/>	02.127.140 40 mm
<input type="checkbox"/>	02.127.116 16 mm	<input type="checkbox"/>	02.127.142 42 mm
<input type="checkbox"/>	02.127.118 18 mm	<input type="checkbox"/>	02.127.144 44 mm
<input type="checkbox"/>	02.127.120 20 mm	<input type="checkbox"/>	02.127.146 46 mm
<input type="checkbox"/>	02.127.122 22 mm	<input type="checkbox"/>	02.127.148 48 mm
<input type="checkbox"/>	02.127.124 24 mm	<input type="checkbox"/>	02.127.150 50 mm
<input type="checkbox"/>	02.127.126 26 mm	<input type="checkbox"/>	02.127.152 52 mm
<input type="checkbox"/>	02.127.128 28 mm	<input type="checkbox"/>	02.127.154 54 mm
<input type="checkbox"/>	02.127.130 30 mm	<input type="checkbox"/>	02.127.156 56 mm
<input type="checkbox"/>	02.127.132 32 mm	<input type="checkbox"/>	02.127.158 58 mm
<input type="checkbox"/>	02.127.134 34 mm	<input type="checkbox"/>	02.127.160 60 mm

2.7 mm Variable Angle Locking Screws, self-tapping, with T8 StarDrive recess



	LENGTH		LENGTH
<input type="checkbox"/>	02.211.010 10 mm	<input type="checkbox"/>	02.211.036 36 mm
<input type="checkbox"/>	02.211.012 12 mm	<input type="checkbox"/>	02.211.038 38 mm
<input type="checkbox"/>	02.211.014 14 mm	<input type="checkbox"/>	02.211.040 40 mm
<input type="checkbox"/>	02.211.016 16 mm	<input type="checkbox"/>	02.211.042 42 mm
<input type="checkbox"/>	02.211.018 18 mm	<input type="checkbox"/>	02.211.044 44 mm
<input type="checkbox"/>	02.211.020 20 mm	<input type="checkbox"/>	02.211.046 46 mm
<input type="checkbox"/>	02.211.022 22 mm	<input type="checkbox"/>	02.211.048 48 mm
<input type="checkbox"/>	02.211.024 24 mm	<input type="checkbox"/>	02.211.050 50 mm
<input type="checkbox"/>	02.211.026 26 mm	<input type="checkbox"/>	02.211.052 52 mm
<input type="checkbox"/>	02.211.028 28 mm	<input type="checkbox"/>	02.211.054 54 mm
<input type="checkbox"/>	02.211.030 30 mm	<input type="checkbox"/>	02.211.056 56 mm
<input type="checkbox"/>	02.211.032 32 mm	<input type="checkbox"/>	02.211.058 58 mm
<input type="checkbox"/>	02.211.034 34 mm	<input type="checkbox"/>	02.211.060 60 mm

3.5 mm Cortex Screws, self-tapping, low profile, with T15 StarDrive recess



	LENGTH		LENGTH
<input type="checkbox"/>	02.206.210 10 mm	<input type="checkbox"/>	02.206.236 36 mm
<input type="checkbox"/>	02.206.212 12 mm	<input type="checkbox"/>	02.206.238 38 mm
<input type="checkbox"/>	02.206.214 14 mm	<input type="checkbox"/>	02.206.240 40 mm
<input type="checkbox"/>	02.206.216 16 mm	<input type="checkbox"/>	02.206.242 42 mm
<input type="checkbox"/>	02.206.218 18 mm	<input type="checkbox"/>	02.206.244 44 mm
<input type="checkbox"/>	02.206.220 20 mm	<input type="checkbox"/>	02.206.246 46 mm
<input type="checkbox"/>	02.206.222 22 mm	<input type="checkbox"/>	02.206.248 48 mm
<input type="checkbox"/>	02.206.224 24 mm	<input type="checkbox"/>	02.206.250 50 mm
<input type="checkbox"/>	02.206.226 26 mm	<input type="checkbox"/>	02.206.252 52 mm
<input type="checkbox"/>	02.206.228 28 mm	<input type="checkbox"/>	02.206.254 54 mm
<input type="checkbox"/>	02.206.230 30 mm	<input type="checkbox"/>	02.206.256 56 mm
<input type="checkbox"/>	02.206.232 32 mm	<input type="checkbox"/>	02.206.258 58 mm
<input type="checkbox"/>	02.206.234 34 mm	<input type="checkbox"/>	02.206.260 60 mm

2.7 mm Cortex Screws, self-tapping, with T8 StarDrive recess



	LENGTH		LENGTH
<input type="checkbox"/>	202.870 10 mm	<input type="checkbox"/>	202.894 34 mm
<input type="checkbox"/>	202.872 12 mm	<input type="checkbox"/>	202.896 36 mm
<input type="checkbox"/>	202.874 14 mm	<input type="checkbox"/>	202.898 38 mm
<input type="checkbox"/>	202.876 16 mm	<input type="checkbox"/>	202.900 40 mm
<input type="checkbox"/>	202.878 18 mm	<input type="checkbox"/>	202.962 42 mm
<input type="checkbox"/>	202.880 20 mm	<input type="checkbox"/>	202.963 44 mm
<input type="checkbox"/>	202.882 22 mm	<input type="checkbox"/>	202.965 46 mm
<input type="checkbox"/>	202.884 24 mm	<input type="checkbox"/>	202.966 48 mm
<input type="checkbox"/>	202.886 26 mm	<input type="checkbox"/>	202.967 50 mm
<input type="checkbox"/>	202.888 28 mm	<input type="checkbox"/>	202.968 55 mm
<input type="checkbox"/>	202.890 30 mm	<input type="checkbox"/>	202.969 60 mm
<input type="checkbox"/>	202.892 32 mm		

4.0 mm Cortex Screws, self-tapping, with Hex recess












	LENGTH		LENGTH
<input type="checkbox"/>	206.414 14 mm	<input type="checkbox"/>	206.438 38 mm
<input type="checkbox"/>	206.416 16 mm	<input type="checkbox"/>	206.440 40 mm
<input type="checkbox"/>	206.418 18 mm	<input type="checkbox"/>	206.442 42 mm
<input type="checkbox"/>	206.420 20 mm	<input type="checkbox"/>	206.444 44 mm
<input type="checkbox"/>	206.422 22 mm	<input type="checkbox"/>	206.446 46 mm
<input type="checkbox"/>	206.424 24 mm	<input type="checkbox"/>	206.448 48 mm
<input type="checkbox"/>	206.426 26 mm	<input type="checkbox"/>	206.450 50 mm
<input type="checkbox"/>	206.428 28 mm	<input type="checkbox"/>	206.452 52 mm
<input type="checkbox"/>	206.430 30 mm	<input type="checkbox"/>	206.454 54 mm
<input type="checkbox"/>	206.432 32 mm	<input type="checkbox"/>	206.456 56 mm
<input type="checkbox"/>	206.434 34 mm	<input type="checkbox"/>	206.458 58 mm
<input type="checkbox"/>	206.436 36 mm	<input type="checkbox"/>	206.460 60 mm

Inventory Control Form


2.7 mm/3.5 mm Variable Angle LCP Ankle Trauma System



Instruments

<input type="checkbox"/>	292.16	1.6 mm Kirschner Wire With Trocar Point 150 mm	
<input type="checkbox"/>	323.062	2.0 mm Drill Bit with Depth Mark, quick coupling, 140 mm	
<input type="checkbox"/>	310.23	2.5 mm Drill Bit, quick coupling, 180 mm, gold	
<input type="checkbox"/>	315.28	2.7 mm Three-Fluted Drill Bit, quick coupling, 125 mm	
<input type="checkbox"/>	310.288	2.8 mm Drill Bit, quick coupling, 165 mm	
<input type="checkbox"/>	03.113.024	2.8 mm Calibrated Drill Bit, quick coupling, 250 mm	
<input type="checkbox"/>	310.229	2.9 mm Drill Bit, quick coupling, 150 mm	
<input type="checkbox"/>	310.35	3.5 mm Drill Bit, quick coupling, 110mm	
<input type="checkbox"/>	310.401	4.0 mm Drill Bit, quick coupling, 160 mm	

2.8 mm Compression Wires, 200 mm

<input type="checkbox"/>	03.118.010	10 mm	
<input type="checkbox"/>	03.118.015	15 mm	
<input type="checkbox"/>	03.118.020	20 mm	
<input type="checkbox"/>	03.118.025	25 mm	
<input type="checkbox"/>	03.118.030	30 mm	
<input type="checkbox"/>	03.118.035	35 mm	
<input type="checkbox"/>	03.118.040	40 mm	
<input type="checkbox"/>	03.118.045	45 mm	
<input type="checkbox"/>	03.118.050	50 mm	
<input type="checkbox"/>	03.118.055	55 mm	
<input type="checkbox"/>	03.118.060	60 mm	