

Inventory Control Form

3.5 mm LCP Proximal Tibia Plating Systems



Patient Information:

Synthes (USA)
To Order: (800) 523-0322

Synthes (Canada) Ltd.
To Order: (800) 668-1119

Date: _____

Hospital: _____

Surgeon: _____

Procedure: _____

Implants

3.5 mm Shaft Screws



		LENGTH			LENGTH
<input type="checkbox"/>	204.216	16 mm	<input type="checkbox"/>	204.228	28 mm
<input type="checkbox"/>	204.218	18 mm	<input type="checkbox"/>	204.230	30 mm
<input type="checkbox"/>	204.220	20 mm	<input type="checkbox"/>	204.232	32 mm
<input type="checkbox"/>	204.222	22 mm	<input type="checkbox"/>	204.234	34 mm
<input type="checkbox"/>	204.224	24 mm	<input type="checkbox"/>	204.236	36 mm
<input type="checkbox"/>	204.226	26 mm	<input type="checkbox"/>	204.238	38 mm

4.0 mm Cancellous Screws, fully threaded



		LENGTH			LENGTH
<input type="checkbox"/>	206.010	10 mm	<input type="checkbox"/>	206.028	28 mm
<input type="checkbox"/>	206.012	12 mm	<input type="checkbox"/>	206.030	30 mm
<input type="checkbox"/>	206.014	14 mm	<input type="checkbox"/>	206.035	35 mm
<input type="checkbox"/>	206.016	16 mm	<input type="checkbox"/>	206.040	40 mm
<input type="checkbox"/>	206.018	18 mm	<input type="checkbox"/>	206.045	45 mm
<input type="checkbox"/>	206.020	20 mm	<input type="checkbox"/>	206.050	50 mm
<input type="checkbox"/>	206.022	22 mm	<input type="checkbox"/>	206.055	55 mm
<input type="checkbox"/>	206.024	24 mm	<input type="checkbox"/>	206.060	60 mm
<input type="checkbox"/>	206.026	26 mm			

3.5 mm Cortex Screws, self-tapping



		LENGTH			LENGTH
<input type="checkbox"/>	204.810	10 mm	<input type="checkbox"/>	204.830	30 mm
<input type="checkbox"/>	204.812	12 mm	<input type="checkbox"/>	204.832	32 mm
<input type="checkbox"/>	204.814	14 mm	<input type="checkbox"/>	204.834	34 mm
<input type="checkbox"/>	204.816	16 mm	<input type="checkbox"/>	204.836	36 mm
<input type="checkbox"/>	204.818	18 mm	<input type="checkbox"/>	204.838	38 mm
<input type="checkbox"/>	204.820	20 mm	<input type="checkbox"/>	204.840	40 mm
<input type="checkbox"/>	204.822	22 mm	<input type="checkbox"/>	204.845	45 mm
<input type="checkbox"/>	204.824	24 mm	<input type="checkbox"/>	204.850	50 mm
<input type="checkbox"/>	204.826	26 mm	<input type="checkbox"/>	204.855	55 mm
<input type="checkbox"/>	204.828	28 mm	<input type="checkbox"/>	204.860	60 mm

4.0 mm Cancellous Bone Screws, partially threaded



		LENGTH			LENGTH
<input type="checkbox"/>	207.010	10 mm	<input type="checkbox"/>	207.028	28 mm
<input type="checkbox"/>	207.012	12 mm	<input type="checkbox"/>	207.030	30 mm
<input type="checkbox"/>	207.014	14 mm	<input type="checkbox"/>	207.035	35 mm
<input type="checkbox"/>	207.016	16 mm	<input type="checkbox"/>	207.040	40 mm
<input type="checkbox"/>	207.018	18 mm	<input type="checkbox"/>	207.045	45 mm
<input type="checkbox"/>	207.020	20 mm	<input type="checkbox"/>	207.050	50 mm
<input type="checkbox"/>	207.022	22 mm	<input type="checkbox"/>	207.055	55 mm
<input type="checkbox"/>	207.024	24 mm	<input type="checkbox"/>	207.060	60 mm
<input type="checkbox"/>	207.026	26 mm			

Implants (cont'd)

3.5 mm Locking Screws, self-tapping, with StarDrive recess



	LENGTH		LENGTH		
<input type="checkbox"/>	212.101	10 mm	<input type="checkbox"/>	212.119	45 mm
<input type="checkbox"/>	212.102	12 mm	<input type="checkbox"/>	212.121	50 mm
<input type="checkbox"/>	212.103	14 mm	<input type="checkbox"/>	212.122	52 mm
<input type="checkbox"/>	212.104	16 mm	<input type="checkbox"/>	212.123	55 mm
<input type="checkbox"/>	212.105	18 mm	<input type="checkbox"/>	212.124	60 mm
<input type="checkbox"/>	212.106	20 mm	<input type="checkbox"/>	212.125	65 mm
<input type="checkbox"/>	212.107	22 mm	<input type="checkbox"/>	212.126	70 mm
<input type="checkbox"/>	212.108	24 mm	<input type="checkbox"/>	212.127	75 mm
<input type="checkbox"/>	212.109	26 mm	<input type="checkbox"/>	212.128	80 mm
<input type="checkbox"/>	212.110	28 mm	<input type="checkbox"/>	212.129	85 mm
<input type="checkbox"/>	212.111	30 mm	<input type="checkbox"/>	212.130	90 mm
<input type="checkbox"/>	212.112	32 mm	<input type="checkbox"/>	212.131	95 mm
<input type="checkbox"/>	212.113	34 mm	<input type="checkbox"/>	212.134	44 mm
<input type="checkbox"/>	212.114	35 mm	<input type="checkbox"/>	212.136	46 mm
<input type="checkbox"/>	212.115	36 mm	<input type="checkbox"/>	02.212.054	54 mm
<input type="checkbox"/>	212.116	38 mm	<input type="checkbox"/>	02.212.056	56 mm
<input type="checkbox"/>	212.117	40 mm	<input type="checkbox"/>	02.212.058	58 mm
<input type="checkbox"/>	212.118	42 mm			

3.5 mm Conical Screws, self-tapping, fully threaded



	LENGTH		LENGTH		
<input type="checkbox"/>	212.317	40 mm	<input type="checkbox"/>	212.326	70 mm
<input type="checkbox"/>	212.319	45 mm	<input type="checkbox"/>	212.327	75 mm
<input type="checkbox"/>	212.321	50 mm	<input type="checkbox"/>	212.328	80 mm
<input type="checkbox"/>	212.323	55 mm	<input type="checkbox"/>	212.329	85 mm
<input type="checkbox"/>	212.324	60 mm	<input type="checkbox"/>	212.330	90 mm
<input type="checkbox"/>	212.325	65 mm	<input type="checkbox"/>	212.331	95 mm

3.5 mm Conical Screws, self-tapping, partially threaded



	LENGTH		LENGTH		
<input type="checkbox"/>	212.417	40 mm	<input type="checkbox"/>	212.426	70 mm
<input type="checkbox"/>	212.419	45 mm	<input type="checkbox"/>	212.427	75 mm
<input type="checkbox"/>	212.421	50 mm	<input type="checkbox"/>	212.428	80 mm
<input type="checkbox"/>	212.423	55 mm	<input type="checkbox"/>	212.429	85 mm
<input type="checkbox"/>	212.424	60 mm	<input type="checkbox"/>	212.430	90 mm
<input type="checkbox"/>	212.425	65 mm	<input type="checkbox"/>	212.431	95 mm

3.5 mm LCP Medial Proximal Tibia Plates

		HOLES	LENGTH	
<input type="checkbox"/>	239.954	4	93 mm	right
<input type="checkbox"/>	239.955	4	93 mm	left
<input type="checkbox"/>	239.956	6	119 mm	right
<input type="checkbox"/>	239.957	6	119 mm	left
<input type="checkbox"/>	239.958	8	145 mm	right
<input type="checkbox"/>	239.959	8	145 mm	left
<input type="checkbox"/>	239.960	10	171 mm	right
<input type="checkbox"/>	239.961	10	171 mm	left
<input type="checkbox"/>	239.962	12	197 mm	right
<input type="checkbox"/>	239.963	12	197 mm	left
<input type="checkbox"/>	239.964	14	223 mm	right
<input type="checkbox"/>	239.965	14	223 mm	left
<input type="checkbox"/>	239.966	16	249 mm	right
<input type="checkbox"/>	239.967	16	249 mm	left
<input type="checkbox"/>	239.968	18	275 mm	right
<input type="checkbox"/>	239.969	18	275 mm	left
<input type="checkbox"/>	239.970	20	301 mm	right
<input type="checkbox"/>	239.971	20	301 mm	left



3.5 mm LCP Proximal Tibia Plates

		HOLES	LENGTH	
<input type="checkbox"/>	239.934	4	81 mm	right
<input type="checkbox"/>	239.935	4	81 mm	left
<input type="checkbox"/>	239.936	6	107 mm	right
<input type="checkbox"/>	239.937	6	107 mm	left
<input type="checkbox"/>	239.938	8	133 mm	right
<input type="checkbox"/>	239.939	8	133 mm	left
<input type="checkbox"/>	239.940	10	159 mm	right
<input type="checkbox"/>	239.941	10	159 mm	left
<input type="checkbox"/>	239.942	12	185 mm	right
<input type="checkbox"/>	239.943	12	185 mm	left
<input type="checkbox"/>	239.944	14	211 mm	right
<input type="checkbox"/>	239.945	14	211 mm	left
<input type="checkbox"/>	239.946	16	237 mm	right
<input type="checkbox"/>	239.947	16	237 mm	left



Implants (cont'd)

3.5 mm LCP Proximal Tibia Plates, low bend

		HOLES	LENGTH	
<input type="checkbox"/>	02.124.200	4	76 mm	right
<input type="checkbox"/>	02.124.201	4	76 mm	left
<input type="checkbox"/>	02.124.204	6	102 mm	right
<input type="checkbox"/>	02.124.205	6	102 mm	left
<input type="checkbox"/>	02.124.208	8	128 mm	right
<input type="checkbox"/>	02.124.209	8	128 mm	left
<input type="checkbox"/>	02.124.212	10	154 mm	right
<input type="checkbox"/>	02.124.213	10	154 mm	left
<input type="checkbox"/>	02.124.216	12	180 mm	right
<input type="checkbox"/>	02.124.217	12	180 mm	left
<input type="checkbox"/>	02.124.220	14	206 mm	right
<input type="checkbox"/>	02.124.221	14	206 mm	left
<input type="checkbox"/>	02.124.224	16	232 mm	right
<input type="checkbox"/>	02.124.225	16	232 mm	left



3.5 mm LCP Posteromedial Proximal Tibia Plates

		HOLES	LENGTH
<input type="checkbox"/>	02.120.701	1	69 mm
<input type="checkbox"/>	02.120.702	2	79 mm
<input type="checkbox"/>	02.120.704	4	105 mm
<input type="checkbox"/>	02.120.706	6	131 mm
<input type="checkbox"/>	02.120.708	8	157 mm
<input type="checkbox"/>	02.120.710	10	183 mm



Miscellaneous Implants

<input type="checkbox"/>	219.98	Washer, 7.0 mm
<input type="checkbox"/>	292.20	2.0 mm K-wire, 150 mm, 10/pkg.



Instruments

Drill Bits, quick coupling

		DIAMETER	LENGTH
<input type="checkbox"/>	310.25	2.5 mm	110 mm, gold
<input type="checkbox"/>	310.288	2.8 mm	165 mm
<input type="checkbox"/>	310.35	3.5 mm	110 mm
<input type="checkbox"/>	324.214	2.8 mm	200 mm, 100 mm calibration
<input type="checkbox"/>	324.211	2.8 mm	300 mm, 200 calibration
<input type="checkbox"/>	03.122.002	2.8 mm	248 mm, 95 mm calibration



Taps

<input type="checkbox"/>	311.32	for 3.5 mm Cortex Screws, 110 mm
<input type="checkbox"/>	311.34	for 4.0 mm Cancellous Bone Screws, 110 mm



Bending Template

<input type="checkbox"/>	329.903	for 3.5 mm Proximal Tibia Plates
--------------------------	---------	----------------------------------

