

## Large Fragment LCP® System

Case Information (eg, Case ID):

DO NOT PUT ANY  
PATIENT IDENTIFIABLE  
INFORMATION IN  
THIS FIELD

**To order (USA): 800-523-0322**

**To order (Canada): 855-946-8999**

Date: \_\_\_\_\_

Hospital: \_\_\_\_\_

Surgeon: \_\_\_\_\_

Procedure: \_\_\_\_\_

### Implants

#### 4.5 mm Cortex Screws, self-tapping



	Length		Length
<input type="checkbox"/>	14 mm	<input type="checkbox"/>	60 mm
<input type="checkbox"/>	16 mm	<input type="checkbox"/>	62 mm
<input type="checkbox"/>	18 mm	<input type="checkbox"/>	64 mm
<input type="checkbox"/>	20 mm	<input type="checkbox"/>	66 mm
<input type="checkbox"/>	22 mm	<input type="checkbox"/>	68 mm
<input type="checkbox"/>	24 mm	<input type="checkbox"/>	70 mm
<input type="checkbox"/>	26 mm	<input type="checkbox"/>	72 mm
<input type="checkbox"/>	28 mm	<input type="checkbox"/>	76 mm
<input type="checkbox"/>	30 mm	<input type="checkbox"/>	80 mm
<input type="checkbox"/>	32 mm	<input type="checkbox"/>	85 mm
<input type="checkbox"/>	34 mm	<input type="checkbox"/>	90 mm
<input type="checkbox"/>	36 mm	<input type="checkbox"/>	95 mm
<input type="checkbox"/>	38 mm	<input type="checkbox"/>	100 mm
<input type="checkbox"/>	40 mm	<input type="checkbox"/>	105 mm
<input type="checkbox"/>	42 mm	<input type="checkbox"/>	110 mm
<input type="checkbox"/>	44 mm	<input type="checkbox"/>	115 mm
<input type="checkbox"/>	46 mm	<input type="checkbox"/>	120 mm
<input type="checkbox"/>	48 mm	<input type="checkbox"/>	125 mm
<input type="checkbox"/>	50 mm	<input type="checkbox"/>	130 mm
<input type="checkbox"/>	52 mm	<input type="checkbox"/>	135 mm
<input type="checkbox"/>	54 mm	<input type="checkbox"/>	140 mm
<input type="checkbox"/>	56 mm	<input type="checkbox"/>	145 mm
<input type="checkbox"/>	58 mm		

#### 6.5 mm Cancellous Bone Screws, 16 mm thread



	Length		Length
<input type="checkbox"/>	30 mm	<input type="checkbox"/>	95 mm
<input type="checkbox"/>	35 mm	<input type="checkbox"/>	100 mm
<input type="checkbox"/>	40 mm	<input type="checkbox"/>	105 mm
<input type="checkbox"/>	45 mm	<input type="checkbox"/>	110 mm
<input type="checkbox"/>	50 mm	<input type="checkbox"/>	115 mm
<input type="checkbox"/>	55 mm	<input type="checkbox"/>	120 mm
<input type="checkbox"/>	60 mm	<input type="checkbox"/>	125 mm
<input type="checkbox"/>	65 mm	<input type="checkbox"/>	130 mm
<input type="checkbox"/>	70 mm	<input type="checkbox"/>	135 mm
<input type="checkbox"/>	75 mm	<input type="checkbox"/>	140 mm
<input type="checkbox"/>	80 mm	<input type="checkbox"/>	145 mm
<input type="checkbox"/>	85 mm	<input type="checkbox"/>	150 mm
<input type="checkbox"/>	90 mm		

#### 6.5 mm Cancellous Bone Screws, 32 mm thread



	Length		Length
<input type="checkbox"/>	45 mm	<input type="checkbox"/>	100 mm
<input type="checkbox"/>	50 mm	<input type="checkbox"/>	105 mm
<input type="checkbox"/>	55 mm	<input type="checkbox"/>	110 mm
<input type="checkbox"/>	60 mm	<input type="checkbox"/>	115 mm
<input type="checkbox"/>	65 mm	<input type="checkbox"/>	120 mm
<input type="checkbox"/>	70 mm	<input type="checkbox"/>	125 mm
<input type="checkbox"/>	75 mm	<input type="checkbox"/>	130 mm
<input type="checkbox"/>	80 mm	<input type="checkbox"/>	135 mm
<input type="checkbox"/>	85 mm	<input type="checkbox"/>	140 mm
<input type="checkbox"/>	90 mm	<input type="checkbox"/>	145 mm
<input type="checkbox"/>	95 mm	<input type="checkbox"/>	150 mm

\*Also available

## Large Fragment LCP System

### Implants (cont'd)

#### 6.5 mm Cancellous Bone Screws, fully threaded



	Length		Length
<input type="checkbox"/>	218.020*	<input type="checkbox"/>	218.090*
<input type="checkbox"/>	218.025	<input type="checkbox"/>	218.095*
<input type="checkbox"/>	218.030	<input type="checkbox"/>	218.100*
<input type="checkbox"/>	218.035	<input type="checkbox"/>	218.105*
<input type="checkbox"/>	218.040	<input type="checkbox"/>	218.110*
<input type="checkbox"/>	218.045	<input type="checkbox"/>	218.115*
<input type="checkbox"/>	218.050	<input type="checkbox"/>	218.120*
<input type="checkbox"/>	218.055	<input type="checkbox"/>	218.125*
<input type="checkbox"/>	218.060	<input type="checkbox"/>	218.130*
<input type="checkbox"/>	218.065*	<input type="checkbox"/>	218.135*
<input type="checkbox"/>	218.070*	<input type="checkbox"/>	218.140*
<input type="checkbox"/>	218.075*	<input type="checkbox"/>	218.145*
<input type="checkbox"/>	218.080*	<input type="checkbox"/>	218.150*
<input type="checkbox"/>	218.085*		

#### 5.0 mm Locking Screws, self-tapping, with T25 StarDrive™ Recess



	Length		Length
<input type="checkbox"/>	212.201	<input type="checkbox"/>	212.215
<input type="checkbox"/>	212.202	<input type="checkbox"/>	212.216
<input type="checkbox"/>	212.203	<input type="checkbox"/>	212.217
<input type="checkbox"/>	212.204	<input type="checkbox"/>	212.218
<input type="checkbox"/>	212.205	<input type="checkbox"/>	212.219
<input type="checkbox"/>	212.206	<input type="checkbox"/>	212.220
<input type="checkbox"/>	212.207	<input type="checkbox"/>	212.221
<input type="checkbox"/>	212.208	<input type="checkbox"/>	212.222
<input type="checkbox"/>	212.209	<input type="checkbox"/>	212.223
<input type="checkbox"/>	212.210	<input type="checkbox"/>	212.224
<input type="checkbox"/>	212.211	<input type="checkbox"/>	212.225
<input type="checkbox"/>	212.212	<input type="checkbox"/>	212.226
<input type="checkbox"/>	212.213	<input type="checkbox"/>	212.227
<input type="checkbox"/>	212.214		

#### 6.5 mm Cancellous Bone Screws, \* with 4.0 mm core diameter



	Length		Length
<input type="checkbox"/>	218.009	<input type="checkbox"/>	218.017
<input type="checkbox"/>	218.010	<input type="checkbox"/>	218.018
<input type="checkbox"/>	218.011	<input type="checkbox"/>	218.019
<input type="checkbox"/>	218.012	<input type="checkbox"/>	218.215
<input type="checkbox"/>	218.013	<input type="checkbox"/>	218.220
<input type="checkbox"/>	218.014	<input type="checkbox"/>	218.225
<input type="checkbox"/>	218.015	<input type="checkbox"/>	218.230
<input type="checkbox"/>	218.016		

#### 5.0 mm Periprosthetic Locking Screws, self-tapping, with T25 StarDrive Recess



	Length
<input type="checkbox"/>	02.221.508 8 mm
<input type="checkbox"/>	02.221.510 10 mm
<input type="checkbox"/>	02.221.512 12 mm
<input type="checkbox"/>	02.221.514S 14 mm, sterile
<input type="checkbox"/>	02.221.518S 18 mm, sterile

#### 4.0 mm Locking Screws, self-tapping, with T25 StarDrive recess



	Length		Length
<input type="checkbox"/>	02.204.014	<input type="checkbox"/>	02.204.040
<input type="checkbox"/>	02.204.016	<input type="checkbox"/>	02.204.042
<input type="checkbox"/>	02.204.018	<input type="checkbox"/>	02.204.044
<input type="checkbox"/>	02.204.020	<input type="checkbox"/>	02.204.046
<input type="checkbox"/>	02.204.022	<input type="checkbox"/>	02.204.048
<input type="checkbox"/>	02.204.024	<input type="checkbox"/>	02.204.050
<input type="checkbox"/>	02.204.026	<input type="checkbox"/>	02.204.054
<input type="checkbox"/>	02.204.028	<input type="checkbox"/>	02.204.056
<input type="checkbox"/>	02.204.030	<input type="checkbox"/>	02.204.058
<input type="checkbox"/>	02.204.032	<input type="checkbox"/>	02.204.060
<input type="checkbox"/>	02.204.034	<input type="checkbox"/>	02.204.062
<input type="checkbox"/>	02.204.036		
<input type="checkbox"/>	02.204.038		

#### LCP® Ankle Arthrodesis Plates, sterile

	Holes	Length
<input type="checkbox"/>	02.100.032S	6 100 mm
<input type="checkbox"/>	02.100.033S	7 116 mm

#### 4.5 mm Narrow LCP Plates



	Holes	Length		Holes	Length
<input type="checkbox"/>	224.521	2 44 mm	<input type="checkbox"/>	224.611	11 206 mm
<input type="checkbox"/>	224.531	3 62 mm	<input type="checkbox"/>	224.621	12 224 mm
<input type="checkbox"/>	224.541	4 80 mm	<input type="checkbox"/>	224.631	13 242 mm
<input type="checkbox"/>	224.551	5 98 mm	<input type="checkbox"/>	224.641	14 260 mm
<input type="checkbox"/>	224.561	6 116 mm	<input type="checkbox"/>	224.651	15 278 mm
<input type="checkbox"/>	224.571	7 134 mm	<input type="checkbox"/>	224.661	16 296 mm
<input type="checkbox"/>	224.581	8 152 mm	<input type="checkbox"/>	224.681	18 332 mm
<input type="checkbox"/>	224.591	9 170 mm	<input type="checkbox"/>	224.701	20 368 mm
<input type="checkbox"/>	224.601	10 188 mm	<input type="checkbox"/>	224.721	22 404 mm

\*Also available

## Large Fragment LCP System

### Implants (cont'd)

#### 4.5 mm Broad LCP Plates



	Holes	Length		Holes	Length
<input type="checkbox"/>	226.561	6 116 mm	<input type="checkbox"/>	226.621	12 224 mm
<input type="checkbox"/>	226.571	7 134 mm	<input type="checkbox"/>	226.641	14 260 mm
<input type="checkbox"/>	226.581	8 152 mm	<input type="checkbox"/>	226.661	16 296 mm
<input type="checkbox"/>	226.591	9 170 mm	<input type="checkbox"/>	226.681	18 332 mm
<input type="checkbox"/>	226.601	10 188 mm	<input type="checkbox"/>	226.701	20 368 mm
<input type="checkbox"/>	226.611	11 206 mm	<input type="checkbox"/>	226.721	22 404 mm

#### 4.5 mm Narrow LCP Plates



	Shaft Holes	Length
<input type="checkbox"/>	240.141	4 83 mm
<input type="checkbox"/>	240.161	6 115 mm
<input type="checkbox"/>	240.181	8 147 mm

#### 4.5 mm LCP Proximal Tibia Plates



	Holes	Length	
<input type="checkbox"/>	240.036	4 82 mm	right
<input type="checkbox"/>	240.037	4 82 mm	left
<input type="checkbox"/>	240.038	6 118 mm	right
<input type="checkbox"/>	240.039	6 118 mm	left

#### 4.5 mm Curved Broad LCP Plates



	Holes	Length
<input type="checkbox"/>	226.622	12 229 mm
<input type="checkbox"/>	226.632	13 247 mm
<input type="checkbox"/>	226.642	14 265 mm
<input type="checkbox"/>	226.652	15 282 mm
<input type="checkbox"/>	226.662	16 300 mm
<input type="checkbox"/>	226.672	17 318 mm
<input type="checkbox"/>	226.682	18 336 mm
<input type="checkbox"/>	226.702S	20 372 mm, sterile
<input type="checkbox"/>	226.722S	22 408 mm, sterile
<input type="checkbox"/>	226.742S	24 443 mm, sterile
<input type="checkbox"/>	226.762S	26 479 mm, sterile

#### 4.5 mm/3.5 mm LCP Metaphyseal Plates



	Holes	Length		Holes	Length
<input type="checkbox"/>	224.753	3/5 118 mm	<input type="checkbox"/>	224.758	8/5 208 mm
<input type="checkbox"/>	224.754	4/5 136 mm	<input type="checkbox"/>	224.759	9/5 226 mm
<input type="checkbox"/>	224.755	5/5 154 mm	<input type="checkbox"/>	224.761	11/5 262 mm
<input type="checkbox"/>	224.756	6/5 172 mm	<input type="checkbox"/>	224.763	13/5 298 mm
<input type="checkbox"/>	224.757	7/5 190 mm	<input type="checkbox"/>	224.765	15/5 334 mm

#### 4.5 mm LCP Medial Proximal Tibia Plates

	Holes	Length
<input type="checkbox"/>	239.984	4 106, right
<input type="checkbox"/>	239.985	4 106, left
<input type="checkbox"/>	239.986	6 142, right
<input type="checkbox"/>	239.987	6 142, left



#### Washer

<input type="checkbox"/>	219.99	13 mm
--------------------------	--------	-------

#### Guide Wire

<input type="checkbox"/>	292.656	2.0 mm Non-Threaded
--------------------------	---------	---------------------

### Instruments

#### Drill Bits, quick coupling

	Diameter	Length
<input type="checkbox"/>	310.19	2.0 mm 100 mm
<input type="checkbox"/>	310.31	3.2 mm 145 mm
<input type="checkbox"/>	310.431	4.3 mm 180 mm
<input type="checkbox"/>	310.44	4.5 mm 145 mm

#### Taps

<input type="checkbox"/>	311.46	For 4.5 mm screws
<input type="checkbox"/>	311.66	For 6.5 mm Cancellous Bone Screws

#### Bending Templates

	Holes
<input type="checkbox"/>	329.92 12
<input type="checkbox"/>	329.97 7
<input type="checkbox"/>	329.99 9

#### Threaded Drill Guides

<input type="checkbox"/>	312.445	3.2 mm Threaded Drill Guide
<input type="checkbox"/>	312.449	4.3 mm Threaded Drill Guide
<input type="checkbox"/>	311.449	Push-Pull Reduction Device, for 4.5 mm LCP Plates

◊Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.



*Manufactured or distributed by:*

**Synthes USA Products, LLC**  
1302 Wrights Lane East  
West Chester, PA 19380

**Synthes USA, LLC**  
1101 Synthes Avenue  
Monument, CO 80132

To order (USA): 800-523-0322  
To order (Canada): 855-946-8999

*Note: For recognized manufacturer, refer to the product label.*

[www.depuyssynthes.com](http://www.depuyssynthes.com)