

MODULAR MINI FRAGMENT LCP® SYSTEM

2.0 mm, 2.4 mm and 2.7 mm Implants



Inventory Control Form

Case Information (eg, Case ID):

DO NOT PUT ANY
PATIENT IDENTIFIABLE
INFORMATION IN
THIS FIELD

To order (USA): 800-523-0322

To order (Canada): 844-243-4321

Date: _____

Hospital: _____

Surgeon: _____

Procedure: _____

Implants

2.0 mm Cortex Screws, self-tapping, T6 StarDrive recess



	Length		Length		
<input type="checkbox"/>	201.356.97	6 mm	<input type="checkbox"/>	201.370.97	20 mm
<input type="checkbox"/>	201.357.97	7 mm	<input type="checkbox"/>	201.372.97	22 mm
<input type="checkbox"/>	201.358.97	8 mm	<input type="checkbox"/>	201.374.97	24 mm
<input type="checkbox"/>	201.359.97	9 mm	<input type="checkbox"/>	201.375.97	26 mm
<input type="checkbox"/>	201.360.97	10 mm	<input type="checkbox"/>	201.376.97	28 mm
<input type="checkbox"/>	201.361.97	11 mm	<input type="checkbox"/>	201.377.97	30 mm
<input type="checkbox"/>	201.362.97	12 mm	<input type="checkbox"/>	201.378.97	32 mm
<input type="checkbox"/>	201.363.97	13 mm	<input type="checkbox"/>	201.379.97	34 mm
<input type="checkbox"/>	201.364.97	14 mm	<input type="checkbox"/>	201.380.97	36 mm
<input type="checkbox"/>	201.366.97	16 mm	<input type="checkbox"/>	201.381.97	38 mm
<input type="checkbox"/>	201.368.97	18 mm	<input type="checkbox"/>	201.382.97	40 mm

2.4 mm Cortex Screws, self-tapping, T8 StarDrive recess*



	Length		Length		
<input type="checkbox"/>	201.756	6 mm	<input type="checkbox"/>	201.786	36 mm
<input type="checkbox"/>	201.757	7 mm	<input type="checkbox"/>	201.788	38 mm
<input type="checkbox"/>	201.758	8 mm	<input type="checkbox"/>	201.790	40 mm
<input type="checkbox"/>	201.759	9 mm	<input type="checkbox"/>	02.210.942	42 mm
<input type="checkbox"/>	201.760	10 mm	<input type="checkbox"/>	02.210.946	46 mm
<input type="checkbox"/>	201.761	11 mm	<input type="checkbox"/>	02.210.948	48 mm
<input type="checkbox"/>	201.762	12 mm	<input type="checkbox"/>	02.210.950	50 mm
<input type="checkbox"/>	201.763	13 mm	<input type="checkbox"/>	02.210.952	52 mm
<input type="checkbox"/>	201.764	14 mm	<input type="checkbox"/>	02.210.954	54 mm
<input type="checkbox"/>	201.766	16 mm	<input type="checkbox"/>	02.210.956	56 mm
<input type="checkbox"/>	201.768	18 mm	<input type="checkbox"/>	02.210.958	58 mm
<input type="checkbox"/>	201.770	20 mm	<input type="checkbox"/>	02.210.960	60 mm
<input type="checkbox"/>	201.772	22 mm	<input type="checkbox"/>	02.210.965	65 mm
<input type="checkbox"/>	201.774	24 mm	<input type="checkbox"/>	02.210.970	70 mm
<input type="checkbox"/>	201.776	26 mm	<input type="checkbox"/>	02.210.975	75 mm
<input type="checkbox"/>	201.778	28 mm	<input type="checkbox"/>	02.210.980	80 mm
<input type="checkbox"/>	201.780	30 mm	<input type="checkbox"/>	02.210.985	85 mm
<input type="checkbox"/>	201.782	32 mm	<input type="checkbox"/>	02.210.990	90 mm
<input type="checkbox"/>	201.784	34 mm			

2.0 mm Locking Screws, self-tapping, T6 StarDrive recess



	Length		Length		
<input type="checkbox"/>	201.876	6 mm	<input type="checkbox"/>	201.886	16 mm
<input type="checkbox"/>	201.877	7 mm	<input type="checkbox"/>	201.888	18 mm
<input type="checkbox"/>	201.878	8 mm	<input type="checkbox"/>	201.890	20 mm
<input type="checkbox"/>	201.879	9 mm	<input type="checkbox"/>	201.892	22 mm
<input type="checkbox"/>	201.880	10 mm	<input type="checkbox"/>	201.894	24 mm
<input type="checkbox"/>	201.881	11 mm	<input type="checkbox"/>	201.896	26 mm
<input type="checkbox"/>	201.882	12 mm	<input type="checkbox"/>	201.898	28 mm
<input type="checkbox"/>	201.883	13 mm	<input type="checkbox"/>	201.900	30 mm
<input type="checkbox"/>	201.884	14 mm			

2.4 mm Locking Screws, self-tapping, T8 StarDrive recess



	Length		Length		
<input type="checkbox"/>	212.806	6 mm	<input type="checkbox"/>	212.816	16 mm
<input type="checkbox"/>	212.807	7 mm	<input type="checkbox"/>	212.818	18 mm
<input type="checkbox"/>	212.808	8 mm	<input type="checkbox"/>	212.820	20 mm
<input type="checkbox"/>	212.809	9 mm	<input type="checkbox"/>	212.822	22 mm
<input type="checkbox"/>	212.810	10 mm	<input type="checkbox"/>	212.824	24 mm
<input type="checkbox"/>	212.811	11 mm	<input type="checkbox"/>	212.826	26 mm
<input type="checkbox"/>	212.812	12 mm	<input type="checkbox"/>	212.828	28 mm
<input type="checkbox"/>	212.813	13 mm	<input type="checkbox"/>	212.830	30 mm
<input type="checkbox"/>	212.814	14 mm			

Some devices in this form may not have been licensed in accordance with Canadian law and may not be for sale in Canada. Please contact your sales consultant for items approved for sale in Canada.
*2.4 mm Cortex Screws in lengths 42–60 mm are available in the 2.4/2.7 mm VA-LCP Forefoot/Midfoot Plating System.

MODULAR MINI FRAGMENT LCP SYSTEM

2.0 mm, 2.4 mm and 2.7 mm Implants

Inventory Control Form

Implants (cont'd)

2.7 mm Cortex Screws, self-tapping, T8 StarDrive recess



	Length		Length		
<input type="checkbox"/>	202.870	10 mm	<input type="checkbox"/>	202.900	40 mm
<input type="checkbox"/>	202.872	12 mm	<input type="checkbox"/>	202.962	42 mm
<input type="checkbox"/>	202.874	14 mm	<input type="checkbox"/>	202.963	44 mm
<input type="checkbox"/>	202.876	16 mm	<input type="checkbox"/>	202.965	46 mm
<input type="checkbox"/>	202.878	18 mm	<input type="checkbox"/>	202.966	48 mm
<input type="checkbox"/>	202.880	20 mm	<input type="checkbox"/>	202.967	50 mm
<input type="checkbox"/>	202.882	22 mm	<input type="checkbox"/>	202.968	55 mm
<input type="checkbox"/>	202.884	24 mm	<input type="checkbox"/>	202.969	60 mm
<input type="checkbox"/>	202.886	26 mm	<input type="checkbox"/>	202.970	65 mm
<input type="checkbox"/>	202.888	28 mm	<input type="checkbox"/>	202.971	70 mm
<input type="checkbox"/>	202.890	30 mm	<input type="checkbox"/>	02.202.975	75 mm
<input type="checkbox"/>	202.892	32 mm	<input type="checkbox"/>	02.202.980	80 mm
<input type="checkbox"/>	202.894	34 mm	<input type="checkbox"/>	02.202.985	85 mm
<input type="checkbox"/>	202.896	36 mm	<input type="checkbox"/>	02.202.990	90 mm
<input type="checkbox"/>	202.898	38 mm			

2.7 mm Locking Screws, self-tapping, T8 StarDrive recess



	Length		Length		
<input type="checkbox"/>	202.210	10 mm	<input type="checkbox"/>	202.234	34 mm
<input type="checkbox"/>	202.212	12 mm	<input type="checkbox"/>	202.236	36 mm
<input type="checkbox"/>	202.214	14 mm	<input type="checkbox"/>	202.238	38 mm
<input type="checkbox"/>	202.216	16 mm	<input type="checkbox"/>	202.240	40 mm
<input type="checkbox"/>	202.218	18 mm	<input type="checkbox"/>	202.242	42 mm
<input type="checkbox"/>	202.220	20 mm	<input type="checkbox"/>	202.244	44 mm
<input type="checkbox"/>	202.222	22 mm	<input type="checkbox"/>	202.246	46 mm
<input type="checkbox"/>	202.224	24 mm	<input type="checkbox"/>	202.248	48 mm
<input type="checkbox"/>	202.226	26 mm	<input type="checkbox"/>	202.250	50 mm
<input type="checkbox"/>	202.228	28 mm	<input type="checkbox"/>	202.255	55 mm
<input type="checkbox"/>	202.230	30 mm	<input type="checkbox"/>	202.260	60 mm
<input type="checkbox"/>	202.232	32 mm			

2.0 mm LCP Plates



	Holes	Length	
<input type="checkbox"/>	247.344	4	31 mm
<input type="checkbox"/>	247.345	5	38 mm
<input type="checkbox"/>	247.346	6	45 mm
<input type="checkbox"/>	247.347	7	52 mm
<input type="checkbox"/>	247.348	8	59 mm
<input type="checkbox"/>	247.360	10	73 mm

2.0 mm LCP Condylar Plate



	Shaft Holes	Length	
<input type="checkbox"/>	247.349	7	54 mm

2.0 mm LCP Adaption Plate



	Shaft Holes	Length	
<input type="checkbox"/>	247.362	12	81 mm

2.0 mm LCP T-Plate, 3 holes head



	Shaft Holes	Length	
<input type="checkbox"/>	247.615	7	53 mm

2.0 mm LCP T-Plate, 2 holes head



	Shaft Holes	Length	
<input type="checkbox"/>	247.351	7	53 mm

2.0 mm LCP Y-Plate, 3 holes head



	Shaft Holes	Length	
<input type="checkbox"/>	247.350	7	55 mm

Some devices in this form may not have been licensed in accordance with Canadian law and may not be for sale in Canada. Please contact your sales consultant for items approved for sale in Canada.

MODULAR MINI FRAGMENT LCP SYSTEM

2.0 mm, 2.4 mm and 2.7 mm Implants

Inventory Control Form

Implants (cont'd)

2.4 mm LCP Plates



		Holes	Length
<input type="checkbox"/>	249.674	4	36 mm
<input type="checkbox"/>	247.375	5	44 mm
<input type="checkbox"/>	249.676	6	52 mm
<input type="checkbox"/>	247.377	7	60 mm
<input type="checkbox"/>	249.678	8	68 mm
<input type="checkbox"/>	247.364	10	84 mm

2.4 mm LCP Condylar Plate



		Shaft Holes	Length
<input type="checkbox"/>	249.679	7	59 mm

2.4 mm LCP Adaption Plate



		Shaft Holes	Length
<input type="checkbox"/>	247.366	12	88 mm

2.4 mm LCP T-Plate, 3 holes head



		Shaft Holes	Length
<input type="checkbox"/>	249.615	7	58 mm

2.4 mm LCP T-Plate, 2 holes head



		Shaft Holes	Length
<input type="checkbox"/>	249.670	7	58 mm

2.4 mm LCP Y-Plate, 3 holes head



		Shaft Holes	Length
<input type="checkbox"/>	249.669	7	60 mm

2.7 mm LCP Plates



		Holes	Length
<input type="checkbox"/>	249.680	4	40 mm
<input type="checkbox"/>	249.681	5	49 mm
<input type="checkbox"/>	249.682	6	58 mm
<input type="checkbox"/>	249.683	7	67 mm
<input type="checkbox"/>	247.372	8	76 mm
<input type="checkbox"/>	247.374	10	94 mm
<input type="checkbox"/>	02.247.380S†	16	148 mm
<input type="checkbox"/>	02.247.386S†	20	184 mm

2.7 mm LCP L-Plates, right, 2 holes head

		Shaft Holes	Length
<input type="checkbox"/>	249.688	3	32 mm
<input type="checkbox"/>	249.701	4	40 mm



2.7 mm LCP L-Plates, left, 2 holes head

		Shaft Holes	Length
<input type="checkbox"/>	249.689	3	32 mm
<input type="checkbox"/>	249.702	4	40 mm

2.7 mm LCP L-Plates, oblique right, 2 holes head

		Shaft Holes	Length
<input type="checkbox"/>	249.686	3	35 mm
<input type="checkbox"/>	249.698	4	42 mm



2.7 mm LCP L-Plates, oblique left, 2 holes head

		Shaft Holes	Length
<input type="checkbox"/>	249.687	3	35 mm
<input type="checkbox"/>	249.699	4	42 mm

2.7 mm LCP Condylar Plate



		Shaft Holes	Length
<input type="checkbox"/>	249.684	7	66 mm

2.7 mm LCP Adaption Plate



		Shaft Holes	Length
<input type="checkbox"/>	247.370	12	97 mm
<input type="checkbox"/>	02.247.390†	20	161 mm

Some devices in this form may not have been licensed in accordance with Canadian law and may not be for sale in Canada. Please contact your sales consultant for items approved for sale in Canada.
†Available sterile only.

MODULAR MINI FRAGMENT LCP SYSTEM

2.0 mm, 2.4 mm and 2.7 mm Implants

Inventory Control Form

Implants (cont'd)

2.7 mm LCP T-Plates, 2 holes head



		Shaft Holes	Length
<input type="checkbox"/>	249.685	3	32 mm
<input type="checkbox"/>	249.697	4	40 mm

Instruments

Drill Bits

		Diameter	Length
<input type="checkbox"/>	310.201	2.0 mm	65 mm

		Diameter	Length
<input type="checkbox"/>	310.507	1.5 mm	96 mm

		Diameter	Length
<input type="checkbox"/>	310.509	1.8 mm	110 mm
<input type="checkbox"/>	03.133.018S†	1.8 mm	190 mm

		Diameter	Length
<input type="checkbox"/>	310.530	2.4 mm	100 mm

		Diameter	Length
<input type="checkbox"/>	310.26	2.7 mm	100 mm

		Diameter	Length
<input type="checkbox"/>	323.062	2.0 mm	140 mm
<input type="checkbox"/>	03.133.020S†	2.0 mm	190 mm

Instruments

Kirschner Wires, Trocar Point (10/pkg.)

		Diameter	Length
<input type="checkbox"/>	292.08	0.8 mm	70 mm
<input type="checkbox"/>	292.10	1 mm	150 mm
<input type="checkbox"/>	292.12	1.25 mm	150 mm
<input type="checkbox"/>	292.16	1.6 mm	150 mm
<input type="checkbox"/>	292.20	2.0 mm	150 mm

Some devices in this form may not have been licensed in accordance with Canadian law and may not be for sale in Canada. Please contact your sales consultant for items approved for sale in Canada.
 †Available sterile only.



To order (USA): 800-523-0322
 To order (Canada): 844-243-4321

www.depuyorth.com