

Inventory Control Form

QIS and 2.0, 2.5, 3.0, 3.5, 4.0 mm Cannulated Compression Headless Screws (CCHS)

Case Information (eg, Case ID):

DO NOT PUT ANY
PATIENT IDENTIFIABLE
INFORMATION IN
THIS FIELD

To order (USA): 800-523-0322

To order (Canada): 844-243-4321

Date: _____

Hospital: _____

Surgeon: _____

Procedure: _____

Implants The screws are made of titanium alloy (TAN)

2.0 mm Quick Insertion Screw



Length (mm) Part Number

<input type="checkbox"/>	11	04.228.511
<input type="checkbox"/>	12	04.228.512
<input type="checkbox"/>	13	04.228.513
<input type="checkbox"/>	14	04.228.514
<input type="checkbox"/>	15	04.228.515
<input type="checkbox"/>	16	04.228.516
<input type="checkbox"/>	17	04.228.517
<input type="checkbox"/>	18	04.228.518

2.0 mm Cannulated Compression Headless Screw[◇]



Length (mm)	Short Thread Part Number	Thread Length (mm)	Long Thread Part Number	Thread Length (mm)
-------------	--------------------------	--------------------	-------------------------	--------------------

<input type="checkbox"/>	10	04.333.010	4			
<input type="checkbox"/>	12	04.333.012	4			
<input type="checkbox"/>	14	04.333.014	4			
<input type="checkbox"/>	16	04.333.016	4			
<input type="checkbox"/>	18	04.333.018	5			
<input type="checkbox"/>	20	04.333.020	5	<input type="checkbox"/>	04.334.020	8
<input type="checkbox"/>	22	04.333.022	6	<input type="checkbox"/>	04.334.022	9
<input type="checkbox"/>	24	04.333.024	6	<input type="checkbox"/>	04.334.024	10
<input type="checkbox"/>	26	04.333.026	7	<input type="checkbox"/>	04.334.026	10
<input type="checkbox"/>	28	04.333.028	7	<input type="checkbox"/>	04.334.028	11
<input type="checkbox"/>	30	04.333.030	8	<input type="checkbox"/>	04.334.030	12

Thread Length

Short Thread: approx. 25% Total Length or 4 mm

Long Thread: approx. 40% Total Length

2.5 mm Cannulated Compression Headless Screw[◇]



Length (mm)	Short Thread Part Number	Thread Length (mm)	Long Thread Part Number	Thread Length (mm)
-------------	--------------------------	--------------------	-------------------------	--------------------

<input type="checkbox"/>	10	04.333.110	4			
<input type="checkbox"/>	12	04.333.112	4			
<input type="checkbox"/>	14	04.333.114	4			
<input type="checkbox"/>	16	04.333.116	4			
<input type="checkbox"/>	18	04.333.118	5			
<input type="checkbox"/>	20	04.333.120	5	<input type="checkbox"/>	04.334.120	8
<input type="checkbox"/>	22	04.333.122	6	<input type="checkbox"/>	04.334.122	9
<input type="checkbox"/>	24	04.333.124	6	<input type="checkbox"/>	04.334.124	10
<input type="checkbox"/>	26	04.333.126	7	<input type="checkbox"/>	04.334.126	10
<input type="checkbox"/>	28	04.333.128	7	<input type="checkbox"/>	04.334.128	11
<input type="checkbox"/>	30	04.333.130	8	<input type="checkbox"/>	04.334.130	12
<input type="checkbox"/>	32	04.333.132	8	<input type="checkbox"/>	04.334.132	13
<input type="checkbox"/>	34	04.333.134	9	<input type="checkbox"/>	04.334.134	14
<input type="checkbox"/>	36	04.333.136	9	<input type="checkbox"/>	04.334.136	15
<input type="checkbox"/>	38	04.333.138	10	<input type="checkbox"/>	04.334.138	16
<input type="checkbox"/>	40	04.333.140	10	<input type="checkbox"/>	04.334.140	17

Thread Length

Short Thread: approx. 25% Total Length or 4 mm

Long Thread: approx. 40% Total Length

[◇]All implants are also available packed in sterile tubes. Add suffix "TS" to part number. Sterile part availability might be different depending on the country or region.

Inventory Control Form

QIS and 2.0, 2.5, 3.0, 3.5, 4.0 mm Cannulated Compression Headless Screws (CCHS)

Implants The screws are made of titanium alloy (TAN)

3.0 mm Cannulated Compression Headless Screw [◇]



Length (mm)	Short Thread Part Number	Thread Length (mm)	Long Thread Part Number	Thread Length (mm)
<input type="checkbox"/>	10	04.333.210	4	
<input type="checkbox"/>	12	04.333.212	4	
<input type="checkbox"/>	14	04.333.214	4	
<input type="checkbox"/>	16	04.333.216	4	
<input type="checkbox"/>	18	04.333.218	5	
<input type="checkbox"/>	20	04.333.220	5	<input type="checkbox"/> 04.334.220 8
<input type="checkbox"/>	22	04.333.222	6	<input type="checkbox"/> 04.334.222 9
<input type="checkbox"/>	24	04.333.224	6	<input type="checkbox"/> 04.334.224 10
<input type="checkbox"/>	26	04.333.226	7	<input type="checkbox"/> 04.334.226 10
<input type="checkbox"/>	28	04.333.228	7	<input type="checkbox"/> 04.334.228 11
<input type="checkbox"/>	30	04.333.230	8	<input type="checkbox"/> 04.334.230 12
<input type="checkbox"/>	32	04.333.232	8	<input type="checkbox"/> 04.334.232 13
<input type="checkbox"/>	34	04.333.234	9	<input type="checkbox"/> 04.334.234 14
<input type="checkbox"/>	36	04.333.236	9	<input type="checkbox"/> 04.334.236 14
<input type="checkbox"/>	38	04.333.238	10	<input type="checkbox"/> 04.334.238 15
<input type="checkbox"/>	40	04.333.240	10	<input type="checkbox"/> 04.334.240 16

Thread Length
 Short Thread: approx. 25% Total Length or 4 mm
 Long Thread: approx. 40% Total Length

3.5 mm Cannulated Compression Headless Screw [◇]



Length (mm)	Short Thread Part Number	Thread Length (mm)	Long Thread Part Number	Thread Length (mm)
<input type="checkbox"/>	14	04.333.314	4	
<input type="checkbox"/>	16	04.333.316	4	
<input type="checkbox"/>	18	04.333.318	5	
<input type="checkbox"/>	20	04.333.320	5	
<input type="checkbox"/>	22	04.333.322	6	
<input type="checkbox"/>	24	04.333.324	6	<input type="checkbox"/> 04.334.324 10
<input type="checkbox"/>	26	04.333.326	7	<input type="checkbox"/> 04.334.326 10
<input type="checkbox"/>	28	04.333.328	7	<input type="checkbox"/> 04.334.328 11
<input type="checkbox"/>	30	04.333.330	8	<input type="checkbox"/> 04.334.330 12
<input type="checkbox"/>	32	04.333.332	8	<input type="checkbox"/> 04.334.332 13
<input type="checkbox"/>	34	04.333.334	9	<input type="checkbox"/> 04.334.334 14
<input type="checkbox"/>	36	04.333.336	9	<input type="checkbox"/> 04.334.336 14
<input type="checkbox"/>	38	04.333.338	10	<input type="checkbox"/> 04.334.338 15
<input type="checkbox"/>	40	04.333.340	10	<input type="checkbox"/> 04.334.340 16
<input type="checkbox"/>	42	04.333.342	11	<input type="checkbox"/> 04.334.342 17
<input type="checkbox"/>	44	04.333.344	11	<input type="checkbox"/> 04.334.344 18
<input type="checkbox"/>	46	04.333.346	12	<input type="checkbox"/> 04.334.346 18
<input type="checkbox"/>	48	04.333.348	12	<input type="checkbox"/> 04.334.348 19
<input type="checkbox"/>	50	04.333.350	13	<input type="checkbox"/> 04.334.350 20

Thread Length
 Short Thread: approx. 25% Total Length or 4 mm
 Long Thread: approx. 40% Total Length

[◇]All implants are also available packed in sterile tubes. Add suffix "TS" to part number.
 Sterile part availability might be different depending on the country or region.

Inventory Control Form

QIS and 2.0, 2.5, 3.0, 3.5, 4.0 mm Cannulated Compression Headless Screws (CCHS)

Implants The screws are made of titanium alloy (TAN)

4.0 mm Cannulated Compression Headless Screw [◇]



Length (mm)	Short Thread Part Number	Thread Length (mm)	Long Thread Part Number	Thread Length (mm)
<input type="checkbox"/>	14	04.333.414	5	
<input type="checkbox"/>	16	04.333.416	5	
<input type="checkbox"/>	18	04.333.418	5	
<input type="checkbox"/>	20	04.333.420	5	
<input type="checkbox"/>	22	04.333.422	6	
<input type="checkbox"/>	24	04.333.424	6	<input type="checkbox"/> 04.334.424 10
<input type="checkbox"/>	26	04.333.426	7	<input type="checkbox"/> 04.334.426 10
<input type="checkbox"/>	28	04.333.428	7	<input type="checkbox"/> 04.334.428 11
<input type="checkbox"/>	30	04.333.430	8	<input type="checkbox"/> 04.334.430 12
<input type="checkbox"/>	32	04.333.432	8	<input type="checkbox"/> 04.334.432 13
<input type="checkbox"/>	34	04.333.434	9	<input type="checkbox"/> 04.334.434 14
<input type="checkbox"/>	36	04.333.436	9	<input type="checkbox"/> 04.334.436 14
<input type="checkbox"/>	38	04.333.438	10	<input type="checkbox"/> 04.334.438 15
<input type="checkbox"/>	40	04.333.440	10	<input type="checkbox"/> 04.334.440 16
<input type="checkbox"/>	42	04.333.442	11	<input type="checkbox"/> 04.334.442 17
<input type="checkbox"/>	44	04.333.444	11	<input type="checkbox"/> 04.334.444 18
<input type="checkbox"/>	46	04.333.446	12	<input type="checkbox"/> 04.334.446 18
<input type="checkbox"/>	48	04.333.448	12	<input type="checkbox"/> 04.334.448 19
<input type="checkbox"/>	50	04.333.450	13	<input type="checkbox"/> 04.334.450 20
<input type="checkbox"/>	52	04.333.452	13	<input type="checkbox"/> 04.334.452 21
<input type="checkbox"/>	54	04.333.454	14	<input type="checkbox"/> 04.334.454 22
<input type="checkbox"/>	56	04.333.456	14	<input type="checkbox"/> 04.334.456 22
<input type="checkbox"/>	58	04.333.458	15	<input type="checkbox"/> 04.334.458 23
<input type="checkbox"/>	60	04.333.460	15	<input type="checkbox"/> 04.334.460 24

Thread Length

Short Thread: approx. 25% Total Length or 5 mm

Long Thread: approx. 40% Total Length

[◇]All implants are also available packed in sterile tubes. Add suffix "TS" to part number. Sterile part availability might be different depending on the country or region.

Instruments

Instruments for 2.0 mm Screws ●

03.333.000 0.8 mm Guide Wire, L 100 mm Trocar Tip
 03.333.000S* (6 pk)

03.333.100 1.6 mm Cannulated Drill Bit, QC
 03.333.100S*

03.333.200 2.0 mm Cannulated Countersink, QC
 03.333.200S*

Instruments for 2.5/3.0 mm Screws ● ●

03.333.001 1.1 mm Guide Wire, L 150 mm, Trocar Tip
 03.333.001S* (6 pk)

03.333.101 2.0 mm Cannulated Drill Bit, QC
 03.333.101S*

03.333.201 2.5/3.0 mm Cannulated Countersink, QC
 03.333.201S*

Instruments for 3.5/4.0 mm Screws ● ●

03.333.002 1.4 mm Guide Wire, L 150 mm, Trocar Tip
 03.333.002S* (6 pk)

03.333.102 2.7 mm Cannulated Drill Bit, QC
 03.333.102S*

03.333.202 3.5/4.0 mm Cannulated Countersink, QC
 03.333.202S*

*Part numbers with a trailing 'S' designate the sterile part number. Sterile part availability might be different depending on the country or region.



Manufactured by:
Synthes USA, LLC
1101 Synthes Avenue
Monument, CO 80132

To order (USA): 800-523-0322
To order (Canada): 844-243-4321

ijnmedicaldevices.com

Manufactured by:
Tyber Medical, LLC
83 South Commerce Way, Suite 310
Bethlehem, PA 18017

www.tybermedical.com