

Inventory Control Form

Elastic Nails, CAPOS, and Pediatric LCP Plates

Case Information (eg, Case ID):

DO NOT PUT ANY
PATIENT IDENTIFIABLE
INFORMATION IN
THIS FIELD

To order (USA): 800-523-0322
To order (Canada): 844-243-4321

Date: _____

Hospital: _____

Surgeon: _____

Procedure: _____

Titanium Elastic Nails Implants

Titanium Elastic Nails[◇]



		Diameter	Length
<input type="checkbox"/>	475.915	1.5 mm	300 mm
<input type="checkbox"/>	475.920	2.0 mm	440 mm
<input type="checkbox"/>	475.925	2.5 mm	440 mm
<input type="checkbox"/>	475.930	3.0 mm	440 mm
<input type="checkbox"/>	475.935	3.5 mm	440 mm
<input type="checkbox"/>	475.940	4.0 mm	440 mm

Titanium End Cap for Titanium Elastic Nails[◇]



		For Nail Diameters
<input type="checkbox"/>	475.900	3.0 mm – 4.0 mm
<input type="checkbox"/>	475.905	1.5 mm – 2.5 mm

Stainless Steel Elastic Nails Implants

Stainless Steel Elastic Nails



		Diameter	Length
<input type="checkbox"/>	275.915	1.5 mm	300 mm
<input type="checkbox"/>	275.920	2.0 mm	440 mm
<input type="checkbox"/>	275.925	2.5 mm	440 mm
<input type="checkbox"/>	275.930	3.0 mm	440 mm
<input type="checkbox"/>	275.935	3.5 mm	440 mm
<input type="checkbox"/>	275.940	4.0 mm	440 mm

Stainless Steel End Cap for Stainless Steel Elastic Nails



		For Nail Diameters
<input type="checkbox"/>	275.900	3.0 mm – 4.0 mm
<input type="checkbox"/>	275.905	1.5 mm – 2.5 mm

Instruments

Three-Fluted Drill Bits, quick coupling[◇]



		Diameter	Length
<input type="checkbox"/>	315.28	2.7 mm	125 mm
<input type="checkbox"/>	315.29	3.2 mm	195 mm
<input type="checkbox"/>	315.48	4.5 mm	195 mm

[◇]Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

Inventory Control Form

Elastic Nails, CAPOS, and Pediatric LCP Plates



PART OF THE *Johnson & Johnson* FAMILY OF COMPANIES

Stainless Steel Infant and Toddler 3.5 mm Implants

115° Bifurcated Plates–DCP◊

	Blade	Displacement
<input type="checkbox"/> 236.400	30 mm	5 mm
<input type="checkbox"/> 236.430	35 mm	5 mm



90° Infant Osteotomy Plates–DCP◊

	Blade	Displacement
<input type="checkbox"/> 236.250	25 mm	7 mm
<input type="checkbox"/> 236.260	32 mm	7 mm
<input type="checkbox"/> 236.350	25 mm	12 mm
<input type="checkbox"/> 236.360	32 mm	12 mm



90° Toddler Osteotomy Plates–DCP◊

	Blade	Displacement
<input type="checkbox"/> 236.001	26 mm	4 mm
<input type="checkbox"/> 236.002	32 mm	4 mm
<input type="checkbox"/> 236.003	38 mm	4 mm
<input type="checkbox"/> 236.011	26 mm	8 mm
<input type="checkbox"/> 236.012	32 mm	8 mm
<input type="checkbox"/> 236.013	38 mm	8 mm



100° Toddler Osteotomy Plates–DCP◊

	Blade	Displacement
<input type="checkbox"/> 236.101	26 mm	4 mm
<input type="checkbox"/> 236.102	32 mm	4 mm
<input type="checkbox"/> 236.103	38 mm	4 mm
<input type="checkbox"/> 236.104	44 mm	4 mm
<input type="checkbox"/> 236.111	26 mm	8 mm
<input type="checkbox"/> 236.112	32 mm	8 mm
<input type="checkbox"/> 236.113	38 mm	8 mm
<input type="checkbox"/> 236.114	44 mm	8 mm

3.5 mm Cortex Screws, self-tapping

	Length		Length
<input type="checkbox"/> 204.810	10 mm	<input type="checkbox"/> 204.822	22 mm
<input type="checkbox"/> 204.812	12 mm	<input type="checkbox"/> 204.824	24 mm
<input type="checkbox"/> 204.814	14 mm	<input type="checkbox"/> 204.826	26 mm
<input type="checkbox"/> 204.816	16 mm	<input type="checkbox"/> 204.828	28 mm
<input type="checkbox"/> 204.818	18 mm	<input type="checkbox"/> 204.830	30 mm
<input type="checkbox"/> 204.820	20 mm		



Stainless Steel Child and Adolescent 4.5 mm Implants

80° Child Osteotomy Plates–DCP◊

	Blade	Displacement
<input type="checkbox"/> 235.170	35 mm	8 mm
<input type="checkbox"/> 235.190	45 mm	8 mm

90° Child Osteotomy Plates–DC◊

	Blade	Displacement
<input type="checkbox"/> 235.270	35 mm	8 mm
<input type="checkbox"/> 235.290	45 mm	8 mm



100° Child Osteotomy Plates–DCP◊

	Blade	Displacement
<input type="checkbox"/> 235.370	35 mm	8 mm
<input type="checkbox"/> 235.390	45 mm	8 mm

90° Adolescent Osteotomy Plates–DCP◊

	Blade	Displacement
<input type="checkbox"/> 235.600	50 mm	10 mm
<input type="checkbox"/> 235.680	40 mm	10 mm
<input type="checkbox"/> 235.700	50 mm	15 mm
<input type="checkbox"/> 235.720	60 mm	15 mm
<input type="checkbox"/> 235.780	40 mm	15 mm



100° Adolescent Osteotomy Plates–DCP◊

	Blade	Displacement
<input type="checkbox"/> 235.601	50 mm	10 mm
<input type="checkbox"/> 235.681	40 mm	10 mm
<input type="checkbox"/> 235.701	50 mm	15 mm
<input type="checkbox"/> 235.721	60 mm	15 mm
<input type="checkbox"/> 235.781	40 mm	15 mm

95° Condylar Plates–DCP◊

	Blade	Shaft	Holes
<input type="checkbox"/> 282.50	50 mm	92 mm	5
<input type="checkbox"/> 282.52	60 mm	92 mm	5
<input type="checkbox"/> 282.54	70 mm	92 mm	5
<input type="checkbox"/> 282.58	40 mm	92 mm	5
<input type="checkbox"/> 282.70	50 mm	124 mm	7
<input type="checkbox"/> 282.72	60 mm	124 mm	7
<input type="checkbox"/> 282.74	70 mm	124 mm	7
<input type="checkbox"/> 282.78	40 mm	124 mm	7
<input type="checkbox"/> 282.90	50 mm	156 mm	9
<input type="checkbox"/> 282.92	60 mm	156 mm	9
<input type="checkbox"/> 282.94	70 mm	156 mm	9
<input type="checkbox"/> 282.98	40 mm	156 mm	9



◊Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

Inventory Control Form

Elastic Nails, CAPOS, and Pediatric LCP Plates

Stainless Steel Child and Adolescent 4.5 mm Implants (cont'd)

130° Angled Blade Plates—DCP

	Blade	Shaft	Holes	
<input type="checkbox"/>	283.40	50 mm	60 mm	4
<input type="checkbox"/>	283.42	60 mm	60 mm	4
<input type="checkbox"/>	283.44	70 mm	60 mm	4
<input type="checkbox"/>	283.46	80 mm	60 mm	4
<input type="checkbox"/>	283.60	50 mm	104 mm	6
<input type="checkbox"/>	283.62	60 mm	104 mm	6
<input type="checkbox"/>	283.64	70 mm	104 mm	6
<input type="checkbox"/>	283.66	80 mm	104 mm	6
<input type="checkbox"/>	283.90	50 mm	152 mm	9
<input type="checkbox"/>	283.92	60 mm	152 mm	9
<input type="checkbox"/>	283.94	70 mm	152 mm	9
<input type="checkbox"/>	283.96	80 mm	152 mm	9



4.5 mm Cortex Screws, self-tapping

	Length		Length		
<input type="checkbox"/>	214.816	16 mm	<input type="checkbox"/>	214.826	26 mm
<input type="checkbox"/>	214.818	18 mm	<input type="checkbox"/>	214.828	28 mm
<input type="checkbox"/>	214.820	20 mm	<input type="checkbox"/>	214.830	30 mm
<input type="checkbox"/>	214.822	22 mm	<input type="checkbox"/>	214.832	32 mm
<input type="checkbox"/>	214.824	24 mm			



Instruments

Drill Bits, quick coupling

	Diameter	Length	
<input type="checkbox"/>	310.25	2.5 mm	110 mm, gold
<input type="checkbox"/>	310.31	3.2 mm	145 mm



Taps

<input type="checkbox"/>	311.32	For 3.5 mm Cortex Screws, gold, 110 mm
<input type="checkbox"/>	311.46	For 4.5 mm Cortex Screws and 4.5 mm Shaft Screws, 130 mm



Wires

<input type="checkbox"/>	292.20	2.0 mm Kirschner Wire, trocar point, 150 mm (10 pack)
--------------------------	--------	---



<input type="checkbox"/>	292.652	Non-Colored Threaded Guide Wires, spade point	2.0 mm, 230 mm
<input type="checkbox"/>	292.722	Non-Colored Threaded Guide Wires, spade point	1.6 mm, 150 mm



Stainless Steel Pediatric LCP Implants

Pediatric LCP Hip Plates

	Plate Size	Angle	Shaft Holes	
<input type="checkbox"/>	02.108.300	2.7 mm	100°	2
<input type="checkbox"/>	02.108.301	2.7 mm	110°	2
<input type="checkbox"/>	02.108.303	2.7 mm	130°	2
<input type="checkbox"/>	02.108.310	3.5 mm	100°	3
<input type="checkbox"/>	02.108.311	3.5 mm	110°	3
<input type="checkbox"/>	02.108.313	3.5 mm	120°	3
<input type="checkbox"/>	02.108.330	3.5 mm	130°	3
<input type="checkbox"/>	02.108.331	3.5 mm	130°	5
<input type="checkbox"/>	02.108.332	3.5 mm	130°	7
<input type="checkbox"/>	02.108.333	3.5 mm	130°	9
<input type="checkbox"/>	02.108.316	3.5 mm	140°	3
<input type="checkbox"/>	02.108.315	3.5 mm	150°	3
<input type="checkbox"/>	02.108.320	5.0 mm	100°	3
<input type="checkbox"/>	02.108.321	5.0 mm	110°	3
<input type="checkbox"/>	02.108.323	5.0 mm	120°	3
<input type="checkbox"/>	02.108.340	5.0 mm	130°	3
<input type="checkbox"/>	02.108.341	5.0 mm	130°	5
<input type="checkbox"/>	02.108.342	5.0 mm	130°	7
<input type="checkbox"/>	02.108.343	5.0 mm	130°	9
<input type="checkbox"/>	02.108.326	5.0 mm	140°	3
<input type="checkbox"/>	02.108.325	5.0 mm	150°	3



Pediatric LCP Condylar Plates

	Plate Size	Angle	Shaft Holes	
<input type="checkbox"/>	02.108.410	3.5 mm	90°	3
<input type="checkbox"/>	02.108.411	3.5 mm	90°	5
<input type="checkbox"/>	02.108.412	3.5 mm	90°	7
<input type="checkbox"/>	02.108.420	5.0 mm	90°	3
<input type="checkbox"/>	02.108.421	5.0 mm	90°	5
<input type="checkbox"/>	02.108.422	5.0 mm	90°	7



2.7 mm Locking Screws, self-tapping, with T8 StarDrive™ recess

	Length		Length		
<input type="checkbox"/>	202.208	8	<input type="checkbox"/>	202.232	32
<input type="checkbox"/>	202.210	10	<input type="checkbox"/>	202.234	34
<input type="checkbox"/>	202.212	12	<input type="checkbox"/>	202.236	36
<input type="checkbox"/>	202.214	14	<input type="checkbox"/>	202.238	38
<input type="checkbox"/>	202.216	16	<input type="checkbox"/>	202.240	40
<input type="checkbox"/>	202.218	18	<input type="checkbox"/>	202.242	42
<input type="checkbox"/>	202.220	20	<input type="checkbox"/>	202.244	44
<input type="checkbox"/>	202.222	22	<input type="checkbox"/>	202.246	46
<input type="checkbox"/>	202.224	24	<input type="checkbox"/>	202.248	48
<input type="checkbox"/>	202.226	26	<input type="checkbox"/>	202.250	50
<input type="checkbox"/>	202.228	28	<input type="checkbox"/>	202.255	55
<input type="checkbox"/>	202.230	30	<input type="checkbox"/>	202.260	60



Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

Inventory Control Form

Elastic Nails, CAPOS, and Pediatric LCP Plates

Stainless Steel Pediatric LCP Implants (cont'd)

2.7 mm Cortex Screws, self-tapping, with T8 StarDrive recess



	Length		Length
<input type="checkbox"/>	202.870	<input type="checkbox"/>	202.890
<input type="checkbox"/>	202.872	<input type="checkbox"/>	202.892
<input type="checkbox"/>	202.874	<input type="checkbox"/>	202.894
<input type="checkbox"/>	202.876	<input type="checkbox"/>	202.896
<input type="checkbox"/>	202.878	<input type="checkbox"/>	202.898
<input type="checkbox"/>	202.880	<input type="checkbox"/>	202.900
<input type="checkbox"/>	202.882	<input type="checkbox"/>	202.965
<input type="checkbox"/>	202.884	<input type="checkbox"/>	202.967
<input type="checkbox"/>	202.886	<input type="checkbox"/>	202.968
<input type="checkbox"/>	202.888	<input type="checkbox"/>	202.969
	10		30
	12		32
	14		34
	16		36
	18		38
	20		40
	22		46
	24		50
	26		55
	28		60

5.0 mm Locking Screws, self-tapping



	Length		Length
<input type="checkbox"/>	212.205	<input type="checkbox"/>	212.214
<input type="checkbox"/>	212.206	<input type="checkbox"/>	212.215
<input type="checkbox"/>	212.207	<input type="checkbox"/>	212.216
<input type="checkbox"/>	212.208	<input type="checkbox"/>	212.217
<input type="checkbox"/>	212.209	<input type="checkbox"/>	212.218
<input type="checkbox"/>	212.210	<input type="checkbox"/>	212.219
<input type="checkbox"/>	212.211	<input type="checkbox"/>	212.221
<input type="checkbox"/>	212.212	<input type="checkbox"/>	212.223
<input type="checkbox"/>	212.213	<input type="checkbox"/>	212.224
	22 mm		40 mm
	24 mm		42 mm
	26 mm		44 mm
	28 mm		46 mm
	30 mm		48 mm
	32 mm		50 mm
	34 mm		60 mm
	36 mm		70 mm
	38 mm		75 mm

3.5 mm Cortex Screws, self-tapping



	Length		Length
<input type="checkbox"/>	204.820	<input type="checkbox"/>	204.832
<input type="checkbox"/>	204.822	<input type="checkbox"/>	204.834
<input type="checkbox"/>	204.824	<input type="checkbox"/>	204.836
<input type="checkbox"/>	204.826	<input type="checkbox"/>	204.838
<input type="checkbox"/>	204.828	<input type="checkbox"/>	204.840
<input type="checkbox"/>	204.830		
	20 mm		32 mm
	22 mm		34 mm
	24 mm		36 mm
	26 mm		38 mm
	28 mm		40 mm
	30 mm		

Miscellaneous Implants and Instruments

<input type="checkbox"/>	292.65	2.0 mm Threaded Guide Wire, 230 mm
<input type="checkbox"/>	292.652	2.0 mm Non-Colored Threaded Guide Wire, spade point, 230 mm
<input type="checkbox"/>	292.79	2.0 mm Kirschner Wire, with 15 mm thread, trocar point, 150 mm (10 pack)
<input type="checkbox"/>	03.108.005	2.8 mm Kirschner Wire, spade point, 200 mm

3.5 mm Locking Screws, self-tapping



	Length		Length
<input type="checkbox"/>	212.106	<input type="checkbox"/>	212.115
<input type="checkbox"/>	212.107	<input type="checkbox"/>	212.116
<input type="checkbox"/>	212.108	<input type="checkbox"/>	212.117
<input type="checkbox"/>	212.109	<input type="checkbox"/>	212.119
<input type="checkbox"/>	212.110	<input type="checkbox"/>	212.121
<input type="checkbox"/>	212.111	<input type="checkbox"/>	212.123
<input type="checkbox"/>	212.112	<input type="checkbox"/>	212.124
<input type="checkbox"/>	212.113		
	20 mm		36 mm
	22 mm		38 mm
	24 mm		40 mm
	26 mm		45 mm
	28 mm		50 mm
	30 mm		55 mm
	32 mm		60 mm
	34 mm		

<input type="checkbox"/>	310.25	2.5 mm Drill Bit, quick coupling, gold, 110 mm
<input type="checkbox"/>	310.284	2.8 mm Drill Bit, quick coupling, 165 mm
<input type="checkbox"/>	310.31	3.2 mm Drill Bit, quick coupling, 145 mm
<input type="checkbox"/>	310.430	4.3 mm Drill Bit, quick coupling, 221 mm
<input type="checkbox"/>	315.26	2.7 mm Three-fluted Drill Bit, quick coupling, 110 mm
<input type="checkbox"/>	323.062	2.0 mm Drill Bit with Depth Mark, quick coupling, 140 mm

4.5 mm Cortex Screws, self-tapping



	Length		Length
<input type="checkbox"/>	214.822	<input type="checkbox"/>	214.834
<input type="checkbox"/>	214.824	<input type="checkbox"/>	214.836
<input type="checkbox"/>	214.826	<input type="checkbox"/>	214.838
<input type="checkbox"/>	214.828	<input type="checkbox"/>	214.840
<input type="checkbox"/>	214.830	<input type="checkbox"/>	214.842
<input type="checkbox"/>	214.832	<input type="checkbox"/>	214.844
	22 mm		34 mm
	24 mm		36 mm
	26 mm		38 mm
	28 mm		40 mm
	30 mm		42 mm
	32 mm		44 mm

∅Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

Some devices in this form may not have been licensed in accordance with Canadian law and may not be for sale in Canada. Please contact your sales consultant for items approved for sale in Canada.

Manufactured or distributed by:

Synthes USA Products, LLC
1302 Wrights Lane East
West Chester, PA 19380

Synthes USA, LLC
1101 Synthes Avenue
Monument, CO 80132

To order (USA): 800-523-0322
To order (Canada): 844-243-4321

Note: For recognized manufacturer, refer to the product label.

www.depuysynthes.com



PART OF THE **Johnson & Johnson** FAMILY OF COMPANIES