



**QUADRA
PUMPS**

PUMP TO PERFECTION

INDUSTRY EXCELLENCE, WHERE PERFORMANCE AND DURABILITY MEET

QPD-64HH22 DIESEL PUMP



QUADRAFLO
POWERED BY INNOVATION



QPD-64HH22

DIESEL PUMP SERIES

DESCRIPTION

The “Quadraflo” line of Centrifugal Pumps are developed to effectively meet the performance requirements and durability to power the needs of a wide range of industry applications worldwide.

Quadraflo QPD-64HH22 diesel powered pump series has a steel exterior construction, heavy duty high tensile bearing housing with full stainless steel internal working components. This high quality design provides premium efficiency for high head/flow applications, featuring our state of the art QuadraPrime automatic Vac Assist chamber and an Endura Silicone Carbide Run Dry seal system.



SPECIFICATIONS

QPD-64HH22	
Max. Flow	1680 GPM
Discharge Size	4"
Suction Size	6"
Solids Handling	0.98"
Max. Speed	1900 RPM
Shut Off Head	660'

FEATURES

Stainless steel strainer, shaft, impeller, outlet and hardware for maximum corrosion resistance

Pressure enclosed chamber mechanically sealed

Optimizes efficiency and maximum life span of pump

Components equipped for durable conditions

APPLICATIONS

- Construction
- Industrial
- Mining
- Waste Water
- Environmental
- Oil & Gas



QPD-64HH22 PERFORMANCE CURVE

