



LINDHAUS®
QUALITY CLEANING EQUIPMENT

Valzer L-ion
Hepa





ELECTRIC BROOM / MULTIFUNCTION CARPET CLEANER

STRENGTHS

- Ideal for mixed environments: floor carpet
- Lightweight, quiet, user-friendly
- **Rotafil** digital motor
- 36V-6Ah lithium ion battery
- 3 speeds with LED lights
- Accessories on board and complete accessory kit
- M30e power nozzle
- Integrated dry-cleaning system
- Patented universal brush for floors and carpets (optional).

LITHIUM ION BATTERY AND BRUSHLESS MOTOR

Finally the absence of the cable allows great mobility and doubles the productivity.

Thanks to the new Rotafil brushless digital motor, we were able to reduce consumption by about 50% with higher performances compared to the brushed motors, allowing to reach 60 minutes of non-stop working.



SMART PROGRAMMING

Thanks to the sophisticated electronic control, all the functions of the machine can be selected: 3 speeds, 2-motor function, suction motor only, brush motor only, full bag indicator, 3 LEDs indicating battery charge level with automatic shut-off.





STAIRS CLEANING

Thanks to its lightness and the practical central handle, Valzer is also an ideal machine for cleaning stairs.

Perfect 360° suction thanks to the patented M29R brush tool with self-cleaning central bristles.

For delicate floors, a felt base (optional) can be attached to the brush tool.

OPTIONAL ACCESSORY KIT



MULTIFUNCTION CARPET CLEANER

Valzer is equipped with the M30e 36V power nozzle for deep cleaning of all types of carpets and rugs.

By installing the standard DCS conveyor, the M30e power nozzle is suitable to dry clean on carpets and rugs.

At the same time, mattresses can be sanitized using a soft brush roller (optional kit). Thanks to its 4000 rpm, it creates a vibration on the mattress that combined with brushing and suction provides deep cleaning.

TECHNICAL SPECIFICATIONS	Valzer Digital Pro
Bag capacity microfiber 3 layers (lt.)	3
On board tools	Standard
Voltage (V)	36 DC
Input power /Rotafil brushless vacuum motor (W)	340
Water lift Min. Med. Max mm/H ₂ O (in/H ₂ O)	1300-1540-1560 (51.2 - 60.6 - 61.4)
Air volume Min. Med. Max power lt./sec. (CFM)	29-34-40 (61.4 - 72 - 84.7)
Hepa filter H11 (standard)	99,96% at 0,3 μ
Hepa filter H13 (optional)	99,97% at 0,3 μ
Battery charger	41V DC - 4A
Run-time Min. Med. Max power (min.)	60 - 50 - 40
Battery recharging time (min.)	90
Battery check with charge level indicator	Standard
Electronic overload control	Standard
Full bag / over temperature	Auto cut off
Noise level Min. Med. Max power db(A)	62-63-65
Dimensions L x W x H mm (in)	290 x 180 x 1230
Power Nozzle	M30e 36V
Input power (W)	120
Working width - vacuum / brush mm (in)	300/270 (11.8 - 10.6)
Working capacity sqm/h (sqft/h)	430 (4630)
Center convergent bristles brush speed (RPM)	4000
Cogged drive belt	Standard
Electronic overload and speed control	Standard
Total weight battery included Kg (lb)	7.4 (16,3)

HEADQUARTERS • LINDHAUS SRL

Via Belgio, 22 Z.I. 35127 • Padova, ITALY
 tel. +39 0498700307 • fax +39 049 8700605
 vacuum@lindhaus.it • www.lindhaus.it

LINDHAUS USA

Minneapolis • Minnesota USA
 info@lindhaus.com • www.lindhaus.com

DISTRIBUTOR / DEALER