ACTUAL EVAPOTRANSPIRATION ANALYSIS August - 2020

Prepared for East Kaweah Groundwater Sustainability Agency





2020 L Street, Ste 210 Sacramento, CA Contact: Joel Kimmelshue 916.265.6330

SEPTEMBER 22, 2020

INTRODUCTION

The East Kaweah Groundwater Sustainability Agency (EKGSA) has partnered with Land IQ to develop spatial datasets of monthly actual evapotranspiration (ETa) within their GSA boundaries. In this analysis, remotely sensed data from satellites are calibrated against in-situ measurements from ground-based climate stations to create a spatially continuous map of ETa within EKGSA for the month.

ANALYSIS

Consumptive use analysis is done in in two main parts:

- 1. Ground truthing measurements and calibration
- 2. Remotely sensed analysis and summarization

GROUND TRUTHING

A current map of the stations showing all locations along with the crop distribution across the district (Figure 1) demonstrates the variety of calibration data available for model building. Included in this month's report, Table 2 shows the daily precipitation totals for the month measured by Land IQ stations and California Department of Water Resources CIMIS stations, and the precipitation among the entire area is shown in Figure 2.

	Number of Active Stations	Number of Used Stations in model
Alfalfa	8	8
Almonds	18	16
Annuals	7	4
Citrus	11	9
Fallow/Native	3	3
Grapes	9	4
Olives	2	2
Pistachios	9	6
Pomegranates	1	1
Walnuts	1	1

TABLE 1. SENSORS USED IN DAILY AND MONTHLY ETA ANALYSIS BY CROP CATEGORY





FIGURE 1. MAP OF CROP DISTRIBUTION AND STATION LOCATIONS

Date	Sumos (mm)	CIMIS #5: Shafter (mm)	CIMIS #54: Blackwells Corner (westside) (mm)	CIMIS #182: Delano (mm)
Aug-15	0	0	1.1	0
Total	0	0	1.1	0







REMOTE SENSING RESULTS

For this specific analysis, the image analysis dates and sources are shown in Table 3. Other imagery could not be used in the analysis because of cloud cover/smoke on the overpass dates. The actual ET image is shown in Figure 4, monthly district-wide actual ET for the entire 117,346 acres including depth and volume is shown in Table 4, and the monthly field actual ET is shown in Table 5.

TABLE 3. IMAGE DATES AND SOURCES

Date	Image Source	
August 9, 2020	Sentinel 2	
August 11, 2020	Landsat 8	
August 14, 2020	Sentinel 2	
August 27, 2020	Landsat 8	

TABLE 4. MONTHLY DISTRICT ACTUAL ET

	ΜΑΥ	JUN	JUL	AUG
Depth (mm)	110.9	84.0	91.9	82.5
Depth (inch)	4.4	3.3	3.6	3.3
Volume (AF)	42,677	32,343	35,387	31,763

TABLE 5. MONTHLY FIELD ACTUAL ET IN MM

	ACRES	ΜΑΥ	JUN	JUL	AUG
Maximum	157.7	180.6	193.2	177.1	166.4
Minimum	0.1	10.3	0.0	3.7	3.6
Average	10.6	119.7	92.6	96.8	88.0

Measured versus predicted monthly ETa is presented in Figure 3. Measured values represent data from field stations, whereas predicted values represented those generated by the LDDM. Stations are displayed as different symbols by crop types. For instance, all square symbols represent fallow/native stations. And these stations are also organized in different colors by station type. Black symbols represent "Full" stations, green ones are "WIQ" stations, and red ones are "Tule Tech" stations. Therefore, green circle symbols represent measurements and predictions of WIQ citrus stations.

The R² value is the relative measure of fit of the observed data to the predicted result, where a value of 1 indicates a perfect fit. RMSE can be interpreted as the standard deviation, where a value of 0 mm would indicate perfect fit to the observed data. In this month, the big residuals were from some Tule almond stations (red diamond symbols), because these Tule stations over-measure daily ETa of almonds during hull split.



R ²	RMSE (mm)
0.9	14.9





FIGURE 3. MEASURED VERSUS PREDICTED ETA FOR THE MONTH. SYMBOL COLORS REPRESENT THE STATION TYPES (BLACK = FULL, GREEN = WATER IQ (WIQ), RED = TULE TECH)





Land IQ August 2020