

TRANSPORT REFRIGERATION UNITS

TRCSBR-221 FAMILY STAND-BY ROOF CONDENSER - 2 KW

ALEX ORIGINAL manufactures innovative transport refrigeration units. The special design of the units allows reaching set temperature quickly regardless the weather conditions outside the vehicles and keep the vehicle temperature stable even at extreme high ambient temperature. **ALEX ORIGINAL** refrigeration units are available in 12V/24V with refrigerant R134a / R404a / R452a gas. Hot gas defrosting and electronic digital controller, and optional Stand-By on 220V/380V are standard in all Units. Units are compatible for a wide range of vehicles in different sizes, purposes and for refreshment of the goods taken in the vehicle, whether if it's frozen, medicines and etc.



TRCSBR-221, 12V +Single Phase 230V Stand-By, R134a	P.N. 4141-221
TRCSBR-224, 12V +Single Phase 230V Stand-By, 404A	P.N. 4141-224
TRCSBR-241, 24V +Single Phase 230V Stand-By, R134a	P.N. 4141-241
TRCSBR-244, 24V +Single Phase 230V Stand-By, 404A	P.N. 4141-244
TRCSBR-227, 12V +3 Phase 380V Stand-By, R134a	P.N. 4142-227
TRCSBR-228, 12V +3 Phase 380V Stand-By, 404A	P.N. 4142-228
TRCSBR-247, 24V +3 Phase 380V Stand-By, R134a	P.N. 4142-247
TRCSBR-248, 24V +3 Phase 380V Stand-By, 404A	P.N. 4142-248

Power Consumption :

Road: 12V-14A / 24V-7A

Stand-By: 230V: 12V-12A / 24V-11A

380V: 12V-9A / 24V-8A

Unit L / W / H: 1050 / 1120 / 215 mm

Weight : 54.5 Kg (P.N. 4141-221/224/241/244)

52.0 Kg (P.N. 4142-227/228/247/248)