



M&M Service/Repair LLC

ADDRESS : Kissimmee, Florida, United States

Email: mandmservice@hotmail.com Tele: +1 305 922-8976



We at M&M Service/Repair LLC, provide an unparalleled quality of maintenance, repair, and service to all types of food processing/packaging machinery. Including, but not limited to, VEMAG, Handtmann, Blentech, and Repak. Our technicians each have decades long of experience in the field as former REISER technicians. We also provide access to a catalogue of spare parts and factory appliances at an unbeatable price. We are proud partners of Henry & Sons and M&M Equipment Corp.

We are proud to announce that we have officially partnered with Haidier as their exclusive distributor for the United States and Caribbean. Below you'll find our extensive catalogue, with specs included, so feel free to browse and contact for any inquiries!

Email: mandmservice@hotmail.com Tele: +1 305 922-8976

FACTORY



PRODUCT

Rotary Oven



One trolley



Two trolleys

Model	Tray Size (mm) and tray No.	Power (KW)		Weight (Kg)	Baking space (m2)	Overall Dim. (mm)
		Electrical	Diesel /Gas			
HDR-4616	400*600/16	32	1.5	1050	4.5	1720*1880*2150
HDR-5616	600×500/16	36	1.5	1200	5.4	1780*1810*2150
	650×450/16					
HDR-4632	400*600/32	45	1.8	1650	8.5	1950*2100*2250
	800*600/16					
HDR-5732	762×465/32	65	2.2	2000	12.6	2180*2130*2250
	720×460/32					
HDR-4664	400*600/64	76	3.8	2650	15	2130*3100*2350
	800*600/32					
HDR-5832	400×950/32	75	3.0	2600	15.4	2300*2230*2350
	400*900/32					
	500×800/32					
	1000×800/16					

Deck Oven



Name Deck Oven	Model	Power (Kw)	Oven Dim (mm)	Weight (Kg)	Number of Trays	Note
1 deck 1 Tray	HDR-1A	4.5	765×730×370	50	1	Electric
1 deck 1 Tray	HDR-1B	0.1	950×750×530	110	1	Gas-fired
1 deck 2 Tray	HDR-2A	6	1310×895×585	105	2	Electric
1 deck 2 Tray	HDR-2B	0.2	1310×820×640	150	2	Gas-fired
2 deck 4 Tray	HDR-4A	12	1310×895×1300	165	4	Electric
2 deck 4 Tray	HDR-4B	0.4	1310×820×1450	320	4	Gas-fired
3 deck 6 Tray	HDR-6A	16	1250*850*1700	188	6	Electric
3 deck 6 Tray	HDR-6B	0.5	1250*900*1800	245	6	Gas-fired
3 deck 9 Tray	HDR-9A	24	1700*990*1800	470	9	Electric
3 deck 9 Tray	HDR-9B	0.75	170*99*180	470	9	Gas-fired
3 deck 12 Tray	HDR-12A	27	1750*1320*1785	710	12	Electric
3 deck 12 Tray	HDR-12B	1	1750*1320*1785	710	12	Gas-fired

Convection oven



mandmservice@hotmail.com



Model	Power (Kw)	Oven Dim (mm)	Weight (Kg)	Tray Number and size	Note
HDR-3E	4.5	860×1120×520	110	3 trays 400*600 mm	Electric
HDR-3G	0.7	860×1120×520	110	3 trays 400*600 mm	Gas-fired
HDR-5E	7.5	860×1120×830	130	5 trays 400*600 mm	Electric
HDR-5G	1	860×1120×830	130	5 trays 400*600 mm	Gas-fired
HDR-8E	18	860×1120×1310	220	8 trays 400*600 mm	Electric
HDR-8G	1.3	860×1120×1310	220	8 trays 400*600 mm	Gas-fired
HDR-10E	18	860×1120×1510	245	10 trays 400*600 mm	Electric
HDR-10G	1.6	860×1120×1510	245	10 trays 400*600 mm	Gas-fired

* Instant warming system

* Automatic circulation of warm air by convection to generate maximum baking heat.

* The convection oven is with Microcomputer digital system.

* The convection oven has double layer safety glass door and halogen light inside to make one able to see the paste/dough throughout the baking process.

Convection oven with trolley(Push-cart Type) only 12 trays

M&M
Service/Repair



M&M
Service/Repair



convection oven with rotary trolley (only 12 trays)

M&M
Service/Repair



M&M
Service/Repair



Model	Power (Kw)	Oven Dim (mm)	Weight (Kg)	Tray Number and size	Note
HDR-12	16	1500*1200*1830	430	12trays 400*600 mm	Electric power

Chicken oven



Water Chiller/Cooling Machine



Name	Model	Power (KW)	Oven Dim (mm)	Weight (KG)	Capacity (L)
Water Chiller	HDR-100W	2.6	800*690*1460	290	100
	HDR-200W	3.0	800*750*1500	330	200
	HDR-300W	3.3	820*780*1600	380	300

Automatic liquid packing machine



Model	HDR-W1000	HDR-W2000
Production Capacity	50~500ml	200~1000ml
Packing film width	100-320mm	100-320mm
Bag-making length	150mm	50-250mm
Bag-making width	40-150mm	40-175mm
Filling Range	1500-2100bags/h	1100-1300bags/h
Voltage	220V-380V/50HZ-60HZ 1.8KW	220V-380V/50HZ-60HZ 2.5KW
Overall Dimension	880×760×1800mm	1050×850×2050mm
Weight	310 kg	380 kg
Material of plastic film roll	Single layer PE	Single layer PE

Spiral Dough mixer



Ordinary type



Fork dough mixer

Model	Capacity(kg)		External Dimension	Power	Weight	Speed	Note
	Dough	Flour	W×D×H(mm)	(Kw)	(kg)	(Round/Min)	
HDR-25	25	15	490×820×1090	2.2	180	115/230	Two speed with two direction
HDR-50	50	30	590×1080×1270	4.5	260	115/230	
HDR-100	100	60	720×1160×1300	5.5	420	115/230	
HDR-120	120	80	800×1350×1320	9.5	560	110/220	
HDR-160	160	100	925×1550×1400	11.0	850	110/220	
HDR-200	200	125	990×1560×1500	12.5	920	110/220	

Spiral Mixer Technical Characteristics:

- * Heavy gauge, fixed, high resist -stainless steel bowl
- * High torque, dual stage belt drive
- * Imported 2 controlled panels by micro-computer or manual.
- * Both bowl and beater is rotary by two directions and 2 speed.
- * The Spiral mixer mixes the dough smooth and evenly.
- * High water absorbing reaches 57% or so.

Self-tipping spiral dough mixer

Bowl-removable type



Self-tipping

Model	Capacity(kg)		External Dimension W×D×H(mm)	Bowl Power (Kw)	Bowl dimensions Φ * H (mm)	Weight (kg)
	Dough	Flour				
HDR-130S	130	80	10300×1750×1350	9.5	80*45	870
HDR-160S	160	100	1080×1850×1350	11.0	90*50	910
HDR-200S	200	125	1120×1890×1370	12.5	100*55	1190
HDR-250S	250	150	1150×1950×1370	14	100*60	1250
HDR-300S	300	185	1180×2010×1390	15	105*65	1310

Bowl-removable type

Model	Max Capacity(kg)		External Dimension W×D×H(mm)	Power (Kw)	Weight (kg)	Bowl DimensionΦ*H (mm)
	Dough	Flour				
HDR-130M	130	80	1030*1750*1350	9.5	870	80*45
HDR-160M	160	100	1080*1850*1350	11	920	90*50
HDR-200M	200	125	1120*1890*1370	12.5	1190	100*55
HDR-250M	250	150	1150*1950*1370	14	1250	100*60
HDR-300M	300	185	1180*2010*1390	15	1310	105*65

Fermentation room

M&M
Service/Repair



M&M
Service/Repair



Name	Model	Power (Kw)	Outer Dim (mm)	Weight (Kg)	Capacity
Proofer	HDR-32	2	1120 *850*2000	150	32 Trays
Proofer	HDR-40	2	730*1010*2100	160	40 Trays
Fermenting Room	HDR-4/32	4.5	1850*1900*2180	220	4 Racks (32Tray*4)
Fermenting Room	HDR-6/32	6	2000*2200*2100	260	6 Racks (32Tray*6)
Fermenting Room	HDR-8/32	9	2300*2900*2180	300	8 Racks (32Tray*8)
Collimator	HDR-QC	6	600*250*1600	55	4-8 Racks

Retarder proofer



Model	Outer Dim (mm)	Weight (Kg)	Power (Kw)	Capacity	Temperature
HDR-16H	650*900*2000	180	1.5	16 trays	0~0.5°C
HDR-32H	1150*1050*2000	300	2.5	32 trays	0~0.5°C
HDR-16R	650*900*2200	190	1.8	16 trays	-15°C
HDR-32R	1280*910*2200	320	3	32 trays	-15°C

HDR-30 Dough divider & rounder



Model	Power (kw)	Dimension(mm)	Weight(kg)	Divisions (pcs)	Weight Range (g)
HDR-36	0.75	450*520*1300	180	36	30-180

Model	Oven Dim (mm)	Weight (kg)	Power (kw)	Divisions(pcs)	Weight Range
HDR-30	680*730*2050	340	0.75	30	20-100g

Planetary Mixer



40-80L

Capacity(L)	Power (kw)	Dimension (mm)	Packing Dim (mm)	Note		
5	0.3	330*210*320	420*300*480	Three Beaters		
7	0.325	390*200*340	480*290*490			
10	0.25	460*480*680	550*570*830			
20	0.36	500*560*830	580*680*990			
30	0.74	690*700*980	750*750*1210			
40	1.1	690*700*1090	750*750*1210	Three Beaters and a cart		
HDR-50L	217	50	1.5		660*730*1180	770*770*1320
HDR-60L	334	60	2.2		700*850*1340	760*910*1490
HDR-80L	364	80	3	750*900*1410	810*960*1560	

Hydraulic dough divider

	<p>Stainless steel construction Stainless steel blades On casters for greater mobility Cast aluminum cover with locking handle 0" clearance on sides and back</p>
--	---

Model	Weight(Kg)	Dimension	Power (Kw)	Weight Range (g)	Divisions (pcs)	Max. Dough Capacity	FOB Price (USD/set)
		L*W*H (mm)					
HDR-20	420	680*590*930	0.75	200g-1000g	20	2000 pcs/hour	5200

Dough pressing machine

M&M
Service/Repair



Name	Model	Power (Kw)	Outer Dim(mm)	Weight (Kg)	Belt width (mm)	Squeeze Roller adjustable	Capacity
Dough Pressing Machine	HDR-500	3	1400*860*1220	320	600	From 10 to 40 mm	15 Kg(+/-)

Arabic pita/Flat cake Machine

M&M
Service/Repair



Model	Dough Width(mm)	Capacity/min	Power	Product Weight (Kg)	Over Size (mm)	Suitable Usage
Full automatic Arabic pita cake machine	220mm	140-150 pieces	1.5Kw	185Kg	1400×1200×600mm	Arabian pita bread, cake, bread, dumpling, dumpling, dumpling, skin

Freezer



Single door freezer

Shock freezer

Multi-door freezer

Type	Model	Size (mm)	Weight (Kg)	Capacity	Power (Kw)	Layer Spacing	Temperature	
Cold Storage	HDR-C2	750*810*1910	120	14 (40*60)	0.6	80mm	from +2°C to +8°C	
	HDR-C4	1200*810*1910	175	28 (40*60)	0.7			
	HDR-C6	1800*810*1910	210	42 (40*60)	1			
Frozen	HDR-F2	750*810*1910	130	14 (40*60)	0.7		80mm	from -18°C to -13°C
	HDR-F4	1200*810*1910	177	28 (40*60)	1.2			
	HDR-F6	1800*810*1910	220	42 (40*60)	1.6			
Dimension of shock freezer				790*730*1807 MM				
Weight				185kg				
Material				S/S 201 1.0 mm thickness				
Power				1.95kw				
Current				9A				
Trays				15pcs				
Refrigerant				R404A				
Cool type				Ventilated				
Performance Temperature:				-36°C ~ -40°C				

Automatic Dough divider and conical rounder (accept customize dough ball weight range)

Model	Weight range	Power(Kw)	Oven Dim(mm)	Weight(Kg)	Capacity (pcs per hour)	Power
HDR-1P	100-500g 200-800g 200-1000g	1.6Kw	880*1200*1500	460	1900pcs/h	3 phase / 380V 2 phase / 220V
HDR-2P	50-250g				3800pcs/h	
HDR-3P	20-140g				5700pcs/h	
HDR-4P	10-60g				7600pcs/h	

M&M
Service/Repair



M&M
Service/Repair



M&M
Service/Repair



Hamburger Slicer



mandmservice@hotmail.com



1 305 922 8976

Model	Oven Dim (mm)	Weight (KG)	Power (KW)	Hamburger Width Range(mm)	Capacity(pcs/hour)
HDR-120S	1600*1080*1210	150	0.92	20-120	6000

Cake slicer



Automatic donut machine & biscuit machine



Automatic donut moulding & frying machine	Mode	size	weight(kg)	Note	Power(kw)	Power source	Production
	HDR-TE	120x60x85cm	60	full-automatic	6	electric	300-1200pc/h
	HDR-TG	120x60x85cm	60	full-automatic	0.04	gas	300-1200pc/h

Name	Model No.	Mould roller diameter (mm)	Power	Belt width (mm)	Weight (kg)	Capacity (kg/h)
Biscuit moulding machine	HDR-400BC	248	3kw	400mm	650	Max. 250
	HDR-600BC	248	4kw	600mm	850	Max. 500

Pastry dough sheeter



Table top type



Standing type



Table under type



Fully-automatic dough sheeter

Name	Model	Type	Power (Kw)	Outer Dim(mm)	Weight (Kw)	Belt Width (mm)	Dough sheet's Thickness
Dough Sheeter	HDR-420	Standing type	0.75	2300*650*1050	206	420	0-40mm
Dough Sheeter	HDR-520		0.75	2300*650*1050	206	520	0-40mm
Dough Sheeter	HDR-620		0.75	2300*650*1050	206	620	0-40mm
Dough Sheeter	HDR-600L	Table under	0.75	2300*650*1050	206	600	0-40mm
Dough Sheeter	HDR-520T	Table top	0.75	2300*650*1050	206	520	0-40mm
Fully -auto dough sheeter	HDR-A630	Fully-automatic	0.85	3900*1300*1280	380	630	0-20mm

TOAST MOULDER AND SLICER



Model	Power (Kw)	Outer Dim (mm)	Weight (Kg)	Weight Range	Capacity (pcs)
HDR - 380 toast moulder	0.75	500*1050*1300	208	30g-1200g	2000

Model	Power (Kw)	Outer Dim(mm)	Weight (Kg)	Slice Quantity	Thickness(mm)
HDR-31 toast slicer	0.25	780*690*780	60	31 pcs	12



Model	Power (Kw)	Outer Dim (mm)	Weight (Kg)	Dough thickness (mm)	Width of the Belt
HDR- 850 Croissant moulder	0.85	3100*850* 1100	350	From 0 to 20	600mm

Model	Power (kw)	Outer Dim.(mm)	Weight (Kg)
HDR-750 Baguettes moulder	0.375	970*680*1600	285

Croissant roller machine

Steamed stuffed bun machine

Model	Power(Kw)	Weight (Kg)	Machine size (mm)	Belt width (mm)	Capacity
HDR-260 Croissant roller	1	420	2380*610*1320	260	3000-5000pieces / Hour

Name	Machine	Size	Power	dough range	Capacity (pcs per hour)
HDR-160	Steamed stuffed bun machine	1500*700*1450	2.75	20-150g	3600



M&M
Service/Repair



1 305 922 8976



Cookie machine



Cupcake filling machine



Description	Model	Belt Width (mm)	Oven Dim (mm)	Weight (kg)	Power (kw)	Capacity (kg/hour)
PLC cookie/biscuit machine	HDR-bd400	400(with 4 heads)	1470*870*1300	300	0.8	80-150
	HDR-bd600	600(with 9 heads)	1550*880*1340	336	0.9	120-225

The PLC control cookie machine is a new kind of cookie shaping machine ,which is automatically controlled .You can set the cookie forming ways(depositing or wire cut),working speed,space between cookies ,etc by touch screen.

We have dozens of nozzle types for choice ,or we can customize the special nozzles as per your requirements.This machine uses SERVO motor ,for baking ,you can choose to use rotary oven ,deck oven or tunnel oven .

model	size	power	Dough belt's width	electric	weight	capacity
HDR-400	2000*950*1280	0.55kw	400mm	single 220V	300	200-350KG/H
HDR-600	2000*1000*1300	0.75KW	600mm	single 220V	350	240-450KG/H

BAKERY SHOW CASE



Product Name		Size (mm)	Capacity (L)	Temperature (°C)	Power (KW)
TYPE1 Cake Showcase	HDR-CS400	1500*650*1200	400	2 to 8	0.48

Product Name		Size (mm)	Capacity (L)	Temperature (°C)	Power (KW)
TYPE1 Cake Showcase	HDR-CS400	1500*650*1200	400	2 to 8	0.48

FLAT BREAD

Pizza moulder machine



Name	Model	Normal voltage	Thickness of Pizza range (mm)	Machine Size (mm)	Power (KW)	Kilogram (KG)
Semi-Pizza moulder machine	HDR-APM	220 voltage/ single phase	2---10	660*630*770	0.25	60
Full-Pizza moulder machine	HDR-SPM	220 voltage/ single phase		530*530*650	0.25	40

Name	Model	Dimension (mm)	Power (w)	Weight (kg)	Feature
Flat bread machine	HDR-120F	1150*900*1200	120	150	Speed and temperature adjustable

TROLLEY AND WORKING TABLE



Name	Raw Material	Size(mm)	Thickness(mm)
Working Table	304 Stainless Steel thickness 1.0mm	1200*2400*800	1
		1900*900*800	1

Description	Model	Dim(mm)	Material	Capacity
Trolley	HDR-16	600*400*1800	Stainless steel	carry 16 trays, per tray size (60×40cm)
	HDR-32	600*800*1800	Stainless steel	carry 32 trays, per tray size

				(60×40cm)
--	--	--	--	-----------

All kinds of baking tray and trolley, customized size is available:



Standard Features:

- * Perforated Baguette pan (French bread) glazed
- * Perforated Glazed Aluminum pan
- * Teflon tray liner Aluminum pan
- * Aluminized pan
- * Stainless steel pullman pan 4 (toast box)
- * Stainless steel hamburger pans
- * Aluminized steel, Teflon tray liner- non-sticking hot dog pan
- * Other sizes are available, please contact the factory

Baking Tray Size:

600×400×25 mm	660×460× 25mm	760×460× 25mm
800×600× 25mm	460×330×25 mm	Other Sizes are All Available

Packing Machine



Model	HDR-450D
Film width	Max.450mm
Bag length	110-420mm
Bag width	50~200mm
Product height	Max. 75mm
Roll diameter	Max. 320mm
Packaging speed	30-230bags/min
Voltage	220V,50/60HZ,2.6KVA
Machine Size	(L)4100×(W)820×(H)1500mm
Machine Weight	900Kg

Pls tell me your requirements.so to match suitable line for you based on real production capacity

Complete production line

Baguette Line

M&M
Service/Repair



Cookie Line

M&M
Service/Repair



Croissant Line

M&M
Service/Repair



Hamburger Line

M&M
Service/Repair



Toast Line

- 1.dough mixer
2. Hydraulic Dough Divider
- 3.Toast moulder machine
- 4.proofer
- 5.rotary oven
- 6.Toast slicer

M&M
Service/Repair



Full-automatic Pastry pie Line



Toast



Baguette



Pineapple Bun



Bread



Round Bread



Caterpillar Bread



Pastry



Roti