


Light Source Test Report

**Color Parameters:**Chromaticity Coordinate: $x=0.4365$ $y=0.4014$ Chromaticity Coordinate: $u'=0.2514$ $v'=0.5203$ ($duv=-1.01e-03$)

Tc=2986K Dominant WL:Ld=583.3nm Purity=51.5% Centroid WL:588.0nm

Ratio:R=24.3% G=73.5% B=2.2% Peak WL:Lp=600.0nm HWL:120.6nm

Render Index:Ra=78.8

R1 =77 R2 =89 R3 =95 R4 =75 R5 =76 R6 =86 R7 =80

R8 =53 R9 =-7 R10=74 R11=72 R12=65 R13=79 R14=98 R15=69

Photo Parameters:

Flux: 4971.2 lm Fe: 14.839 W Efficacy:95.75 lm/W

Electrical Parameters:

Luminaire: U=24.00V I=2.163A P=51.92W PF=1.000

Instrument Status:

Scan Range:380.0nm-800.0nm Interval:5.0nm[0]

REF=8701 (R=2)

%=-0.105%

Ip=17156 (G=3,D=56)

PMT: 25.6 centigrade [24.4]

Product item:2835-792-24V

Number:4

Temperature:25.3 deg

Test Operator:

Software:V2.00.122

Manufacturer:

Test Department:

Humidity:65.0%

Test Date:2017-02-08 16:40:53

Instrument:PMS-80_V1 (SN:YG107113N11110076)