



ENTRY / IMPACT / PATIO

Popular Prehung Offering EcoViewDoors.com



TABLE OF CONTENTS

- 3 FEATURES & BENEFITS
- 4 DOOR FINISHES & GLASS DESIGNS
- 5 SPECIFICATIONS & OPTIONS
 - FIBERGLASS ENTRY DOORS
- 6 MAHOGANY WOODGRAIN
- 8 OAK WOODGRAIN
- 10 SMOOTH
- 13 TEXTURE
- 14 COMMODITY
- 16 PANEL
- 17 8'0" HEIGHT
- 18 IMPACT DOORS
- 20 FIBERGLASS PATIO DOORS
- 22 ENERGY EFFICIENCY & RATINGS
- 24 ROUGH OPENING CHART
- 25 ENTRY DOOR LABOR RATES
- 26 WARRANTY
- 27 FINISHING INSTRUCTIONS

EcoViewDoors.com

Pictures depicted in this brochure may have been graphically enhanced for illustration purposes.

Top: Smooth Fiberglass, Provence™ Zinc Center Arch Door with Full Lite Sidelites Above: Smooth Fiberglass, Cross Reed 4-Lite Metro™ Door

FEATURES & BENEFITS

BEAUTY, FUNCTIONALITY, SECURITY, AND ENERGY EFFICIENCY



Α

Environmentally friendly CFC-free polyurethane foam core provides insulation.



В

16" lock block to support entry door hardware.



Unfinished pvc jamb, full non-rot protection.



D

Composite adjustable threshold and door sweep limit air and water infiltration.



High-definition panel embossments provide elegant curb appeal.



F

Unique, textured woodgrain detail in every design replicates the true look of a real wood door.



G

High performance lite-frame resists discoloration and warping.



H

LVL stiles with composite stiles/rails.





Molded doorlite openings minimize landfill waste, reinforce door structure and doorlite support and protect against moisture.

ENHANCED APPEARANCE

Matching came, sill and hinge finish



ZINC

Ball bearing hinges reduce door sag and hinge wear.



ZINC

Composite anodized sill resists deterioration.



ZINC

Triple-pane decorative glass provides superior insulation.









FIBERGLASS DOOR FINISHES

TEAK



Painted White



Hand Stained Cocoa



Hand Stained Medium

OAK



Hand Stained Walnut



FINISH WARRANTY

MAHOGANY



Painted White



Hand Stained Cherry



Hand Stained Chestnut



Hand Stained Chocolate


SMOOTH



Unfinished Ready To Paint

Printer and monitor limitations prevent exact color duplication for finished products shown in this brochure.

DECORATIVE GLASS COLLECTIONS




ST. JANE® Zinc Camina

Privacy Rating 7




LEHIGH® Privacy Rating 6 Patina Camina



PRESTON® Patina Camina

Privacy Rating 7



PROVENCE™ Zinc Caming


Privacy Rating 9



LONE STAR™ Privacy Rating 6 Patina and Zinc Caming

GLASS STYLES

- A CLEAR TEXTURE
- **GRAY TEXTURE**
- **GRANITE**
- DOUBLE GRANITE
- **GLUE CHIP**
- **GLUE CHIP BEVEL**
- **G** CLEAR BEVEL
- **H** RIPPLE WAVE
- FLUTED
- J JEWEL
- **K** REEDED



SPECIFICATIONS & OPTIONS

SIGNAMARK® ENTRY DOOR PROGRAM STANDARDS

Standard Prehung Spec: 4-9/16" Unfinished PVC Jamb, LH or RH Inswing, Composite Adjustable Threshold, Ball Bearing Hinges (Matches Caming), Double Bore, Brickmold

Double Door: Comes standard with Aluminum Astragal. Smooth= White, Stained/Painted: Painted to complement Stain or Paint Finish

UPGRADE OPTIONS		NGLE		NGLE OOR		NGLE OOR		UBLE
6/8 HEIGHT	D	OOR	(1 SL)	(2	SLs)	D	OOR
4-9/16" PVC Unfinished Jamb & Brickmold	······ STANDARD ······							
6-9/16" PVC Unfinished Jamb & Brickmold	\$	42	\$	86	\$	125	\$	60
4-9/16" Hand Stained PVC Jamb & Brickmold	\$	196	\$	229	\$	316	\$	251
6-9/16" Hand Stained PVC Jamb & Brickmold	\$	254	\$	322	\$	438	\$	315
4-9/16" Painted PVC Jamb & Brickmold	\$	166	\$	189	\$	256	\$	211
6-9/16" Painted PVC Jamb & Brickmold	\$	224	\$	282	\$	378	\$	275
Note: Painted represents the 2 Paint Colors. Pure White can	be ı	used with a	ny 6	5/8 Configura	tion			
Brickmold Deduct: PVC Unfinished	\$	-17	\$	-20	\$	-20	\$	-20
Brickmold Deduct:	\$	-48	\$	-55	\$	-55	\$	-55
Hand Stained or Painted PVC								
Outswing Adder (High Dam Bumper Threshold/ Ball Bearing Tamper Resistant Hinges)	\$	32	\$	40	\$	46	\$	40
Stainless Steel Hinge (Outswing Only)	\$	40	\$	40	\$	40	\$	80
Unfinished Smooth Doors Impact & 8/0 Smooth Pricing Reflects Deduct	\$	-150	\$	-350	\$	-450	\$	-300
Dentil Shelf Adder (Mahogany Craftsman Only)	\$	147	\$	236	\$	294	\$	294
2-Panel Plank Clavos Option:	\$	80	\$	80	\$	80	\$	160
Round or Square								
Peep Site (Prep Only)	\$	20	\$	20	\$	20	\$	40
Self-Closing Spring Hinge (Zinc- 2 per Door)	\$	40	\$	40	\$	40	\$	80
8/0 HEIGHT 6-9/16" PVC Unfinished Jamb	.	00	.	00	.	100	.	75
Brickmold Deduct: PVC Unfinished	\$_	60	<u>\$</u>	80	<u>\$</u>	100		75
DITERTION DEGREE. F VC OTHINISHED	\$	-20	\$	-25	\$	-30	\$	-25

PATIO UPGRADE OPTIONS	SINGLE	DOUBLE
6/8 HEIGHT	DOOR	DOOR
4-9/16" PVC Unfinished Jamb	········STANE	DARD
6-9/16" PVC Unfinished Jamb	\$ 42	\$ 60
4-9/16" Painted PVC Jamb (Pure White)	\$ 166	\$ 211
6-9/16" Painted PVC Jamb (Pure White)	\$ 224	\$ 275
Brickmold Deduct: PVC Unfinished	\$ -17	\$ -20
Brickmold Deduct: Painted PVC	\$ -48	\$ -55
Outswing Adder (High Dam Bumper Threshold/ Ball Bearing Tamper Resistant Hinges)	\$ 32	\$ 40
Stainless Steel Hinge (Outswing Only)	\$ 40	\$ 80
Double Screen System (White)		\$ 320
Multi-Point Lock Setup	\$ 700	\$ 700

PATIO DOOR PROGRAM STANDARDS

Standard Prehung Spec: 4-9/16" Unfinished PVC Jamb, LH or RH Inswing, Unfinished Door and Lite Frame, Composite Adjustable Threshold, Ball Bearing Hinge, Double Bore, Brickmold, White Aluminum Astragal


MAHOGANY WOODGRAIN COLLECTION

CHERRY CHOCOLATE

CHESTNUT








St. Jane® Zinc 3/4 Oval Door With Full Lite Sidelites, Clear Low-E Rectangular Transom ALL DOOR HEIGHTS: 6'8"

SEE PAGE 5 FOR STANDARD PREHUNG SPECIFICATIONS



All doors and sidelites in the Mahogany Woodgrain Collection are ENERGY STAR certified for all 50 states



Dentil shelf option available for Mahogany Craftsman door only.

Note: Mahogany Craftsman Door Lite and Sidelite Frames are Flush Glazed Design, not Lip Lite.

ST. JANE® Zinc

3/4 Oval: 36"

Full Lite Sidelite: 14", 12", 10"



\$3467 Retail Discount \$693 \$2774 Sale Price

\$5303 Retail \$1061 Discount \$4243 Sale Price



\$6795 Retail \$1359 Discount \$5436 Sale Price



\$6372 Retail \$1274 Discount \$5098 Sale Price

LEHIGH® Patina

3/4 Lite: 36"

3/4 Lite Sidelite: 14", 12", 10"



Retail Discount \$665 \$2661 Sale Price



\$1014 Discount \$4055 Sale Price



\$6389 Retail \$1278 Discount \$5111 Sale Price



\$6091 Retail \$1218 Discount Sale Price \$4873

Craftsman: 36"

Full Lite Sidelite: 14", 12", 10"



\$3208 Retail \$642 Discount \$2566 Sale Price



\$998 Discount \$3994 Sale Price



\$1287 Discount \$5146 Sale Price



\$1171 Discount \$4683 Sale Price

EXTERNAL GRILLE

Craftsman 6-Lite: 36"

Craftsman 2-Lite Sidelite: 14", 12"

Chestnut Only Patina Hardware Glass is Not Low-E Dentil Shelf Option



\$3153 \$631 Discount



\$4838 Retail \$968 Discount \$2523 Sale Price \$3870 Sale Price



\$1236 Discount \$4943 Sale Price



\$5744 Retail \$1149 Discount \$4595 Sale Price

OAK WOODGRAIN COLLECTION









ALL DOOR HEIGHTS: 6'8" SEE PAGE 5 FOR STANDARD PREHUNG SPECIFICATIONS



3/4 Oval: 36"

3/4 Lite Sidelite: 14", 12"



\$3103 Retail \$621 Discount **\$2483 Sale Price**

80-B \$4683 Retail

\$937 Discount

\$3746 Sale Price



\$1184 Discount
\$4735 Sale Price



\$5644 Retail \$1129 Discount **\$4515 Sale Price**

3/4 Oval: 36"

Full Lite Sidelite: 14", 12", 10"



\$3103 Retail \$4713 \$621 Discount \$943 **\$2483 Sale Price \$3770**



\$4713 Retail \$943 Discount **\$3770 Sale Price**



\$5978 Retail \$1196 Discount **\$4783 Sale Price**



\$5644 Retail \$1129 Discount **\$4515 Sale Price**



LONE STAR™ Patina/Zinc

Center Arch: 36"

Full Lite Sidelite: 14", 12", 10"



\$3083 Retail Discount \$2466 Sale Price



\$4758 Retail \$952 Discount \$3806 Sale Price



\$1218 Discount \$4871 Sale Price



\$5603 Retail \$1121 Discount \$4483 Sale Price

3/4 Oval: 36"

3/4 Sidelite*: 14", 12"

*Zinc Only



Retail \$631 Discount \$2524 Sale Price



\$958 Discount \$3830 Sale Price



\$6077 Retail \$1215 Discount \$4861 Sale Price



\$5747 Retail \$1149 Discount \$4598 Sale Price

3/4 Oval: 36"

Full Lite Sidelite: 14", 12", 10"



\$631 Discount \$2524 Sale Price



\$4822 Retail \$964 Discount \$3858 Sale Price



\$1232 Discount Sale Price \$4929



\$1149 Discount \$4598 Sale Price

LEHIGH® Patina

Craftsman Rectangle: 36"

Full Lite Sidelite: 14", 12", 10"



Discount



93-B \$4758 \$952 Discount \$2466 Sale Price \$3806 Sale Price



\$1218 Discount \$4871 Sale Price



\$1121 Discount \$4483 Sale Price

SMOOTH FINISH COLLECTION

UNFINISHED READY TO PAINT

PAINTED PURE WHITE

PAINTED TRICORN BLACK







PURE WHITE • TRICORN BLACK

Durable Finish • Lasting Color • Eco-Friendly • 5-Year Finish Warranty

Our multi-step paint process ensures durability and is safe to the environment. The end result is lasting color you can enjoy for years to come. All of our doors are supplied with a touch up bottle.

Note: Printer and Monitor limitations prevent exact color duplication. Colors shown here are an approximate representation of the actual color; Actual finished color may vary in tone/shade (darker or lighter) from what is shown.

ALL DOOR HEIGHTS: 6'8" SEE PAGE 5 FOR STANDARD PREHUNG SPECIFICATIONS



Craftsman 2 Panel: 36"

Full Lite Sidelite: 14", 12", 10"

Craftsman Rectangle: 36"

Full Lite Sidelite: 14", 12", 10"



100-B \$4520 Retail \$904 Discount \$3616 Sale Price


100-C \$5648 Retail

\$1130 Discount \$4519

Sale Price

100-D \$5378 Retail \$1076 Discount

\$4303 Sale Price




\$594 Discount

101-B \$4520 Retail \$904

Discount \$2376 Sale Price \$3616 Sale Price 101-C

\$5648 Retail \$1130 Discount \$4519

Sale Price



Discount \$4303 Sale Price



PROVENCE™ Zinc

3/4 Oval: 36"

3/4 Lite Sidelite: 14", 12"



\$593 Discount \$2370 Sale Price



\$4417 Retail \$883 Discount \$3534 Sale Price



\$1106 Discount \$4423 Sale Price



\$5363 Retail \$1073 Discount \$4290 Sale Price



Full Lite Sidelite: 14", 12", 10"




\$2963 Retail \$593 Discount \$2370 Sale Price



\$896 Discount \$3583 Sale Price



\$1118 Discount \$4470 Sale Price



\$1073 Discount \$4290 Sale Price


Center Arch: 36"

Full Lite Sidelite: 14", 12", 10"



\$3073 Retail \$615 Discount \$2459 Sale Price

Discount



\$912 Discount \$3646 Sale Price



\$1140 Discount \$4559 Sale Price



Discount \$1117 \$4468 Sale Price

Fanlite: 36"

Full Lite Sidelite: 14", 12", 10"



\$871 Discount \$2298 Sale Price \$3485 Sale Price







Discount \$1036 \$4145 Sale Price

11

LONE STAR™ Patina/Zinc

3/4 Oval: 36"

3/4 Lite Sidelite*: 14", 12"

*Zinc Only





\$4502 Retail \$900 Discount \$2421 Sale Price \$3601 Sale Price



\$1128 Discount \$4513 Sale Price



\$5475 Retail \$1095 Discount \$4380 Sale Price

3/4 Oval: 36"

Full Lite Sidelite: 14", 12", 10"




\$3027 Retail \$605 Discount \$2421 Sale Price



\$915 Discount \$3661 Sale Price



\$5728 Retail \$1146 Discount \$4583 Sale Price




\$1095 Discount \$4380 Sale Price

Center Arch: 36"


Full Lite Sidelite: 14", 12", 10"




\$3120 Retail \$624 Discount \$2496 Sale Price



\$931 Discount



\$1167 Discount \$4669 Sale Price



\$1154 Discount \$4615 Sale Price

\$4158

Fanlite*: 36"

Full Lite Sidelite: 14", 12", 10"

*Zinc Only



\$2304 Sale Price \$3525 Sale Price









Sale Price

TEXTURE COLLECTION

Triple Pane Obscure Glass





PAINTED WHITE **TEAK**






CORD











All doors and sidelites in the **Texture Collection are ENERGY** STAR certified for all 50 states







Available Configurations




Standard Paint Options (See Page 10)

ALL DOOR HEIGHTS: 6'8" SEE PAGE 5 FOR STANDARD PREHUNG SPECIFICATIONS

SMOOTH

Craftsman Rectangle: 36", 34", 32"

Full Lite Sidelite: 14", 12", 10"



\$578 Discount \$2313 Sale Price \$3471 Sale Price



\$868 Discount

130-C \$5444 Retail \$1089

Discount Sale Price \$4355


130-D \$5219 Retail

\$1044 Discount Sale Price \$4175

SMOOTH

4-Lite Metro™: 36", 34", 32", 30"

Full Lite Sidelite: 14", 12", 10"



MODERN Sale Price **CONTEMPORARY** (after 20% FLAT LITE FRAME discount) 131-A \$2456 131-C \$4499 131-D \$4463

TEAK 3-Lite Modern: 36" Full Lite Sidelite: 14", 12" Cross Reed and Rain Fall not available. Reeded: Door only




Sale Price

\$3988

Sale Price (after 20% discount) 132-A \$2585 132-C \$5390 132-D \$4720

SMOOTH CLEAR COMMODITY COLLECTION











Available Configurations Except Mini Blind (Single and Double Door Only)



Standard **Paint Options** (See Page 10)

SEE PAGE 5 FOR STANDARD PREHUNG SPECIFICATIONS ALL DOOR HEIGHTS: 6'8"

INTERNAL MINI BLIND LOW-E

Full Lite & Half Lite: 36", 32", 30"



\$3220 Retail \$644 Discount



140-D \$5878 \$1176



Retail Discount \$2576 Sale Price \$4703 Sale Price

DUAL FUNCTION RAISE/LOWER & TILT SINGLE OPERATOR STANDARD 1/2" SLATS

Sale

Price





Price (after 20% discount) 141-D \$4508

Sale

141-A

\$3098 Retail \$620

Discount

\$2479 Sale Price

CLEAR LOW-E

Full Lite & Half Lite: 36", 32", 30"

Craftsman Rectangle: 36", 34", 32"

Full Lite Sidelite: 14", 12", 10" 142-B

\$4481 Retail \$896 Discount Sale Price \$3585

Sale **Price** (after 20% discount) 142-A \$2403 142-C \$4493

142-D

\$4355

143-B \$4464 Retail \$893 Discount

\$3571 Sale Price (after 20% discount) 143-A \$2389 143-C \$4479 143-D \$4328 144-B \$4380 Retail

\$2321 144-C \$4411 144-D \$4193

Sale

Price

(after 20%

discount)

144-A

\$876 Discount \$3504 Sale Price

Craftsman 2 Panel: 36", 34", 32", 30"

Full Lite Sidelite: 14", 12", 10"










CLEAR COMMODITY COLLECTION



CHESTNUT MAHOGANY

COCOA **TEAK**

PAINTED WHITE TEAK







Available Configurations



Standard **Paint Options** (See Page 10)

ALL DOOR HEIGHTS: 6'8" SEE PAGE 5 FOR STANDARD PREHUNG SPECIFICATIONS

SMOOTH GBG LOW-E

Full Lite & Half Lite: 36", 32", 30"

Craftsman Rectangle: 36", 34", 32"

Full Lite Sidelite: 14", 12", 10"



\$3605







GRILLE OPTIONS Sale White Internal Grille Price (after 20% discount) 152-A 3/4" CONTOUR PROFILE \$2333 152-C \$4455 152-D 5/8" FLAT BAR PROFILE \$4215

SMOOTH GBG LOW-E

Fanlite: 36", 34", 32",

Full Lite Sidelite: 14", 12", 10"



Sale Price







EXTERNAL GRILLE

SMOOTH Craftsman 6-Lite 2 Panel: 36", 34", 32", 30"

Full Lite Sidelite: 14", 12", 10"

Glass Is Not LOW-E





Sale Price

\$3515



Chestnut Only Patina Hardware Glass is Not Low-E Dentil Shelf Option

14", 12"



Sale Price

\$3870

\$2523 73-C \$4943 73-D \$4595

Sale

Price

73-A

(after 20%

discount)



Mahogany Only Bronze spacer and shadow bars will come standard on all doors with the 6-Lite Grille profile along with the 2-Lite Sidelite



PANEL DOOR COLLECTION







All doors in the Panel Door Collection are **ENERGY STAR certified** for all 50 states









160-B & 161-B

\$3783 Cord

\$3905 St. Jane Zinc

\$3783 Hammered

\$3783 Rainfall

\$3783 Reeded

\$3833 Lehigh Patina

\$3806 1-Lite Clear Low-E

\$3823 5-Lite GBG Low-E

Available Configurations





Painted White 2 Panel



160-D

161-D

\$4423

Fire Door

ALL DOOR HEIGHTS: 6'8"

SEE PAGE 5 FOR STANDARD PREHUNG SPECIFICATIONS

MAHOGANY

6 Panel*: 36"

2 Panel: 36", 32", 30"

*Cherry & Chestnut Only



\$3045 Retail \$609 Discount



\$3045 Retail \$609 Discount \$2436 Sale Price \$2436 Sale Price

Sale Price (after 20% discount)

160-C & 161-C **\$5036** St. Jane Zinc \$5016 Lehigh Patina **\$4854** Cord \$4854 Hammered

\$4854 Rainfall **\$4854** Reeded

\$4901 1-Lite Clear Low-E \$4934 5-Lite GBG Low-E

OAK

6 Panel: 36", 34", 32"

Craftsman Panel: 36", 32"



\$2920 Retail Discount



\$2920 Retail \$584 Discount

\$3676 Lehigh Patina \$3624 Provence Zinc **\$3676** Lone Star P/Z **\$3595** Cord \$3595 Hammered **\$3595** Rainfall **\$3595** Reeded

162-B & 163-B

\$3595 Sandstone **\$3595** Privacy \$3619 1-Lite Clear Low-E \$3635 5-Lite GBG Low-E

- Sale Price (after 20% discount)

Sale Price (after 20% discount) -

162-D 162-C & 163-C \$4741 Lehigh Patina 163-D \$4636 Provence Zinc \$4223 **\$4741** Lone Star P/Z

\$4579 Cord \$4579 Hammered **\$4579** Rainfall

\$4579 Reeded \$4579 Sandstone **\$4579** Privacy

164-D

165-D

\$4043

\$4626 1-Lite Clear Low-E \$4659 5-Lite GBG Low-E

\$2336 Sale Price \$2336 Sale Price

SMOOTH

6 Panel: 36", 32", 30"

Craftsman Panel: 36", 34", 32"

20-Minute Fire Door: 36", 32", 30"



Discount



\$3434 Provence Zinc \$3405 Cord/Hamm/Rain/Reed \$3429 1-Lite Clear Low-E \$3445 5-Lite GBG Low-E 164-C & 165-C \$4451 Lehigh Patina \$4346 Provence Zinc \$4289 Cord/Hamm/Rain/Reed \$4336 1-Lite Clear Low-E \$4369 5-Lite GBG Low-E \$2234 Sale Price \$2234 Sale Price

164-B & 165-B

\$3486 Lehigh Patina



8/0 **DOOR COLLECTION**







Available Configurations

ALL DOOR HEIGHTS: 8'0" SEE PAGE 5 FOR STANDARD PREHUNG SPECIFICATIONS

170-D

2 Panel & 6 Panel*: 36"







\$640 Discount \$2561 Sale Price Sale Price (after 20% discount) 171-D \$5173

\$3202 Retail \$640 Discount \$2561 Sale Price

OAK



\$3702 Retail \$740 Discount \$2961 Sale Price

SMOOTH

Sale Price

(after 20%

discount)

173-D

\$4624



Retail \$3472 \$694 Discount \$2778 Sale Price

OAK

LEHIGH® Patina

Full Lite, 3/4 Lite & Half Lite: 36"



\$4186 Retail \$837 Discount

175-A \$4066 Retail


\$813 Discount 176-A

\$3983 Retail \$797 Discount

\$3349 Sale Price \$3253 Sale Price \$3186 Sale Price

174-D 175-D 176-D \$6778 Retail \$7184 Retail \$6944 Retail \$1437 Discount \$1389 Discount \$1356 Discount \$5748 Sale Price \$5555 Sale Price \$5423 Sale Price

SMOOTH



\$3956 Retail \$791 Discount 178-A

\$3836 Retail \$767 Discount

179-A \$3753 Retail

\$751 Discount \$3165 Sale Price \$3069 Sale Price \$3003 Sale Price

177-D 178-D 179-D \$6484 Retail \$1297 Discou \$6725 Retail \$6319 Retail \$1345 Discount Discount \$1264 Discount \$5380 Sale Price \$5188 Sale Price \$5055 Sale Price




IMPACT DOOR **COLLECTION**


CHERRY MAHOGANY

CHESTNUT MAHOGANY

PAINTED WHITE **MAHOGANY**



Sale Price (after 20% discount) -



3/4 Oval: 36"

Craftsman: 36"

Sidelites: 14", 12", 10"

▲ Cherry & Chestnut Only

PST. JANE® Patina





PRESTON® Patina



182-A **\$3316** 182-B **\$4994** 182-C **\$6396** 182-D **\$5683**





183-A **\$3186** 183-B **\$4864** 183-C **\$6266** 183-D **\$5423**



184-A **\$3186** 184-B **\$4864** 184-C **\$6266**



Preston® Patina

ST. JANE® Patina

SMOOTH Doors:

3/4 Oval: 36"

Half Lite: 36", 34", 32"


Sidelite: 14", 12"




185-A **\$3115** 185-B **\$4553** 185-C **\$5715** 185-D **\$5280**



186-A **\$3115** 186-B **\$4553** 186-C **\$5715** 186-D **\$5280**





187-A **\$3033** 187-B **\$4429** 187-C **\$5825** 187-D **\$5115**



184-D **\$5423**

Sidelite: 14", 12", 10"

PRESTON® Patina


SMOOTH Doors:

Full Lite: 36", 32", 30"


3/4 Lite: 36"

Fanlite: 36", 30"

Sidelite: 14", 12"



188-A **\$3194** 189-A **\$3128** 190-A **\$2970** 188-B **\$4590** 189-B **\$4524** 190-B **\$4435**





188-C **\$5711** 189-C **\$5645** 190-C **\$5488** 188-D **\$5438** 189-D **\$5305** 190-D **\$4990**



191-A **\$2903** 191-B **\$4340** 191-C **\$5503** 191-D **\$4855**


PANEL

SMOOTH 6 Panel: 36", 32", 30"

PRESTON® Patina

Sidelite: 14", 12"

FEATURES & BENEFITS









Available Configurations




High Performance Door & Frame System


- •Integrated Door, Frame, and Glass for Superior Performance
- •Reinforced Fiberglass Door Skin
- Dual-Fastening Snap-Fit Frame Design
- Safety Laminated Glass Interior/ Safety Tempered Exterior
 - —Interior: 1/8" x .090PVB x 1/8"



Flush Glaze Frame



Mahogany Lip Lite Frame



Durability

- Fiberglass door panels won't dent, rust, rot or crack
- Ball bearing hinge prevents door sag and hinge wear for smooth operation
- PVC jambs will not rot or absorb moisture

Performance

- High-performance, dual-fastening snap-fit lite frame—Premium DP and Impact performance
- Flush glaze design—Optimal design and structural performance
- Triple-pane decorative glass with safety laminated interior—energy-efficient and Impact resistant
- 100% CFC-free polyurethane foam core— Energy-efficient insulation and environmentally friendly
- PVC jamb system with composite hi-dam bumper sill helps prevent jamb rot and water damage*

Design

- True resemblance of a real wood door Woodgrain: Unique detail in every design Smooth: Crisp design and paintable to match any décor
- Lite frame and stile alignment— Architecturally correct design
- Matching glass caming, sill & hinge finish provides enhanced look and appearance
- High-definition panel embossments give elegant curb appeal

FLORIDA BUILDING CODE TESTING INFORMATION

DOOR TYPE	TESTING NUMBER	SWING	Panel/Opaque				
DOONTHE	TESTING NOWBER	3771170	"Glazed"				
Panel/ Opaque	FL# 20867.2	Outswing	DP Rating	±75	+60 / -70	±55	±55
Opaque			Impact	Yes	Yes	Yes	Yes
Glazed	FL# 20867.1	Outswing	DP Rating	±60**	+60 / -70	±55	±55
L	1 L# 20007.1	Outswillig	Impact	Yes	Yes	Yes	Yes

Visit signamark.com for Evaluation Reports and Drawings (go to "Performance Data"). You can also view Evaluation Reports/Drawings at floridabuilding.org.

**3/4 Oval DP Rating: + 75 / - 75 (Smooth). Doors with sidelite(s) are continuous head & sill. DP Ratings shown are based on wood jambs. PVC Jamb DP Ratings on website.



^{*}Maximum protection is achieved only when the door system is installed and caulked properly.

SMOOTH PATIO DOOR **COLLECTION**

UNFINISHED READY TO PAINT







Available Configurations



Standard **Paint Options** (See Page 10)

ALL DOOR HEIGHTS: 6'8" SEE PAGE 5 FOR STANDARD PREHUNG SPECIFICATIONS

INTERNAL MINI BLIND LOW E

Full Lite 72", 60"

3/4 Lite 72"

Dual Function: Raise/Lower & Tilt



\$1129 Discount \$2483 \$4515 Sale Price



Sale Price \$2408 \$4365

SINGLE OPERATOR & STANDARD 1/2" SLATS



\$5656 Sale Price **DUAL OPERATOR & 3/8" SLATS**

1-LITE **LOW E**

Full Lite 72", 60"

3/4 Lite 72"



\$2886 \$5209 Retail \$577 \$1042 Discount \$2309 \$4168 Sale Price





GRILLE OPTIONS White Internal Grille



3/4" CONTOUR PROFILE



(Full Lite Only)

GBG LOW E

15-Lite Full Lite 72", 60"

9-Lite 3/4 Lite 72"






FEATURES & TECHNICAL INFO

FLUSH-GLAZED SYSTEM

FLUSH-GLAZED DESIGN Clean Flush Door & Glass Frame System

LONG MOISTURE PATH Sealant Protected by Multiple Barriers

DUAL FASTENING SNAP-FIT FRAME DESIGN Distributes the Load Evenly Provides an Even Seal High DP Rating



ENERGY RATINGS INFORMATION

Will not qualify under ENERGY STAR guidelines.

6/8 FLU	SH-GLAZ	ED SMOOTH STYLE FIBERGLASS PATIO DOORS	3/4 Lite ≤ :	1100 sq in	Full Lite > 1100 sq in		
TYPE	SWING	GLAZING	U-factor	SHGC	U-factor	SHGC	
		Dual Pane—Low E-270 (Clear/Internal Grille)	0.24	0.11	0.26	0.15	
		Dual Pane—Low E (Mini Blind UP)	0.29	0.14	0.32 🕸	0.18 🕸	
Fiberglass	Inswing &	Dual Pane—Low E (Mini Blind DOWN)	0.25	0.07	0.28	0.09	
Door			N/A	N/A	0.26	0.23	
		Dual Pane— Laminated Low E Impact (Mini Blind UP)	N/A	N/A	0.31 🕸	0.17 🛭	
		Dual Pane— Laminated Low E Impact (Mini Blind DOWN)	N/A	N/A	0.28	0.09	

ROUGH OPFNING CHART

	NOMINAL DOOR WIDTH	NOMINAL DOOR HEIGHT	PREHUNG UNIT SIZE	ROUGH OPENING	BRICKMOLD OPENING
	36"	6/8	36- ¹ / ₄ " x 79- ¹ / ₂ "	37" x 80"	38- ³ / ₄ " x 80- ³ / ₄ "
	30"	6/8	30- ¹ / ₄ " x 79- ¹ / ₂ "	31" x 80"	32- ³ / ₄ " x 80- ³ / ₄ "
FRENCH	SWING				
	72" (36–36)	6/8	71-1/2" x 79-½"	72-1/4" x 80"	74" x 80-3/4"
	60" (30–30)	6/8	59-1/2" x 79-½"	60-1/4" x 80"	62" x 80-¾"


OUTSWING UNITS: Come standard with a bumper-style sill, which requires that you subtract $1-\frac{1}{8}$ " from the prehung unit and rough opening height. Also add ½" to brickmold opening for width.

THRESHOLD: Inswing Units—threshold height is $1-\frac{3}{8}$ ", which allows for approx. 1" opening clearance. If a spacer is needed under sill to allow for proper opening clearance, please adjust rough opening accordingly.

HVHZ: Rough openings for HVHZ are smaller than chart rough opening sizes. Maximum space between actual unit size and rough opening is ½" in width and ¼" in height.

DOOR SWING & HANDING

Viewed From Outside



ENERGY STAR

All Signamark® Fiberglass Doors are energy efficient and designed to stand up to all seasons so your home stays warm during the winter months and cool during the summer. Imagine the savings from a fiberglass door which is up to five times more energy efficient than a traditional wood door.

Most of our doors are ENERGY STAR certified. The chart beginning below and continuing on page 23 shows a listing of the U-Factor and SHGC (Solar Heat Gain Coefficient) for all of our Entry Door Products. Certified units must hit the U-Factor, Solar Heat Gain Coefficient in their climate zone, and air leakage listed in the chart to the right.

Visit energystar.gov for your area's climate zone detail.

ENERGY RATINGS INFORMATION – PVC JAMBS

In some years the government has offered a federal tax credit for energy efficient products that meet or exceed ENERGY STAR performance levels for doors. Please visit irs.gov and energystar.gov for additional information regarding tax credit availability or visit signamark.com for additional information regarding energy efficiency. PVC jamb ratings are shown in the Energy Ratings Chart below.



Signamark® offers ENERGY STAR certified door models in all 50 states.

Glazing Level	U-Factor ¹	SHGC ²					
Opaque	≤0.17	No Rating					
≤1/2 Lite	≤0.25	≤0.25					
4/01:	0.20	Northern North-Central	≤0.40				
>1/2 Lite	≤0.30	Southern South-Central	≤0.25				

Effective: 1/1/2015

Air Leakage for Swinging Doors ≤ 0.5 cfm/ft²

1 Btu/h ft2°F 2 Fraction of incident solar radiation

U-Factor: The heat transfer per time per area and per degree of temperature difference. The U-factor multiplied by the interior–exterior temperature difference and by the projected fenestration product area yields the total heat transfer through the fenestration product due to conduction, convection, and long wave infrared radiation. Expressed here in units of Btu/h.ft2.°F.

Solar Heat Gain Coefficient (SHGC): The ratio of the solar heat gain entering the space through the fenestration product to the incident solar radiation. Expressed as a value between 0 and 1.

Air Leakage (AL): Measures the rate at which air passes through joints in the window. AL is measured in cubic feet of air passing through one square foot of window area per minute. The lower the AL value, the less air leakage. Most industry standards and building codes require an AL of 0.3 cfm/ft².

NFRC Size Designation	SIGNAMARK Door Description
1/4 Lite ≤ 410 sq in	Fanlite, Craftsman (Mahogany), Craftsman Rectangle, Craftsman Arch, Center Arch, 3/4 Oval (Smooth), Metro (3-Lite, 3-Lite Mix, 4-Lite, 5-Lite), Modern 3-Lite
1/2 Lite ≤ 900 sq in	Half Lite, Half Lite RT, Softbrow, Center Arch (8/0 Oak), 3/4 Oval (Mahogany and Oak and 8/0), Full Oval, Metro (1-Lite Straight, 3-Lite Craftsman), Lighthouse 4-Lite
3/4 Lite ≤ 1100 sq in	3/4 Lite (6/8 Oak), Half Lite (8/0)
Full Lite > 1100 sq in	3/4 Lite (6/8 Mahogany), 3/4 Lite (8/0), Full Lite, Full Lite RT
Opaque/No Glass	All Panel Doors

NFRC Size Designation	SIGNAMARK Sidelite Description
1/4 Lite ≤ 65 sq in	N/A
1/2 Lite ≤ 281 sq in	Craftsman (Mahogany), Half Lite, Half Lite RT, Center Arch (6/8 Oak), 3/4 Lite (6/8 Mahogany—12"/10")
3/4 Lite ≤ 391 sq in	Center Arch (6/8 Mahogany, 8/0 Oak), 3/4 Lite (6/8 Oak, Smooth, Mahogany—14"), Full Lite (6/8 Oak, Smooth, Mahogany—12"/10")
Full Lite > 391 sq in	3/4 Lite (8/0), Full Lite (7/0), Full Lite (6/8 Mahogany—14")
Opaque/No Glass	N/A

ENERGY RATINGS CHART

Will not qualify under ENERGY STAR guidelines.

Note: Transoms do not qualify for the tax credit. Any tax credit, if available, would be based on "qualified" Door with Sidelites or Double Door configuration. Note: Ratings shown here are with PVC Jamb. Wood jamb ratings can be found in the "Performance Data" section on signamark.com.

	6/8 & 8/0 TEAK WOODGRAIN		1/4 Lite ≤ 410 sq in		1/2 Lite ≤ 900 sq in		3/4 Lite ≤ 1100 sq in		Full Lite > 1100 sq in	
TYPE	SWING	GLAZING	U-factor	SHGC	U-factor	SHGC	U-factor	SHGC	U-factor	SHGC
		Triple Pane—Decorative Glass	0.23	0.12	0.25	0.11	N/A	N/A	N/A	N/A
F11		Triple Pane—Obscure (5mm) Glass	0.23	0.12	0.25	0.11	N/A	N/A	N/A	N/A
Fiberglass Door		Triple Pane—Obscure (5mm) Glass with Grid	N/A	N/A	0.25	0.09	N/A	N/A	N/A	N/A
Door	Outswing	Dual Pane—Low E-270 (Clear)	0.22	0.07	0.23	0.07	N/A	N/A	N/A	N/A
		Dual Pane—Low E-270 (Internal Grille)	N/A	N/A	0.23	0.05	N/A	N/A	N/A	N/A
TYPE	SWING	GLAZING	1/4 Lite :	≤ 65 sq in	65 sq in 1/2 Lite ≤ 281 sq in		3/4 Lite ≤ 381 sq in		Full Lite >	381 sq in
·		Triple Pane—Decorative Glass	N/A	N/A	N/A	N/A	N/A	N/A	0.29	0.17
Fiberglass Sidelite	Inswing & Outswing	Triple Pane—Obscure (5mm) Glass	N/A	N/A	N/A	N/A	N/A	N/A	0.29	0.17
Sidelite	dente Outswing	Dual Pane—Low E-270 (Clear)	N/A	N/A	N/A	N/A	N/A	N/A	0.27	0.10
		Air I	_eakage ≤ 0.:	3 cfm/ft²						

6/8 & 8/0 MAHOGANY WOODGRAIN		1/4 Lite ≤ 410 sq in		1/2 Lite ≤ 900 sq in		3/4 Lite ≤ 1100 sq in		Full Lite > 1100 sq in		
TYPE	SWING	GLAZING	U-factor	SHGC	U-factor	SHGC	U-factor	SHGC	U-factor	SHGC
		Triple Pane—Decorative Glass	0.20	0.08	0.23	0.13	N/A	N/A	0.25	0.18
		Triple Pane—Obscure (5mm) Glass	0.20	0.08	0.23	0.13	N/A	N/A	0.25	0.18
		Dual Pane—Craftsman 6-Lite (Mahogany/Smooth)	0.22	0.10	N/A	N/A	N/A	N/A	N/A	N/A
Fiberglass	Inswing &	Dual Pane—Craftsman 3-Lite, 1-Lite Low E-270	0.20	0.05	N/A	N/A	N/A	N/A	N/A	N/A
Door	Outswing	Dual Pane—Low E Wrought Iron	0.20	0.07	0.20	0.07	N/A	N/A	N/A	N/A
		Dual Pane—(Clear/Internal Grille/Wrought Iron)	0.22	0.10	0.26	0.17	N/A	N/A	0.29	0.23
		Triple Pane—Laminated Impact Glass	0.20	0.08	0.23	0.13	N/A	N/A	0.25	0.17
		Opaque/No Glass (Flush/Embossed)	U-Factor = 0	.15 SHG0	C = 0.01	·		·		

TYPE	SWING	GLAZING	1/4 Lite :	≤ 65 sq in	1/2 Lite ≤ 281 sq in		3/4 Lite ≤ 391 sq in		Full Lite > 391 sq in	
		Triple Pane—Decorative Glass	N/A	N/A	0.20	0.05	0.24	0.10	0.26	0.13
		Triple Pane—Obscure (5mm) Glass	N/A	N/A	0.20	0.05	0.24	0.09	0.26	0.12
F11		Dual Pane—(Obscure/Clear/Internal Grille/Wrought Iron)	N/A	N/A	0.21	0.05	0.25	0.11	0.28	0.14
Fiberglass Sidelite	Inswing & Outswing	Dual Pane—Low E Wrought Iron	N/A	N/A	0.16	0.03	0.18	0.06	0.19	0.07
Sidente	Guiswing	Dual Pane—Low E-270 (Clear/Internal Grille/SDL)	N/A	N/A	0.20	0.03	N/A	N/A	0.26	0.07
		Triple Pane—Laminated Impact Glass	N/A	N/A	0.20	0.04	0.24	0.09	0.26	0.12
		Dual Pane—Low E (Mini Blind UP)	N/A	N/A	N/A	N/A	0.26	0.07	0.29	0.09
	Air Leakage ≤ 0.3 cfm/ft²									

6/8 & 8/0 OAK WOODGRAIN and SMOOTH		1/4 Lite ≤ 410 sq in		1/2 Lite ≤ 900 sq in		3/4 Lite ≤ 1100 sq in		Full Lite > 1100 sq in		
TYPE	SWING	GLAZING	U-factor	SHGC	U-factor	SHGC	U-factor	SHGC	U-factor	SHGC
		Triple Pane—Decorative Glass	0.20	0.07	0.23	0.13	0.25	0.18	0.28	0.24
		Triple Pane—Obscure (5mm) Glass	0.20	0.07	0.23	0.13	0.25	0.18	0.29	0.24
Fiberglass	Inswing &	Dual Pane—Low E Wrought Iron	0.19	0.06	0.22	0.11	0.24	0.15	0.27	0.20
Door	Outswing	Dual Pane—Low E-270 (Clear/Internal Grille)	0.19	0.05	0.21	0.08	0.22	0.11	0.25	0.15
		Dual Pane—Low E (Mini Blind UP)	N/A	N/A	0.23	0.08	0.25	0.10	0.28	0.13
		Opaque/No Glass (Flush/Embossed)	U-Factor = 0	.16 SHG0	C = 0.01					

TYPE	SWING	GLAZING	1/4 Lite ≤ 65 sq in 1/2 Lite ≤ 281 sq in		281 sq in	3/4 Lite ≤	381 sq in	Full Lite > 381 sq in		
Fiberglass Sidelite	Inswing & Outswing	Triple Pane—Decorative Glass	0.17	0.03	0.21	0.07	0.22	0.10	0.24	0.13
		Triple Pane—Obscure (5mm) Glass	0.17	0.03	0.21	0.07	0.22	0.09	0.24	0.12
		Dual Pane—Low E Wrought Iron	0.14	0.02	0.16	0.04	0.17	0.05	0.18	0.07
		Dual Pane—Low E-270 (Clear/Internal Grille)	0.17	0.01	0.20	0.04	0.21	0.06	0.22	0.07
		Dual Pane—Low E (Mini Blind UP)	N/A	N/A	0.21	0.03	0.23	0.04	0.25	0.05
		Dual Pane—(Mini Blind UP)	N/A	N/A	0.22	0.06	0.24	0.08	0.27	0.10
Air Leakage ≤ 0.3 cfm/ft²										

6/8 & 8/0 FLUSH-GLAZED*		1/4 Lite ≤	410 sq in	1/2 Lite ≤ 900 sq in		3/4 Lite ≤ 1100 sq in		Full Lite > 1100 sq in		
TYPE	SWING	GLAZING	U-factor	SHGC	U-factor	SHGC	U-factor	SHGC	U-factor	SHGC
	Inswing & Outswing	Triple Pane—Laminated Impact Glass	0.20	0.07	0.23	0.13	0.26	0.17	0.29	0.23
		Triple Pane—Decorative Glass	0.20	0.07	0.23	0.13	0.25	0.18	0.28	0.24
		Triple Pane—Obscure (5mm) Glass	0.20	0.07	0.23	0.13	0.26	0.17	0.29	0.23
		Triple Pane—Laminated Low E Impact Glass	0.19	0.06	0.22	0.10	0.24	0.14	0.27	0.18
Fiberglass		Dual Pane—Laminated Low E Impact Glass	0.19	0.07	0.22	0.13	0.24	0.17	0.26	0.23
		Dual Pane—Low E Wrought Iron	0.20	0.07	0.23	0.13	0.24	0.17	0.27	0.23
Door		Dual Pane—Low E-270 (Clear/Internal Grille)	0.19	0.05	0.22	0.08	0.24	0.11	0.26	0.15
		Dual Pane—Low E (Mini Blind UP)	N/A	N/A	0.26 🔀	0.10 🔇	0.29	0.14	0.32 🔀	0.18 🔇
		Dual Pane—Low E (Mini Blind DOWN)	N/A	N/A	0.23	0.06	0.25	0.07	0.28	0.09
		Dual Pane—Laminated Low E Impact (Mini Blind UP)	N/A	N/A	0.25	0.09	0.27	0.13	0.31 🚺	0.17 🔇
		Dual Pane—Laminated Low E Impact (Mini Blind DOWN)	N/A	N/A	0.23	0.05	0.25	0.06	0.28	0.09

TYPE	SWING	GLAZING	1/4 Lite ≤ 65 sq in		1/2 Lite ≤ 281 sq in 3/4 Lite ≤ 391 sq		391 sq in	n Full Lite > 391 sq in		
	Inswing & Outswing	Triple Pane—Laminated Impact Glass	N/A	N/A	0.22	0.10	0.24	0.13	0.27	0.18
		Triple Pane—Decorative Glass	N/A	N/A	0.22	0.10	0.24	0.14	0.27	0.19
		Triple Pane—Obscure (5mm) Glass	N/A	N/A	0.22	0.10	0.24	0.14	0.27	0.19
		Triple Pane—Laminated Low E Impact Glass	N/A	N/A	0.17	0.05	0.18	0.07	0.19	0.09
		Dual Pane—Laminated Impact Glass	N/A	N/A	0.23	0.10	0.25	0.13	0.28	0.18
Fiberglass		Dual Pane—Laminated Low E Impact Glass	N/A	N/A	0.17	0.05	0.18	0.07	0.19	0.09
Sidelite		Dual Pane—Low E Wrought Iron	N/A	N/A	0.17	0.05	0.18	0.07	0.19	0.09
		Dual Pane—Low E-270 (Clear/Internal Grille)	N/A	N/A	0.22	0.06	0.24	0.07	0.26	0.09
		Dual Pane—Low E (Mini Blind UP)	N/A	N/A	0.19	0.03	0.21	0.04	0.24	0.05
		Dual Pane—Low E (Mini Blind DOWN)	N/A	N/A	0.17	0.02	0.18	0.03	0.19	0.04
		Dual Pane—Laminated Low E Impact (Mini Blind UP)	N/A	N/A	0.19	0.03	0.20	0.04	0.23	0.05
		Dual Pane—Laminated Low E Impact (Mini Blind DOWN)	N/A	N/A	0.17	0.02	0.18	0.03	0.19	0.04
Air Leakage ≤ 0.3 cfm/ft²										

ROUGH OPENING CHART

NOMINAL DOOR WIDTH	NOMINAL DOOR HEIGHT	PREHUNG UNIT SIZE	ROUGH OPENING	BRICKMOLD OPENING
14"	6/8	15-½" x 81-%"	16-½" x 82-½"	18" x 82-1/8"
12"	6/8	13-½" x 81-%"	14-½" x 82-½"	16" x 82-7/8"
10"	6/8	11-5/8" x 81-5/8"	12- ³ / ₈ " x 82- ¹ / ₈ "	14-1/8" x 82-7/8"
14"	8/0	15–½" x 97–%"	16-1/4" x 98-1/8"	18" x 98-1/8"
36"	6/8	37-½" x 81-%"	38-1/4" x 82-1/8"	40" x 82-1/8"
34"	6/8	35–½" x 81–%"	36-1/4" x 82-1/8"	38" x 82-%"
32"	6/8	33-½" x 81-%"	34-1/4" x 82-1/8"	36" x 82-7%"
30"	6/8	31-½" x 81-%"	32-1/4" x 82-1/8"	34" x 82-%"
36"	8/0	37-½" x 97-5/8"	38-1/4" x 98-1/8"	40" x 98-1/8"
36"-14"SL (sidelite	e) 6/8	52-½" x 81-%"	53-¼" x 82-½"	55" x 82–1/8"
36"-12"SL	6/8	50-½" x 81-%"	51- ¹ / ₄ " x 82- ¹ / ₈ "	53" x 82–7/8"
36"-10"SL	6/8	48-5/8" x 81-5/8"	49-3/8" x 82-1/8"	51-1/8" x 82-7/8"
32"-14"SL	6/8	48-½" x 81-5/8"	49-1/4" x 82-1/8"	51" x 82-%"
32"-12"SL	6/8	46-½" x 81-5/8"	47-1/4" x 82-1/8"	49" x 82-7%"
36"-14"SL	8/0	52-½" x 97-%"	53-1/4" x 98-1/8"	55" x 98-7%"
 NOTE: Hand sta	ined and pre-colore	d PVC jambs will add +1	./2" to width measurement li	sted above (2.5" mullion)
36"-14"SL	6/8	67-½" x 81-5/8"	68-½" x 82-½"	70" x 82-1/8"
36"-12"SL	6/8	63-½" x 81-5/8"	64-½" x 82-½"	66" x 82-7%"
36"-10"SL	6/8	59-¾" x 81-%"	60-½" x 82-½"	62- ¹ / ₄ " x 82- ⁷ / ₈ "
32"-14"SL	6/8	63-½" x 81-5/8"	64- ¹ / ₄ " x 82- ¹ / ₈ "	66" x 82-7%"
32"-12"SL	6/8	59–½" x 81–%"	60-1/4" x 82-1/8"	62" x 82-7%"
36"-14"SL	8/0	67-½" x 97-5/8"	68-1/4" x 98-1/8"	70" x 98-7%"
NOTE: Hand sta	ined and pre-colore	d PVC jambs will add +1	" to width measurement list	ed above (2.5" mullion)
72" (36–36)	6/8	74" x 81–5/8"	74- ³ / ₄ " x 82- ¹ / ₈ "	76–½" x 82–%"
68" (34–34)	6/8	70" x 81–%"	70- ³ / ₄ " x 82- ¹ / ₈ "	72-½" x 82-%"
64" (32–32)	6/8	66" x 81–%"	66- ³ / ₄ " x 82- ¹ / ₈ "	68-½" x 82-%"
60" (30–30)	6/8	62" x 81–%"	62- ³ / ₄ " x 82- ¹ / ₈ "	64-½" x 82-%"
72" (36–36)	8/0	74" x 97–5/8"	74- ³ / ₄ " x 98- ¹ / ₈ "	76–½" x 98–¾"

DOORS WITH SIDELITE(S): Rough opening sizes shown are for a standard continuous head and sill setup with unfinished PVC jamb.


OUTSWING UNITS: Come standard with a bumper-style sill, which requires that you subtract $1-\frac{1}{8}$ " from the prehung unit and rough opening height. Also add $\frac{1}{2}$ " to brickmold opening for width.

THRESHOLD: Inswing Units—threshold height is 1-3%", which allows for approx. 1" opening clearance. If a spacer is needed under sill to allow for proper opening clearance, please adjust rough opening accordingly.

HVHZ: Rough openings for HVHZ are smaller than chart rough opening sizes. Maximum space between actual unit size and rough opening is ½" in width and ¼" in height.

DOOR SWING & HANDING

Viewed From Outside



LEFT

HAND

(Right Hinge)


TRANSOMS

Heights 12" & 14-3/4" unless otherwise noted


■ 12" height only

Widths listed next to configuration

CLEAR LOW-E TRANSOMS



PRIVACY GLASS TRANSOMS



To calculate heights for combined doors and transoms, add the transom height to the chart height at left.

ENTRY DOOR LABOR RATES

	Single Door	\$479.00
	Single Door w/ One Sidelite	\$579.00
	Single Door w/ Two Sidelites	\$679.00
	Double Door	\$679.00
OVER- SIZE	Oversize Handling & Delivery	\$175.00

LIMITED LIFETIME WARRANTY

For Purchases Made On or After August 1, 2018

Signamark fiberglass exterior entry and patio door systems, door slabs and other components (hereinafter Product) by Trinity Glass International, Inc. (hereinafter Trinity) are warranted to be free from defects in material and workmanship that would render the Product unfit for its intended use under normal conditions, subject to the conditions and restrictions contained herein. This warranty extends only to the original purchaser of the Product (hereinafter Customer) from Trinity, from the date the Product is first purchased and extending to the following periods:

Limited Lifetime Warranty on all door slabs and sidelite slabs

Limited Lifetime Warranty on PVC jambs, brickmoulds and mullions

Limited Lifetime Warranty on doorlite (glass) frames

10 Years Limited Warranty on insulated glass against seal failure

5 Years Limited Warranty on factory finish (paint and stain)

2 Years Limited Warranty on wood products (i.e. jambs, brickmoulds, mullion) and all other components not specified in this warranty

The following are exceptions that may void the warranty or are not otherwise considered to be defects in material or workmanship:

- 1. Damage caused by failure to comply with the installation, finishing and maintenance instructions and recommendations by Trinity.
- 2. Damage caused by improper storage and handling, abuse, abnormal and unreasonable use by the Customer or other parties beyond the control of Trinity, to include but not limited to damages caused during shipping, handling, installation, or any act(s) performed to the Products not in compliance with Trinity's instructions and recommendations.
- 3. Damage from harsh natural conditions, including but not limited to substantial exposure to sun, salt spray, lightning, windstorms, earthquakes, acts of God, and other severe environmental conditions including but not limited to harsh chemicals or solvents, such as acidic brick washes or stucco leach.
- 4. Broken or shattered glass, normal wear and tear of components, improper maintenance, improper cleaning, improper caulking, and damage caused by pets or wild animals.
- 5. Bowing not exceeding 1/4 inch in the plane of the door. This shall be determined by placing a straight edge on the bowed surface of the door and measuring the point of maximum distance between the bottom of the straight edge and the surface of the door, accounting for panels and glazing recesses.
- 6. For unfinished Products, failure to properly finish all door/sidelite/transom surfaces and/or jamb materials within 2 weeks of installation or 6 months from the date of purchase, whichever is sooner.
- 7. Natural variations in color or texture of any wood grain surface shall not be considered a defect. When exposed to direct sunlight over long periods of time, discoloration may occur, but this will be within the accepted tolerances contained within 5 Delta E units, calculated in accordance with ASTM E 308-85, ASTM E 805-81 and ASTM D 2244-85, effective on the date the product is manufactured. Non-uniform fading and/or color changes are natural occurrences if the exterior surfaces of the products are not equally exposed to the sun and other environmental conditions.
- 8. Natural conditions created during the manufacturing process used in making decorative glass panels such as bubbles, streaks and swirls in decorative glass shall not be considered a defect. Irregularity in glass that is not visible from farther than six feet shall not be considered defects.
- 9. Any damage caused by improper installation of a storm door or the installation of a non-ventilating, full glass storm door shall void this warranty.
- 10. This warranty applies only to Products installed in owner occupied residential dwellings within the U.S., during the Customer's ownership, and is non-transferable.
- 11. Repaired or replaced components are warranted on the same terms and only for the remainder of the original warranty period. Color and grain match are not guaranteed. Trinity reserves the right to discontinue or change products or components. If a product or component is not available, Trinity may select and provide a like product or component of equal quality and price.

Warranty Claim Procedures:

In the event of a defect covered under this warranty, Customer shall comply with the following claim procedures:

- 1. Written warranty claim shall be presented to Trinity.
- 2. Customer's written claim must include the following information:
 - Nature or adequate description of defect(s).
 - Identification of product including size, design, type, and product number (if available).
 - Date of purchase.
 - Proof of purchase.
- 3. Upon Trinity's request, Customer must permit Trinity (or its representative) to inspect the claimed defective Product and provide photographs of the defective Product. Trinity shall have 30 days from receipt of Customer's written claim to exercise this option to inspect.

Upon receipt of a valid claim, Trinity shall have the option to either repair the product or provide a replacement product of like kind and design. Further, in lieu of repair or replacement, Trinity reserves the right to refund the Customer's purchase price (not replacement price). THIS SHALL BE THE CUSTOMER'S SOLE AND EXCLUSIVE REMEDY, AND IN NO EVENT SHALL TRINITY BE RESPONSIBLE FOR LABOR, SHIPPING, FINISHING EXPENSES, REMOVAL OF PRODUCT, INSTALLATION OF REPLACEMENT PRODUCT, OR OTHER INCIDENTAL AND/OR CONSEQUENTIAL CHARGES, COSTS, EXPENSES OR CLAIMS INCURRED BY CUSTOMER.

If Trinity elects to refund the purchase price, this warranty will be prorated from the date of purchase in the following manner: 0-5 years, 100% of the original purchase price; 6-10 years, prorated at 75% of original purchase price; and 11 years and up, 50% of original purchase price.

Trinity makes no other warranty, including a warranty of merchantability or fitness for a particular purpose, with respect to the product or replacement except to the extent provided herein. Invalidation of any one or more of the provisions of this limited warranty shall in no way affect any of the provisions in this limited warranty which remain in full force and effect. Any and all legal actions for any and every breach of this warranty shall be instituted and maintained in any court of competent jurisdiction in the County of King, State of Washington. Trinity reserves the right to modify the terms and conditions of this warranty without prior notice.

Trinity Glass International, Inc. $\,$ | $\,$ 33615 1st Way South $\,$ | $\,$ Federal Way, WA 98003 $\,$

Revised 7/30/2018

FINISHING INSTRUCTIONS


SIGNAMARK HAND STAINED DOORS: Signamark hand stained doors already come with a polyurethane UV top coat which protects the door during the 5 year finish warranty. It does not require additional topcoats at time of purchase but you will need to apply additional topcoats after 2-5 years as mentioned in the Care and Maintenance section below.

PAINTED FINISH: SMOOTH FIBERGLASS DOORS

SMOOTH FIBERGLASS DOORS: You can use any high quality oil based or latex based exterior paint. Priming the door is not required, but we do recommend a light sanding with 600 grit sandpaper for better paint adhesion. Before applying a paint, wipe the door and doorlite frame with a damp cloth to remove any dirt, oil, or debris. Allow the surface to fully dry before painting. For a pleasing look, we recommend painting with strokes in the directions shown. Apply at least two coats of paint, following the paint manufacturer's recommended instructions along with drying time between coats.

CARE AND MAINTENANCE

We recommend on any hand stained product that you reapply a UV topcoat over the existing topcoat every 2-5 years to protect your beautiful entryway from harsh weathering. We do not recommend stripping the finish. In locations with severe weather exposure, more frequent maintenance may be required. Caulk as well as repaint your doors as soon as deterioration can be detected.





ENTRY DOOR RESIDENTIAL CUSTOMER PRICING

The Perfect Door For Every Home

EcoViewDoors.com

