Model	Installation Method	Fastener	Special Instructions	Recommended Heads
154.74092	Straight Shaft Instructions	10mm x 1.25 RHF. Not included in the kit. Request one		ONLY use 3600, 4700, 5600, 5620, 8010. No Bump & Feed heads
154.74094	Straight Shaft Instructions	10mm x 1.25 RHF. Not included in the kit. Request one		ONLY use 3600, 4700, 5600, 5620, 8010
234.795000	Straight Shaft Instructions	3/8 x 24 RHF	Curved Shaft trimmer that follows straight shaft instructions. Hold hex shaped dust cup to remove original head.	ONLY use 3600, 4700, 5600, 5620, 8010
234.795340	Straight Shaft Instructions	3/8 x 24 RHF	Curved Shaft trimmer that follows straight shaft instructions	ONLY use 3600, 4700, 5600, 5620, 8010
234.795410	Straight Shaft Instructions	3/8 x 24 RHF	Curved Shaft that follows straight shaft instructions	ONLY use 3600, 4700, 5600, 5620, 8010
234.795490	Straight Shaft Instructions	10mm x 1.00 LHF		Any of our heads will fit
234.795510	Straight Shaft Instructions	3/8 x 24 RHF	Curved Shaft that follows straight shaft instructions	ONLY use 3600, 4700, 5600, 5620, 8010
234.795511	Straight Shaft Instructions	3/8 x 24 RHF	Curved Shaft that follows straight shaft instructions	ONLY use 3600, 4700, 5600, 5620, 8010
234.795512	Straight Shaft Instructions	3/8 x 24 RHF	Curved Shaft that follows straight shaft instructions	ONLY use 3600, 4700, 5600, 5620, 8010
234.795520	Straight Shaft Instructions	3/8 x 24 RHF	Curved Shaft that follows straight shaft instructions	ONLY use 3600, 4700, 5600, 5620, 8010
234.795522	Straight Shaft Instructions	3/8 x 24 RHF	Curved Shaft that follows straight shaft instructions	ONLY use 3600, 4700, 5600, 5620, 8010
316.711020	Won't Fit	No threaded shaft	No threaded shaft. Spool housing is held in place by a retainer washer	N/A
316.711022	Won't Fit	No threaded shaft	No threaded shaft. Spool housing is held in place by a retainer washer	N/A
316.711023	Wont Fit	No threaded shaft		N/A
316.711190	Won't fit	No threaded shaft	No threaded shaft. Spool housing is held in place by a retainer washer	N/A
316.711191	Won't Fit	No threaded shaft	No threaded shaft. Spool housing is held in place by a retainer washer	N/A
316.711192	Won't fit	No threaded shaft	No threaded shaft. Spool housing is held in place by a retainer washer	N/A
316.711200	Won't fit		Shaft is less than 1". Too short	N/A
316.711201	Won't fit		Shaft is less than 1". Too short	N/A
316.711370	Curved Shaft Instructions	5/16 x 18 RHM		ONLY use 3600, 4700, 5600, 5620, 8010. No Bump & Feed heads
316.71139	Curved Shaft Instructions	5/16 x 18 RHM		ONLY use 3600, 4700, 5600, 5620, 8010. No Bump & Feed heads
316.711700	Won't fit	No threaded shaft	No threaded shaft. Spool housing is held in place by a retainer washer	N/A
316.711930	Straight Shaft Instructions			Any of our heads will fit
316.725860	Straight Shaft Instructions		There are 2 versions of this trimmer. One is a brush cutter and the other one a Fixed Line. We fit the brush cutter version.	Any of our heads will fit
316.731700	Won't fit	No threaded shaft	No threaded shaft. Spool housing is held in place by a retainer washer	N/A
316.740800	Straight Shaft Instructions		Remove original head as a complete unit	Any of our heads will fit

316.740820				Recommended Heads
	R5605 Adapter Kit		Housing wraps around the shaft so spacer cup can't be used. Request an R5605 adapter kit.	ONLY use 3600, 4700, 5600, 5620, 8010. No Bump & Feed heads
316.791190	Curved Shaft Instructions	5/16 x 18 RHM	Straight shaft that follows curved shaft instructions	ONLY use 3600, 4700, 5600, 5620, 8010. No Bump & Feed heads
316.791550	Straight Shaft Instructions			Any of our heads will fit
316.791860	Straight Shaft Instructions	10mm x 1.5 LHF. Not included in the kit. Request one	Fixed Line head trimmer with a short shaft underneath.	Any of our heads will fit
316.791870	Straight Shaft Instructions	5/16 x 18 RHF	Remove shaft extender	Any of our heads will fit
316.791920	R5740 Hex adapter		Blower and trimmer in one. Can't leave the spool housing on. Request an R5740 hex adapter.	ONLY use 3600, 4700, 5600, 5620, 8010. No Bump & Feed heads
316.791940	Won't fit		Shaft is less than 1". Too short	N/A
316.791960	Straight Shaft Instructions	5/16 x 18 RHF	Remove shaft extender	Any of our heads will fit
316.794400	Curved Shaft Instructions	5/16 x 18 RHM	Straight shaft that follows curved shaft instructions	ONLY use 3600, 4700, 5600, 5620, 8010. No Bump & Feed heads
316.796170	Curved Shaft Instructions	5/16 x 18 RHF	Straight shaft that follows curved shaft instructions	ONLY use 3600, 4700, 5600, 5620, 8010. No Bump & Feed heads
316.798221	Curved Shaft Instructions	5/16 x 18 RHM	Straight shaft that follows curved shaft instructions	ONLY use 3600, 4700, 5600, 5620, 8010. No Bump & Feed heads
316.990100	Curved Shaft Instructions			ONLY use 3600, 4700, 5600, 5620, 8010. No Bump & Feed heads
358.791030	Won't fit		Shaft is less than 1". Too short	N/A
358.791032	Straight Shaft Instructions		Remove the head as a complete unit. If taken apart in pieces you'll have clips inside the head that get in the way of the installation.	ONLY use 3600, 4700, 5600, 5620, 8010
358.791042	Straight Shaft Instructions	5/16 x 24 RHF	Curved shaft trimmer with a fixed line head that follows the straight shaft instructions	Any of our heads will fit
358.791050	Won't Fit		Shaft is less than 1". Too short	N/A
358.791070	Won't fit		Shaft is less than 1". Too short	N/S
358.791980	Straight Shaft Instructions		Curved shaft trimmer with a fixed line head that follows the straight shaft instructions.	Any of our heads will fit
358.795340	Straight Shaft Instructions	10mm x 1.00 LHF	Curved shaft that follows the straight shaft instructions	ONLY use 3600, 4700, 5600, 5620, 8010
358.795510	Straight Shaft Instructions	3/8 x 24 RHF	Remove the head as a complete unit. If taken apart in pieces you'll have clips inside the head that get in the way of the installation.	ONLY use 3600, 4700, 5600, 5620, 8010
358.795550	Straight Shaft Instructions	3/8 x 24 RHF		Any of our heads will fit
358.795551	Straight Shaft Instructions	3/8 x 24 RHF	Hold dust cup to lock shaft and remove head	Any of our heads will fit
358.795560	Straight Shaft Instructions	3/8 x 24 RHF	Hold dust cup to lock shaft and remove head	Any of our heads will fit
358.795570	Straight Shaft Instructions	10mm x 1.00 LHF		Any of our heads will fit
358.795580	Straight Shaft Instructions	3/8 x 24 RHF	Fixed Line head trimmer head	Any of our heads will fit
358.795590	Straight Shaft Instructions	10mm x 1.5 LHF. Not included in the kit. Request one	Curved shaft that follows the straight shaft instructions	ONLY use 3600, 4700, 5600, 5620, 8010

Model	Installation Method	Fastener	Special Instructions	Recommended Heads
358.795591	Straight Shaft Instructions	5/16 x 18 RHF	Curved shaft that follows the straight shaft instructions	ONLY use 3600, 4700, 5600, 5620, 8010
358.795610	Straight Shaft Instructions		Curved shaft that follows the straight shaft instructions	ONLY use 3600, 4700, 5600, 5620, 8010
358.796110	Straight Shaft Instructions	3/8 x 24 RHF	Fixed Line head trimmer head	ONLY use 3600, 4700, 5600, 5620, 8010
358.796120	Straight Shaft Instructions	3/8 x 24 RHF	Fixed Line head trimmer head	ONLY use 3600, 4700, 5600, 5620, 8010
358.796130	Straight Shaft Instructions	3/8 x 24 RHF		ONLY use 3600, 4700, 5600, 5620, 8010
358.796140	Straight Shaft Instructions	3/8 x 24 RHF		Any of our heads will fit
358.796210	Straight Shaft Instructions	3/8 x 24 RHF		ONLY use 3600, 4700, 5600, 5620, 8010
358.796220	Straight Shaft Instructions	10mm x 1.5 LHF		Any of our heads will fit
358.797100	Straight Shaft Instructions	10mm x 1.00 LHF	Curved shaft trimmer that follows the straight shaft instructions	ONLY use 3600, 4700, 5600, 5620, 8010
358.797150	Straight Shaft Instructions	3/8 x 24 RHF	Curved Shaft that follows the straight shaft instructions	Any of our heads will fit
358.797160	Straight Shaft Instructions	10mm x 1.00 LHF		Any of our heads will fit
358.79726	Straight Shaft Instructions	10mm x 1.00 LHF	Curved shaft trimmer that follows the straight shaft instructions	Any of our heads will fit
358.798150	Straight Shaft Instructions		Curved Shaft that follows the straight shaft instructions	ONLY use 3600, 4700, 5600, 5620, 8010
358.798212	Straight Shaft Instructions		Remove the head as a complete unit. If taken apart in pieces you'll have clips inside the head that get in the way of the installation.	ONLY use 3600, 4700, 5600, 5620, 8010
358.798430	Straight Shaft Instructions		Curved shaft trimmer that follows the straight shaft instructions	ONLY use 3600, 4700, 5600, 5620, 8011
636.796234	Straight Shaft Instructions	10mm x 1.00 LHF or 5/16 x 18 LHF		ONLY use 3600, 4700, 5600, 5620, 8010
636.796242	Straight Shaft Instructions	10mm x 1.00 LHF		ONLY use 3600, 4700, 5600, 5620, 8010
636.796243	Straight Shaft Instructions	10mm x 1.00 LHF		ONLY use 3600, 4700, 5600, 5620, 8010
73170	R5605 Adapter Kit		Fixed Line head. Request R5605 Adapter Kit	ONLY use 3600, 4700, 5600, 5620, 8010. No Bump & Feed heads
C459.51214	Won't fit		No threaded shaft. Spool housing is held in place by a retainer washer	N/A
C459.51212	Won't fit		No threaded shaft. Spool housing is held in place by a retainer washer	N/A
CMXDTAMD29SS	Straight Shaft Instructions			Any of our heads will fit
CMXGTAMA27SC	R5280 spline cover		Remove the original head but keep the shaft extender on. Request a spline cover R5280.	ONLY use 3600, 4700, 5600, 5620, 8010
CMXGTAMD25CC	R5605 Adapter Kit		Housing wraps around the shaft so spacer cup can't be used. Request an R5605 adapter kit.	ONLY use 3600, 4700, 5600, 5620, 8010
CMXGTAMD25SC	Straight Shaft Instructions			Any of our heads will fit
CMXGTAMDZ20C	Straight Shaft Instructions		Make sure to remove the shaft extender. Spoolhousing wraps around shaft.	Any of our heads will fit

Model	Installation Method	Fastener	Special Instructions	Recommended Heads
CMXGTAMDZ22C	R5605 Adapter Kit	10mm x 1.25 LHF		
WS210	Straight Shaft Instructions			Any of our heads will fit
WS215	Straight Shaft Instructions or R5605 Adapter Kit		Make sure to remove the shaft extender or request adapter kit R5605. Spoolhousing wraps around shaft.	Any of our heads will fit
W\$405	Straight Shaft Instructions			Any of our heads will fit