

Research Laboratories, Water Treatment Technologies Vista CA myLesAvi.com
Contact: ArtAviles44@gmail.com

Harmonic Energy Technology (HE-tech)

Programmed Water Technology: Liquilight

Technology Developer: LésAvi

Forward

Ongoing technological advancements have wrought a surging series of poor social, health and environmental choices that have been steadily driving us to the edge of a wellness catastrophe. This is not a natural or evolutionary phenomenon but a conscience choice being made by individuals between *being* well and *living* well. The true phenomenon is that we are all fully aware of, and choose to ignore, the obvious consequences of our unbridled use of compelling technology and expedient chemical solutions. Who could blame us? They are convenient, inexpensive and entertaining.

LésAvi's Liquilight technology offers a proven option for protection and enhanced well-being, without sacrificing the utilization of technological conveniences. The solution is not to cease use or block localized sources of destabilization, but to restore one's personal bioenergetic strengths and protections. The solution is found in science, *naturally*.

Physically or Energetically? That seems to be the new question.



January 2022

Over the last few decades we have witnessed the field of integrative medicine slowly accept therapeutic approaches of complementary and alternative treatments. Even though it has been popular among consumers for centuries, it has been largely unaccepted by healthcare clinicians and scientists troubled by seemingly unsubstantiated claims of so-called therapeutic approaches.

When it had been proposed that meditation could impact neurological and immune function and literally change the structure and function of the brain, the idea was considered ill-informed and even outlandish. However, science has caught up. Due to growing public and privately-funded research revealing what has promise and what does not, such as in this case, breakthroughs in neuroscience, it has become well documented that meditation has a measurably positive impact on the brain.

Even though integrative medicine is still considered by many as innovative, the evidence base is growing. There are now strong success indications for some therapeutic approaches such as acupuncture, chiropractic and mind-body therapies, but there is still only modest study being conducted in areas of bioenergetics or biofield management.

Our body's bioenergetic field: Biofield

The term biofield originated out of a group convened by the National Institutes of Health Office of Alternative Medicine in the early 1990s. Their challenge was to provide an organizing plan for a wide range of healing practices, often referred to as energy medicine or bioenergetic therapies— Reiki, Therapeutic Touch and Qigong were just some examples. Bioenergetics, or biofield, was originally defined as a massless field that surrounds, permeates and affects living bodies. It has evolved to a multiscale concept that offers a broader context for understanding biological regulation and information flow.

Various complex exchanges involving the transference of bioenergy abound in daily life. Many can be described by well-established concepts in biochemistry and physics. For example, photosynthesis uses light to help convert carbon dioxide into oxygen. Animals use food to manufacture energy to carry out vital functions of mobility and brain activity. Well-established diagnostic techniques in medicine measure the bioenergetic activity of the heart and brain. Advanced imaging technology takes advantage of differential effects of bioelectromagnetic fields on water and tissue. Deep brain electrical stimulation has had remarkable effects on movement disorders.

Though our understanding of how these interactions occur is increasing, much more remains to be explained. Can all of these complex interactions—especially those involving bioenergetic healing modalities—be explained by current well-established mechanisms? The biofield theory suggests provocatively that these phenomena may be facilitated or mediated, at least in part, by forces and processes yet to be discovered. In this way, biofield wellness treatments may become like many examples in the history of science and medicine where theories once considered implausible become accepted through research and practice.

Rather than identifying a new heretofore undiscovered subtle field of energy that can be manipulated for healing, LésAvi looks upon the biofield as a unifier that encompass the wide variety of physical, emotional, social, and spiritual forces and factors that contribute to health and wellbeing.

The biofield can be considered as a conveyor of information, a regulator and mediator of biological interactions. And, because the biofield appears intimately connected with information delivery within living organisms, it thus holds and conveys information that is vital for bio-communication and bioregulation.

Living organisms have an immense network of internal and external interconnections across which invisible vibratory waveforms flow to modulate life functions – very much resembling a dense, constantly-moving school of fish. This continuous exchange of information used in living systems to maintain their integrity is astonishing. The biofield is a multilevel organizational concept in which information flows within and between the various levels of the organism. It offers a wealth of information

exchange, much like a "conversation" between the elements of these various levels of order. This instinctive and all-natural "communication" between cells and other units of life is critical to sustaining life and the promotion of healing.


The biofield may be considered to be the language of life.

The concept of biofield regulation offers a shift from a physical, chemistry-based view of biology to an information-based energetic view.

Our biofield vs. our living spaces

We are born into, live with, are surrounded by and are part of the world's energy, like gravity, light and electric and magnetic fields. We are a basic force of nature engendered by various levels of energetic vibrations. It is believed that our body's biowave signatures fall somewhere between ultraviolet and infrared wavelengths.

Electromagnetic Spectrum and the Human Body



Electromagnetic Frequency fields are so common an actuality that they are simply known as EMFs. However, they are composed of two distinct parts, electric and magnetic, which need to be addressed separately:

- 1. **Electric waveforms** are found wherever electricity is generated, used and generally arise from voltage on conductors (i.e., wires, transformers, etc.). They are measured in volts/meter or kilovolts/meter. Electric fields are easily shielded by common objects such as wood, rock, earth and rubber. There is a basic, physical reaction to raw electricity currents so we are familiar with how much exposure is considered harmless or hazardous.
- 2. **Magnetic waveforms** arise from an electrical or signal current flowing through simple conductors and relays. They are measured in units of milligauss (mG) and are very difficult to shield. This is why the magnetic fields produced by power lines and wireless signals can extend deep into living environments passing through barriers known to block electric energy fields. We are exposed to magnetic fields from wireless signal waveforms and wiring in buildings, to all of our electric appliances like TV sets, radios, portable digital devices, hair dryers, electric blankets, electric tools and very much more.

Cellular waves, Wi-Fi waves, Bluetooth waves and similar wireless systems produce electromagnetic radiation in the mid to low-gigahertz frequency. This level is considered potentially dangerous to people and the danger is compounded by several factors:

- Just like wireless signals themselves, EMFs generated can pass through walls.
- Cellular towers and most routers are not turned off at night our exposure is 24/7.
- We are not only exposed to EMFs from personal devices and routers but from our friends' devices and neighbors' routers, we are surrounded again, 24/7.

There is a false sense of safety offered by companies claiming to protect from EMFs by producing easily made *blockers*. However, those solutions primarily moderate electric waves and rarely address the magnetic fields – which are by far the more damaging of the two. As well, popular blockers do not address the overwhelming magnetic fields generated by everyone else's devices and the myriad of magnetic frequency wave delivery sources surrounding our personal spaces – above us, below us, around us and going right through us *all the time*.



The fundamental danger of EMF and other manmade waveform exposures is simply that our biofield's subtle energies can be distorted, rerouted and blocked by external electrical and magnetic vibratory waveform influences.

As a statute of vibrations: alike waveforms naturally synchronize and gain in amplitude and stabilization, where the interaction of unlike waveforms result in the weaker form re-modulating to attempt to synchronize with the stronger, resulting in variances of distortion and even cancellation.

Over the last two decades worldwide concerns about the ill health effects of electric and magnetic fields on the human body has greatly increased. There is now an abundant amount of scientific studies reporting an association between increased rates of illness and closeness to certain kinds of power lines, wireless signal sources and localized exposure to electric and magnetic fields.

There are many credible worldwide reports of wellness degradation and illness increases due to overexposure to EMF influences that include sleep disruption, impairment of memory and concentration, fatigue, head and body aches, skin disorders, visual symptoms (floaters), nausea, loss of appetite, tinnitus and cardiac problems (racing heartbeat).

It is painfully obvious that our subtle bioenergies, our life-giving biofields, are being distorted, weakened and blocked by the overwhelming amount of manmade energetic influences in our lives. The detrimental results are recognized, measured and indisputable. So yes, we have all made a conscience choice between *being* well and *living* well — we have chosen living well, and therefore have consciously made a decision to ignore the energetically induced physiological consequences on our biofield and overall health and well-being.

Analogous Vibrations of Harmonic Energy Technology

The biofield has evolved into a multiscale concept that offers a broader context for understanding biological regulation of electric and magnetic field information flow. As such, a biofield, whether at the level of biophotons, vibratory patterns of cell-to-cell communication or the EEG of the brain or ECG of

the heart can be succinctly described as an organizing influence distributed throughout and emanating from a living body. While biofields have most often been described as electromagnetic in nature, there have been several proposals of biofields involving quantum and photonic vibration information flow.

Like sound waves, quantum vibrational information is made of a mixture of components and can be described in many different ways. The waveforms can be strong or weak, have a high or low frequency, have sudden increases in strength or a constant strength, can consist of one pure frequency or a combination of several frequencies—and can be measured like sound waves, through harmonics.


The foundation of LésAvi's Harmonic Energy Technology is an arrangement of tonal information-creating sound wave harmonics called Sonic Scripts. Sonic Scripts are melodious compositions designed to analogously replicate universal qualities, physical structures and biological processes.

For example:

A molecular script is a specialized Sonic Script composed to represent the properties of atomic structures and the variances of molecular formations with specific emphasis on atomic pulse frequency (molecular bonds) and atomic tonal frequency (molecular geometry).


Depending on intended use, single Sonic Scripts or a chain of Sonic Scripts are combined to form a Harmonic Formula. The purpose of a Harmonic Formula is to balance and realign the quantum blueprints that compose the biofield in biological systems. Several completed Harmonic Formulas are used in unison in the production of Liquilight and Liquilight-C.

The operative mechanics of Liquilight is based upon the concept of Analogous Entrainment. It operates by establishing a coherent field of Harmonic Formula information that represents the qualities of a healthy bio-field's vibrational information. This coherent analogous field aligns with the target field so that the waveforms become locked into an alignment with each other synchronization or entrainment.



Entrainment

As previously stated, similar waveforms naturally synchronize and gain in amplitude and stabilization, whereas the interaction of unlike waveforms results in a weaker overall form. It is the nature of universal wave phenomena of resonance, harmonics and coherence, where all forms from solid to energetic, want to be in balance. It requires more energy to sustain imbalance where a balanced form can actually create energy. For example, with the force of gravity water will seek the easiest path to synchronized balance. Similarly, the energy of friction will force molecules to move and/or expand out, but they will eventually, naturally and effortlessly restructure into a state of being of low energetic cost sustainability and stability.



Life is energetic balance.

Bioenergetic fields are realms of influence generating information-carrying waves that impose order within their physiological domains. The interaction between the biofield and HE-tech fields creates a state of resonant entrainment to re-establish and impose order upon an unbalanced and unstable biofield. Immediately following this synchronization and entrainment the biofield can assist the organic system to reorganize itself in accordance with the idealized blueprint denoted by its core being.

Physics describes entrainment as a tendency for two oscillating bodies to lock into phase with each other so that they vibrate in harmony. HE-tech, delivered through Liquilight, facilitates and enhances the tendency of resonance within a system by representing the individual components of that system (Sonic Scripts) integrated as a series of compositional movements that fit together (Harmonic Formula). In other words, Liquilight melodiously represents individual universal qualities such as energy, chaos, mathematics, vibration, cycles, polarity, electromagnetism and biological factors such as, Cetirizine Hydrochloride (C₂₁H₂₅C₁N₂O₃₋₂HC₁) for allergy management and Omega-3 Fatty Acid (C₁₈H₃₀O₂) for muscle cell recovery and harmoniously ties these individual qualities together by coordinating the variety of rhythmic melodies and harmonies into a viable work of a sympathetic balance of harmonic vibrations.


The Encoding Process





Through the use of a proprietary Electromagnetic Pattern Infuser (EPI) cylinder, Harmonic Formula (Hf) information is infused into and permanently stored within pure water — no additives, no chemicals. The EPI is an encoding device that generates an electromagnetic revolving waveform vortex to permanently infuse information into water molecules as it is passed through carefully patterned vibratory and electromagnetic fields. The end result is Hf-programmed pure water.

The EPI contains (Fig 1) a cylinder suspended within a cylinder to create a reverberation cavity. On the outer rim of the outer cylinder are placed auditory Hf vibratory sources delivered through and with electromagnetic energy sources. On the outer surfaces of the inner chamber electrical currents run across proprietarily produced Hf vibratory information EMF reflectors.

This generates a fast moving, measured, Hf waveform field pattern within the reverberation cavity. The Hf field (Fig 3) is modulated by passing through a proprietary composition that is the outer wall of the inner cylinder creating an inter-crossing synchronized vibratory flow. The energy waves rebound and reverberate within the wall of the center cylinder creating an electromagnetic waveform that runs down the entire length of the primary center cavity of the inner chamber.







The audio, magnetic and electrical vibrations encircle both the outer and inner cylinders in a specific pattern (Fig 5) to create a continuous flow vortex of energy generating multiple harmonious electromagnetic waveforms. These waveforms spin in a manner that produces a directionally specific movement and clockwise rotating field.

When, through a controlled manner, pure water is passed through the EPI's field, the water's molecules are aligned, concussed and programmed with the bioelectromagnetic patterns of information produced by the fields they are passing through. The end result is HE-tech Liquilight – *liquid*, *light*.

Liquilight and Liquilight-C

Through a modification of the encoding process, an EPI cylinder was produced to generate a form of Liquilight that permanently transfers the Hf information to chemical compounds within a liquid-base substance. This allows the resulting Liquilight-C to be flash-burned into more stable materials such as enamels and plastics. Liquilight-C can also be slow-heated and/or mixed into several malleable mediums such as apparel dyes, hair coloring, inks, cosmetics, cleansers and consumable liquids and other foodstuffs and ingredients.

The final Liquilight-C enhanced products can be a refractive, reflective or liquid-based substance that can deliver the Hf benefits energetically, physically and/or photonically through light.

It only requires a minimal amount of Liquilight to provide the beneficial qualities of the HE-tech balancing information. If Liquilight is ingested or physically placed upon the body, the beneficial results will last approximately three to six hours depending on physiology, diet, and proximity to and dosage of cellular and electromagnetic influences. If Liquilight-C is projected photonically through light or physically worn or placed on the body, then the beneficial results will last as long as the body is within the photonic or energetic field being produced or projected.

Results

When Harmonic Energy Technology-enhanced products are ingested, placed on or projected within a body's biofield, its sympathetic analogous vibrations will entrain with the body's biofield to immediately transfer its harmonizing information. Upon this synchronization the biofield will immediately become coherent, stabilized and balanced and will remain so as long as the HE-tech information is viable and present within the body's biofield.

Data collected over 25 years using diagnostic tools such as Gas Discharge Visualization Imaging, Spectra-Vision Bio-Electric Graphing, Blood Analysis, Neuro-Feedback Analysis, Electroencephalogram, Acoustic Cardiogram, Thermography and other elite athletic physical testing protocols, collaborate to show that HE-tech Liquilight does in fact facilitate the balancing and coherency of the user's bioenergetic field. Amongst many other considerations, the benefits of a balanced and coherent biofield may include enhanced strength, balance, flexibility, endurance, agility and coordination. Additionally, observations suggest that continual application of Liquilight increases an individual's resistance to illness, stress and the detrimental effects of electromagnetic frequencies (EMF) and cellular, Bluetooth and Wi-Fi waves.

This visual representation of the electric and magnetic fields emitted by the body is the closest we have been able to come to seeing a visual representation of the body's biofield. By conducting a fullbody scan using modified imaging technology, Dr. Harold Cober, of the Florida Institute of Energy, was able





to visually measure the effects of our environment on our bioenergetics and the resulting harmonizing results of the HE technology.

"Beneficial results are consistent, immediate, indisputable and dramatic."

Harold Cober, Ph.D.

Mind-Over-Matter

There always remains the possibility that through persuasion, expectation or inducement, the results of complete balance could be a placebo effect or mind-over-matter outcome. For the sake of eliminating the placebo and mind-over-matter affects, plant Sonic Scripts and Harmonic Formulas were developed and programmed for use in the EPI cylinder. Plants cannot be influenced by hope or by persuasion. With plants the technology either works or it does not, simply and definitively.

As with the human body Harmonic Formulas, quantum fields and atomic molecular geometrics of plants were measured to produce ratios for the formula's Sonic Scripts. For the plant bioharmonics, the efforts concentrated on the Porphyrin Ring of the Chlorophyll Molecule (C₃₅H₂₈O₅N₄Mg) for plant growth and spoilage delay.

This is a <u>partial sample</u> of just one of the Sonic Scripts developed for the Porphyrin Ring molecule:

```
1440^{\circ} - (4:1+12:1) = \text{major 2nd / minor 3rd / perfect 5th, } 109^{\circ} - (3.3:1) \text{ major 2nd + semitone, } 45^{\circ} - (8:5), \text{ perfect 5th - } 109^{\circ} - (3.3:1) \text{ major 2nd + semitone...} 1440^{\circ} - (4:1+12:1) = \text{major 2nd / minor 3rd / perfect 5th...} 45^{\circ} - (8:5), \text{ perfect 5th...} \text{ and on and on } 1440^{\circ} - (4:1+12:1) = \text{major 2nd / minor 3rd / perfect 5th...}
```

with Systemic Frequencies: A and G, C, C#...

and Chord Progression: C-minor, E, B-flat-minor, E, D minor...

And, it continues as additional Sonic Scripts were added to complete the plant Harmonic Formula and EPI cylinder encoding pattern for plant Liquilight-P.

The following test results are from preliminary, exploratory studies conducted throughout the Central Valley in Southern California and Arizona Farms Horticultural Centers. Professional Horticulturist Susan Samis, Dr. M. Haron and other qualified specialists and enthusiasts conducted a series of independent tests ranging from germination in light-deprivation scenarios, to subjecting mature plants to weather extremes, to fruit growth enhancement and spoilage retardation.







The end observations of these preliminary studies confirm that the technology definitely and positively affects plants and post-harvest produce eliminating the supposition of placebo-effect reactions.

- 1) A Liquilight-P sample was used on the trunk of a mature Angel Trumpet Tree (Brugmansia). Weather conditions were extreme over a week long period of time and included temperatures of 29 degrees (Fahrenheit), which produced rare snow and frost conditions for that region of Central California. Also, the tree was bombarded by a severe hail storm. Following the severe weather, it was noted that the tree provided to be *unusually and surprisingly resilient*. Other than a few battered leaves (Angel Trumpet leaves are thin and delicate) as a result of the hail storm, the tree maintained complete heath.
 - a) Notably, during the previous year, when the weather did not create temperatures as low as 29 degrees, nor was there exposure to snow or hail; the same tree had many of its leaves turn black with widespread necrosis (browning and softening).
 - b) After another month which produced unusually low temperatures and snow, the tree exhibited significant hardiness and actually started to bloom.
- 2) Liquilight-P samples were used to water a mature Fichus tree which had been exhibiting poor health due to the fact that its soil was chemically saturated (being used as a "bathroom" for several local feral cats).

- a) The Fichus tree became noticeably resistant to the adverse conditions.
- b) The tree appeared to become more tolerant to the salts and ammonia created by the constant feline waste.
- 3) Liquilight-P was placed in a dish containing three types of bulbs (Narcissus, Amaryllis, and Hyacinth) and observed under the following conditions: Indoors with no light, shaded window, winter light conditions and blinds closed.
 - a) The bulbs began to produce blooms even though the light conditions were not right. Blooms from these plants were expected to be produced within a matter of months; not days.
 - b) When compared to baseline bulbs that were exposed to a fully lighted environment, the Liquilight-P-enhanced blooms were considerably more green, which indicates that the Hf Porphyrin Ring Chlorophyll formula delivered by the Liquilight-P was actively stimulating chlorophyll production in the plants.
 - c) After a month, both sets of bulbs were placed in sunlight. It is significant to note that the Liquilight-P supported bulbs had healthy leaves that continued to nourish the bulb. Where the non-Liquilight-P supported bulb's leaves had completed their process of necrosis.
- 4) 32 ounces of tap water was energized with a sampling of the Liquilight-P water. A few outdoor potted plants were lightly watered at 9:00AM with the charged water.
 - a) Two Honeysuckle plants in separate 1 gallon pots: Within 24 hours of watering the plants put on numerous new leaf growth overnight, new flowers eight clusters of three to seven flowers each, were there none before.
 - b) Palm, 3ft tall: Because of heavy rains the plant appeared drowned, all leaves hanging down against trunk. Within 24 hours of watering with the Liquilight-P charged water half of the palm's leaves were returning to original positioning and healthy state.
 - c) Orchid: Previously its flowers lacked color and full petal growth; within 3 days there was new flower growth with brilliant lavender color along edges and full petal growth with ruffled edges. This is a very rare occurrence for orchids.
 - d) English Ivy, ground cover: Soil depleted of nutrients, heavy mineral deposits on surface of soil. Within 24 hours the ivy was standing upright, with a healthy appearance, and surprisingly, new growth appearing.
 - e) Fuchsia: After recent rains the plant appeared waterlogged and wilted. Within 24 hours the branches were lifting up and strong. The buds opened up within two days and have doubled in size huge. They were larger than I've ever seen even with excellent fertilizers.
- 5) We mixed Liquilight-P to tap water at a ratio of 6:16 (6 drops to 16 ounces) and deeply watered a sapling citrus cocktail tree with it once a week. (Cocktail refers to the hybrid of lemon, orange and grapefruit. Cocktail trees grow slower than regular citrus.)
 - a) After just 16 days the tree began to grow. This is only the third week of introducing the Liquilight-P activated water to the tree.
 - b) End of 3rd week we have 13" of growth at its tallest branch.
 - c) End of 5th week, we have 33" of growth.
 - d) End of 8th week we have 44" of growth and, to be noted, there were six citrus fruits growing on the tree.
 - e) 44" represents over half the original length of the tree. These growth results should not have occurred for the following reasons:
 - i) Recently transplanted trees of this type require at least one to two years before any significant growth should occur.
 - ii) The growth spurt occurred out of the growing season.
 - iii) Normal plant growth for a cocktail tree is 8" to 12" a year and usually in a well-established tree.
 - iv) The tree was not supposed to grow fruit because it was transplanted only three months before the study very unusual.

- 6) We deeply watered a recently transplanted, more mature, 6 ft. citrus cocktail tree with the Liquilight-P 6:16 programmed water once a week. The tree is not supposed to grow or give fruit for 1 to 2 years after transplantation, and even then, it will only grow during the spring and fall seasons.
 - a) The plant has grown over a foot since the watering began and has bared 6 fruits. You could almost sit there and watch it grow!
 - b) As seasoned horticulturists we are baffled, as these types of trees never grow or give fruit this soon after transplantation and off-season as well.
 - c) 5 months later, the tree continues to grow, around three inches per month. We are just now entering into the seasonal growing time period. This tree was not supposed to do anything for up to two years. Yet, it is growing and baring fruit almost like a fully mature Citrus tree.
 - d) My other trees are not doing as well so they will now be getting the Liquilight-P 6:16 programmed water.
- 7) As a side experiment, a few bunches of bananas that were purchased from the local grocery store to see if the Liquilight-P would slow down the spoilage rate. The results were unbelievable.
 - a) 4 bunches of bananas, containing 6 bananas each, were split in half into 8 groups of baseline and Liquilight-P supported bunches; each containing 3 bananas. The bunches were placed in the following ways for a period of one week:
 - b) 2 bunches of 3 were separated on the ground by three feet
 - c) 2 bunches of 3 were separated in the air by five feet
 - d) 2 bunches of 3 were separated in a dark closet by four feet
 - e) 2 bunches of 3 were exposed to Liquilight-P charged water and separated by three feet

Results:

- i) In all comparative sets, Liquilight-P-enhanced bunches proved to be considerably less deteriorated than the non-Liquilight-P bunches. The well preserved texture and the tactile quality of the Liquilight-P-enhanced bananas was a significant observation.
- ii) Bunches exposed to Liquilight-P proved to maintain a higher state of preservation they remained in a non-deteriorated state for an additional week *after* the baseline bunches had entered a state of unusable deterioration.



Preliminary Studies

After eliminating the potential for placebo-generated results, a series of independent studies have been conducted to determine the potential effectiveness of Liquilight and Liquilight-C on the accumulated subtle bioelectromagnetic fields of the body. Multiple Liquilight water-based vehicles were used throughout the testing protocols including direct contact, consumption, refracted and reflected light.

The objectives were to determine if HE-tech Liquilight produced measurable and duplicable results in balancing the biofield and to determine the physical effects on the body as a result of a balanced biofield. Tests were focused on the following areas of proficiency:

- Alignment or balancing of the accumulated subtle bioelectromagnetic fields of the body
- Enhancement of energy levels and vitality
- Bringing a sense of well-being and calmness during stressful conditions of competition
- Enhancement of focus and concentration
- Increases in strength, balance and range of motion (flexibility)
- Increases in coordination with an overall improvement in agility
- Enhancements in immunity and recovery

The following results comments were obtained from just a few of the many tests conducted:

Electrical Brain Activity Testing

Arizona State University

Results: Increased physical balance between the left and right brain hemispheres resulting in greater mental focus and concentration, increased physical balance, greater creative and analytical balance and an enhanced ability to process information.

"It energized the brain and balanced the hemispheres at the same time."

- Debbie Crews, Ph.D

Cell Phone Physiological Perturbation

Colorado Energy Medicine Research Institute

Result: Greater overall protection and well-being due to a complete reversal of physiological perturbations induced by cell phones.

"Energizes the body yet maintains a state of stability."

- Lisa Tully, Ph.D

Strength/Endurance Test

Ohio Research Group - Elite Athlete Testing Institute

Result: Higher levels of efficiency, greater strength, increased stamina.

"It led to increases in strength and peak power output with no harmful cardiovascular effect."

Dr. Hall, of the Interactive Nutrition/Body Chemistry Systems, concluded that his studies offer a sound basis for continued study, "The HE-tech appears to act like a 'tuning fork' initiating a state of enhanced vitality. If you keep the body exposed to this higher energy over longer periods of time, your body will clear toxins, increase vitality and live in a state of higher health quality."

Dr. Acosta, of the Stone Mountain Research Facility, stated that it further compounds the notion of continued study, "The quantitative comparisons indicated that the HE-tech-enhanced water shows to suppress Delta wave interferences in the brain while enhancing Alpha and Beta frequency ranges signifying a state of calm awareness, combined with heightened focus and concentration. This state of mind is normally found in the brain maps of elite athletes who must perform while under a significantly stressful environment of competition."

Dr. Stryker, of Clinical Thermography Studies, added to this uncommonly line of discussion stating, "The data in my pilot studies shows a significant and immediate decrease in tissue inflammation after applying the Harmonic Energy Technology when compared to the baseline data. These results demonstrate the ability of the technology to increase the body's facilitation of cell-to-cell communication resulting in reduced inflammation. Perhaps the time has come to consider a different point of view on bioenergetics and their real ability to enhance wellness."

In the light of thousands of remarkable personal user results and testimonials, LésAvi and its associated distributors have taken great care not to over exaggerate or embellish the simple, singular and direct claim – clearly stated:

The Harmonic Energy (HE) technology and the resulting Liquilight delivery processes help to balance and stabilize the body's bioelectromagnetic energies and will hold it so for as long as the HE influence is present.



The information presented in this review document is to be used for evaluation, education, research and study purposes only.

It is not intended to be used as a substitute for advice from a physician or other health care practitioners. The information herein is not intended for diagnosis, nor is it intended for treatment, cure or prevention of disease or any health problem. Consult a physician or your healthcare provider before using this technology if you have any medical condition whatsoever, if you are pregnant, have or suspect you might have a health problem or if taking any kind of medication.

Balancing the body's energy to enhance wellness is not a standard that the United States Food and Drug Administration and many other governing associations endorse. Therefore, please be advised to always consult your health care practitioner before use and never stop taking any medication without first consulting your health care physician.

Results vary with every individual, and your results may or may not be different from those depicted. No promises, guarantees or warranties, whether stated or implied, have been made that you will produce any specific outcome as a result of purchasing or using a product containing the Harmonic Energy Technology or using information from this paper or other digital, printed or video materials.

This paper and supporting media may contain technical inaccuracies or typographical errors. Any medical claims depicted in preliminary studies herein that may have been overlooked are by no means to be misinterpreted as medical recommendations or claims of benefits.

ALL MATERIAL CONTAINED HEREIN IS Copyrighted © LésAvi, 1995 – 2023

No material in this document can be reproduced, published or shared without the explicit permission of LésAvi.