

JE-301 可消耗碟式砂布輪 (新型專利) 2M PATENTED PLEATED GRINDING DISK

新型專利:新型第 96911,107235,M240302號 PATENTED
NO: 96911,107235,M240302美國專利:US 7,131,900 B2
德國專利:Nr. 203 18 399.1



砂布材質：

1. 氧化鋁 (紅砂)：一般適用。
2. 氧化鋯 (藍綠)：重切削力，不銹鋼 (焊道) 適用。
3. 碳化矽 (黑砂)：非金屬如玻璃，石材適用。

MATERIAL:

1. Aluminum oxide (red): For general-purpose grinding and polishing.
2. Zirconium oxide (blue or green): Heavy duty grinding, particularly for grinding off soldering seam of stainless steel.
3. Silicon Carbonite (black): For non-metal grinding, such as glasses, stone and FRP.

專利特點 1. 示意圖

ILLUSTRATION OF WHAT "2M" MEANS

研磨前砂布輪情況 Size before the disk is used



研磨後砂布輪情況 Size after the disk is used

規格 SPECIFICATION :

直徑 Diameter	孔徑 Hole Dia	粒度 Grits	最大轉速 Max. R.P.M
4" (100 m/m)	16m/m	40#-320#	13,000
4.5" (115m/m)	22m/m	40#-320#	13,000
5" (125 m/m)	22m/m	40#-320#	13,000
7" (180 m/m)	22m/m	40#-320#	7,300

產品特點：

1. 專利：專利膠黏方式，連背盤均可研磨消耗。
2. 耐用：耐用性高，可抵一般產品2-3倍壽命。
(節省材料成本)
3. 切削：切削力強，研磨速度快。(節省工時成本)
4. 靈活：可消耗背盤，研磨無死角。

SPECIAL FEATURES:

1. 2M Feature: The special design patented backup disk will allow Maximun exploitation and Minimum waste of grinding material, from which the name 2M is derived.
2. Cost saving: The product is 2-3 times longer in service life than of similar products due to its 2M feature.
3. Efficiency Improving: More effective and quick in grinding effects.
4. Illustration of Special Feature: Versatile in grinding to reach different shapes of angles.

專利特點4. 示意圖

ILLUSTRATION OF SPECIAL FEATURE 4.

可消耗背盤，研磨無死角。

The backup disk is a part of grinding material which allows a versality to reach the inside of different angles.



JE-301A 碟式砂布輪 (A級)
PLEATED GRINDING DISK (A GRADE)



製作方式：插入式 (砂布插入塑膠盤內)
 Structure: The sanding/grinding fiber pieces are inserted into the plastic disks.

規格：

直徑：	4" (100m/m)	7" (180m/m)
孔徑：	16m/m	22m/m
粒度：	40#-320#	40#-320#
最大轉速：	13,000 R.P.M	7,300 R.P.M

產品特點：

砂布和背盤間無黏著劑，可延長使用壽命。

SPECIFICATION:

Diameter：	4" (100m/m)	7" (180m/m)
Hole Diameter：	16m/m	22m/m
Grits：	40#-320#	40#-320#
Max. R.P.M：	13,000 R.P.M	7,300 R.P.M

SPECIAL FEATURES:

No glue between the sanding/grinding fiber pieces to allow longer service life of the wheel.

JE-301A-1 碟式砂布輪 (B級)
PLEATED GRINDING DISK (B GRADE)



製作方式：黏盤式 (砂布黏在網蓋上)
 Structure: The sanding/grinding fiber pieces are glued to the backup disks.

規格：

直徑：	4" (100m/m)
孔徑：	16m/m
粒度：	40#-400#
最大轉速：	13,000 R.P.M

產品特點：

進口砂布研磨效果良好，價格低廉。

SPECIFICATION:

Diameter：	4" (100m/m)
Hole Diameter：	16m/m
Grits：	40#-400#
Max. R.P.M：	13,000 R.P.M

SPECIAL FEATURES:

Imported material for best grinding effects and cheaper price.

JE-301A-2 碟式砂布輪 (B級)
PLEATED GRINDING DISK (B GRADE)



製作方式：黏盤式 (砂布黏在網蓋上)
 Structure: The sanding/grinding fiber pieces are glued to the backup disks.

規格：

直徑：	4" (100m/m)
孔徑：	16m/m
粒度：	40#-400#
最大轉速：	13,000 R.P.M

產品特點：

進口砂布研磨效果良好，價格低廉。

SPECIFICATION:

Diameter：	4" (100m/m)
Hole Diameter：	16m/m
Grits：	40#-400#
Max. R.P.M：	13,000 R.P.M

SPECIAL FEATURES:

Imported material for best grinding effects and cheaper price.

JE-301-A 可消耗彈性砂布輪 BENDABLE PLEATED DISK



JE-301B 直立式砂布輪 VERTICAL FLAP SANDING WHEEL



JE-302 帶柄砂布輪 FLAP SANDING WHEEL WITH ARBOR



JE-306 三分孔砂布輪 FLAP SANDING WHEEL W/NO ARBOR



用途USES:大廚房水槽專用
Specially useful for surface finishing of corners of metal washing and disposal basins, similar utensiles and containers of all kinds.

新型專利:新型第 96911,107235,M240302號 PATENTED
NO: 96911,107235,M240302美國專利:US 7,131,900 B2
德國專利:Nr. 203 18 399.1

用途USES:

特別適合彎曲金屬面死角及焊道。
For special uses on dented surfaces, corners, sodering seams unreachable or ineffectively polished by ordinary grinding disks of the same kind.

研磨角度(內曲面)




Surface to grind:
Inner surfaces of curvatures.

規格 SPECIFICATION :

直徑 Diameter	: 4" (100m/m)
孔徑 Hole Diameter	: 16m/m
粒度 Grits	: 40#-320#
最大轉速 Max. R.P.M	: 13,000 R.P.M

研磨角度(外曲面)



Surface to grind:
Outer surfaces of curvatures.

規格 SPECIFICATION:

直徑 Diameter	: 4" (100m/m)	7" (180m/m)
孔徑 Hole Diameter	: 16m/m	22m/m
粒度 Grits	: 40#-400#	40#-400#
最大轉速Max. R.P.M	: 13,000 R.P.M	7,300 R.P.M

規格 SPECIFICATION :

直徑 Diameter	: 25,30,40,50,60 m/m
厚度 Thickness	: 25m/m
粒度 Grits	: 40#-400#
最大轉速Max. R.P.M	: 20,000 R.P.M

特殊規格 SPECIAL SIZES :

本公司帶柄砂布輪特殊規格種類繁多，最小可做到 10×10 m/m，最大可到80×30 m/m，歡迎訂做。
All special sizes of mini sanding rolls can be made by this company, the smallest size is 10mm×10mm; and largest size,80mm×30mm.

規格 SPECIFICATION :

直徑 Diameter	: 65 m/m
厚度 Thickness	: 25 m/m
孔徑 Hole Diameter	: 3/8"
粒度 Grits	: 40#-320#
最大轉速Max. R.P.M	: 20,000 R.P.M

**JE-201 砂布輪
FLAP WHEEL SANDER**



**JE-201-1 連結式砂布輪
LINK-UP FLAP WHEEL**



**JE-201-2 砂布環帶
ABRASIVE BELTS**



**JE-202 不織布輪
NON-WOVEN WHEEL**



規格 SPECIFICATION:

直徑 Diameter : 3", 4", 5", 6", 8", 10", 12", 14", 16", 18"
厚度 Thinkness : 3/4", 1", 1.2", 1.5", 2", 3", 4", 6"

產品特點 :

本公司產品規格齊全，進口砂布品質優良，一般砂布價格低廉。

SPECIAL FEATURES :

We manufacture all sizes of grinding wheels and wheelers with selected imported material for best grinding effects, and domestic material for cheaper price.

- 可連結至非常寬的寬度(1"-180")適合大面積拋光，且研磨表面不會產生間隙空痕。
Wheels can be linked up to 180" for grinding and polishing wide surfaces, without leaving unprocessed traces due to gaps between linking wheels.
- 可配合其他研磨材料，如不織布、麻等以達到所需研磨效果。
Wheels can be linterleafed with different grinding/polishing material for different requirements.
- 當砂布或其他研磨材料耗盡時，保留塑鋼母輪，只需更換砂布夾組即可。
Worn-out parts can be immediately replaced by grinding/polishing refills.
- 重切削，不怕使用重力，克服一般砂布輪高速運轉時會斷裂、飛散之危險。
Heavy pressures can be applied in operation without risks in breaking and scattering high speed flying particles.

規格 SPECIFICATION:

- 尺吋、材質均可訂製。
Any size can be ordered.

產品特點 :

- 砂布環帶接著牢固、安全可靠。
The abrasive belt is well adhesived to insure good performance, safety and reliability.
- 適合金屬、木材、皮革製品。
The abrasive belt is well structured and versatile in use for metals, wood and leather products.

規格 SPECIFICATION :

直徑 Diameter : 4" ,6" ,8" ,10" ,12" ,14" ,16"
厚度 Thinkness : 1" ,1.5" ,2" ,3" ,4" ,6"

產品特點 :

特殊規格，歡迎訂做，本公司另有"SA"級產品，品質、效果更佳，歡迎洽詢。

SPECIAL FEATURES :

Special sizes are welcome for production. We have also "SA" type of products for better effects. you are welcome for inquiry.

(Requalr grade in grey, SA grade in brown color.)

JE-203A 平面不織布輪 (新型專利) 2M PATENTED NON-WOVEN POLISHING WHEEL

新型專利:新型第 96911,107235,M240302號 PATENTED
NO: 96911,107235,M240302美國專利:US 7,131,900 B2
德國專利:Nr. 203 18 399.1



規格 SPECIFICATION:

直徑 Diameter	孔徑 Hole Dia	最大轉速 Max. R.P.M	粒度 Grits
4"	(100 m/m) 16m/m	13,000	180#-320#
4½"	(115m/m) 22m/m	13,000	180#-320#
5"	(125m/m) 22m/m	13,000	180#-320#
7"	(180 m/m) 22m/m	7,300	180#-320#

鋁合金刮傷處理

Optimal polishing to eliminate scratches and cuts on aluminum alloy surface.



進口材質，拋光效果特佳。

Selected import material for best grinding and polishing effects.

用途：

適用於金屬表面除漆、除銹、拋光，對軟性金屬如銅、鋁、鋁合金等效果特佳。

特點：

- 1.專利小鐵背盤，可完全利用材料，不浪費。
- 2.背盤小，死角研磨方便。

USES:

De-paint, de-rust, and surface polishing for all metals, particularly effective for soft metals such as copper, brass, aluminum & aluminum alloy.

SPECIAL FEATURES:

- 1.The 2M special design patented backup disk will allow Maximum exploitation and Minimum waste of polishing material, from which the name of 2M is derived.
- 2.The small sized backup disk will allow good surface polishing of corners unreachable by ordinary polishing gears of the same kind.

不銹鋼拋光

Optimal surface polishing of stainless steel.



除銹前 Before de-rusting



除銹中 In de-rusting



除銹後 After de-rusting



**JE-203B 帶柄不織布輪
NON-WOVEN WHEEL W/ARBOR**




用途：
管內彎角拋光。

USES:
For grinding inside surface of tubcs, pipes, cylinders and drums.

規格 SPECIFICATION

直徑Diameter	: 50m/m
厚度Thickness	: 12m/m, 25m/m
粒度Grits	: 180#-800#

**JE-307錐形砂布捲
SPIRAL ROLLS**



用途：
管內、彎角毛邊去除、拋光。

USES:
For polishing inside of tubs, grinding off rough cut edges of angular parts.


規格 SPECIFICATION

直徑x長度(DiaXLength)	: 1" x2"
粒度Grits	: 60#-320#

產品特點：
砂布捲和金屬柄為分離式，使用後可快速更換砂布捲，節省工時。

SPECIAL FEATURES:
Arbors are separable for quick replacement of wornout grinding parts.

**JE-307-1 筒形砂布捲
CARTRIDGE ROLLS**



用途：
管內、彎角毛邊去除、拋光。

USES:
For polishing inside of tubs, grinding off rough cut edges of angular parts.

規格 SPECIFICATION

直徑x長度(DiaXLength)	: 3/4" X1.5"
粒度Grits	: 60#-320#

產品特點：
砂布捲和金屬柄為分離式，使用後可快速更換砂布捲，節省工時。

SPECIAL FEATURES:
Arbors are separable for quick replacement of wornout grinding parts.

JE-307-2 迷你砂布捲 MINI-SANDING ROLLS



用途：

模具、雕刻品、藝術品、人像死角、小孔修整拋光。

材質：

1. 氧化鋁（紅砂）：適用金屬、木材類。
2. 碳化砂（黑砂）：適用非金屬如波麗、石材、玻璃等。

特點：

1. 為目前僅知最小尺寸之砂布捲。
2. 砂布捲和金屬柄為分離式，使用後可快速更換砂布捲，節省工時。

USES:

Grinding and polishing of molds, Carvings, statues, and Souvenirs, Reforming and polishing of small holes.

MATERIAL:

Alumium Oxide- for grinding and polishing of metals and wood material.

SPECIAL FEATURE:

The smallest sizes of same kind in the world.

JE-300 工業用砂布環及橡膠柄 SANDING SLEEVES, INDUSTRIAL GRADE, W/RUBBER ARBOR

- 工業用砂布環所有尺寸均以西德進口砂布製成，品質穩定，研磨效果良好。
- 除右列規格外，砂布環任何尺寸均可訂作。
- All sanding sleeve products are made of sanding cloth from Germany to insure uniform, reliable and effective quality.
- We can produce any special sizes of sanding sleeves according to customer's specification.



規格 Specification	橡膠 Rubber Cylin	橡膠柄 Rubber Arbor	金屬柄 Metal Arbor
3"X4½"	v		
2"X4½"	v		
1½"X4½"	v		
1"X4½"	v		
¾"X4½"	v		
1½"X2½"		v	
1"X2½"		v	
¾"X2½"		v	
½"X2½"		v	
2"X1½"		v	
1½"X1½"		v	
1"X1"		v	
¾"X1"		v	
½"X⅝"		v	
⅜"X⅝"		v	
¼"X1"			v
3m/m			v

**JE-601 平面砂輪
GRINDING WHEEL**



規格 SPECIFICATION :

直徑 Diameter	孔徑 Hole Dia	厚度 Thickness	粒度 Grits	最大轉速 Max. R.P.M
4"(100 m/m)	16m/m	5/32" (4 m/m)	24#	13,000
4"(100 m/m)	16m/m	1/4" (6 m/m)	24#	13,000
5"(125 m/m)	22m/m	1/4" (6 m/m)	24#	11,000
6"(150 m/m)	22m/m	1/4" (6 m/m)	24#	9,100
7"(180 m/m)	22m/m	1/4" (6 m/m)	24#	8,500

**JE-602 可彎曲砂輪
FLEXIBLE POLISHING WHEEL**



規格 SPECIFICATION :

直徑 Diameter	孔徑 Hole Dia	厚度 Thickness	粒度 Grits	最大轉速 Max. R.P.M
4"(100 m/m)	16m/m	3 m/m	60#-120#	13,000
7"(180 m/m)	22m/m	3 m/m	60#-120#	9,100

產品特點 :

本公司可彎曲砂輪均加重、加砂，較一般他牌產品利度更佳，耐用性更強。

SPECIAL FEATURES :

The grinding/polishing effects and durability have been enhanced reinforced material.

**JE-603 切斷砂輪
CUT-OFF WHEEL**



規格 SPECIFICATION :

直徑 Diameter	孔徑 Hole Dia	厚度 Thickness	粒度 Grits	最大轉速 Max. R.P.M
4" (100 m/m)	16m/m	1 m/m	60#	13,000
4" (100 m/m)	16m/m	1.5 m/m	60#	13,000
4" (100 m/m)	16m/m	2 m/m	60#	13,000
12" (305 m/m)	1"	3 m/m	30#	3,800
14" (355 m/m)	1"	3 m/m	30#	3,800
16" (405 m/m)	1"	3 m/m	30#	3,800

產品特點 :

本公司產品切削力強，耐用性佳，中心點準確不抖動，保證使用時決不破裂，12"、14"、16"產品強度有P、Q、R、S四級。

SPECIAL FEATURES :

Sharp cutting effect, long durability, accurate location of center of wheel, no vibration and breakage in operation. 3 sizes of 12", 14" and 16" in diameter, and 4 grades P, Q, R, S for choice.

JE-700 4" 手提砂輪機 ANGLE GRINDER



規格SPECIFICATION :

電壓voltage:100 V-110V 220V-240V
輸出功率wattage:750W
最大轉速MAX R.P.M: 12,000R.P.M
砂輪尺寸outside dia. of disc:100x6x16m/m
重量weight:1.6GS

注意事項NOTICE :

請指定本公司原裝進口碳刷，勿自行購買他牌碳刷，以維工具之正常使用壽命
Plases appoint our company original package import carbon brush, do not by oneself
Purchase he brand carbon brush, as maintains tool' s normal service life.

產品特色SPECIFICATION FEATURES :

重量輕、體積小、長時間操作輕鬆
Light weight, body product little ,long operation ease
長時間使用機身不高溫，不影響作業
Long uses airframe not high temperature, not affection homework
高品質線纜，安全、耐用
Superb line look at ,safety durable
本公司自設維修部，工具送修均有專人服務
Our company since sets up maintain, tool gives repair have profession

JE-700-1 日立4" 手提砂輪機 ANGLE GRINDER



規格SPECIFICATION :

電壓voltage:100 V-110V 220V-240V
輸出功率wattage:710W
最大轉速MAX R.P.M: 12,000R.P.M
砂輪尺寸outside dia. Of disc:100x6x16m/m
重量weight:1.5GS

注意事項NOTICE :

請指定本公司原裝進口碳刷，勿自行購買他牌碳刷，以維工具之正常使用壽命
Plases appoint our company original package import carbon brush, do not by oneself
Purchase he brand carbon brush, as maintains tool' s normal service life.

產品特色SPECIFICATION FEATURES :

重量輕、體積小、長時間操作輕鬆
Light weight, body product little ,long operation ease
長時間使用機身不高溫，不影響作業
Long uses airframe not high temperature, not affection homework
高品質線纜，安全、耐用
Superb line look at ,safety durable
本公司自設維修部，工具送修均有專人服務
Our company since sets up maintain, tool gives repair have profession

**JE-701 海綿砂輪
PVA GRINDING WHEEL**



規格：

直徑 :4",5",6",8",10",12"
 粒度 :60#-1000#

SPECIFICATION :

Diameter :4",5",6",8",10",12"
 Grits :60#-1000#

**JE-702 羊毛輪
FELT WHEEL**



規格：

直徑 :2",3",4",5",6",8",10",12"

SPECIFICATION :

Diameter :2",3",4",5",6",8",10",12"

**JE-703 黑輪/紫輪
FIBER WHEEL**



規格：

直徑 :2",4",4.5",6",8"

SPECIFICATION :

Diameter :2",4",4.5",6",8"

JE-704 平面麻輪 (新型專利) 2M PATENTED SISAL BUFF



新型專利:新型第 96911,107235,M240302號 PATENTED
NO: 96911,107235,M240302美國專利:US 7,131,900 B2
德國專利:Nr. 203 18 399.1

規格 SPECIFICATION:

直徑 Diameter	孔徑 Hole Dia	最大轉速 Max. R.P.M
4" (100m/m)	16m/m	13,000
4.5" (115m/m)	22m/m	13,000
5" (125m/m)	22m/m	13,000
7" (180m/m)	22m/m	7,300

用途:拋光

產品特點:

- 1.專利黏膠方式。
- 2.靈活:背盤小,研磨無死角。
- 3.耐用性高,可完全利用材料,不浪費。

USES:

Polishing

SPECIAL FEATURES:

- 1.The 2M special design patented backup disk will allow Maximum exploitation and Minimum waste of polishing material , from which the name of 2M is derived.
- 2.The small sized backup disk will allow good surface polishing of corners unreachable by ordinary polishing gears of the same kind.

JE-705 平面布輪 (新型專利) 2M PATENTED COTTON BUFF



新型專利:新型第 96911,107235,M240302號 PATENTED
NO: 96911,107235,M240302美國專利:US 7,131,900 B2
德國專利:Nr. 203 18 399.1

規格 SPECIFICATION:

直徑 Diameter	孔徑 Hole Dia	最大轉速 Max. R.P.M
4" (100m/m)	16m/m	13,000
4.5" (115m/m)	22m/m	13,000
5" (125m/m)	22m/m	13,000
7" (180m/m)	22m/m	7,300

用途:拋光

產品特點:

- 1.專利黏膠方式。
- 2.靈活:背盤小,研磨無死角。
- 3.耐用性高,可完全利用材料,不浪費。

USES:

Polishing

SPECIAL FEATURES:

- 1.The 2M special design patented backup disk will allow Maximum exploitation and Minimum waste of polishing material , from which the name of 2M is derived.
- 2.The small sized backup disk will allow good surface polishing of corners unreachable by ordinary polishing gears of the same kind.

JE-706 3M 不織布環帶
NON-WOVEN BELTS



規格SPECIFICATION:

20m/m x 520m/m

60m/m x 260m/m

粒度 Grits

粗 Rough

中 Medium

細 Fine

極細 S Fine

產品特點：

本公司採用“正”3M不織布材質，較一般他牌產品研磨效果更佳，耐用性更強特殊的不織布環帶結構，適用於金屬研磨的去毛邊與拋光,其堅韌的背襯可增加環帶的研磨時間。特殊結構可以展現比競爭對手多達2倍的壽命。使用起來非常便利，不會有惱人的不適應感。

SPECIAL FEATURES:

Selected 3M Non-Woven material, than the average brand products grinding best and polishing effects

JE-706-1 3M快拆式不織布研磨片
QUICK CHANGE ROLOC S/C DISC



規格 SPECIFICATION:

直徑 :1" (背絨+pad) 2" (背絨+pad)

3" (背絨+pad) 4" (背絨)

粒度 Grits

粗 Rough

中 Medium

細 Fine

產品用途：

用於初步金屬表面清潔、去毛邊、修整。

產品特點：

1. 可以精準地研磨出沒有毛邊且平順的成品，且不傷害金屬本身物件。
2. 開放性結構，不積塵，適合用於各種形狀工件物。
3. 精選礦砂，提升切削力，縮短研磨所需時間。

JE-707 鐵頭羊毛輪4" (牙式)
FELT WHEEL DISK



規格 SPECIFICATION:

直徑 Diameter:	4"
孔徑 / 螺牙 Hole Diameter:	10 x 1.5牙

產品用途：

使用於不鏽鋼類、鐵材類、石材類、木雕，及一般金屬表面鏡面研磨處理。

產品特點：

本產品適用範圍廣闊，搭配4"手持砂輪機用--直接鎖上即可，操作容易。

JE-708 鐵頭不織布輪4" (牙式)
NON WOVEN DISK



規格 SPECIFICATION:

直徑 Diameter:	4"(100 m/m)
孔徑 / 螺牙 Hole Diameter:	10 x 1.5牙
粒度 GRITS :	180#- 320#

產品用途：

使用於不鏽鋼類、鐵材類、石材類、木雕，及一般金屬表面鏡面研磨處理。

產品特點：

本產品適用範圍廣闊，搭配4"手持砂輪機用--直接鎖上即可，操作容易。

JE-709 絨布砂盤片
DISC WITH VOLOUR



規格 SPECIFICATION:

直徑 Diameter:	2", 3", 4", 5", 6"
粒度 GRITS :	40# - 2000#

產品特點：

本公司採用進口材質，耐用性、研磨效果極佳。採用高品質氧化鋁礦砂，具有良好切削力及耐久性。輕巧紙質背襯，可隨不同造型彎曲，讓使用更為容易。

SPECIAL FEATURES:

Selected import material for best grinding and polishing effects



SANDING PRODUCTS

AFFORD OPTIMUM SURFACE FINISHES

PATENTED DE-PAINT/RUST NON-WOVEN WHEELS PATENT NO: S.S.96911 R.O.C.

JE-203A MULTI-FUNCTIONS NONWOVEN WHEEL



Size	Grits	Quality
100MMx16MM	Rough	7P
115MMx22MM	Medium	
125MMx22MM	Fine	
180MMx22MM		

JE-203A-1 MULTI-FUNCTIONS NONWOVEN WHEEL



Size	Grits	Quality
100MMx16MM	Rough	5P
115MMx22MM	Medium	
125MMx22MM	Fine	
180MMx22MM		

JE-203A-2 MULTI-FUNCTIONS NONWOVEN WHEEL



Size	Grits	Quality
100MMx16MM	Rough	3P
115MMx22MM	Medium	
125MMx22MM	Fine	
180MMx22MM		

JE-203B MULTI-FUNCTIONS NONWOVEN WHEEL SET



Size	Grits	Contents
50MMx12MM	180#	*10 Pcs Nonwoven Wheel *1 Pc Metal Arbor.

JE-203B-1 MULTI-FUNCTIONS NONWOVEN WHEEL SET



Size	Grits	Contents
50MMx12MM	320#	*10 Pcs Nonwoven Wheel *1 Pc Metal Arbor.

SANDING SLEEVE SETS

JE-300 RUBBER SANDING DRUM SET

CONTENTS:
5 Size Rubber Arbors
1/2", 3/4", 1", 1 1/2", 2"
20 Pcs Sanding Sleeves.
(4 Pcs. ea. Size)



JE-300A SANDING SLEEVES SET

CONTENTS:
20 Pcs
Sanding Sleeves
1/2", 3/4", 1", 1 1/2", 2"
(4 Pcs. ea. Size)



JE-300B SANDING SLEEVES SET

CONTENTS:
5 Pc Rubber Arbors(3/4")
10 Pcs Sanding Sleeves,
80# or 120#



JE-300C SANDING SLEEVES SET

CONTENTS:
1 Pc Rubber Arbors(1/2").
10 Pcs Sanding Sleeves,
80# or 120#



JE-300D SANDING SLEEVES SET

CONTENTS:
1 Pc Rubber Arbors(3/8").
10 Pcs Sanding Sleeves,
80# or 120#



JE-300E SANDING SLEEVES SET

CONTENTS:
1 Pc Metal Arbors(1/4").
10 Pcs Sanding Sleeves,
80# or 120#



JE-300F SANDING SLEEVES SET

CONTENTS:
1 Pc Metal Arbors(3MM).
10 Pcs Sanding Sleeves.





SANDING PRODUCTS

AFFORD OPTIMUM SURFACE FINISHES

JE-301
2M PATENTED PLEATED GRINDING DISK




Size	Grits	Contents
100 MM	40#~400#	1 Pc

JE-301A-2
PLEATED GRINDING DISK



Size	Grits	Contents
100 MM	40#~400#	1 Pc

JE-301B
VERTICAL FLAP SANDING WHEEL



Size	Grits	Contents
100 MM	40#~600#	1 Pc

JE-302
FLAP SANDING WHEEL WITH ARBOR SET



Size	Grits	Contents
10 MM	40#~400#	20 Pcs
15 MM		10 Pcs
20 MM		5 Pcs
25 MM		5 Pcs
30 MM		5 Pcs

JE-201-2
ABRASIVE BELT SET



Size	Grits	Contents
10MM x 330MM	40#~400#	10 Pcs

JE-201-2
ABRASIVE BELT SET



Size	Grits	Contents
60MM x 260MM	40#~400#	10 Pcs

JE-307
SPIRAL ROLLS SET



Size	Grits	Contents
1"x 2"	40#~400#	10 Pcs Spiral Rolls 1 Pc Arbor

JE-307-1
CARTRIDGE ROLLS SET



Size	Grits	Contents
3/4" x 1.5"	40#~400#	10 Pcs Cartridge Rolls 1 Pc Arbor

JE-601
GRINDING WHEEL




Size	Color	Contents
100 MM	Black or Red	1 Pc



SANDING PRODUCTS

AFFORD OPTIMUM SURFACE FINISHES

JE-602
FLEXIBLE POLISHING WHEEL



Size	Grits	Contents
100 MM	60#~120#	1 Pc

JE-603
CUT-OFF WHEEL SET



Size	Color	Contents
100 MM	Black or Red or Green	5 Pcs

JE-701
SPONGE WHEEL



Size	Grits	Contents
100 MM	40#~1200#	1 Pc

JE-702
FELT WHEEL



Size	Grits	Contents
100 MM		1 Pc

JE-702-1
FELT WHEEL WITH ARBOR SET



Size	Grits	Contents
50 MM		10 Pcs Felt Wheel 1 Pc Metal Arbor

JE-703
FIBER WHEEL



Size	Color	Contents
100 MM	Black or Purple	1 Pc

JE-703-1
FIBER WHEEL WITH ARBOR SET



Size	Color	Contents
50 MM	Black	8 Pcs Fiber Wheel 1 Pc Metal Arbor

JE-704
2M PATENTED SISAL BUFF



Size	Color	Contents
100 MM	Yellow	1 Pc

JE-705
2M PATENTED COTTON BUFF



Size	Color	Contents
100 MM	Blue	1 Pc



SANDING PRODUCTS

AFFORD OPTIMUM SURFACE FINISHES

**JE-705-1
COTTON BUFF**



Size	Color	Contents
150 MM	Green	1 Pc

**JE-706
NON-WOVEN BELTS**



Size	Grits	Contents
60 MM x 260MM	Rough	1 Pc Rough/Medium , Ea
	Medium	or
	Fine	1 Pc Medium/ Fine , Ea

**JE-706-1
QUICK CHANGE
ROLOC S/DISC SET**



Size	Grits	Contents
25 MM	Rough Medium Fine	2 Pcs, Rough/Medium/Fine, Ea
50 MM		1 Pc, Rough/Medium/Fine, Ea
75 MM		1 Pc, Rough/Medium/Fine, Ea
100 MM		1 Pc, Rough/Medium/Fine, Ea

**JE-706-2
NON-WOVEN WHEEL**



Size	Grits	Contents
125 MM	Green / Fine	1 Pc

**JE-707
FELT WHEEL DISK 1.5"牙**



Size	Grits	Contents
100 MM		1 Pc

**JE-708
NON WOVEN DISK 1.5"牙**



Size	Grits	Contents
100 MM	180# or 320#	1 Pc

**JE-709
DISC WITH VOLOUR SET**



Size	Grits	Contents
50 MM	40#~2000#	20 Pcs
75 MM		20 Pcs
100 MM		10 Pcs
125 MM		10 Pcs
150 MM		10 Pcs

**JE-710
GRINDING WHEEL
WITH ARBOR SET**



Size	Color	Contents
10 MM	Pink	10 Pcs
15 MM		10 Pcs
20 MM		5 Pcs
25 MM		5 Pcs

**JE-711
QUICK CHANGE TYPE
ABRASIVE DISC (ROLOC)**



Size	Grits	Contents
25 MM	80#	3 Pcs. Ea. Size
50 MM		
75 MM		

NEW

JE-200 RUBBER SANDING DRUM SET

CONTENTS:

4 Size Rubber Arbors

$\frac{1}{2}$ " x $2\frac{1}{2}$ ", $\frac{3}{4}$ " x $2\frac{1}{2}$ ", 1" x $2\frac{1}{2}$ ", $1\frac{1}{2}$ " x $2\frac{1}{2}$ "

16 Pcs Sanding Sleeves (4 Pcs, Ea, Size)



JE-200-1 SANDING SLEEVES SET

CONTENTS:

8 Pcs Sanding Sleeves

$\frac{1}{2}$ " x $2\frac{1}{2}$ ", $\frac{3}{4}$ " x $2\frac{1}{2}$ ", 1" x $2\frac{1}{2}$ ",
 $1\frac{1}{2}$ x $2\frac{1}{2}$ "

(2 Pcs, Ea, Size)

