Springmill Lakes at Tamarack Co-Owners Association

Board of Director's Meeting Monday, April 18, 2022 Ardsley Office

Call to order: President Courtenay Weldon called the meeting to order at 2:03PM. Other board members present: Steve Cracraft, Jim Funk, Katie Betley, Judy Palmer, Barb Banner, Bernie Pierce, Jeanette Shallop, Ron Watson.-via cell phone and Sarah Leveridge, Ardsley Management.

Approval of Minutes:

Motion to approve Minutes of February 21st Board Meeting: Jim 1st; Steve 2nd. Motion passed 9-0.

Treasurer's Report:

February 28, 2022. Expenses on schedule Katie 1st, Barb 2nd Motion passed 9-0

1-Paver repair on stoops highlighted the need to form a policy for stoop repair and replacement. Moving forward, SPLAT will not approve stoops using paver construction due to maintenance issues. Katie 1st, Barb 2nd, Motion passed 9-0

- 2- It was decided to set expense approval limits:
 - Ardsley --- \$1,000
 - President---\$1,000 to \$5,000

Jeanette 1st, Katie 2nd Motion passed 9-0

3-Other policies implemented:

- Invoices will not be paid without approval by the President and Treasurer.
- Ensure expenses are booked to the correct budget line item
- Bids will be routed to the President and cognizant board member for review and approval prior to work being performed.
- Jeanette asked if there is a central point for policies and procedures. None currently.

Old Business:

- 1-Getting bids on tree removal and stump grinding
- 2-Road/Curb report from Tim Morris due later this month.
- 3-Annual building maintenance report will be available at the May board meeting
- 4-Roof/Chimney inspections are due the end of April, weather permitting.

Architectural Report:

9373 Spring Forest plans to replace their bay window.

Jim 1st, Barb 2nd Motion Passed 9-0

Adjournment: There being no further business to come before the meeting, Chair Weldon adjourned the meeting at 3:00 PM.

Respectfully submitted, Bernie Pierce, Secretary

Next Board Meeting: May 16th @ 2PM Bernie Pierce's condo, 9247 Spring Lakes Dr.