

**THE MOST
RELIABLE**



COMMERCIAL EV CHARGER

- ✓ The highest uptime in America
- ✓ The quickest EV Charger to activate
- ✓ The most cost-efficient commercial EV Charging station

www.cyberswitching.com



4G, WIFI, Ethernet



208-240VAC



NEMA 3R rated



-22°F to 122°F



16A - 48A



Fits every EV



Wall mount



Single & Dual Pedestal



Cable Management



UL, EnergyStar



Assembled in USA



15+ rebate programs



What can you do with CSE1 EV Charger?

-  Collect revenue (Credit Card, Apple Pay, Google Pay)
-  Reserve the chargers in advance
-  Flat or Tiered Pricing (by Energy or by Time)
-  Utility Demand Response
-  Advanced Load Management
-  Add new or existing RFID cards
-  Session limits & Idle fees
-  Analytics & Reporting





Voltage	208-240 VAC
Power/Amperage	3.5kW/16A, 7kW/32A, 10kW/40A, 11.5kW/48A
Frequency	50-60 Hz
User Authentication	RFID
Network	LAN, WiFi, 4G
Connectivity	OCPP 1.6J
Cable Length	25 ft
FCC	Compliant

Certificates	ETL, Energy Star
Charging Interface	SAE J1772, Type 1
Safety Compliance	UL2594, UL2231-1-2, UL2251, UL1998, UL62, UL991, UL840, NFPA70
RCD	CCID20
Multiple Protection	UVP, OVP, RCD, SPD, OCP, OTP, CPFP, Ground Fault Protection
Operating Temperature	-22°F to 122°F
Indoor/Outdoor	IK08, Type 3 Enclosure
Altitude	≤ 6561ft

2-year complimentary warranty. An option to extend it up to 3 more years.



CYBER  SWITCHING®

**THANK YOU, AND WE
LOOK FORWARD TO
WORKING WITH YOU!**

www.cyberswitching.com

