# CHEST PAIN

#### **Heart Attack**

Sudden blockage

Pain, pressure, heaviness, squeezing, tightness

In chest, neck, jaw, arm/s, back, shoulder/s

Dizzy, cold sweat, short of breath, nausea, vomiting

#### **Indigestion**

**Digestion problems** 

Pain is not relieved by drinking milk or using antacids

Heart attack is often mis-diagnosed as indigestion

IF PAIN IS STILL PRESENT AFTER 10 MINUTES

### **Angina**

**Narrowed arteries** 

Previously diagnosed, yet pain is different to past pain

Take medication as prescribed Rest until recovered

IF PAIN IS STILL PRESENT AFTER 10 MINUTES

### **CALL TRIPLE ZERO (000) IMMEDIATELY**

KEEP CASUALTY STILL - COMFORT - MONITOR - BE PREPARED FOR CPR - SEND FOR DEFIBRILLATOR

## **Ensure Safety for Self and Others**

## Call the Ambulance on Triple Zero (000)

Call 000 if symptoms persist after 10 minutes, even if previously diagnosed with angina.

Give the casualty aspirin (300mg) unless they are allergic or have a bleeding disorder.

#### Please note:

Heart attack may be overlooked as angina or indigestion. These are some of the symptoms, there may be others. Not all heart attacks are accompanied by pain. Some casualties simply look and feel unwell.

HAZARD = LIFE-THREATENING MEDICAL EMERGENCY

RISK = PERMANENT HEART DAMAGE, DEATH