	oct Address (including Apt., Unit, S	uite, and	/or Bldg. No.) or	r P.O. Route	and C-		
13590 LEANING	OAKS DRIV	E				Co	mpany	NAIC Number:
City				State		715) Carla	
BEAUMONT				Texas		777	Code	
JCAD ACCOUN	scription (Lot T NO. 05640)	and Block Numbers, 0-000-018400-00000-	Tax Paro	cel Number, Leg	al Descriptio	n, etc.)		
		ential, Non-Residentia		on Accessory e	tc) PESI	DENTIN		
A5. Latitude/Lon	gitude: Lat.	30°08'20" N		94°16'24" W	The second second second	DENTIAL CONTRACTOR	7	
A6. Attach at lea	st 2 photogra	aphs of the building if t			and to obtain	ontal Datum:	J NAD	1927 X NAD 198
A7. Building Diag	gram Number	1A		reate is being us	sed to obtain	flood insurance		
		Ispace or enclosure(s).					
		vispace or enclosure(s			20.6			
		flood openings in the c		co or opologues/	sq ft			
c) Total net a	area of flood o	openings in A8.b	avviopa.		s) Within 1.0	foot above adja	cent gr	ade
d) Engineere		***************************************		sq in				
			No					
9. For a building								
a) Square foo		The state of the s	THE R. P. LEWIS CO., LANSING MICH.	420.00 sq ft				
b) Number of	permanent fl	ood openings in the a	ttached	garage within 1.0	0 foot above	adjacent grade		
c) Total net a	rea of flood o	penings in A9.b		sq in			-	
d) Engineered	d flood opening	ngs? Yes	No					
	SI	CTION B - FLOOD	INCLIDA	NCE DATE N	A.D. (Eller)			
1. NFIP Commur	iity Name & C	Community Number	MOOK	B2. County Na		NFORMATION	I	
80878 & CITY OF	BEVIL OAK	S		JEFFERSON				B3. State Texas
				1				ICAGS
. Map/Panel Number	B5. Suffix	B6. FIRM Index		RM Panel B	88. Flood	B9. Base F	lood F	
Number		Date	Effe	RM Panel Bective/ Z	88. Flood one(s)	B9. Base F (Zone A	lood E	levation(s)
Number	B5. Suffix		Effe	RM Panel Bective/ Z		B9. Base F (Zone A	lood E AO, use	evation(s)
Number 0878 0005	С	Date 08-06-2002	Effe Rev 09-04-	RM Panel Bective/ Zvised Date 1987 A	one(s)	(Zone A	lood E	levation(s)
Number 0878 0005 10. Indicate the s	C source of the I	Date	09-04-	RM Panel Bective/ Z vised Date 1987 A	E AND X	(Zone A	lood E	levation(s)
0878 0005 10. Indicate the s	C cource of the I	Date 08-06-2002 Base Flood Elevation Community Determ	Effe Rev 09-04- (BFE) da	RM Panel Bective/ Zivised Date 1987 A	one(s) E AND X I depth enter	26.8' 26 in Item B9:	AO, use	levation(s)
Number 0878 0005 10. Indicate the s FIS Profile 11. Indicate eleva	C cource of the I	Date 08-06-2002 Base Flood Elevation Community Determined the Best of the BFE in Item Best of the B	Effe Rei 09-04- (BFE) da mined [RM Panel Bective/ Zivised Date 1987 And	Cone(s) LE AND X I depth enter NAVD 1988	26.8' 26 in Item B9:	NO, use	levation(s) e Base Flood Depth)
10. Indicate the s FIS Profile 11. Indicate eleva	C cource of the interest of th	Date 08-06-2002 Base Flood Elevation Community Deterring Sed for BFE in Item Brown Brow	Effe Rei 09-04- (BFE) da mined [RM Panel Bective/ Zivised Date 1987 And	Cone(s) LE AND X I depth enter NAVD 1988	26.8' 26 in Item B9:	NO, use	levation(s) e Base Flood Depth)

ELEVATION CERTIFICATE

OMB No. 1660-0008

IMPORTANT: In these spaces, copy the correspondi	info		-		November 30, 2018
Building Street Address (including Apt., Unit, Suite, and.		FOR INSURANCE COMPANY USE			
13590 LEANING OAKS DRIVE	or Blag. No.) or P.O. F	Route and Box No.	Policy	Number:	
I DEALIMONIT		IP Code	Comp	any NAIC	Number
BEAUMONT	exas 7	7713			
SECTION C - BUILDING E	LEVATION INFORM	ATION (SURVEY R	EQUIR	ED)	
*A new Elevation Certificate will be required when	construction of the bui	uilding Under Constru			hed Construction
C2. Elevations – Zones A1–A30, AE, AH, A (with BFE Complete Items C2.a–h below according to the busenchmark Utilized: B.M. 8), VE, V1–V30, V (with uilding diagram specifie	REEL AR ARIA AR	to Rico d	only, enter	AR/AH, AR/AO. meters.
Indicate elevation datum used for the elevations in	items a) through h) be	elow.			
▼ NGVD 1929 □ NAVD 1988 □ Othe	r/Source:				
Datum used for building elevations must be the sa	me as that used for the	BFE.			
a) Top of bottom floor (including basement, crawled)					easurement used.
b) Top of the next higher floor	space, or enclosure flo	or)	28.89	⊠ feet	meters
c) Bottom of the lowest horizontal structural memi	oor (V Zonos anhi)		-	feet	meters
d) Attached garage (top of slab)	der (v Zories only)		20.16	∐ feet	meters
e) Lowest elevation of machinery or equipment se	on rining the healthing		28.16	✓ feet	meters
(Describe type of equipment and location in Co	mments)	S. 17.11.11	28.90	feet	meters
f) Lowest adjacent (finished) grade next to building			27.22	X feet	meters
g) Highest adjacent (finished) grade next to building			28.11	✓ feet	meters
h) Lowest adjacent grade at lowest elevation of structural support	eck or stairs, including			feet	meters
SECTION D - SURVEYOR	R, ENGINEER, OR AF	RCHITECT CERTIFI	CATIO	N	
This certification is to be signed and sealed by a land so I certify that the information on this Certificate represent statement may be punishable by fine or imprisonment to Were latitude and lossified in Section 2.					ation information. that any false
voice latitude and foligitude in Section A provided by a	licensed land surveyor	? 🛛 Yes 🔲 No			e if attachments.
Certifier's Name Richard F. Faust	License Number 4782				
Title			\dashv	O	To the second
Registered Professional Land Surveyor			1	616	TE STA
Company Name Faust Engineering & Surveying, Inc.			1 /	14 7	Lastin 1
Address			1	RICHARD	FHAUST
2525 Calder Ave.			W	17	Bre /
City	State	ZID Code		NAMES.	\$10.0R
Beaumont	Texas	ZIP Code 77702		INS SUI	RVE
Signature	Date 08-22-2018	Telephone (409) 813-3410	Ext.	~	
Copy all pages of this Elevation Certificate and all attachm			gent/cor	mnany and	1(2) building average
Comments (including type of equipment and location, pe	er C2(e), if applicable)	, (()	90110001	riparry, and	2 (3) building owner.
ITEM C.2e) IS THE A.C. UNIT.	(//				

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMP	ORTANT: In these spaces, copy the corres	nondina information	. f O	7	chilation Date: November 30, 2	X CANONICA CONTRACT
Bui	Iding Street Address (including Apt., Unit, Suit	ponding information	From Section A.	F	OR INSURANCE COMPANY L	JSE
135	90 LEANING OAKS DRIVE	e, and/or Bidg. No.) o	r P.O. Route and Box	KNO. P	olicy Number:	
City		State	ZIP Code	C	ompany NAIC Number	-
DE	AUMONT	Texas	77713	MANAGE		
	SECTION E – BUILDIN FOR	G ELEVATION INFO ZONE AO AND ZON	ORMATION (SURVE NE A (WITHOUT BF	EY NOT RE	QUIRED)	
1	Zones AO and A (without BFE), complete Iter nplete Sections A, B,and C. For Items E1–E4, er meters.	ns E1–E5. If the Certi use natural grade, if a	ficate is intended to savailable. Check the r	support a LC measureme	MA or LOMR-F request, nt used. In Puerto Rico only,	
E1.	Provide elevation information for the following the highest adjacent grade (HAG) and the log a) Top of bottom floor (including basement.	g and check the appro west adjacent grade (priate boxes to show LAG).	whether th	e elevation is above or below	
	crawlspace, or enclosure) is b) Top of bottom floor (including basement,	William Control of the Control of th	[] feet [meters	above or below the HA	۱G.
	crawlspace, or enclosure) is		[] feet [meters	above or below the LA	
E2.	For Building Diagrams 6–9 with permanent fluthe next higher floor (elevation C2.b in	ood openings provide	d in Section A Items 8	8 and/or 9 (s	see pages 1–2 of Instructions),	
	the diagrams) of the building is		feet [meters	above or below the HA	ıG.
E3.	Attached garage (top of slab) is	***************************************	[] feet [meters	above or below the HA	G.
E4.	Top of platform of machinery and/or equipme servicing the building is	ent		meters	above or below the HA	-
E5.	Zone AO only: If no flood depth number is av floodplain management ordinance?	ailable, is the top of the	e bottom floor elevate	ed in accord		
	SECTION E - PROPERTY					
The	property owner or owner's authorized represe	entativa who complete	Continue A D - 1	F (=		-
com	munity-issued BFE) or Zone AO must sign he	re. The statements in	Sections A, B, and E	are correct	to the best of my knowledge.	
	perty Owner or Owner's Authorized Represent			The state of the s		-
Add	ress		City	0: .		
			City	State	ZIP Code	Carpon and
Sigr	nature		Date	Teleph	none	
Com	nments					
						-
						TO COLUMN

						and the same of th
						and the same
						-
						all and a second
						-
						and the sales
					Check here if attachments	

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corr	T	FOR INSURANCE COMPANY USE						
Building Street Address (including Apt., Unit, S 13590 LEANING OAKS DRIVE		Policy Number:						
City	Ctata	710.0						
BEAUMONT	State Texas	ZIP Code 77713		Company NAIC Number				
SECTION	ON G - COMMUNITY I	NFORMATION (OPTI	IONAL)					
The local official who is authorized by law or or Sections A, B, C (or E), and G of this Elevation used in Items G8–G10. In Puerto Rico only, en	dinance to administer to	the community's flood	alais sees	gement ordinance can complete elow. Check the measurement				
G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)								
G2. A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.								
G3. The following information (Items G4-	G10) is provided for co	ommunity floodplain m	anagement	purposes.				
G4. Permit Number	G5. Date Permit Issu	ed		e Certificate of npliance/Occupancy Issued				
G7. This permit has been issued for:	New Construction	Substantial Improven	ment					
G8. Elevation of as-built lowest floor (including of the building:	p basement)		feet] meters Datum				
G9. BFE or (in Zone AO) depth of flooding at t	he building site:		feet	meters Datum				
G10. Community's design flood elevation:	***************************************		feet [meters Datum				
Local Official's Name		Title						
Community Name		Telephone						
Signature		Date						
Comments (including type of equipment and loc	ation, per C2(e), if appl	licable)		☐ Check here if attachments.				

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

See Instructions for Item A6.

OMB No. 1660-0008

IMPORTANT: In these spaces, copy the corresponding information from Section A.

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.

City

State

ZIP Code

BEAUMONT

Sexpiration Date: November 30, 2018

FOR INSURANCE COMPANY USE

FOR INSURANCE COMPANY USE

FOR INSURANCE COMPANY USE

To specify Number:

Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One

Photo One Caption FRONT VIEW 08/22/2018

Clear Photo One



Photo Two

Photo Two Caption REAR VIEW 08/22/2018

Clear Photo Two

O.M.B. NO. 3067-0077 Expires May 31, 1996

file

ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION BUILDING OWNER'S NAME				FOR INSURANCE COMPANY USE		
DOLLOWO OWNER 3 MAJOR	=10.				POLICY NUMBER	
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER /3590 LEANING OAKS DRIVE OTHER DESCRIPTION (Lot and Block Numbers, etc.)					COMPANY NAIC NUMBER	
CITY 1-2, B	LOCK 22, R	IVER OA	KS ESTATES (C	state	ZIP CODE	
	The state of the s	OOD INSUR	ANCE RATE MAP (FIRM)	INFORMATION	777/3	
rovide the following from t	he proper FIRM (See	Instructions):	mer (t min)	INFORMATION		
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX			
480878	0005	C	SEDT & 1987	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)	
Indicate the elevation dat For Zones A or V, where the community's BFE:			ase Flood Elevations (BFE and the community has esta FIRM datum-see Section	niighad a BEE fa	Other (describe on back) r this building site, indicate	
			NG ELEVATION INFORM			
 (b). FIRM Zones V1-V30, V the selected diagram, is the selected diagram, is considered below (check one) (c). FIRM Zone A (without I below (check one) (d). FIRM Zone AO. The floore) the highest grade is level) elevated in according to the elevation datu under Comments on Page the FIRM [see Section 8, equation under Comments 	YE, and V (with BFE). It is at an elevation of BFE). The floor used the highest grade adjusted to the building dance with the community system used in detail of the property	The bottom of the control o	f the lowest horizontal strufeet NGVD (or other FIRM ce level from the selected silding. I the selected diagram is depth number is available, ain management ordinance above reference level elevel used in measuring the elected to the datum system use	datum—see Sec diagram is feet about is the building's regions: NGVD reations is different d on the FIRM ar	tion B, Item 7). Let above or ove or below (check lowest floor (reference of Unknown) 29 Other (describe	
Elevation reference mark un The reference level elevation (NOTE: Use of construction ase this certificate will only will be required once consti	on is based on: A a on drawings is only va y be valid for the build ruction is complete.)	ctual constructude of the construction of the	tion construction drawing does not yet have the national course of construction. A	vings eference level flo post-construction	n Elevation Certificate	
The elevation of the lowest Section B, Item 7).	grade immediately a	djacent to the	building is: 1 1 1 1 2 8 1.1	ifeet NGVD (or	other FIRM datum-see	
-	SEC	TION D COM	MUNITY INFORMATION			
If the community official res is not the "lowest floor" as o floor" as defined by the ordi Date of the start of construc	sponsible for verifying defined in the communicance is:	building eleva	tions specifies that the reference,	erence level indic	cated in Section C, Item 1 the building's "lowest tem 7),	


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE), V1–V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

L.P. Cam	MACK, JR	411	2	
CERTIFIER'S NAME		LICENSE NUMBER		
PRINCIP	AL L.P.	CAMMACK-S	URVEYOR	
TITLE		COMPANY NAME		
7165 5	WEETGUM ROAD	BEAUNIONT	TEXAS	3 77713
ADDRESS ///	2	CITY	STATE	ZIP
J OTC	ammachh	1-23-	95 (409) 753.	2207
SIGNATURE		DATE	PHONE	2
COMMENTS:		TE COST		1.00 and the state of the state
		L. P. CAM	ACK JR.	
		SU SU	ONLOW	



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.

