O.M.B. No 3067-0077 Expires May 31, 1993

ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

	SECTION A PROPE	RTY INFO	ORMATION		FORWAR
BUILDING OWNER'S NAME					FOR INSURANCE COMPANY USE
KANDI ME		POLICY NUMBER			
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER 13636 ROLLING HILLS OTHER DESCRIPTION (Lot and Block Numbers, etc.)					COMPANY NAIC NUMBER
CITY					
BEAUMONIT	SECTION R. FLOOR	s)	MOS DAME	STATE	ZIP CODE 77713
Provide the following from t	be seen FIRM 10	D INSURA	NCE RATE MAP (FIRM)	INFORMATION	
Provide the following from t		ructions):			
1. COMMUNITY NUMBER 4-80878	ا سا	C. SUFFIX	4. DATE OF FIRM INDEX SEPT 4,1987	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
 Indicate the elevation data For Zones A or V, where the community's BFE: 	tum system used on the FI no BFE is provided on the) F!H(N/I an	of the community by	1 11 1 1	Other (describe on back) or this building site, indicate
	SECTION C	BUILDII	NG ELEVATION INFORM	ATION	
 (b). FIRM Zones V1-V30, the selected diagram, (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The fone) the highest grade level) elevated in accost landicate the elevation dat under Comments on Pagethe FIRM [see Section Bequation under Comment 	VE, and V (with BFE). The is at an elevation of BFE). The floor used as the highest grade adjacer loor used as the highest grade adjacer adjacent to the building. It is a community um system used in determine 2). (NOTE: If the elevation of Page 2)	be bottom on the reference of the bull level from the bull level from the following the action datum to elevation.	Section B, Item 7). If the lowest horizontal structure is the lowest horizontal structure is a selected diagram is depth number is available ain management ordinance above reference level elevate to the datum system use in the lowest to the datum system use.	uctural member of datum—see Se diagram is feet ab e, is the building's e? Yes I vations: NGV evations is different on the FIRM a	oction B, Item 7). I leet above or ove or below (check is lowest floor (reference) No Unknown D'29 Other (describe)
 Elevation reference mark 	used appears on FIRM:	X Yes	No (See Instructions on	Page 4)	
5. The reference level eleva (NOTE: Use of construct case this certificate will on will be required once cons	tion is based on: X actualion drawings is only valid in a lawings is only valid in the building struction is complete.)	al constructif the building the during the	ction construction dra ing does not yet have the course of construction.	wings reference level fl A post-construction	on Elevation Certificate
5. The elevation of the lower Section B, Item 7).	st grade immediately adjac	ent to the	building is:	o feet NGVD (d	or other FIRM datum-see
	SECTIO	א ח ממ	MMINUTY INCORPORT		SCAMIEN
I If the community official			MMUNITY INFORMATION		JUANNEL
 If the community official reis not the "lowest floor" as floor" as defined by the or Date of the start of construction 	dinance is:	feet NO			


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any talse statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

	3. Code, Section 1001.
ADDRESS SOLD DATE OF THE SURVEYOR	COMPANY NAME FAUST. FROM NEEWING. AND SURVEYING. INC.
Copies should be made of this Certificate for: 1) comm	BEAUMONI ESSION TX 77706 2/14/95 PHONE 860-9700 Fax 860-050 nunity official, 2) insurance agent/company, and 3) building owner.
COMMENTS:	



The diagrams above illustrate the points at which the elevations should be measured in Azones and V zones. Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.