



Bayer Environmental Science

GROUP	3	INSECTICIDE
-------	----------	-------------

DeltaGard SC Insecticide
SUSPENSION
COMMERCIAL

REGISTRATION NUMBER 28791 PEST CONTROL PRODUCTS ACT

GUARANTEE: deltamethrin 50 g/L

Contains propyl p-hydroxybenzoate at 0.08%, or 5-chloro-2-methyl-4-isothiazolin-3-one at 0.0009 % and 2-methyl-4-isothiazolin-3-one at 0.0003 % as preservatives.

DANGER POISON

TRIPLE RINSE

SEVERE EYE AND SKIN IRRITANT
POTENTIAL SKIN SENSITIZER

READ THE LABEL AND ATTACHED BOOKLET BEFORE USING

NET CONTENTS: 1, 2, 10, 200 LITRES and bulk

Product Information: 1 888 283 6847

BAYER CROPSCIENCE INC.*
SUITE 200
160 QUARRY PARK BLVD. SE
CALGARY, ALBERTA
T2C 3G3

*BAYER ENVIRONMENTAL SCIENCE
A DIVISION OF BAYER CROPSCIENCE

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. DeltaGard EC Insecticide is a skin sensitizer. Avoid contact. Do not breathe vapour or spray mist. Protective Clothing and Equipment: Wear protective clothing such as coveralls, a long-sleeved shirt, chemical resistant gloves and apron, eye protection (goggles or face shield) and respirator during mixing, loading and cleanup. Change contaminated clothing daily and wash, separate from other laundry, before reusing. Clean protective equipment daily. **DO NOT** handle product with bare hands. Chemical resistant gloves significantly reduce hand exposure. **ALWAYS** wear gloves for mixing/loading operations and when making sprayer and nozzle repairs and adjustments. **DO NOT USE LEATHER OR CLOTH GLOVES.** Rinse gloves with soap and water before removal, and wash hands thoroughly before eating, smoking or drinking.

If this pest control product is to be used on a commodity that may be exported to the U.S. and you require information on acceptable residue levels in the U.S., visit CropLife Canada's web site at: www.croplife.ca.

FIRST AID: Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention. **IF SWALLOWED:** Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **IF ON SKIN OR ON CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. **TOXICOLOGICAL INFORMATION:** Medical personnel should contact Bayer Environmental Science medical information services toll-free 1-800-334-7577. This product contains antifreeze. The treatment of intoxication should be symptomatic and supportive. If the product has been ingested, carry out gastric lavage with care to prevent aspiration.

ENVIRONMENTAL HAZARDS

TOXIC to aquatic organisms and non-target terrestrial plants. Observe buffer zones specified under **DIRECTIONS FOR USE**.

Toxic to bees exposed to direct treatment, drift, or residues on flowering crops or weeds. **DO NOT** apply this product to flowering crops or weeds if bees are visiting the treatment area. Minimize spray drift to reduce harmful effects on bees in habitats close to the application site.

Toxic to certain beneficial insects. Minimize spray drift to reduce harmful effects on beneficial insects in habitats next to the application site such as hedgerows and woodland.

To reduce runoff from treated areas into aquatic habitats avoid application to areas with a moderate to steep slope, compacted soil, or clay.

Avoid application when heavy rain is forecast.

Contamination of aquatic areas as a result of runoff may be reduced by including a vegetative strip between the treated area and the edge of the water body.

STORAGE: Keep away from fire, flame or other sources of heat. This product CANNOT be stored below freezing. If stored for 1 year or longer, shake well before using. Store the tightly closed container away from feeds, seeds, fertilizers, plants and foodstuffs. Do not use or store in or around the home. Keep in original container during storage. **CONTAINER DISPOSAL: FOR RECYCLABLE CONTAINERS:** Do not reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site: 1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank. 2. Make the empty, rinsed container unsuitable for further use. If there is no container collection site in your area, dispose of the container in accordance with provincial requirements. For information on disposal of unused or unwanted product, contact Bayer CropScience or the provincial regulatory agency. Contact Bayer CropScience and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.



Bayer Environmental Science

GROUP	3	INSECTICIDE
-------	----------	-------------

DeltaGard SC Insecticide
SUSPENSION
COMMERCIAL

REGISTRATION NUMBER 28791 PEST CONTROL PRODUCTS ACT

GUARANTEE: deltamethrin 50 g/L

Contains propyl p-hydroxybenzoate at 0.08%, or 5-chloro-2-methyl-4-isothiazolin-3-one at 0.0009 % and 2-methyl-4-isothiazolin-3-one at 0.0003 % as preservatives.

DANGER POISON

TRIPLE Rinse

SEVERE EYE AND SKIN IRRITANT
POTENTIAL SKIN SENSITIZER

READ THE LABEL AND ATTACHED BOOKLET BEFORE USING

NET CONTENTS: 1, 2, 10, 200 Litres and Bulk

Product Information: 1 888 283 6847

BAYER CROPSCIENCE INC.*
SUITE 200
160 QUARRY PARK BLVD. SE
CALGARY, ALBERTA
T2C 3G3

*BAYER ENVIRONMENTAL SCIENCE
A DIVISION OF BAYER CROPSCIENCE

DeltaGard SC Insecticide

Table of Contents:

Section Number:

GENERAL INFORMATION

The Product 1

SAFETY AND HANDLING

Precautions, Protective Clothing and Equipment 2

First Aid and Toxicological Information 3

Environmental Precautions and Information 4

Storage 5

Disposal 6

DIRECTIONS FOR USE

Application Instructions and Cautions 7

Crops, Insects, Rates and Timing 8

Mixing Instructions 9

Resistance Management Recommendations 10

Notices 11

For More Information, Contact:

BAYER CROPSCIENCE INC.*

SUITE 200

160 QUARRY PARK BLVD. SE

CALGARY, ALBERTA

T2C 3G3

Telephone: 1 888 283 6847

*BAYER ENVIRONMENTAL SCIENCE

A DIVISION OF BAYER CROPSCIENCE

GENERAL INFORMATION

Section 1: The Product

DeltaGard SC Insecticide is not a systemic product.

DeltaGard SC Insecticide controls insects through contact and/or ingestion.

SAFETY AND HANDLING

Section 2: Precautions, Protective Clothing and Equipment

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. DeltaGard SC Insecticide is a skin sensitizer. Avoid contact. Do not breathe vapour or spray mist.

Protective Clothing and Equipment:

- Wear protective clothing such as coveralls, a long-sleeved shirt, chemical resistant gloves and apron, eye protection (goggles or face shield) and respirator during mixing, loading and cleanup.
- Change contaminated clothing daily and wash, separate from other laundry, before reusing. Clean protective equipment daily.
- DO NOT handle product with bare hands. Chemical resistant gloves significantly reduce hand exposure. ALWAYS wear gloves for mixing/loading operations and when making sprayer and nozzle repairs and adjustments. DO NOT USE LEATHER OR CLOTH GLOVES. Rinse gloves with soap and water before removal, and wash hands thoroughly before eating, smoking or drinking.

If this pest control product is to be used on a commodity that may be exported to the U.S. and you require information on acceptable residue levels in the U.S., visit CropLife Canada 's web site at: www.croplife.ca.

Section 3: First Aid and Toxicological Information

FIRST AID: Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice.

Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF ON SKIN OR ON CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

TOXICOLOGICAL INFORMATION:

Medical personnel should contact Bayer CropScience medical information services toll-free 1-800-334-7577.

This product contains antifreeze.

The treatment of intoxication should be symptomatic and supportive. If the product has been ingested, carry out gastric lavage with care to prevent aspiration.

Section 4: ENVIRONMENTAL HAZARDS

TOXIC to aquatic organisms and non-target terrestrial plants. Observe buffer zones specified under DIRECTIONS FOR USE.

Toxic to bees exposed to direct treatment, drift, or residues on flowering crops or weeds. DO NOT apply this product to flowering crops or weeds if bees are visiting the treatment area. Minimize spray drift to reduce harmful effects on bees in habitats close to the application site.

Toxic to certain beneficial insects. Minimize spray drift to reduce harmful effects on beneficial insects in habitats next to the application site such as hedgerows and woodland.

To reduce runoff from treated areas into aquatic habitats avoid application to areas with a moderate to steep slope, compacted soil, or clay.

Avoid application when heavy rain is forecast.

Contamination of aquatic areas as a result of runoff may be reduced by including a vegetative strip between the treated area and the edge of the water body.

Section 5: Storage

Keep away from fire, open flame, or other sources of heat.

This product CANNOT be stored below freezing.

If stored for 1 year or longer, shake well before using.

Store the tightly closed container away from feeds, seeds, fertilizers, plants and foodstuffs.

Do not use or store in or around the home.

Keep in original container during storage.

Section 6: Disposal

DISPOSAL OF UNUSED SPRAY SOLUTION:

If any spray solution remains in the tank after spraying is finished, it should be sprayed on the perimeter of the field just sprayed, NOT ON THE CROP, away from water supplies, ditches and irrigation canals.

CONTAINER DISPOSAL:

Do not reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

For information on disposal of unused or unwanted product, contact Bayer CropScience or the provincial regulatory agency. Contact Bayer CropScience and the provincial regulatory agency in case of a spill and for clean-up of spills.

DIRECTIONS FOR USE

Section 7: Application Instructions and Cautions

APPLICATION INSTRUCTIONS:

Use sufficient water to ensure thorough, uniform coverage over entire plant surface for optimum insect control. More water may be required when dense foliage is present and depending on the type of spray equipment used.

Thorough wetting of all plants is essential for good results.

Field sprayer application: DO NOT apply during periods of dead calm. Avoid application of this product when winds are gusty. DO NOT apply with spray droplets smaller than the American Society of Agricultural Engineers (ASAE) fine classification. Boom height must be 60 cm or less above the crop or ground.

DO NOT apply by air.

As this product is not registered for the control of pests in aquatic systems, DO NOT use to control aquatic pests.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

APPLICATION PRECAUTIONS:

AVOID APPLICATION WHEN TEMPERATURE INVERSIONS ARE PREVAILING OR DURING PERIODS OF EXCESS HEAT (over 25°C) as control will be reduced. Best control will be achieved when DeltaGard SC Insecticide is applied during the cooler portions of the day (normally early morning or at dusk).

USE ONLY FOR RECOMMENDED PURPOSES AND AT RECOMMENDED RATES.

Buffer zones:

Use of the following spray methods or equipment **DO NOT** require a buffer zone: hand-held or backpack sprayer and spot treatment.

The buffer zones specified in the table below are required between the point of direct application and the closest downwind edge of sensitive aquatic habitats (such as lakes, rivers, sloughs, ponds, prairie potholes, creeks, marshes, streams, reservoirs and wetlands) and estuarine/marine habitats.

Method of application	Crop	Buffer Zone (metres) Required for the Protection of Aquatic Habitat
Field sprayer*	Turf	30

*For field sprayer application, buffer zones can be reduced with the use of drift reducing spray shields. When using a spray boom fitted with a full shield (shroud, curtain) that extends to the crop canopy, the labelled buffer zone can be reduced by 70%. When using a spray boom where individual nozzles are fitted with cone-shaped shields that are no more than 30 cm above the crop canopy, the labelled buffer zone can be reduced by 30%.

Section 8: Crops, Insects, Rates, Timing CROP	INSECTS	RECOMMENDATIONS	RATE
Turf (including residential lawns, golf courses, athletic fields, recreational areas, sod farms, and other turf areas in commercial sites)	Chinch bugs, sod webworm, cutworm ants.	<p>GROUND</p> <p>Apply when insects are present or signs of insect feeding are visible. A second application may be necessary in 2-3 weeks time, where heavy infestations occur.</p> <p>For dense turfgrass canopies and/ or turf maintained under high mowing heights, and/or turf with thatch, minimum water volumes of 10 L per 100m² or greater are recommended to ensure material moves through the thatch.</p>	1.2 L/ha in 600-1500 L of water per ha (12 mL/100m ² in 6-15 L of water per 100m ²)
	Ticks	<p>Apply DeltaGard SC as a coarse wet spray to areas in a minimum of 8L of water per 100m² as follows:</p> <p>Apply as a 3 meter band to turf areas around property lines or around structures such as dog houses, kennels, sidewalks, pathways or patios where ticks are a problem.</p> <p>Turf areas that are of particular importance to observe for ticks include those adjacent to forested areas, stonewalls, ornamental plantings and other areas where there is overgrown vegetation.</p> <p>Reduce tick habitat through landscape management practices including but not limited to mowing the turf and removal of weeds, leaf litter and other debris where ticks are found.</p>	12 mL product per 100 m ² in a minimum of 8 L of water per 100 m ²
<p>DO NOT apply more than 2 times per year.</p> <p>DO NOT allow people or pets to re-enter the treated area until product has dried.</p> <p>TIMING: For maximum efficacy, it is necessary to:</p> <ul style="list-style-type: none"> - Keep crop and pest (s) under observation to be able to spray at the right moment; - Ensure that pests are contacted during spraying, especially if they are found on the underside of leaves or if the foliage is very dense; and - Follow provincial and/or municipal recommendations for application timing. <p>Delay irrigation or mowing for 24 hours following application.</p> <p>Unless otherwise stated, apply DeltaGard SC Insecticide when insects first appear and repeat as</p>			

required to maintain control.			
Commercial Greenhouse Floriculture Crops (Chrysanthemum, Cineraria, Easter Lilies, Geraniums)	Western Flower Thrip	Foliar Application: Apply as a high volume spray using a compressed air sprayer. Spray to run-off to ensure complete coverage. Three applications at 5-7 day intervals may be necessary to achieve control. Consult local greenhouse advisors for timing, identification of thrips species and information on rotation of materials to reduce resistance possibilities. PRECAUTION: All species and varieties have not been tested. When treating large numbers of plants of a single variety, treat a few plants and observe prior to full-scale application.	35-50 mL per 100 L of water
DO NOT apply DeltaGard SC Insecticide with fogging machines. DO NOT apply within 7 days of harvest of flower crop. DO NOT allow effluent or runoff from greenhouses containing this product to enter lakes, streams, ponds or other waters. RE-ENTRY PERIOD: Allow 12 hours between application and re-entry into treated area. When working with treated foliage, workers should wear chemical resistant gloves.			

RATE RANGE: Where a rate range is given in the Directions For Use, the higher rate should be used when:

- the crop canopy is dense and foliage is inhibiting spray penetration;
- insect populations are very high.

TIMING: For maximum efficacy, it is necessary to:

- keep crop and pest under observation to be able to spray at the right moment;
- ensure that insects are contacted during spraying, especially if they are found on the underside of leaves or if the foliage is very dense.

Unless otherwise stated, apply DeltaGard SC Insecticide when insects first appear and repeat as required to maintain control.

Follow provincial recommendations.

Section 9: Mixing Instructions

The volumes of water may vary greatly, depending on the equipment, the crop, and cultural conditions. The volumes of water to be used will vary between 11 and 1,500 litres per hectare. Ensure spray tank is thoroughly clean. Fill sprayer half-full with clean water. Add product while agitating. Add the remaining amount of water.

Section 10: Resistance Management Recommendations

For resistance management, please note that DeltaGard SC Insecticide contains a Group 3 insecticide. Any insect population may contain individuals naturally resistant to DeltaGard SC Insecticide and other Group 3 insecticides. The resistant biotypes may dominate the insect population if this group of insecticides are used repeatedly in the same field. Other resistance mechanisms that are not linked to site of action, but specific for individual chemicals, such as enhanced metabolism, may also exist. Appropriate resistance management strategies should be followed.

To delay insecticide resistance:

- Where possible, rotate the use of DeltaGard SC Insecticide or other Groups 3 Insecticides with different groups that control the same pests in a field.
- Use tank mixtures with insecticides from a different group when such use is permitted.
- Insecticide use should be based on an integrated pest management (IPM) program that includes scouting and record keeping and considers cultural, biological, and other chemical control practices;
- Monitor treated pest populations for resistance development.
- Contact the local extension specialist or certified crop advisors for any additional pesticide resistance-management and IPM recommendations for the specific site and pest problems in the area.

For further information or to report suspected resistance, contact Bayer CropScience at 1-888-283-6847.

Section 11: Notices

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

FOR MORE INFORMATION CONTACT:

Bayer CropScience Inc.
Suite 200
160 Quarry Park Blvd SE
Calgary, Alberta T2C 3G3
Telephone: 1 888 283 6847

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.