

SILK

	Silk Braided	Silk Virgin
Type	Braided multifilament	Twisted multifilament
Composition	Braided fibres from the cocoon of the silkworm	Twisted fibres from the cocoon of the silkworm
Coating	Waxes Silicone	None
Colour	Black	Blue
Tissue reaction	Moderate	
Absorption	Silk suture elicits an initial inflammatory reaction in tissues, which is followed by gradual encapsulation of the suture by fibrous connective tissues.	
Presentation	Box with 12 sutures	

SILK

CHARACTERISTICS

High tensile strength, non absorbable

Braided or twisted structure

Coated multifilament

Hermetically sealed packing

BENEFITS

Good and extended tissue support for up to 3 month

Excellent handling properties

High flexibility

High tensile strength

Excellent knot security

Soft passage through the tissues with minimal sawing, tissue drag and trauma

Good knot tie down / adjustability

Reduced capillary action

Guaranteed seal and product sterility

Indications General soft tissue closing and/or ligation

especially in General surgery

Skin closure

Ophthalmic surgery

Oral surgery

Gastrointestinal surgery

Gynaecology

Obstetrics

Contraindications Urinary tract
Biliary tract

Known allergies or sensitivities to silk

SILK BRAIDED BLACK

Without needle

Metric EP	USP	Length		Order number
2	3/0	150 cm	black	820 0015
3	2/0	150 cm	black	830 0015
3.5	0	150 cm	black	835 0015
4	1	150 cm	black	840 0015
5	2	150 cm	black	850 0015
6	3&4	150 cm	black	860 0015
<hr/>				
2	3/0	6 x 45 cm	black	820 0044
3	2/0	6 x 45 cm	black	830 0044
3.5	0	6 x 45 cm	black	835 0044
4	1	6 x 45 cm	black	840 0044
<hr/>				
1.5	4/0	17 x 45 cm	black	815 0046
2	3/0	17 x 45 cm	black	820 0046
3	2/0	17 x 45 cm	black	830 0046
3.5	0	17 x 45 cm	black	835 0046
4	1	17 x 45 cm	black	840 0046
5	2	17 x 45 cm	black	850 0046
<hr/>				
1.5	4/0	13 x 60 cm	black	815 0060
2	3/0	13 x 60 cm	black	820 0060
3	2/0	13 x 60 cm	black	830 0060
3.5	0	13 x 60 cm	black	835 0060
4	1	13 x 60 cm	black	840 0060
<hr/>				
2	3/0	12 x 75 cm	black	820 0075
3	2/0	12 x 75 cm	black	830 0075
3.5	0	12 x 75 cm	black	835 0075
4	1	12 x 75 cm	black	840 0075



Round bodied
taper point

1/2
Circle

HR 12 mm




0.7	6/0	45 cm	black	807 0112
-----	-----	-------	-------	----------

HR 16 mm



0.7	6/0	45 cm	black	807 0116
1	5/0	75 cm	black	810 0116
1.5	4/0	75 cm	black	815 0116
2	3/0	75 cm	black	820 0116

SILK BRAIDED BLACK



Metric EP	USP	Length	Color	Order number
1	5/0	75 cm	black	810 0120
1.5	4/0	75 cm	black	815 0120
2	3/0	75 cm	black	820 0120
3	2/0	75 cm	black	830 0120
3.5	0	75 cm	black	835 0120




1.5	4/0	75 cm	black	815 0126
2	3/0	75 cm	black	820 0126
3	2/0	75 cm	black	830 0126
3.5	0	75 cm	black	835 0126
4	1	75 cm	black	840 0126



2	3/0	75 cm	black	820 0130
3	2/0	75 cm	black	830 0130
3.5	0	75 cm	black	835 0130
4	1	75 cm	black	840 0130




3	2/0	75 cm	black	830 0137
3.5	0	75 cm	black	835 0137
4	1	75 cm	black	840 0137
5	2	75 cm	black	850 0137




3	2/00	75 cm	black	830 02040
---	------	-------	-------	-----------

SILK BRAIDED BLACK




Metric EP	USP	Length	Color	Order number
0.5	7/0	45 cm	black	805 1512
0.7	6/0	45 cm	black	807 1512
1	5/0	45 cm	black	810 1512
1.5	4/0	75 cm	black	815 1512
2	3/0	75 cm	black	820 1512



0.7	6/0	45 cm	black	807 1514
-----	-----	-------	-------	----------



0.7	6/0	75 cm	black	807 1516
1	5/0	75 cm	black	810 1516
1.5	4/0	75 cm	black	815 1516
2	3/0	75 cm	black	820 1516
3	2/0	75 cm	black	830 1516



0.7	6/0	75 cm	black	807 1519
1	5/0	75 cm	black	810 1519
1.5	4/0	75 cm	black	815 1519
2	3/0	75 cm	black	820 1519
3	2/0	75 cm	black	830 1519
3.5	0	75 cm	black	835 1519
4	1	75 cm	black	840 1519




1	5/0	75 cm	black	810 1524
1.5	4/0	75 cm	black	815 1524
2	3/0	75 cm	black	820 1524
3	2/0	75 cm	black	830 1524
3.5	0	75 cm	black	835 1524
4	1	75 cm	black	840 1524



2	3/0	75 cm	black	820 1526
3	2/0	75 cm	black	830 1526

SILK BRAIDED BLACK



Metric EP	USP	Length	Color	Order number
1	5/0	75 cm	black	810 1530
1.5	4/0	75 cm	black	815 1530
2	3/0	75 cm	black	820 1530
3	2/0	75 cm	black	830 1530
3.5	0	75 cm	black	835 1530
4	1	75 cm	black	840 1530




2	3/0	75 cm	black	820 1537
3	2/0	75 cm	black	830 1537
3.5	0	75 cm	black	835 1537
4	1	75 cm	black	840 1537
5	2	75 cm	black	850 1537
6	3&4	75 cm	black	860 1537



3	2/0	75 cm	black	830 1545
3.5	0	75 cm	black	835 1545
4	1	75 cm	black	840 1545
5	2	75 cm	black	850 1545



3	2/0	75 cm	black	830 1560
4	1	75 cm	black	840 1560



1.5	4/0	75 cm	black	815 1417
2	3/0	75 cm	black	820 1417













2	3/0	75 cm	black	820 1426
3	2/0	75 cm	black	830 1426



3.5	0	75 cm	black	835 1436
4	1	75 cm	black	840 1436

SILK BRAIDED BLACK

		Metric EP	USP	Length	Color	Order number
 Cutting Straight 	GS 40 mm	3	2/0	75 cm	black	830 2140
						
	GS 60 mm	3	2/0	75 cm	black	830 2160
		3.5	0	75 cm	black	835 2160
		4	1	75 cm	black	840 2160
						
 Round bodied tapercut point 1/2 Circle 	HRT 18 mm	1.5	4/0	75 cm	black	815 0518
		2	3/0	75 cm	black	820 0518
 Round bodied tapercut point 3/8 Circle 	DRT 18 mm	1.5	4/0	75 cm	black	815 0418
		2	3/0	75 cm	black	820 0418