

POLYESTER

Type	Braided multifilament
Composition	Polyester - a polymer of polyethylene terephthalate
Coating	Silicone Teflon
Colour	Green White
Tissue reaction	Minimal
Absorption	Non absorbable, gradually encapsulated by connective tissue
Presentation	Box with 12 sutures

POLYESTER

CHARACTERISTICS

Unsurpassed tensile strength, non absorbable

Resistance to repeated bending

Synthetic

Braided structure

Coated multifilament

Hermetically sealed packing

Indications General soft tissue closing
and/or ligation
especially in Cardiovascular surgery
Ophthalmic surgery
General surgery
Skin closure
Orthopaedics
Gastrointestinal surgery
Obstetrics

BENEFITS

Excellent and permanent tissue support

Use in cardiovascular surgery (heart prosthesis)

Minimal tissue reaction

Excellent handling properties

High flexibility

High tensile strength

Excellent knot security

Soft passage through the tissues with minimal sawing, tissue drag
and trauma

Good knot tie down / adjustability

Reduced capillary action

Guaranteed seal and product sterility

POLYESTER



Without needle

Metric EP USP Length Order number

2.5	4/0	6 x 45 cm	green	7400045
3	2/0	6 x 45 cm	green	7300045
3.5	3/0	6 x 45 cm	green	7350045
4	2/0	6 x 45 cm	green	7400045
5	2	6 x 45 cm	green	7500045
3.5	0	150 cm	green	7350015
4	1	150 cm	green	7400015
5	2	150 cm	green	7500015
2	3/0	6 x 45 cm	green	7200045
3	2/0	6 x 45 cm	green	7300045
3.5	0	6 x 45 cm	green	7350045
4	1	6 x 45 cm	green	7400045
5	2	6 x 45 cm	green	7500045
6	3&4	6 x 45 cm	green	7600045

Round bodied
taper point



HR 16 mm



1.5	4/0	75 cm	green	7150116
2	3/0	75 cm	green	7200116

HR 20 mm



2	3/0	75 cm	green	7200120
---	-----	-------	-------	---------

HR 26 mm



2	3/0	75 cm	green	7200126
3	2/0	75 cm	green	7300126

HR 30 mm














3	2/0	75 cm	green	7300130
3.5	0	75 cm	green	7350130

HR 36 mm




3	2/0	75 cm	green	7300136
---	-----	-------	-------	---------

POLYESTER

		Metric EP	USP	Length	Color	Order number
 <p>Round bodied taper point 1/2 Circle</p>	HR 40 mm	4	1	75 cm	green	740 0140
		5	2	75 cm	green	750 0140
	HR 50 mm	5	2	75 cm	green	750 0150
						
 <p>Round bodied taper point Straight</p>	GR 19 mm	1.5	4/0	45 cm	green	715 2019
		2	3/0	50 cm	green	720 2019
 <p>Round bodied tapercut point 1/2 Circle</p>	HRT 18 mm	1.5	4/0	75 cm	green	715 0518
		2	3/0	75 cm	green	720 0518
 <p>Round bodied tapercut point double armed 1/2 Circle</p>	2 x HRT 17 mm	1.5	4/0	90 cm	green	715 0517-2
		2	3/0	90 cm	green	720 0517-2
		3	2/0	90 cm	green	730 0517-2
		with pledget 4 x green, 4 x white				730 0517-2P
	2 x HRT 25 mm	2	3/0	90 cm	green	720 0525-2
		3	2/0	90 cm	green	730 0525-2
		with pledget 4 x green, 4 x white				730 0525-2P
	2 x HRT 35 mm	3	2/0	90 cm	green	730 0535-2
						

POLYESTER



Metric EP	USP	Length		Order number
1	5/0	75 cm	green	710 1516
1.5	4/0	75 cm	green	715 1516
2	3/0	75 cm	green	720 1516





1.5	4/0	75 cm	green	715 1519
2	3/0	75 cm	green	720 1519



2	3/0	75 cm	green	720 1524
3	2/0	75 cm	green	730 1524



3	2/0	75 cm	green	730 1530
3.5	0	75 cm	green	735 1530
4	1	75 cm	green	740 1530



1.5	4/0	75 cm	green	715 1417
2	3/0	75 cm	green	720 1417