




1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 1			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —	 SYS A	DATE 05 Mar 20	NO 4	TIME 14:23	PID TUTHEROW, MI			DATE 02 Dec 20	TIME 07:23	ACFT HRS 5274.5					
		ROUNDS	ACTION CODE P			WUC 04A									
FAULTS/REMARKS ENGINE (# 1) AI/SBV LINK ASSEMBLY AND THE AI/SBV SHAFT QDP REQUIRES REPLACEMENT PER H-60-20-AMAM-03 BY 31DEC21.								ACTION COMPLETED IN CONJUNCTION WITH ENGINE SWAP							
ACFT HRS 5177.9		WHEN DISC X	HOW REC G	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS		
DELAY		WUC 04A				TIPIID ,			TI MANHOURS						
STATUS —	 SYS A	DATE 05 Mar 20	NO 5	TIME 14:23	PID TUTHEROW, MI			DATE 02 Dec 20	TIME 07:23	ACFT HRS 5274.5					
		ROUNDS	ACTION CODE P			WUC 04A									
FAULTS/REMARKS ENGINE (# 2) AI/SBV LINK ASSEMBLY AND THE AI/SBV SHAFT QDP REQUIRES REPLACEMENT PER H-60-20-AMAM-03 BY 31DEC21.								ACTION COMPLETED IN CNJUNCTION WITH ENGINE SWAP							
ACFT HRS 5177.9		WHEN DISC X	HOW REC G	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS		
DELAY		WUC 04A05A				TIPIID ,			TI MANHOURS						
STATUS —	 SYS A	DATE 05 Mar 20	NO 6	TIME 14:24	PID TUTHEROW, MI			DATE 02 Dec 20	TIME 07:22	ACFT HRS 5274.5					
		ROUNDS	ACTION CODE P			WUC 04A									
FAULTS/REMARKS ENGINE (# 1) HMU CONTROL LINK AND THE VARIABLE GUIDE VANE ACTUATING SHAFT QDP REQUIRES REPLACEMENT PER H-60-20-AMAM-03 BY 31DEC21.								ACTION COMPLETED IN CONJUNCTION WITH ENGINE SWAP							
ACFT HRS 5177.9		WHEN DISC X	HOW REC G	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS		
DELAY		WUC 04A05A				TIPIID ,			TI MANHOURS						

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 2					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A		DATE 05 Mar 20		NO 7		TIME 14:26		PID TUTHEROW, MI		DATE 02 Dec 20		TIME 07:20		ACFT HRS 5274.5	
												ROUNDS		ACTION CODE P		WUC 04A	
FAULTS/REMARKS ENGINE (# 2) HMU CONTROL LINK AND THE VARIABLE GUIDE VANE ACTUATING SHAFT QDP REQUIRES REPLACEMENT PER H-60-20-AMAM-03 BY 31DEC21.										ACTION COMPLETED IN CONJUNCTION WITH ENGINE SWAP. INSP COMPLETE							
												PID		CAT		HRS	
												LEWIS, B.		F		0.1	
ACFT HRS 5177.9				WHEN DISC X		HOW REC G		MAL EFF 1									
DELAY				WUC 04A05A				TIPIID ,				TI MANHOURS					
STATUS —		SYS A		DATE 13 Apr 20		NO 1		TIME 00:01		PID Generated, Com		DATE 09 Jun 20		TIME 12:45		ACFT HRS 5207.7	
												ROUNDS		ACTION CODE E		WUC 00	
FAULTS/REMARKS INSP A117 TAIL GEARBOX OIL SAMPLE FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 12 JUN 2020 OR 5565.1 AIRCRAFT HOURS REFERENCE: H-60-10-AMAM-11										ACTION COMP							
												PID		CAT		HRS	
												FAUST, J.		F		0.1	
ACFT HRS 5182.6				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —		SYS A		DATE 13 Apr 20		NO 2		TIME 00:01		PID Generated, Com		DATE 09 Jun 20		TIME 12:46		ACFT HRS 5207.7	
												ROUNDS		ACTION CODE E		WUC 00	
FAULTS/REMARKS INSP A116 INTERMEDIATE GEARBOX OIL SAMPLE FOR INTERMEDIATE GEARBOX CAGE: 78286 PN: 70357-06300-042 NSN: 1680010745152 SN: A005-01869 IS DUE. STATUS WILL UPGRADE TO X ON: 12 JUN 2020 OR 5563.6 AIRCRAFT HOURS REFERENCE: H-60-10-AMAM-11										ACTION COMP							
												PID		CAT		HRS	
												FAUST, J.		F		0.1	
ACFT HRS 5182.6				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPIID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 3					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —	 SYS A	DATE 13 Apr 20	NO 4	TIME 00:01	PID Generated, Cor			DATE 09 Jun 20	TIME 12:47	ACFT HRS 5207.7							
								ROUNDS	ACTION CODE E	WUC 00							
FAULTS/REMARKS INSP A211 APU OIL SAMPLE FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5565.1 AIRCRAFT HOURS OR 12 JUN 2020 REFERENCE: H-60-10-AMAM-11								ACTION COMP									
ACFT HRS 5182.6				WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —	 SYS A	DATE 13 Apr 20	NO 6	TIME 00:01	PID Generated, Com			DATE 10 Jun 20	TIME 14:07	ACFT HRS 5207.7							
								ROUNDS	ACTION CODE 6	WUC 08B01							
FAULTS/REMARKS INSP A538 FAT/OAT GAUGE INSPECTION/TEST FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 12 JUN 2020 REFERENCE: TM 1-1520-237-23&P								ACTION completed; insp ok									
ACFT HRS 5182.6				WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —	 SYS A	DATE 30 Apr 20	NO 1	TIME 00:00	PID Generated, Com			DATE 29 Jun 20	TIME 15:40	ACFT HRS 5222.5							
								ROUNDS	ACTION CODE P	WUC 02							
FAULTS/REMARKS INSP A302 LUBRICATE MAIN LANDING GEAR WHEEL BEARINGS FOR HCPT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 29 JUN 2020 OR 5563.6 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23&P								ACTION COMP									
ACFT HRS 5191.7				WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 00				TIPIID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 4					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A	DATE 30 Apr 20	NO 2	TIME 00:00	PID Generated, Cor		DATE 30 Jun 20	TIME 00:01	ACFT HRS 5222.5		ROUNDS		ACTION CODE P		WUC 00	
FAULTS/REMARKS INSP A298 LUBRICATE TAIL WHEEL BEARINGS FOR HCPTT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 29 JUN 2020 OR 5563.6 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23&P								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON JUN 30 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT									
ACFT HRS 5191.7		WHEN DISC O	HOW REC O	MAL EFF 1		Conversion		PID F	CAT 1.2	HRS Conversion	PID F	CAT 1.2	PID	CAT	HRS		
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —		SYS A	DATE 01 May 20	NO 1	TIME 00:00	PID Generated, Com		DATE 01 Jun 20	TIME 10:54	ACFT HRS 5203.4		ROUNDS		ACTION CODE A		WUC 19	
FAULTS/REMARKS INSP A541 REPLACE DIGITAL CLOCK BATTERY FOR HCPTT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 30 JUN 2020 REFERENCE: TM 1-1520-237-23&P								ACTION REPLACED MOC OK									
ACFT HRS 5192.5		WHEN DISC O	HOW REC O	MAL EFF 1		Conversion		PID F	CAT 0.1	HRS	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —		SYS A	DATE 01 May 20	NO 2	TIME 00:00	PID Generated, Com		DATE 29 Jun 20	TIME 17:47	ACFT HRS 5222.5		ROUNDS		ACTION CODE P		WUC 02	
FAULTS/REMARKS INSP A299 LUBRICATE SWASHPLATE FOR HCPTT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5563.6 AIRCRAFT HOURS OR 30 JUN 2020 REFERENCE: TM 1-1520-237-23&P								ACTION COMP									
ACFT HRS 5192.5		WHEN DISC O	HOW REC O	MAL EFF 1		Conversion		PID F	CAT 0.5	HRS	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 00				TIPIID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402		2. MODEL UH-60A			3. DATE			4. PAGE 5		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION				
STATUS —		SYS A	DATE 03 May 20	NO 1	TIME 00:00	PID Generated, Cor	DATE 01 Jun 20	TIME 13:21	ACFT HRS 5203.4	
FAULTS/REMARKS INSP A533 PITOT STATIC SYSTEM INSPECTION FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 02 JUL 2020 REFERENCE: TM 1-1520-237-23&P						ACTION COMP				
ACFT HRS 5193						WHEN DISC O	HOW REC O	MAL EFF 1		
DELAY						WUC 00		TI MANHOURS		
STATUS ⊗		SYS A	DATE 05 May 20	NO 5	TIME 11:12	PID Generated, Com	DATE 19 Jun 20	TIME 12:58	ACFT HRS 5211.7	
FAULTS/REMARKS (402)OPERATE WITHIN THE LIMITATIONS PRESCRIBED IN THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r12 29Nov18, AWR1270r12 05Sep18, AWR1279r8 15May18, AWR1309r12 30Jul19, AWR1348r14 23Apr18, AWR1407r5 31May18, AWR1425r21 27Dec17, AWR2122r5 09Aug19, AWR1444r9 15May18, AWR1451r10 25Jul19, AWR1452r7 22Apr19, AWR1466r9 23Aug19, AWR1494r11 27Dec17, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1594r6 01Dec17, AWR1682r25 01Aug19, AWR1692r8 30Oct17, AWR1693r5 15Mar18, AWR1694r6 26Jan18, AWR1750r5 27Feb18,						ACTION updated				
ACFT HRS 5196						WHEN DISC O	HOW REC G	MAL EFF 2		
DELAY						WUC 00		TI MANHOURS 0.1		
STATUS —		SYS E	DATE 06 May 20	NO 1	TIME 07:12	PID Generated, Com	DATE 01 Jun 20	TIME 11:12	ACFT HRS 5203.4	
FAULTS/REMARKS INSP E331 UNDER WATER ACOUSTIC BEACON TEST AND CLEAN FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 11 JUN 2020 OR 5622.3 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23_P						ACTION COMP				
ACFT HRS 5196						WHEN DISC O	HOW REC O	MAL EFF 1		
DELAY						WUC 00		TI MANHOURS		
ACFT HRS 5193						WHEN DISC O	HOW REC O	MAL EFF 1		
DELAY						WUC 00		TI MANHOURS		




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 6				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS /	 C	SYS E	DATE 06 May 20	NO 2	TIME 11:36	PID HAMMETT, LEO		DATE 16 Jul 20	TIME 12:49	ACFT HRS 5234.3						
FAULTS/REMARKS Color camera blurred and obstructed.								ACTION NO FAULTS FOUND, MOC OK								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Conversion	F	0.1						
ACFT HRS 5198.6		WHEN DISC G		HOW REC G		MAL EFF 4										
DELAY 40HR, MS523924				WUC 16S				TIPIID ,				TI MANHOURS				
STATUS —	 R	SYS E	DATE 10 May 20	NO 1	TIME 00:01	PID Generated, Com		DATE 01 Jun 20	TIME 10:50	ACFT HRS 5203.4						
FAULTS/REMARKS INSP E357 REPLACE APX-123 TRANSPONDER SAFT BATTERY FOR HCPT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 09 JUL 2020 REFERENCE: TM 11-5895-1841-13P								ACTION REPLACED BATTERY								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Conversion	F	0.2						
ACFT HRS 5198.6		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —	 D	SYS A	DATE 12 May 20	NO 2	TIME 00:01	PID Generated, Com		DATE 05 Jun 20	TIME 09:00	ACFT HRS 5207.7						
FAULTS/REMARKS INSP A496 CF3BR FIRE EXTINGUISHER WEIGHT TEST INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 17 JUN 2020 REFERENCE: TM 1-1520-237-23&P								ACTION comp								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								DUNCAN,	F	0.1						
ACFT HRS 5198.6		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPIID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402		2. MODEL UH-60A			3. DATE			4. PAGE 7			
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION					
STATUS —	 R SYS A	DATE 13 May 20	NO 1	TIME 00:01	PID Generated, Cor		DATE 07 Jul 20	TIME 09:16	ACFT HRS 5226.8		
FAULTS/REMARKS INSP A553 AIRCRAFT WEIGHING INVENTORY (365-1) FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 12 JUL 2020 REFERENCE: AR 95-1						ACTION COMP					
ACFT HRS 5198.6						WHEN DISC O	HOW REC O	MAL EFF 1			
DELAY						WUC 00			TIPIID ,		
STATUS —	 R SYS A	DATE 16 May 20	NO 1	TIME 00:01	PID Generated, Com		DATE 02 Jun 20	TIME 11:02	ACFT HRS 5203.4		
FAULTS/REMARKS INSP A160 90 DAY CORROSION INSPECTION FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 03 JUN 2020 REFERENCE: TM 1-1520-237-23&P						ACTION COMP					
ACFT HRS 5198.6						WHEN DISC O	HOW REC O	MAL EFF 1			
DELAY						WUC 00			TIPIID ,		
STATUS —	 K SYS A	DATE 22 May 20	NO 11	TIME 16:26	PID Generated, Com		DATE 28 May 20	TIME 15:20	ACFT HRS 5200.9		
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r12 29Nov18, AWR1270r12 05Sep18, AWR1279r8 15May18, AWR1309r12 30Jul19, AWR1348r14 23Apr18, AWR1407r5 31May18, AWR2122r5 09Aug19, AWR1444r9 15May18, AWR1466r9 23Aug19, AWR1494r11 27Dec17, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r8 12Apr19, AWR1930r10 11Jan19, AWR1967r4 04May18, AWR2002r4 21Dec17,						ACTION complete					
ACFT HRS 5199.1						WHEN DISC O	HOW REC G	MAL EFF 2			
DELAY						WUC 00			TIPIID ,		




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 8				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS A	DATE 23 May 20	NO 1	TIME 00:00	PID Generated, Cor		DATE 29 May 20	TIME 11:12	ACFT HRS 5203.4						
FAULTS/REMARKS INSP A103 AIRCRAFT WASH DUE FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 29 MAY 2020 REFERENCE: TM 1-1500-344-23								ACTION comp								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Conversion	F	1.0						
ACFT HRS 5199.1		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 25 May 20	NO 1	TIME 00:00	PID Generated, Com		DATE 01 Jun 20	TIME 00:01	ACFT HRS 5203.4						
FAULTS/REMARKS INSP A115 LUBE REQUIRMENTS FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 31 MAY 2020 OR 5232.7 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23&P								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON JUN 1 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Conversion	F	1.0	Conversion	F	1.0			
ACFT HRS 5199.1		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS E	DATE 25 May 20	NO 1	TIME 00:00	PID Generated, Com		DATE 29 May 20	TIME 08:46	ACFT HRS 5203.4						
FAULTS/REMARKS INSP E108 KY-58 PMCS/OPNL CHECK (STANDBY) FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 31 MAY 2020 REFERENCE: TM 11-5810-262-23								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								BROWN, L	F	0.1						
ACFT HRS 5199.1		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 9				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —	 SYS A	DATE 26 May 20	NO 1	TIME 00:00	PID Generated, Cor			DATE 29 May 20	TIME 09:14	ACFT HRS 5203.4						
		ROUNDS	ACTION CODE 3			WUC 00										
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 29 MAY 2020 REFERENCE: TM 1-1520-237-PMD								ACTION comp								
ACFT HRS 5199.1		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY		WUC 00						TIPIID ,				TI MANHOURS				
STATUS —	 SYS A	DATE 28 May 20	NO 1	TIME 00:00	PID Generated, Com			DATE 29 May 20	TIME 09:16	ACFT HRS 5203.4						
		ROUNDS	ACTION CODE P			WUC 00										
FAULTS/REMARKS INSP A092 30 DAY SLAB BATTERY INSPECTION (D8565/11-1) FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 03 JUN 2020 REFERENCE: TM 11-6140-203-23 P								ACTION comp								
ACFT HRS 5199.1		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY		WUC 00						TIPIID ,				TI MANHOURS				
STATUS /	 SYS H	DATE 28 May 20	NO 1	TIME 23:13	PID HAMMETT, LEOI			DATE 29 May 20	TIME 11:13	ACFT HRS 5203.4						
		ROUNDS	ACTION CODE 6			WUC 14B										
FAULTS/REMARKS Hoist post op check required.								ACTION completed; insp ok								
ACFT HRS 5203.4		WHEN DISC G	HOW REC G	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY		WUC 14B						TIPIID ,				TI MANHOURS				

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 10				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS A	DATE 29 May 20		NO 1	TIME 08:48		PID Generated, Cor			DATE 29 May 20		TIME 08:48		ACFT HRS 5203.4	
B Closed											ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 29 MAY 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5210.1 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD								ACTION COMP								
ACFT HRS 5203.4		WHEN DISC O		HOW REC O		MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
BROWN, L								F		0.1						
DELAY				WUC 00				TIPID ,				TI MANHOURS				
STATUS —		SYS A	DATE 29 May 20		NO 2	TIME 09:16		PID Generated, Com			DATE 29 May 20		TIME 09:16		ACFT HRS	
C Closed											ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS PMD Due								ACTION COMPLETED								
ACFT HRS 5203.4		WHEN DISC O		HOW REC O		MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
Barnes, J.								F		1.0						
DELAY				WUC 00				TIPID ,				TI MANHOURS				
STATUS —		SYS A	DATE 29 May 20		NO 3	TIME 09:19		PID Generated, Com			DATE 04 Jun 20		TIME 13:45		ACFT HRS 5203.4	
R Closed											ROUNDS		ACTION CODE 6		WUC 00	
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r12 29Nov18, AWR1270r12 05Sep18, AWR1279r8 15May18, AWR1309r12 30Jul19, AWR1348r14 23Apr18, AWR1407r5 31May18, AWR2122r5 09Aug19, AWR1444r9 15May18, AWR1466r9 23Aug19, AWR1494r11 27Dec17, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r8 12Apr19, AWR1930r10 11Jan19, AWR1967r4 04May18, AWR2002r4 21Dec17,								ACTION complete								
ACFT HRS 5203.4		WHEN DISC O		HOW REC G		MAL EFF 2		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
SINAY, C.								F		0.2						
DELAY				WUC 00				TIPID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 11					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS X		SYS A	DATE 29 May 20	NO 4	TIME 11:15	PID Conversion, Ulls		DATE 29 May 20	TIME 11:20	ACFT HRS 5203.4		ROUNDS		ACTION CODE 6		WUC 00	
FAULTS/REMARKS (IN PROCESS) INSP A115 LUBE REQUIRMENTS FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 31 MAY 2020 OR 5232.7 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23&P								ACTION COMP									
ACFT HRS 5203.4		WHEN DISC O	HOW REC O	MAL EFF 1		PID Conversion		CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS		
DELAY				WUC 00				TIPIID GANTT, KENDALL				TI MANHOURS 0.1					
STATUS X		SYS A	DATE 01 Jun 20	NO 1	TIME 00:01	PID Generated, Com		DATE 01 Jun 20	TIME 00:01	ACFT HRS 5203.4		ROUNDS		ACTION CODE P		WUC 00	
FAULTS/REMARKS INSP A115 LUBE REQUIRMENTS FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 WAS DUE. STATUS UPGRADED TO X ON: 31 MAY 2020 OR 5232.7 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23&P								ACTION comp									
ACFT HRS 5203.4		WHEN DISC O	HOW REC O	MAL EFF 1		PID Conversion		CAT F	HRS 1.0	PID Conversion	CAT F	HRS 1.0	PID	CAT	HRS		
DELAY				WUC 00				TIPIID DUNCAN, JONATHAN				TI MANHOURS 0.3					
STATUS X		SYS A	DATE 01 Jun 20	NO 2	TIME 07:41	PID RODGERS, CLIN		DATE 02 Jun 20	TIME 11:03	ACFT HRS 5203.4		ROUNDS		ACTION CODE P		WUC 02	
FAULTS/REMARKS (in process) INSP A160 90 DAY CORROSION INSPECTION FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 03 JUN 2020 REFERENCE: TM 1-1520-237-23&P								ACTION COMP									
ACFT HRS 5203.4		WHEN DISC O	HOW REC G	MAL EFF 2		PID DENNIS, T		CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS		
DELAY				WUC 02				TIPIID MONEY, DONALD				TI MANHOURS 0.1					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402			2. MODEL UH-60A			3. DATE			4. PAGE 12		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION					
STATUS —	 SYS A	DATE 02 Jun 20	NO 1	TIME 00:01	PID Generated, Cor	DATE 02 Jun 20	TIME 11:00	ACFT HRS 5203.4			
		WHEN DISC O	HOW REC O	MAL EFF 1		ROUNDS	ACTION CODE P	WUC 02			
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 05 JUN 2020 REFERENCE: TM 1-1520-237-PMD						ACTION comp					
						PID	CAT	HRS	PID	CAT	HRS
						DENNIS, T	F	0.1			
ACFT HRS 5203.4		WHEN DISC O	HOW REC O	MAL EFF 1							
DELAY			WUC 00			TIPIID ,			TI MANHOURS		
STATUS —	 SYS A	DATE 02 Jun 20	NO 2	TIME 10:38	PID Generated, Com	DATE 02 Jun 20	TIME 11:00	ACFT HRS 5203.4			
		WHEN DISC O	HOW REC G	MAL EFF 2		ROUNDS	ACTION CODE 3	WUC 02			
FAULTS/REMARKS PMD DUE						ACTION comp					
						PID	CAT	HRS	PID	CAT	HRS
						DENNIS, T	F	0.1			
ACFT HRS 5203.4		WHEN DISC O	HOW REC G	MAL EFF 2							
DELAY			WUC 00			TIPIID ,			TI MANHOURS		
STATUS —	 SYS A	DATE 02 Jun 20	NO 3	TIME 10:45	PID Generated, Com	DATE 02 Jun 20	TIME 10:49	ACFT HRS 5203.4			
		WHEN DISC O	HOW REC G	MAL EFF 2		ROUNDS	ACTION CODE P	WUC 02			
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r12 29Nov18, AWR1270r12 05Sep18, AWR1279r8 15May18, AWR1309r12 30Jul19, AWR1348r14 23Apr18, AWR1407r5 31May18, AWR2122r5 09Aug19, AWR1444r9 15May18, AWR1466r9 23Aug19, AWR1494r11 27Dec17, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r8 12Apr19, AWR1930r10 11Jan19, AWR1967r4 04May18, AWR2002r4 21Dec17,						ACTION entered in error					
						PID	CAT	HRS	PID	CAT	HRS
						RODGERS,	F	0.1			
ACFT HRS 5203.4		WHEN DISC O	HOW REC G	MAL EFF 2							
DELAY			WUC 00			TIPIID ,			TI MANHOURS		




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 13				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS X		SYS A	DATE 02 Jun 20	NO 4	TIME 10:54	PID TWOMEY, DANI		DATE 02 Jun 20	TIME 14:09	ACFT HRS 5203.4						
FAULTS/REMARKS (IN-PROCESS) R/H FLYSWATTER NUTPLATE REQUIRES REPLACEMENT								ACTION entered in error CLOSED IN ERROR BY DUNCAN, JONATHAN SGT Entry made in error.								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Conversion	F	0.1						
ACFT HRS 5203.4		WHEN DISC K		HOW REC G		MAL EFF 1										
DELAY				WUC 02				TIPIID DUNCAN, JONATHAN				TI MANHOURS 0.1				
STATUS —		SYS A	DATE 02 Jun 20	NO 5	TIME 11:07	PID Generated, Com		DATE 02 Jun 20	TIME 11:07	ACFT HRS						
FAULTS/REMARKS PMD Due								ACTION COMPLETED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								RODGERS,	F	0.1						
ACFT HRS 5203.4		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 02 Jun 20	NO 6	TIME 11:23	PID Generated, Com		DATE 02 Jun 20	TIME 11:24	ACFT HRS 5203.4						
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 02 JUN 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTUR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 06 JUN 2020 REFERENCE: TM 1-1520-237-23&P								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								DENNIS, T	F	0.1						
ACFT HRS 5203.4		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPIID ,				TI MANHOURS				

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 14					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS /	B Closed	SYS A	DATE 02 Jun 20	NO 7	TIME 13:50	PID Conversion, Ulls		DATE 02 Jun 20	TIME 13:58	ACFT HRS 5203.4		ROUNDS		ACTION CODE A		WUC 02	
FAULTS/REMARKS R/H FLYSWATTER NUTPLATE REQUIRES REPLACEMENT								ACTION REPLACED									
ACFT HRS 5203.4		WHEN DISC B		HOW REC G		MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
DELAY 120HR, MS523924		WUC 02		TIPID ,		TI MANHOURS											
STATUS X	D Closed	SYS A	DATE 02 Jun 20	NO 8	TIME 13:52	PID Conversion, Ulls		DATE 02 Jun 20	TIME 14:03	ACFT HRS 5203.4		ROUNDS		ACTION CODE K		WUC 02	
FAULTS/REMARKS (IN-PROCESS) R/H FLYSWATTER NUTPLATE REQUIRES REPLACEMENT								ACTION MAINT COMP									
ACFT HRS 5203.4		WHEN DISC B		HOW REC G		MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
DELAY		WUC 02		TIPID DUNCAN, JONATHAN		TI MANHOURS 0.3											
STATUS —	D Closed	SYS A	DATE 05 Jun 20	NO 1	TIME 07:11	PID Generated, Com		DATE 05 Jun 20	TIME 08:55	ACFT HRS 5207.7		ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 05 JUN 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5214.4 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD								ACTION comp									
ACFT HRS 5207.7		WHEN DISC O		HOW REC O		MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
DELAY		WUC 00		TIPID ,		TI MANHOURS											




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 15					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A	DATE 05 Jun 20	NO 2	TIME 07:11	PID Generated, Cor		DATE 05 Jun 20	TIME 08:54	ACFT HRS 5207.7		ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 05 JUN 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 09 JUN 2020 REFERENCE: TM 1-1520-237-PMD								ACTION comp									
ACFT HRS 5207.7		WHEN DISC O	HOW REC O	MAL EFF 1		PID DUNCAN,		CAT F	HRS 0.1	PID		CAT	HRS	PID		CAT	HRS
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —		SYS A	DATE 05 Jun 20	NO 3	TIME 08:45	PID Generated, Com		DATE 05 Jun 20	TIME 08:45	ACFT HRS		ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS PMD Due								ACTION COMPLETED									
ACFT HRS 5207.7		WHEN DISC O	HOW REC O	MAL EFF 1		PID DUNCAN,		CAT F	HRS 2.0	PID		CAT	HRS	PID		CAT	HRS
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —		SYS A	DATE 05 Jun 20	NO 4	TIME 08:57	PID Generated, Com		DATE 05 Jun 20	TIME 08:57	ACFT HRS 5207.7		ROUNDS		ACTION CODE P		WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 05 JUN 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 12 JUN 2020 REFERENCE: TM 1-1520-237-23&P								ACTION pilot didnt sign off									
ACFT HRS 5207.7		WHEN DISC O	HOW REC O	MAL EFF 1		PID DUNCAN,		CAT F	HRS 0.1	PID		CAT	HRS	PID		CAT	HRS
DELAY				WUC 00				TIPIID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 16			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS A	DATE 05 Jun 20	NO 5	TIME 10:31	PID Generated, Cor		DATE 18 Jun 20	TIME 09:23	ACFT HRS 5207.7					
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r12 29Nov18, AWR1270r12 05Sep18, AWR1279r8 15May18, AWR1309r12 30Jul19, AWR1348r14 23Apr18, AWR1407r5 31May18, AWR2122r5 09Aug19, AWR1444r9 15May18, AWR1466r9 23Aug19, AWR1494r11 27Dec17, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r8 12Apr19, AWR1930r10 11Jan19, AWR1967r4 04May18, AWR2002r4 21Dec17,								ACTION comp							
ACFT HRS 5207.7				WHEN DISC O	HOW REC G	MAL EFF 2		PID	CAT	HRS	PID	CAT	HRS		
DELAY				WUC 00				TIPIID ,			TI MANHOURS				
STATUS —		SYS A	DATE 09 Jun 20	NO 1	TIME 00:01	PID Generated, Com		DATE 11 Jun 20	TIME 09:08	ACFT HRS 5207.7					
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 12 JUN 2020 REFERENCE: TM 1-1520-237-PMD								ACTION COMP							
ACFT HRS 5207.7				WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS		
DELAY				WUC 00				TIPIID ,			TI MANHOURS				
STATUS X		SYS A	DATE 09 Jun 20	NO 2	TIME 12:38	PID FAUST, JONATH.		DATE 09 Jun 20	TIME 13:22	ACFT HRS 5207.7					
FAULTS/REMARKS (IN PROCESS) INSP A116 INTERMEDIATE GEARBOX OIL SAMPLE FOR INTERMEDIATE GEARBOX CAGE: 78286 PN: 70357-06300-042 NSN: 1680010745152 SN: A005-01869 IS DUE. STATUS WILL UPGRADE TO X ON: 12 JUN 2020 OR 5563.6 AIRCRAFT HOURS REFERENCE: H-60-10-AMAM-11								ACTION COMP							
ACFT HRS 5207.7				WHEN DISC B	HOW REC A	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS		
DELAY				WUC 00				TIPIID GANTT, KENDALL			TI MANHOURS 0.1				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 17					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS X		SYS A	DATE 10 Jun 20	NO 1	TIME 13:21	PID Conversion, Ulls		DATE 10 Jun 20	TIME 14:08	ACFT HRS 5207.7		ROUNDS		ACTION CODE 6		WUC 08B01	
FAULTS/REMARKS (IN PROCESS) INSP A538 FAT/OAT GAUGE INSPECTION/TEST FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 12 JUN 2020 REFERENCE: TM 1-1520-237-23&P								ACTION completed									
ACFT HRS 5207.7		WHEN DISC O	HOW REC O	MAL EFF 1				PID Conversion	CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 08B01				TIPIID FAUST, JONATHAN				TI MANHOURS 0.1					
STATUS —		SYS A	DATE 11 Jun 20	NO 1	TIME 00:01	PID Generated, Com		DATE 15 Jun 20	TIME 09:23	ACFT HRS 5207.7		ROUNDS		ACTION CODE 1		WUC 00	
FAULTS/REMARKS INSP A100 LH/RH ENGINE HISTORY RECORDER READINGS DUE FOR HCPTRE UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 17 JUN 2020 REFERENCE: DA PAM 738-751								ACTION COMP									
ACFT HRS 5207.7		WHEN DISC O	HOW REC O	MAL EFF 1				PID TWOMEY,	CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —		SYS A	DATE 11 Jun 20	NO 2	TIME 09:09	PID Generated, Com		DATE 11 Jun 20	TIME 09:09	ACFT HRS		ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS PMD Due								ACTION COMPLETED									
ACFT HRS 5207.7		WHEN DISC O	HOW REC O	MAL EFF 1				PID Barnes, J.	CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 00				TIPIID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 18				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS A	DATE 12 Jun 20	NO 1	TIME 00:01	PID Generated, Cor		DATE 15 Jun 20	TIME 09:25	ACFT HRS 5207.7						
FAULTS/REMARKS INSP A839 APU HOUR METER READING DUE FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 17 JUN 2020 REFERENCE: SOP								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								TWOMEY,	F	0.1						
ACFT HRS 5207.7			WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS E	DATE 14 Jun 20	NO 1	TIME 00:01	PID Generated, Com		DATE 15 Jun 20	TIME 08:21	ACFT HRS 5207.7						
FAULTS/REMARKS INSP E220 EMERGENCY LOCATOR TRANSMITTER SELF-TEST (AS REQUIRED) FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5323.6 AIRCRAFT HOURS OR 20 JUN 2020 REFERENCE: AWR 1516 R12								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Conversion	F	0.2						
ACFT HRS 5207.7			WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS E	DATE 14 Jun 20	NO 2	TIME 00:01	PID Generated, Com		DATE 15 Jun 20	TIME 10:46	ACFT HRS 5207.7						
FAULTS/REMARKS INSP E050 ARC-220 RADIO SET BATTERY INSPECTION OR REPLACE FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 20 JUN 2020 REFERENCE: TM 11-5821-357-12P								ACTION BATTERIES NOT INSTALLED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								RODGERS,	F	0.1						
ACFT HRS 5207.7			WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 19					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A	DATE 15 Jun 20	NO 1	TIME 00:01	PID Generated, Cor		DATE 15 Jun 20	TIME 08:46	ACFT HRS 5207.7		ROUNDS		ACTION CODE 3		WUC 02	
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 18 JUN 2020 REFERENCE: TM 1-1520-237-PMD								ACTION COMP									
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
ACFT HRS 5207.7								Conversion	F	1.0							
DELAY			WHEN DISC	O	HOW REC	O	MAL EFF	TIPIID ,		TI MANHOURS							
STATUS —		SYS A	DATE 15 Jun 20	NO 2	TIME 08:47	PID Generated, Com		DATE 15 Jun 20	TIME 08:48	ACFT HRS		ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS PMD Due								ACTION COMPLETED									
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
ACFT HRS 5207.7								Conversion	F	1.0							
DELAY			WHEN DISC	O	HOW REC	O	MAL EFF	TIPIID ,		TI MANHOURS							
STATUS —		SYS H	DATE 15 Jun 20	NO 1	TIME 10:44	PID Generated, Com		DATE 15 Jun 20	TIME 10:45	ACFT HRS 5207.7		ROUNDS		ACTION CODE 6		WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 15 JUN 2020. INSP H810 CONDUCT HOIST OPERATIONAL CHECK IAW H-60-19-AMAM-01 ADDENDUM 1 (UPDATE) FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5243.1 AIRCRAFT HOURS OR 22 JUN 2020 REFERENCE: H-60-19-AMAM-01								ACTION INSP COMP									
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
ACFT HRS 5207.7								Conversion	F	0.1	TWOMEY,	F	0.1				
DELAY			WHEN DISC	O	HOW REC	O	MAL EFF	TIPIID ,		TI MANHOURS							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 20			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —	 SYS O	DATE 16 Jun 20	NO 1	TIME 00:01	PID Generated, Cor			DATE 19 Jun 20	TIME 12:57	ACFT HRS 5211.7					
		ROUNDS	ACTION CODE P			WUC 00									
FAULTS/REMARKS INSP O806 LOGBOOK RECONCILIATION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 23 JUN 2020 REFERENCE: ATP 3-04.7								ACTION comp							
ACFT HRS 5207.7	WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS		
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
STATUS —	 SYS A	DATE 17 Jun 20	NO 1	TIME 00:01	PID Generated, Com			DATE 18 Jun 20	TIME 10:05	ACFT HRS 5207.7					
		ROUNDS	ACTION CODE P			WUC 02									
FAULTS/REMARKS INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 19 JUN 2020 REFERENCE: TM 1-1520-237-23&P								ACTION Completed							
ACFT HRS 5207.7	WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS		
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
STATUS —	 SYS A	DATE 19 Jun 20	NO 1	TIME 07:18	PID Generated, Com			DATE 07 Jul 20	TIME 09:14	ACFT HRS 5226.8					
		ROUNDS	ACTION CODE P			WUC 00									
FAULTS/REMARKS INSP A177 90 DAY REVIEW/UPDATE OF 365-4 ENTRIES FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 07 JUL 2020 REFERENCE: AR 95-1								ACTION COMP							
ACFT HRS 5211.7	WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS		
DELAY				WUC 00				TIPIID ,				TI MANHOURS			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 21				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS A	DATE 19 Jun 20	NO 2	TIME 07:18	PID Generated, Cor		DATE 19 Jun 20	TIME 10:12	ACFT HRS 5211.7						
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 22 JUN 2020 REFERENCE: TM 1-1520-237-PMD								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Conversion	F	1.0						
ACFT HRS 5211.7			WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 19 Jun 20	NO 3	TIME 07:22	PID Generated, Com		DATE 19 Jun 20	TIME 10:07	ACFT HRS 5211.7						
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 19 JUN 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5218.7 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Conversion	F	0.2						
ACFT HRS 5211.7			WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 19 Jun 20	NO 4	TIME 10:13	PID Generated, Com		DATE 19 Jun 20	TIME 10:13	ACFT HRS						
FAULTS/REMARKS PMD Due								ACTION COMPLETED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Conversion	F	1.0						
ACFT HRS 5211.7			WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402		2. MODEL UH-60A			3. DATE			4. PAGE 22		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION				
STATUS ⊗		SYS A	DATE 19 Jun 20	NO 5	TIME 12:59	PID Generated, Cor	DATE 04 Aug 20	TIME 08:52	ACFT HRS 5244.9	
FAULTS/REMARKS (402)OPERATE WITHIN THE LIMITATIONS PRESCRIBED IN THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r12 29Nov18, AWR1270r12 05Sep18, AWR1279r8 15May18, AWR1309r12 30Jul19, AWR1348r14 23Apr18, AWR1407r5 31May18, AWR1425r21 27Dec17, AWR2122r5 09Aug19, AWR1444r9 15May18, AWR1451r10 25Jul19, AWR1452r7 22Apr19, AWR1466r9 23Aug19, AWR1494r11 27Dec17, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1594r6 01Dec17, AWR1682r25 01Aug19, AWR1692r8 30Oct17, AWR1693r5 15Mar18, AWR1694r6 26Jan18, AWR1750r5 27Feb18,						ACTION COMP				
ACFT HRS 5211.7						WHEN DISC O	HOW REC G	MAL EFF 2		
DELAY						WUC 00			TI MANHOURS 0.1	
STATUS —		SYS A	DATE 20 Jun 20	NO 1	TIME 00:01	PID Generated, Com	DATE 29 Jun 20	TIME 08:54	ACFT HRS 5222.5	
FAULTS/REMARKS INSP A865 SENSITIVE ITEM INVENTORY FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 30 JUN 2020 REFERENCE: SOP						ACTION COMP				
ACFT HRS 5211.7						WHEN DISC O	HOW REC O	MAL EFF 1		
DELAY						WUC 00			TI MANHOURS	
STATUS —		SYS A	DATE 22 Jun 20	NO 1	TIME 00:00	PID Generated, Com	DATE 26 Jun 20	TIME 10:29	ACFT HRS 5222.5	
FAULTS/REMARKS INSP A103 AIRCRAFT WASH DUE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 28 JUN 2020 REFERENCE: TM 1-1500-344-23						ACTION COMP				
ACFT HRS 5211.7						WHEN DISC O	HOW REC O	MAL EFF 1		
DELAY						WUC 00			TI MANHOURS	
ACFT HRS 5211.7						WHEN DISC O	HOW REC O	MAL EFF 1		
DELAY						WUC 00			TI MANHOURS	




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 23							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		SYS A	DATE 23 Jun 20	NO 1	TIME 00:00	PID Generated, Cor		DATE 23 Jun 20	TIME 10:36	ACFT HRS 5213.9									
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 26 JUN 2020 REFERENCE: TM 1-1520-237-PMD								ACTION completed						ROUNDS		ACTION CODE 3		WUC 00	
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
								Conversion	F	1.0	Moore, S.	F	1.0						
ACFT HRS 5213.9		WHEN DISC O	HOW REC O	MAL EFF 1															
DELAY				WUC 00				TIPIID ,				TI MANHOURS							
STATUS X		SYS A	DATE 23 Jun 20	NO 2	TIME 09:34	PID Conversion, Ulls		DATE 23 Jun 20	TIME 10:21	ACFT HRS 5213.9									
FAULTS/REMARKS MAIN XSMN DIP STICK BROKEN; DIP STICK CAP UNSCREWS FROM STICK								ACTION replaced						ROUNDS		ACTION CODE A		WUC 02	
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
								Moore, S.	F	0.1									
ACFT HRS 5213.9		WHEN DISC X	HOW REC K	MAL EFF 1															
DELAY				WUC 06A17				TIPIID FAUST, JONATHAN				TI MANHOURS 0.1							
STATUS —		SYS A	DATE 23 Jun 20	NO 3	TIME 10:25	PID Generated, Com		DATE 23 Jun 20	TIME 10:38	ACFT HRS									
FAULTS/REMARKS PMD Due								ACTION COMPLETED						ROUNDS		ACTION CODE 3		WUC 00	
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
								Moore, S.	F	1.0									
ACFT HRS 5213.9		WHEN DISC O	HOW REC O	MAL EFF 1															
DELAY				WUC 00				TIPIID ,				TI MANHOURS							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402		2. MODEL UH-60A			3. DATE			4. PAGE 24		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION				
STATUS —	 M SYS A	DATE 23 Jun 20	NO 4	TIME 10:39	PID Generated, Cor	DATE 23 Jun 20	TIME 10:39	ACFT HRS 5213.9		
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 23 JUN 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5222.7 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD						ACTION completed				
ACFT HRS 5213.9						WHEN DISC O	HOW REC O	MAL EFF 1		
DELAY						WUC 00				
STATUS —						 M SYS A	DATE 23 Jun 20	NO 5	TIME 10:41	PID Generated, Com
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 23 JUN 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 03 JUL 2020 REFERENCE: TM 1-1520-237-23&P						ACTION completed				
ACFT HRS 5213.9						WHEN DISC O	HOW REC O	MAL EFF 1		
DELAY						WUC 00				
STATUS —						 B SYS A	DATE 23 Jun 20	NO 6	TIME 10:46	PID Generated, Com
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,						ACTION Complete				
ACFT HRS 5213.9						WHEN DISC O	HOW REC G	MAL EFF 2		
DELAY						WUC 00				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 25				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS X		SYS A	DATE 23 Jun 20	NO 7	TIME 20:33	PID ROMINGER, BRI		DATE 24 Jun 20	TIME 10:02	ACFT HRS 5214.6						
FAULTS/REMARKS ROTOR INDICATION CHANGES RAPIDLY WITH LOW ROTOR AUDIO COMING ON BRIEFLY								ACTION Status symbol changed to a dash (-); see entry below								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								ELMORE, J	F	0.1						
ACFT HRS 5214.6		WHEN DISC G		HOW REC C		MAL EFF 5										
DELAY				WUC 02				TIPIID BARBEE, ANDREW				TI MANHOURS 0.1				
STATUS —		SYS E	DATE 24 Jun 20	NO 1	TIME 00:00	PID Generated, Com		DATE 29 Jun 20	TIME 07:56	ACFT HRS 5222.5						
FAULTS/REMARKS INSP E108 KY-58 PMCS/OPNL CHECK (STANDBY) FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 30 JUN 2020 REFERENCE: TM 11-5810-262-23								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Conversion	F	0.2						
ACFT HRS 5214.6		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 24 Jun 20	NO 1	TIME 10:03	PID ELMORE, JOSEPI		DATE 24 Jun 20	TIME 10:04	ACFT HRS 5214.6						
FAULTS/REMARKS Aircraft cleared for a maintenance test flight to verify								ACTION status entered in error								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								ELMORE, J	F	0.1						
ACFT HRS 5214.6		WHEN DISC G		HOW REC G		MAL EFF 1										
DELAY				WUC 00				TIPIID ,				TI MANHOURS				

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 26			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —	E CLOSED	SYS A	DATE 24 Jun 20	NO 2	TIME 10:05	PID ELMORE, JOSEP		DATE 24 Jun 20	TIME 13:12	ACFT HRS 5215.1					
								ROUNDS	ACTION CODE A	WUC 00					
FAULTS/REMARKS Aircraft cleared for a maintenance test flight to verify ROTOR INDICATION CHANGES RAPIDLY WITH LOW ROTOR AUDIO COMING ON BRIEFLY.								ACTION Test flight completed. See entry below.							
ACFT HRS 5214.6		WHEN DISC G	HOW REC G	MAL EFF 1		PID ELMORE, J		CAT F	HRS 0.5	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
STATUS X	E CLOSED	SYS A	DATE 24 Jun 20	NO 3	TIME 13:13	PID ELMORE, JOSEPI		DATE 24 Jun 20	TIME 15:00	ACFT HRS 5215.1					
								ROUNDS	ACTION CODE L	WUC 09					
FAULTS/REMARKS ROTOR INDICATION CHANGES RAPIDLY WITH LOW ROTOR AUDIO COMING ON BRIEFLY.								ACTION DISC 8 ELEC CONNECTOR IN RPMR INDICATING AND LOW ROTOR WARNING SYSTEM, APPLIED CPC AND RECONNECTED ALSO INSPECTED HARNESSES.							
ACFT HRS 5215.1		WHEN DISC G	HOW REC G	MAL EFF 1		PID Conversion		CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 00				TIPIID ELMORE, JOSEPH				TI MANHOURS 0.1			
STATUS —	E CLOSED	SYS A	DATE 24 Jun 20	NO 4	TIME 15:04	PID Conversion, Ulls		DATE 24 Jun 20	TIME 16:04	ACFT HRS 5215.6					
								ROUNDS	ACTION CODE P	WUC 00					
FAULTS/REMARKS LMTF REQ TO VERIFY LOW ROTOR WARNING FAULT HAS BEEN CORRECTED								ACTION COMP							
ACFT HRS 5215.1		WHEN DISC K	HOW REC G	MAL EFF 1		PID ELMORE, J		CAT F	HRS 0.5	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 00				TIPIID ,				TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 27					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A		DATE 25 Jun 20		NO 1		TIME 07:11		PID Generated, Cor		DATE 25 Jun 20		TIME 08:05		ACFT HRS 5215.6	
												ROUNDS		ACTION CODE 6		WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 25 JUN 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5224.9 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD										ACTION completed							
												PID		CAT		HRS	
												Conversion		F		0.1	
ACFT HRS 5215.6				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —		SYS A		DATE 25 Jun 20		NO 2		TIME 07:11		PID Generated, Com		DATE 25 Jun 20		TIME 08:04		ACFT HRS 5215.6	
												ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 25 JUN 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 30 JUN 2020 REFERENCE: TM 1-1520-237-PMD										ACTION completed							
												PID		CAT		HRS	
												Barnes, J.		F		1.0	
												Conversion		F		1.0	
ACFT HRS 5215.6				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —		SYS A		DATE 25 Jun 20		NO 3		TIME 08:01		PID Generated, Com		DATE 25 Jun 20		TIME 08:05		ACFT HRS	
												ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS PMD Due										ACTION COMPLETED							
												PID		CAT		HRS	
												Conversion		F		1.0	
ACFT HRS 5215.6				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPIID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 28			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —	 SYS A	DATE 25 Jun 20	NO 4	TIME 08:06	PID Generated, Cor			DATE 25 Jun 20	TIME 17:08	ACFT HRS 5219.1					
		ROUNDS	ACTION CODE 6			WUC 00									
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,								ACTION Complete							
ACFT HRS 5215.6		WHEN DISC O	HOW REC G	MAL EFF 2		PID		CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY		WUC 00		TIPID ,		TI MANHOURS									
STATUS —	 SYS A	DATE 25 Jun 20	NO 5	TIME 16:47	PID Generated, Com			DATE 25 Jun 20	TIME 16:47	ACFT HRS					
		ROUNDS	ACTION CODE 3			WUC 00									
FAULTS/REMARKS PMD Due								ACTION COMPLETED							
ACFT HRS 5219.1		WHEN DISC O	HOW REC O	MAL EFF 1		PID		CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY		WUC 00		TIPID ,		TI MANHOURS									
STATUS /	 SYS A	DATE 25 Jun 20	NO 6	TIME 16:47	PID LEWIS, BRADLEY			DATE 28 Aug 20	TIME 10:30	ACFT HRS 5255.9					
		ROUNDS	ACTION CODE A			WUC 08F01									
FAULTS/REMARKS IVHUMMS CARD EJECT BUTTON BROKEN								ACTION REPLACED DTU MOC OK							
ACFT HRS 5219.1		WHEN DISC B	HOW REC G	MAL EFF 2		PID		CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY POO JD651300		WUC 02		TIPID ,		TI MANHOURS									




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 29					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —	 SYS A	DATE 25 Jun 20	NO 7	TIME 16:51	PID Generated, Cor			DATE 25 Jun 20	TIME 16:51	ACFT HRS 5219.1							
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 25 JUN 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5226.6 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD								ROUNDS	ACTION CODE P			WUC 02					
ACFT HRS 5219.1								WHEN DISC O	HOW REC O	MAL EFF 1							
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —	 SYS A	DATE 25 Jun 20	NO 8	TIME 16:51	PID Generated, Com			DATE 25 Jun 20	TIME 17:01	ACFT HRS 5219.1							
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 25 JUN 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 02 JUL 2020 REFERENCE: TM 1-1520-237-PMD								ROUNDS	ACTION CODE P			WUC 02					
ACFT HRS 5219.1								WHEN DISC O	HOW REC O	MAL EFF 1							
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS ×	 SYS A	DATE 26 Jun 20	NO 1	TIME 09:12	PID Conversion, Ulls			DATE 26 Jun 20	TIME 10:46	ACFT HRS 5222.5							
FAULTS/REMARKS (IN PROCESS)INSPECTION MANUALLY GENERATED ON 26 JUN 2020. INSP A115 LUBE REQUIRMENTS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5247.4 AIRCRAFT HOURS OR 04 JUL 2020 REFERENCE: TM 1-1520-237-23&P								ROUNDS	ACTION CODE 6			WUC 00					
ACFT HRS 5222.5								WHEN DISC G	HOW REC G	MAL EFF 1							
DELAY				WUC 00				TIPIID FAUST, JONATHAN				TI MANHOURS 0.1					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 30				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS A	DATE 26 Jun 20	NO 2	TIME 10:33	PID Generated, Cor		DATE 26 Jun 20	TIME 10:41	ACFT HRS 5222.5						
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 26 JUN 2020. INSP A115 LUBE REQUIRMENTS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5247.4 AIRCRAFT HOURS OR 04 JUL 2020 REFERENCE: TM 1-1520-237-23&P								ROUNDS			ACTION CODE 3			WUC 02		
ACTION COMP																
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								OVERSTRE	F	0.1	SMITH, D.	F	0.1	Hall, T.	F	0.1
ACFT HRS 5222.5			WHEN DISC O	HOW REC O	MAL EFF 1		Conversion	F	0.1							
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 26 Jun 20	NO 3	TIME 10:45	PID Generated, Com		DATE 26 Jun 20	TIME 10:45	ACFT HRS 5222.5						
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 26 JUN 2020. INSP A092 30 DAY SLAB BATTERY INSPECTION (D8565/11-1) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 03 JUL 2020 REFERENCE: TM 11-6140-203-23 P								ROUNDS			ACTION CODE 6			WUC 00		
ACTION INSP OK																
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								SMITH, D.	F	0.1	Hall, T.	F	0.1			
ACFT HRS 5222.5			WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS E	DATE 29 Jun 20	NO 1	TIME 00:00	PID Generated, Com		DATE 21 Jul 20	TIME 11:06	ACFT HRS 5236.9						
FAULTS/REMARKS INSP E222 EMERGENCY LOCATOR TRANSMITTER (ELT) REGISTRATION UPDATE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 28 AUG 2020 REFERENCE: GEN-16-AMAM-05								ROUNDS			ACTION CODE P			WUC 00		
ACTION comp																
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								DUNCAN,	F	0.1						
ACFT HRS 5222.5			WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 31				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS A	DATE 29 Jun 20	NO 1	TIME 00:00	PID Generated, Cor		DATE 30 Jun 20	TIME 08:05	ACFT HRS 5222.5						
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 02 JUL 2020 REFERENCE: TM 1-1520-237-PMD								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Conversion	F	1.9	Conversion	F	1.9			
ACFT HRS 5222.5			WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 29 Jun 20	NO 2	TIME 09:30	PID Generated, Com		DATE 29 Jun 20	TIME 09:30	ACFT HRS 5222.5						
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 29 JUN 2020. INSP A103 AIRCRAFT WASH DUE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 28 JUL 2020 REFERENCE: TM 1-1500-344-23								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Conversion	F	0.3	Conversion	F	0.3	Conversion	F	0.3
ACFT HRS 5222.5			WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS X		SYS A	DATE 29 Jun 20	NO 3	TIME 10:16	PID Conversion, Ulls		DATE 29 Jun 20	TIME 15:51	ACFT HRS 5222.5						
FAULTS/REMARKS (IN PROCESS) INSP A302 LUBRICATE MAIN LANDING GEAR WHEEL BEARINGS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 29 JUN 2020 OR 5563.6 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23&P								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Conversion	F	0.1						
ACFT HRS 5222.5			WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 03A04A01				TIPIID MONEY, DONALD				TI MANHOURS 0.1				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 32						
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION										
STATUS X		SYS A	DATE 29 Jun 20	NO 4	TIME 10:18	PID Conversion, Ulls	DATE 29 Jun 20				TIME 15:51				ACFT HRS 5222.5			
							ROUNDS				ACTION CODE P				WUC 02			
FAULTS/REMARKS (IN PROCESS) INSP A298 LUBRICATE TAIL WHEEL BEARINGS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 29 JUN 2020 OR 5563.6 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23&P								ACTION COMP										
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS		
ACFT HRS 5222.5								Conversion	F	0.1								
ACFT HRS 5222.5			WHEN DISC O	HOW REC O	MAL EFF 1													
DELAY				WUC 03B03A01				TIPIID MONEY, DONALD				TI MANHOURS 0.1						
STATUS X		SYS A	DATE 29 Jun 20	NO 5	TIME 10:20	PID Conversion, Ulls	DATE 29 Jun 20				TIME 17:48				ACFT HRS 5222.5			
							ROUNDS				ACTION CODE P				WUC 02			
FAULTS/REMARKS (IN PROCESS) INSP A299 LUBRICATE SWASHPLATE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5563.6 AIRCRAFT HOURS OR 30 JUN 2020 REFERENCE: TM 1-1520-237-23&P								ACTION COMP										
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS		
ACFT HRS 5222.5								Conversion	F	0.1								
ACFT HRS 5222.5			WHEN DISC O	HOW REC O	MAL EFF 1													
DELAY				WUC 05A03A				TIPIID MONEY, DONALD				TI MANHOURS 0.1						
STATUS X		SYS A	DATE 29 Jun 20	NO 6	TIME 10:22	PID Conversion, Ulls	DATE 30 Jun 20				TIME 08:07				ACFT HRS 5222.5			
							ROUNDS				ACTION CODE P				WUC 02			
FAULTS/REMARKS (IN PROCESS) INSPECTION MANUALLY GENERATED ON 26 JUN 2020. INSP A115 LUBE REQUIRMENTS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5247.4 AIRCRAFT HOURS OR 04 JUL 2020 REFERENCE: TM 1-1520-237-23&P								ACTION COMP										
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS		
ACFT HRS 5222.5								Conversion	F	0.1								
ACFT HRS 5222.5			WHEN DISC O	HOW REC O	MAL EFF 1													
DELAY				WUC 02				TIPIID MONEY, DONALD				TI MANHOURS 0.1						




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 33					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS X		SYS A	DATE 30 Jun 20	NO 1	TIME 00:01	PID Generated, Cor		DATE 30 Jun 20	TIME 08:08	ACFT HRS 5222.5		ROUNDS		ACTION CODE P		WUC 02	
FAULTS/REMARKS INSP A298 LUBRICATE TAIL WHEEL BEARINGS FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 WAS DUE. STATUS UPGRADED TO X ON: 29 JUN 2020 OR 5563.6 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23&P								ACTION COMP									
ACFT HRS 5222.5		WHEN DISC O	HOW REC O	MAL EFF 1		PID		CAT	HRS	PID		CAT	HRS	PID		CAT	HRS
DELAY		WUC 00		TIPIID MONEY, DONALD				TI MANHOURS 0.1									
STATUS —		SYS A	DATE 30 Jun 20	NO 2	TIME 08:07	PID Generated, Com		DATE 30 Jun 20	TIME 08:07	ACFT HRS		ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS PMD Due								ACTION COMPLETED									
ACFT HRS 5222.5		WHEN DISC O	HOW REC O	MAL EFF 1		PID		CAT	HRS	PID		CAT	HRS	PID		CAT	HRS
DELAY		WUC 00		TIPIID ,				TI MANHOURS									
STATUS —		SYS A	DATE 01 Jul 20	NO 1	TIME 07:38	PID Generated, Com		DATE 01 Jul 20	TIME 10:31	ACFT HRS 5224.3		ROUNDS		ACTION CODE P		WUC 02	
FAULTS/REMARKS PMD DUE								ACTION COMP									
ACFT HRS 5224.3		WHEN DISC O	HOW REC G	MAL EFF 2		PID		CAT	HRS	PID		CAT	HRS	PID		CAT	HRS
DELAY		WUC 00		TIPIID ,				TI MANHOURS									




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402		2. MODEL UH-60A			3. DATE			4. PAGE 34		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION				
STATUS —		SYS A	DATE 01 Jul 20	NO 2	TIME 07:45	PID Generated, Cor	DATE 01 Jul 20	TIME 17:09	ACFT HRS 5224.3	
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,						ACTION comp				
ACFT HRS 5224.3						WHEN DISC O	HOW REC G	MAL EFF 2		
DELAY						WUC 00		TI MANHOURS		
STATUS —		SYS A	DATE 01 Jul 20	NO 3	TIME 10:34	PID Generated, Com	DATE 01 Jul 20	TIME 10:34	ACFT HRS	
FAULTS/REMARKS PMD Due						ACTION COMPLETED				
ACFT HRS 5224.3						WHEN DISC O	HOW REC O	MAL EFF 1		
DELAY						WUC 00		TI MANHOURS		
STATUS —		SYS A	DATE 01 Jul 20	NO 4	TIME 10:59	PID Generated, Com	DATE 01 Jul 20	TIME 10:59	ACFT HRS 5224.3	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 01 JUL 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5230.1 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD						ACTION COMP				
ACFT HRS 5224.3						WHEN DISC O	HOW REC O	MAL EFF 1		
DELAY						WUC 00		TI MANHOURS		
ACFT HRS 5224.3						WHEN DISC O	HOW REC O	MAL EFF 1		
DELAY						WUC 00		TI MANHOURS		




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 35																					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																									
STATUS —	 SYS A	DATE 01 Jul 20	NO 5	TIME 13:17	PID Generated, Cor			DATE 01 Jul 20	TIME 13:17	ACFT HRS																							
		ROUNDS	ACTION CODE 3			WUC 00																											
FAULTS/REMARKS PMD Due								ACTION COMPLETED																									
								<table border="1"> <thead> <tr> <th>PID</th> <th>CAT</th> <th>HRS</th> <th>PID</th> <th>CAT</th> <th>HRS</th> <th>PID</th> <th>CAT</th> <th>HRS</th> </tr> </thead> <tbody> <tr> <td>Conversion</td> <td>F</td> <td>1.0</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	Conversion	F	1.0						
PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS																									
Conversion	F	1.0																															
ACFT HRS 5224.3		WHEN DISC O	HOW REC O	MAL EFF 1																													
DELAY				WUC 00				TIPIID ,				TI MANHOURS																					
STATUS —	 SYS A	DATE 01 Jul 20	NO 6	TIME 22:46	PID Haggett, Brittan			DATE 16 Jul 20	TIME 10:56	ACFT HRS 5234.3																							
		ROUNDS	ACTION CODE B			WUC 19A																											
FAULTS/REMARKS Left rear ICS volume control knob broken								ACTION Tightened ics knob																									
								<table border="1"> <thead> <tr> <th>PID</th> <th>CAT</th> <th>HRS</th> <th>PID</th> <th>CAT</th> <th>HRS</th> <th>PID</th> <th>CAT</th> <th>HRS</th> </tr> </thead> <tbody> <tr> <td>Hall, T.</td> <td>F</td> <td>0.2</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	Hall, T.	F	0.2						
PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS																									
Hall, T.	F	0.2																															
ACFT HRS 5226.8		WHEN DISC G	HOW REC B	MAL EFF 3																													
DELAY				WUC 00				TIPIID ,				TI MANHOURS																					
STATUS —	 SYS A	DATE 02 Jul 20	NO 1	TIME 07:09	PID Generated, Com			DATE 02 Jul 20	TIME 08:33	ACFT HRS 5226.8																							
		ROUNDS	ACTION CODE P			WUC 02																											
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 02 JUL 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 08 JUL 2020 REFERENCE: TM 1-1520-237-PMD								ACTION COMP																									
								<table border="1"> <thead> <tr> <th>PID</th> <th>CAT</th> <th>HRS</th> <th>PID</th> <th>CAT</th> <th>HRS</th> <th>PID</th> <th>CAT</th> <th>HRS</th> </tr> </thead> <tbody> <tr> <td>Conversion</td> <td>F</td> <td>1.9</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	Conversion	F	1.9						
PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS																									
Conversion	F	1.9																															
ACFT HRS 5226.8		WHEN DISC O	HOW REC O	MAL EFF 1																													
DELAY				WUC 00				TIPIID ,				TI MANHOURS																					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402			2. MODEL UH-60A			3. DATE			4. PAGE 36		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION					
STATUS —		SYS A	DATE 02 Jul 20	NO 2	TIME 07:21	PID Generated, Cor	DATE 02 Jul 20	TIME 08:16	ACFT HRS 5226.8		
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 02 JUL 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5235.3 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD						ACTION comp					
ACFT HRS 5226.8						WHEN DISC O	HOW REC O	MAL EFF 1			
DELAY						WUC 00			TI MANHOURS		
STATUS —		SYS A	DATE 02 Jul 20	NO 3	TIME 08:35	PID Generated, Com	DATE 14 Jul 20	TIME 17:03	ACFT HRS 5228.9		
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,						ACTION comp					
ACFT HRS 5226.8						WHEN DISC O	HOW REC G	MAL EFF 2			
DELAY						WUC 00			TI MANHOURS		
STATUS —		SYS A	DATE 02 Jul 20	NO 4	TIME 13:00	PID Generated, Com	DATE 02 Jul 20	TIME 13:00	ACFT HRS 5226.8		
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 02 JUL 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 07 JUL 2020 REFERENCE: TM 1-1520-237-23&P						ACTION COMP					
ACFT HRS 5226.8						WHEN DISC O	HOW REC O	MAL EFF 1			
DELAY						WUC 00			TI MANHOURS		




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 37			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS E	DATE 03 Jul 20	NO 1	TIME 00:01	PID Generated, Cor		DATE 14 Jul 20	TIME 13:41	ACFT HRS 5228.9					
							ROUNDS	ACTION CODE 6		WUC 00					
FAULTS/REMARKS INSP E125 KY-58 PMCS/OPNL CHECK FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 21 JUL 2020 REFERENCE: TM 11-5810-262-23								ACTION comp							
ACFT HRS 5226.8	WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS		
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
STATUS —		SYS E	DATE 04 Jul 20	NO 1	TIME 00:01	PID Generated, Com		DATE 16 Jul 20	TIME 10:59	ACFT HRS 5234.3					
							ROUNDS	ACTION CODE J		WUC 76					
FAULTS/REMARKS INSP E040 APR-39 RADAR/LASER WARNING OPNL CHECK, 5841-01-236-8951 FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 22 JUL 2020 REFERENCE: TM 11-5841-294-12								ACTION Moc ok.							
ACFT HRS 5226.8	WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS		
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
STATUS —		SYS A	DATE 06 Jul 20	NO 1	TIME 00:01	PID Generated, Com		DATE 09 Jul 20	TIME 08:35	ACFT HRS 5228.9					
							ROUNDS	ACTION CODE 3		WUC 02					
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 09 JUL 2020 REFERENCE: TM 1-1520-237-PMD								ACTION COMP							
ACFT HRS 5226.8	WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS		
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
ACFT HRS 5226.8	WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS		
DELAY				WUC 00				TIPIID ,				TI MANHOURS			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 38				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —	 C Closed	SYS A	DATE 09 Jul 20	NO 1	TIME 07:23	PID Generated, Cor		DATE 09 Jul 20	TIME 07:24	ACFT HRS 5228.9						
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 09 JUL 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 17 JUL 2020 REFERENCE: TM 1-1520-237-23&P								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								WHITTEN,	F	0.2						
ACFT HRS 5228.9			WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —	 F Closed	SYS A	DATE 09 Jul 20	NO 2	TIME 07:23	PID Generated, Com		DATE 09 Jul 20	TIME 08:34	ACFT HRS 5228.9						
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 09 JUL 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5237.8 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Conversion	F	0.2						
ACFT HRS 5228.9			WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —	 C Closed	SYS A	DATE 09 Jul 20	NO 3	TIME 08:36	PID Generated, Com		DATE 09 Jul 20	TIME 08:36	ACFT HRS						
FAULTS/REMARKS PMD Due								ACTION COMPLETED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								FAUST, J.	F	1.0						
ACFT HRS 5228.9			WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 39			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —	 SYS A	DATE 12 Jul 20	NO 1	TIME 00:01	PID Generated, Cor			DATE 16 Jul 20	TIME 10:07	ACFT HRS 5234.3					
		WHEN DISC O	HOW REC O	MAL EFF 1	ROUNDS		ACTION CODE P		WUC 00						
FAULTS/REMARKS INSP A100 LH/RH ENGINE HISTORY RECORDER READINGS DUE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 18 JUL 2020 REFERENCE: DA PAM 738-751								ACTION comp							
ACFT HRS 5228.9								PID	CAT	HRS	PID	CAT	HRS		
DELAY		WUC 00		TIPID ,		TI MANHOURS									
STATUS —	 SYS A	DATE 13 Jul 20	NO 1	TIME 00:01	PID Generated, Com			DATE 16 Jul 20	TIME 10:06	ACFT HRS 5234.3					
		WHEN DISC O	HOW REC O	MAL EFF 1	ROUNDS		ACTION CODE P		WUC 00						
FAULTS/REMARKS INSP A839 APU HOUR METER READING DUE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 18 JUL 2020 REFERENCE: SOP								ACTION comp							
ACFT HRS 5228.9								PID	CAT	HRS	PID	CAT	HRS		
DELAY		WUC 00		TIPID ,		TI MANHOURS									
STATUS —	 SYS A	DATE 13 Jul 20	NO 2	TIME 00:01	PID Generated, Com			DATE 15 Jul 20	TIME 09:28	ACFT HRS 5231.0					
		WHEN DISC O	HOW REC O	MAL EFF 1	ROUNDS		ACTION CODE 3		WUC 00						
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 16 JUL 2020 REFERENCE: TM 1-1520-237-PMD								ACTION COMP							
ACFT HRS 5228.9								PID	CAT	HRS	PID	CAT	HRS		
DELAY		WUC 00		TIPID ,		TI MANHOURS									
ACFT HRS 5228.9								PID	CAT	HRS	PID	CAT	HRS		
DELAY		WUC 00		TIPID ,		TI MANHOURS									




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 40					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —	 SYS E	DATE 14 Jul 20	NO 1	TIME 00:01	PID Generated, Cor			DATE 14 Jul 20	TIME 13:51	ACFT HRS 5228.9							
FAULTS/REMARKS INSP E220 EMERGENCY LOCATOR TRANSMITTER SELF-TEST (AS REQUIRED) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5332.7 AIRCRAFT HOURS OR 20 JUL 2020 REFERENCE: AWR 1516 R12								ROUNDS	ACTION CODE 6		WUC 00						
ACFT HRS 5228.9								WHEN DISC O	HOW REC O	MAL EFF 1							
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —	 SYS E	DATE 14 Jul 20	NO 2	TIME 00:01	PID Generated, Com			DATE 14 Jul 20	TIME 13:40	ACFT HRS 5228.9							
FAULTS/REMARKS INSP E050 ARC-220 RADIO SET BATTERY INSPECTION OR REPLACE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 20 JUL 2020 REFERENCE: TM 11-5821-357-12P								ROUNDS	ACTION CODE 6		WUC 00						
ACFT HRS 5228.9								WHEN DISC O	HOW REC O	MAL EFF 1							
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS /	 SYS E	DATE 14 Jul 20	NO 3	TIME 22:33	PID Conversion, Ulls			DATE 16 Jul 20	TIME 12:50	ACFT HRS 5234.3							
FAULTS/REMARKS NO1 NEEDLE WILL NOT POINT TO SELECTED GPS WAYPOINT								ROUNDS	ACTION CODE J		WUC 19E18						
ACFT HRS 5231								WHEN DISC G	HOW REC D	MAL EFF 4							
DELAY				WUC 02				TIPIID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 41				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —	 SYS A	DATE 15 Jul 20	NO 1	TIME 07:14	PID Generated, Cor			DATE 15 Jul 20	TIME 09:16	ACFT HRS						
								ROUNDS	ACTION CODE 3	WUC 00						
FAULTS/REMARKS PMD Due								ACTION COMPLETED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								FAUST, J.	F	1.0						
ACFT HRS 5231		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS ⊗	 SYS H	DATE 15 Jul 20	NO 1	TIME 09:16	PID FAUST, JONATH.			DATE 16 Jul 20	TIME 09:32	ACFT HRS 5234.3						
								ROUNDS	ACTION CODE A	WUC 14						
FAULTS/REMARKS AIRCRAFT RESTRICTED FROM HOIST OPERATIONS DUE TO DAMAGED CRUSHABLE BUMPER ON HOIST								ACTION replaced bumper								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Moore, S.	F	0.5						
ACFT HRS 5231		WHEN DISC X	HOW REC G	MAL EFF 2												
DELAY				WUC 14				TIPIID FAUST, JONATHAN				TI MANHOURS 0.1				
STATUS —	 SYS A	DATE 15 Jul 20	NO 2	TIME 09:30	PID Generated, Com			DATE 16 Jul 20	TIME 17:58	ACFT HRS 5234.3						
								ROUNDS	ACTION CODE 6	WUC 00						
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,								ACTION insp ok								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								HAMMETT	F	0.4						
ACFT HRS 5231		WHEN DISC O	HOW REC G	MAL EFF 2												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 42			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS H	DATE 16 Jul 20	NO 1	TIME 00:01	PID Generated, Cor		DATE 21 Jul 20	TIME 15:48	ACFT HRS 5236.9					
FAULTS/REMARKS INSP H810 CONDUCT HOIST OPERATIONAL CHECK IAW H-60-19-AMAM-01 ADDENDUM 1 (UPDATE) FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5251.7 AIRCRAFT HOURS OR 22 JUL 2020 REFERENCE: H-60-19-AMAM-01								ROUNDS			ACTION CODE P			WUC 14B	
ACTION comp															
ACFT HRS 5234.3								WHEN DISC O	HOW REC O	MAL EFF 1					
DELAY								WUC 00				TI MANHOURS			
STATUS —		SYS A	DATE 16 Jul 20	NO 1	TIME 07:26	PID Generated, Com		DATE 16 Jul 20	TIME 09:21	ACFT HRS					
FAULTS/REMARKS PMD Due								ROUNDS			ACTION CODE 3			WUC 00	
ACTION COMPLETED															
ACFT HRS 5234.3								WHEN DISC O	HOW REC O	MAL EFF 1					
DELAY								WUC 00				TI MANHOURS			
STATUS —		SYS A	DATE 16 Jul 20	NO 2	TIME 07:27	PID Generated, Com		DATE 16 Jul 20	TIME 09:19	ACFT HRS 5234.3					
FAULTS/REMARKS PMD DUE								ROUNDS			ACTION CODE 3			WUC 00	
ACTION comp															
ACFT HRS 5234.3								WHEN DISC O	HOW REC G	MAL EFF 2					
DELAY								WUC 00				TI MANHOURS			
ACFT HRS 5234.3								WHEN DISC O	HOW REC G	MAL EFF 2					
DELAY								WUC 00				TI MANHOURS			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 43			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —	 SYS A	DATE 16 Jul 20	NO 3	TIME 09:21	PID Generated, Cor			DATE 16 Jul 20	TIME 17:59	ACFT HRS 5234.3					
		ROUNDS	ACTION CODE 6			WUC 00									
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,								ACTION insp ok							
ACFT HRS 5234.3		WHEN DISC O	HOW REC G	MAL EFF 2		PID HAMMETT		CAT F	HRS 0.4	PID		CAT	HRS		
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
STATUS ⊗	 SYS H	DATE 16 Jul 20	NO 2	TIME 09:33	PID Moore, Sarah			DATE 17 Jul 20	TIME 07:42	ACFT HRS 5236.9					
		ROUNDS	ACTION CODE 4			WUC 14									
FAULTS/REMARKS restricted from hoist operations due to load test on hook								ACTION hoist operational check complete							
ACFT HRS 5234.3		WHEN DISC B	HOW REC G	MAL EFF 2		PID HAMMETT		CAT F	HRS 0.1	PID		CAT	HRS		
DELAY				WUC 14				TIPIID FAUST, JONATHAN				TI MANHOURS 0.1			
STATUS —	 SYS E	DATE 16 Jul 20	NO 1	TIME 11:07	PID Generated, Com			DATE 16 Jul 20	TIME 11:09	ACFT HRS 5234.3					
		ROUNDS	ACTION CODE A			WUC 19C04A									
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 16 JUL 2020. INSP E135 AN/ ARC-201(V) SINGARS RADIO HUB BATT REPL FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 19 SEP 2020 REFERENCE: TM 11-5821-333-12								ACTION Replaced Batteries.							
ACFT HRS 5234.3		WHEN DISC O	HOW REC O	MAL EFF 1		PID Conversion		CAT F	HRS 0.2	PID		CAT	HRS		
DELAY				WUC 00				TIPIID ,				TI MANHOURS			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 44			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS E	DATE 16 Jul 20	NO 2	TIME 11:07	PID Generated, Cor		DATE 16 Jul 20	TIME 11:12	ACFT HRS 5234.3					
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 16 JUL 2020. INSP E015 ASN 128D DOPPLER GPS BATTERY REPLACEMENT FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 30 AUG 2020 REFERENCE: MWO 1-1520-237-50-92								ROUNDS	ACTION CODE A		WUC 19E04D				
ACFT HRS 5234.3								WHEN DISC O	HOW REC O	MAL EFF 1					
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS A	DATE 16 Jul 20	NO 4	TIME 11:07	PID Generated, Com		DATE 16 Jul 20	TIME 11:08	ACFT HRS 5234.3					
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 16 JUL 2020. INSP A502 INSPECT AND TEST GROUND RECEPTACLE IAW TM 1-1500-204-23 FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 07 OCT 2020 REFERENCE: TM 1-1520-237-23&P								ROUNDS	ACTION CODE J		WUC 10U				
ACFT HRS 5234.3								WHEN DISC O	HOW REC O	MAL EFF 1					
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS A	DATE 16 Jul 20	NO 5	TIME 22:19	PID Generated, Com		DATE 21 Jul 20	TIME 13:13	ACFT HRS 5236.9					
FAULTS/REMARKS INSP A110 PMS 40 HOUR INSPECTION FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5240.6 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMS								ROUNDS	ACTION CODE 3		WUC 00				
ACFT HRS 5236.9								WHEN DISC O	HOW REC O	MAL EFF 1					
DELAY				WUC 00				TIPID ,				TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 45					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A		DATE 17 Jul 20		NO 1		TIME 09:25		PID Generated, Cor		DATE 17 Jul 20		TIME 10:03		ACFT HRS	
												ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS PMD Due								ACTION COMPLETED									
												PID		CAT		HRS	
												Moore, S.		F		1.0	
ACFT HRS 5236.9				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —		SYS A		DATE 17 Jul 20		NO 2		TIME 09:25		PID Generated, Com		DATE 17 Jul 20		TIME 10:03		ACFT HRS 5236.9	
												ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS PMD DUE								ACTION completed									
												PID		CAT		HRS	
												Moore, S.		F		1.0	
ACFT HRS 5236.9				WHEN DISC O		HOW REC G		MAL EFF 2									
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —		SYS A		DATE 17 Jul 20		NO 3		TIME 10:03		PID Generated, Com		DATE 21 Jul 20		TIME 20:00		ACFT HRS 5236.9	
												ROUNDS		ACTION CODE 6		WUC 00	
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,								ACTION complete									
												PID		CAT		HRS	
												MORAN, A		F		0.3	
ACFT HRS 5236.9				WHEN DISC O		HOW REC G		MAL EFF 2									
DELAY				WUC 00				TIPIID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 46				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —	 SYS A	DATE 18 Jul 20	NO 1	TIME 00:01	PID Generated, Cor			DATE 21 Jul 20	TIME 10:28	ACFT HRS 5236.9						
FAULTS/REMARKS INSP A230 INSPECT BATTERY COMPARTMENT FOR CORROSION (SLAB) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 11 AUG 2020 REFERENCE: MWO 1-1520-237-50-77								ROUNDS	ACTION CODE P			WUC 00				
ACTION comp																
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								DUNCAN,	F	0.1						
ACFT HRS 5236.9		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TI MANHOURS								
STATUS —	 SYS A	DATE 19 Jul 20	NO 1	TIME 00:01	PID Generated, Com			DATE 21 Jul 20	TIME 08:41	ACFT HRS 5236.9						
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 22 JUL 2020 REFERENCE: TM 1-1520-237-PMD								ROUNDS	ACTION CODE 3			WUC 00				
ACTION comp																
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								DUNCAN,	F	0.1						
ACFT HRS 5236.9		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TI MANHOURS								
STATUS —	 SYS A	DATE 20 Jul 20	NO 1	TIME 07:25	PID Generated, Com			DATE 21 Jul 20	TIME 10:33	ACFT HRS 5236.9						
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 20 JUL 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5239.9 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD								ROUNDS	ACTION CODE P			WUC 00				
ACTION comp																
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								DUNCAN,	F	0.1						
ACFT HRS 5236.9		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TI MANHOURS								




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 47			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS E	DATE 20 Jul 20	NO 1	TIME 07:26	PID Generated, Cor		DATE 20 Jul 20	TIME 07:26	ACFT HRS 5236.9					
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 20 JUL 2020. INSP E108 KY-58 PMCS/OPNL CHECK (STANDBY) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 30 JUL 2020 REFERENCE: TM 11-5810-262-23								ROUNDS		ACTION CODE P		WUC 00			
ACTION na no secure fills								PID		CAT		HRS			
DUNCAN,								F		0.1					
ACFT HRS 5236.9		WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
STATUS —		SYS A	DATE 20 Jul 20	NO 2	TIME 07:28	PID Generated, Com		DATE 21 Jul 20	TIME 10:32	ACFT HRS 5236.9					
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 20 JUL 2020. INSP A092 30 DAY SLAB BATTERY INSPECTION (D8565/11-1) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 29 JUL 2020 REFERENCE: TM 11-6140-203-23 P								ROUNDS		ACTION CODE P		WUC 00			
ACTION comp, 25.6v								PID		CAT		HRS			
DUNCAN,								F		0.1					
ACFT HRS 5236.9		WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
STATUS —		SYS A	DATE 21 Jul 20	NO 1	TIME 10:49	PID Generated, Com		DATE 21 Jul 20	TIME 10:49	ACFT HRS					
FAULTS/REMARKS PMD Due								ROUNDS		ACTION CODE 3		WUC 00			
ACTION COMPLETED								PID		CAT		HRS			
DUNCAN,								F		2.0					
ACFT HRS 5236.9		WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPIID ,				TI MANHOURS			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 48				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS H	DATE 21 Jul 20		NO 1	TIME 15:49		PID DUNCAN, JON			DATE 22 Jul 20		TIME 15:39		ACFT HRS 5241.9	
FAULTS/REMARKS HOIST CABLE RESEAT DUE TO CABLE LOOSENESS AT 149' OUT, 159' OUT, AND FULL OUT (ALL MARKED WITH BLACK SHARPIE)								ACTION Completed								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								FAUST, J.	F	0.5						
ACFT HRS 5236.9		WHEN DISC O		HOW REC G		MAL EFF 1										
DELAY				WUC 14B				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 21 Jul 20		NO 2	TIME 15:53		PID Generated, Com			DATE 21 Jul 20		TIME 15:53		ACFT HRS 5236.9	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 21 JUL 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 24 JUL 2020 REFERENCE: TM 1-1520-237-23&P								ACTION PILOT DIDNT SIGN OFF								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								DUNCAN,	F	0.1						
ACFT HRS 5236.9		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 21 Jul 20		NO 3	TIME 15:55		PID Generated, Com			DATE 21 Jul 20		TIME 15:55		ACFT HRS 5236.9	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 21 JUL 2020. INSP A295 STABILATOR ACTUATOR ASSY LUBE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5443.6 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23&P								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								DUNCAN,	F	0.1						
ACFT HRS 5236.9		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPIID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 49					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A	DATE 21 Jul 20	NO 4	TIME 15:55	PID Generated, Cor		DATE 21 Jul 20	TIME 15:55	ACFT HRS 5236.9		ROUNDS		ACTION CODE P		WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 21 JUL 2020. INSP A115 LUBE REQUIRMENTS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5266.5 AIRCRAFT HOURS OR 03 AUG 2020 REFERENCE: TM 1-1520-237-23&P								ACTION COMP									
ACFT HRS 5236.9		WHEN DISC O	HOW REC O	MAL EFF 1		PID DUNCAN,		CAT F	HRS 0.1	PID		CAT	HRS	PID		CAT	HRS
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS /		SYS E	DATE 21 Jul 20	NO 1	TIME 23:30	PID Conversion, Ulls		DATE 28 Aug 20	TIME 13:56	ACFT HRS 5255.9		ROUNDS		ACTION CODE 6		WUC 02	
FAULTS/REMARKS Uniform radio has loud squeal when turned on. It did not go away during the flight.								ACTION COULD NOT DUPLICATE									
ACFT HRS 5236.9		WHEN DISC G	HOW REC B	MAL EFF 4		PID Chavis, C.		CAT F	HRS 0.1	PID		CAT	HRS	PID		CAT	HRS
DELAY 40 HR, MS523924				WUC 00				TIPIID ,				TI MANHOURS					
STATUS /		SYS E	DATE 21 Jul 20	NO 3	TIME 23:35	PID Conversion, Ulls		DATE 23 Jul 20	TIME 11:26	ACFT HRS 5244.9		ROUNDS		ACTION CODE A		WUC 19E04	
FAULTS/REMARKS Number one needle was in the parked position for the entire flight with GPS on. I tried turning it off and turning it on again but the needle would not move.								ACTION REPLACED DOPPLER/GPS CDU									
ACFT HRS 5236.9		WHEN DISC G	HOW REC G	MAL EFF 3		PID Lyons, C.		CAT F	HRS 0.1	PID		CAT	HRS	PID		CAT	HRS
DELAY 40 Hr, MS523924				WUC 00				TIPIID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 50					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS X		SYS A	DATE 23 Jul 20	NO 1	TIME 10:07	PID Lyons, Christop		DATE 23 Jul 20	TIME 11:25	ACFT HRS 5244.9		ROUNDS		ACTION CODE A		WUC 19E04	
FAULTS/REMARKS (IN PROCESS) Number one needle was in the parked position for the entire flight with GPS on. I tried turning it off and turning it on again but the needle would not move.								ACTION COMPLETE									
ACFT HRS 5244.9		WHEN DISC K		HOW REC G		MAL EFF 2		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
DELAY		WUC 19E04		TIPID TUTHEROW, MICHAEL		TI MANHOURS 0.1		Lyons, C.	F	0.1							
STATUS —		SYS A	DATE 23 Jul 20	NO 2	TIME 11:09	PID Generated, Com		DATE 23 Jul 20	TIME 11:16	ACFT HRS 5244.9		ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 23 JUL 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 28 JUL 2020 REFERENCE: TM 1-1520-237-PMD								ACTION COMP									
ACFT HRS 5244.9		WHEN DISC O		HOW REC O		MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
DELAY		WUC 00		TIPID ,		TI MANHOURS		Moore, S.	F	1.0	BROWN, L	F	1.0				
STATUS —		SYS A	DATE 23 Jul 20	NO 3	TIME 11:17	PID Generated, Com		DATE 23 Jul 20	TIME 11:17	ACFT HRS 5244.9		ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 23 JUL 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5247.9 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD								ACTION COMP									
ACFT HRS 5244.9		WHEN DISC O		HOW REC O		MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
DELAY		WUC 00		TIPID ,		TI MANHOURS		BROWN, L	F	0.4							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A			3. DATE			4. PAGE 51		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS —	 SYS A	DATE 23 Jul 20	NO 4	TIME 11:18	PID Generated, Cor	DATE 23 Jul 20	TIME 11:18	ACFT HRS WUC 00				
		ROUNDS	ACTION CODE 3		WUC 00							
FAULTS/REMARKS PMD Due						ACTION COMPLETED						
						PID	CAT	HRS	PID	CAT	HRS	
						BROWN, L	F	1.0				
ACFT HRS 5244.9		WHEN DISC O	HOW REC O	MAL EFF 1								
DELAY			WUC 00			TIPIID ,			TI MANHOURS			
STATUS —	 SYS A	DATE 23 Jul 20	NO 5	TIME 11:19	PID Generated, Com	DATE 28 Jul 20	TIME 09:35	ACFT HRS 5244.9				
		ROUNDS	ACTION CODE 6		WUC 00							
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,						ACTION Complete						
						PID	CAT	HRS	PID	CAT	HRS	
						EBERT, D.	F	0.4				
ACFT HRS 5244.9		WHEN DISC O	HOW REC G	MAL EFF 2								
DELAY			WUC 00			TIPIID ,			TI MANHOURS			
STATUS /	 SYS E	DATE 24 Jul 20	NO 1	TIME 11:18	PID Lyons, Christoph	DATE 29 Jul 20	TIME 11:04	ACFT HRS 5244.9				
		ROUNDS	ACTION CODE A		WUC 19E04							
FAULTS/REMARKS #1 NEEDLE DROPS OUT AFTER 8 MINS FOR DOPPLER/GPS						ACTION REPLACED DOPPLER CDU MOC OK						
						PID	CAT	HRS	PID	CAT	HRS	
						Lyons, C.	F	0.1				
ACFT HRS 5244.9		WHEN DISC L	HOW REC G	MAL EFF 2								
DELAY			WUC 19E04			TIPIID ,			TI MANHOURS			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 52					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS X		SYS A	DATE 24 Jul 20	NO 1	TIME 14:20	PID Lyons, Christop		DATE 24 Jul 20	TIME 14:29	ACFT HRS 5244.9		ROUNDS		ACTION CODE J		WUC 19E04	
FAULTS/REMARKS (IN PROCESS) #1 NEEDLE DROPS OUT AFTER 8 MINS FOR DOPPLER/GPS								ACTION COMPLETE									
ACFT HRS 5244.9		WHEN DISC K		HOW REC G		MAL EFF 2		PID Lyons, C.	CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 19E04				TIPIID MONEY, DONALD				TI MANHOURS 0.1					
STATUS —		SYS A	DATE 26 Jul 20	NO 1	TIME 00:00	PID Generated, Com		DATE 27 Jul 20	TIME 06:17	ACFT HRS 5244.9		ROUNDS		ACTION CODE P		WUC 00	
FAULTS/REMARKS INSP A103 AIRCRAFT WASH DUE FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 01 AUG 2020 REFERENCE: TM 1-1500-344-23								ACTION comp									
ACFT HRS 5244.9		WHEN DISC O		HOW REC O		MAL EFF 1		PID DUNCAN,	CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —		SYS A	DATE 27 Jul 20	NO 1	TIME 00:00	PID Generated, Com		DATE 30 Jul 20	TIME 14:44	ACFT HRS 5244.9		ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 30 JUL 2020 REFERENCE: TM 1-1520-237-PMD								ACTION completed									
ACFT HRS 5244.9		WHEN DISC O		HOW REC O		MAL EFF 1		PID Barnes, J.	CAT F	HRS 1.0	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 00				TIPIID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 53							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		SYS A	DATE 27 Jul 20	NO 2	TIME 00:00	PID Generated, Cor		DATE 27 Jul 20	TIME 06:18	ACFT HRS 5244.9									
FAULTS/REMARKS INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 29 JUL 2020 REFERENCE: TM 1-1520-237-23&P								ACTION pilot didnt sign off						ROUNDS		ACTION CODE P		WUC 00	
ACFT HRS 5244.9				WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
DELAY				WUC 00				TIPIID ,				TI MANHOURS							
STATUS X		SYS A	DATE 27 Jul 20	NO 3	TIME 10:57	PID Lyons, Christoph		DATE 27 Jul 20	TIME 14:20	ACFT HRS 5244.9									
FAULTS/REMARKS (IN PROCESS) #1 NEEDLE DROPS OUT AFTER 8 MINS FOR DOPPLER/GPS								ACTION COMPLETE						ROUNDS		ACTION CODE J		WUC 19E04	
ACFT HRS 5244.9				WHEN DISC K	HOW REC G	MAL EFF 2		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
DELAY				WUC 19E04				TIPIID LLOYD, JUSTIN				TI MANHOURS 0.1							
STATUS X		SYS A	DATE 28 Jul 20	NO 1	TIME 08:41	PID Lyons, Christoph		DATE 28 Jul 20	TIME 08:42	ACFT HRS 5244.9									
FAULTS/REMARKS (IN PROCESS) #1 NEEDLE DROPS OUT AFTER 8 MINS FOR DOPPLER/GPS								ACTION fault entered in error						ROUNDS		ACTION CODE G		WUC 02	
ACFT HRS 5244.9				WHEN DISC K	HOW REC G	MAL EFF 2		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
DELAY				WUC 19				TIPIID LLOYD, JUSTIN				TI MANHOURS 0.1							

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 54				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS X	L CLOSED	SYS A	DATE 28 Jul 20	NO 2	TIME 10:18	PID LLOYD, JUSTIN		DATE 29 Jul 20	TIME 11:01	ACFT HRS 5244.9						
								ROUNDS	ACTION CODE J	WUC 19E04						
FAULTS/REMARKS "IN PROCESS" #1 NEEDLE DROPS OUT AFTER 8 MINS FOR DOPPLER/GPS								ACTION COMPLETE								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Lyons, C.	F	0.1						
ACFT HRS 5244.9		WHEN DISC K	HOW REC G	MAL EFF 1												
DELAY				WUC 19E04				TIPID LLOYD, JUSTIN				TI MANHOURS 0.1				
STATUS X	L CLOSED	SYS A	DATE 28 Jul 20	NO 3	TIME 16:00	PID LLOYD, JUSTIN		DATE 31 Jul 20	TIME 07:49	ACFT HRS 5244.9						
								ROUNDS	ACTION CODE C	WUC 02						
FAULTS/REMARKS MULTIPLE WIRES ARE CHAFFED ON THE INTERIOR OF THE CO-PLT CIRCUIT BREAKER PANEL AND REQ REPAIR.								ACTION REPAIRED WIRING HARNESS AND MOC'D ASSOCIATED SYSTEMS								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Lyons, C.	F	7.0	OVERSTRE	F	1.0			
ACFT HRS 5244.9		WHEN DISC K	HOW REC G	MAL EFF 1												
DELAY				WUC 09A02B				TIPID LLOYD, JUSTIN				TI MANHOURS 0.1				
STATUS —	L CLOSED	SYS E	DATE 30 Jul 20	NO 1	TIME 12:58	PID Lyons, Christoph		DATE 30 Jul 20	TIME 15:30	ACFT HRS 5244.9						
								ROUNDS	ACTION CODE J	WUC 02						
FAULTS/REMARKS MOC OF FLIR SYS REQ DUE TO REPAIR OF 2EA ELECTRICAL WIRES BEHIND CO-PILOTS CB PANEL								ACTION moc'd ok								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Lyons, C.	F	0.1						
ACFT HRS 5244.9		WHEN DISC K	HOW REC G	MAL EFF 2												
DELAY				WUC 16S05				TIPID ,				TI MANHOURS				

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 55					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A		DATE 30 Jul 20		NO 1		TIME 14:34		PID Generated, Cor		DATE 30 Jul 20		TIME 14:55		ACFT HRS	
												ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS PMD Due								ACTION COMPLETED									
												PID		CAT		HRS	
												Barnes, J.		F		1.0	
ACFT HRS 5244.9				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —		SYS O		DATE 31 Jul 20		NO 1		TIME 00:01		PID Generated, Com		DATE 04 Aug 20		TIME 08:55		ACFT HRS 5244.9	
												ROUNDS		ACTION CODE P		WUC 00	
FAULTS/REMARKS INSP O806 LOGBOOK RECONCILIATION FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 07 AUG 2020 REFERENCE: ATP 3-04.7								ACTION COMP									
												PID		CAT		HRS	
												ANDERS, B		F		0.1	
ACFT HRS 5244.9				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS /		SYS A		DATE 31 Jul 20		NO 1		TIME 08:55		PID VANG, CHENG		DATE 31 Jul 20		TIME 08:56		ACFT HRS 5244.9	
												ROUNDS		ACTION CODE C		WUC 02	
FAULTS/REMARKS PAINT REQ FOR TAIL CONE REPAIR								ACTION PAINTED									
												PID		CAT		HRS	
												VANG, C.		F		1.0	
ACFT HRS 5244.9				WHEN DISC K		HOW REC G		MAL EFF 1									
DELAY				WUC 02				TIPIID ,				TI MANHOURS					

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402			2. MODEL UH-60A			3. DATE			4. PAGE 56					
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION								
STATUS —		SYS A	DATE 03 Aug 20	NO 1	TIME 00:01	PID Generated, Cor	DATE 06 Aug 20	TIME 14:17	ACFT HRS 5244.9					
							ROUNDS	ACTION CODE 3	WUC 00					
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 06 AUG 2020 REFERENCE: TM 1-1520-237-PMD						ACTION COMP								
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
						Moore, S.	F	0.1	Barnes, J.	F	0.1			
ACFT HRS 5244.9		WHEN DISC O	HOW REC O	MAL EFF 1										
DELAY			WUC 00			TIPID ,			TI MANHOURS					
STATUS —		SYS A	DATE 04 Aug 20	NO 1	TIME 00:01	PID Generated, Com	DATE 06 Aug 20	TIME 18:40	ACFT HRS 5246.3					
							ROUNDS	ACTION CODE 6	WUC 00					
FAULTS/REMARKS INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 06 AUG 2020 REFERENCE: TM 1-1520-237-23&P						ACTION completed								
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
						HAMMETT	F	0.3						
ACFT HRS 5244.9		WHEN DISC O	HOW REC O	MAL EFF 1										
DELAY			WUC 00			TIPID ,			TI MANHOURS					
STATUS ⊗		SYS A	DATE 04 Aug 20	NO 2	TIME 08:55	PID Generated, Com	DATE 18 Sep 20	TIME 08:22	ACFT HRS 5259.4					
							ROUNDS	ACTION CODE P	WUC 00					
FAULTS/REMARKS (402)OPERATE WITHIN THE LIMITATIONS PRESCRIBED IN THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR1425r22 13Jan20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1451r11 22May20, AWR1452r7 22Apr19, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1594r7 22Nov19, AWR1682r25 01Aug19, AWR1692r10 19Mar20, AWR1693r5 15Mar18, AWR1694r7 29Jan20, AWR1750r6 31Mar20, AWR1753R9						ACTION updated								
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
						ANDERS, B	F	0.1						
ACFT HRS 5244.9		WHEN DISC O	HOW REC G	MAL EFF 2										
DELAY			WUC 00			TIPID TUTHEROW, MICHAEL			TI MANHOURS 0.1					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 57				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS A	DATE 06 Aug 20	NO 1	TIME 14:19	PID Generated, Cor		DATE 06 Aug 20	TIME 14:21	ACFT HRS 5244.9						
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,								ACTION comp								
ACFT HRS 5244.9								WHEN DISC	O	HOW REC	G	MAL EFF 2				
DELAY								WUC 00			TIPIID ,			TI MANHOURS		
STATUS —		SYS A	DATE 06 Aug 20	NO 2	TIME 14:20	PID Generated, Com		DATE 06 Aug 20	TIME 14:20	ACFT HRS						
FAULTS/REMARKS PMD Due								ACTION COMPLETED								
ACFT HRS 5244.9								WHEN DISC	O	HOW REC	O	MAL EFF 1				
DELAY								WUC 00			TIPIID ,			TI MANHOURS		
STATUS /		SYS O	DATE 07 Aug 20	NO 1	TIME 10:44	PID Mahoney, Aaror		DATE 09 Sep 20	TIME 10:08	ACFT HRS 5255.9						
FAULTS/REMARKS GPS 128D WMM Expired								ACTION UPDATED WMM								
ACFT HRS 5246.3								WHEN DISC	T	HOW REC	G	MAL EFF 2				
DELAY 120 Hr, CSM Shorter								WUC 19			TIPIID ,			TI MANHOURS		
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Haggett, B	F	0.3						
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Barnes, J.	F	0.1						
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Lyons, C.	F	0.1						

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 58					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A		DATE 07 Aug 20		NO 1		TIME 11:13		PID Generated, Cor		DATE 07 Aug 20		TIME 11:13		ACFT HRS WUC 00	
FAULTS/REMARKS PMD Due												ACTION COMPLETED					
ACFT HRS 5246.3		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS —		SYS A		DATE 07 Aug 20		NO 2		TIME 11:14		PID Generated, Com		DATE 07 Aug 20		TIME 11:22		ACFT HRS 5246.3	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 07 AUG 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 13 AUG 2020 REFERENCE: TM 1-1520-237-PMD												ACTION INSP COMP					
ACFT HRS 5246.3		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS —		SYS A		DATE 07 Aug 20		NO 3		TIME 11:14		PID Generated, Com		DATE 07 Aug 20		TIME 11:14		ACFT HRS 5246.3	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 07 AUG 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5255.9 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD												ACTION INSP COMP					
ACFT HRS 5246.3		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS —		SYS A		DATE 07 Aug 20		NO 3		TIME 11:14		PID Generated, Com		DATE 07 Aug 20		TIME 11:14		ACFT HRS 5246.3	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 07 AUG 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5255.9 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD												ACTION INSP COMP					
ACFT HRS 5246.3		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402			2. MODEL UH-60A			3. DATE			4. PAGE 59		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION					
STATUS —	 SYS A	DATE 07 Aug 20	NO 4	TIME 11:24	PID Generated, Cor	DATE 07 Aug 20	TIME 11:24	ACFT HRS 5246.3			
		ROUNDS	ACTION CODE 1		WUC 00						
FAULTS/REMARKS (845)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1037R16 31Jul19, AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1800r9 18Jul19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,						ACTION ENTERED IN ERROR					
ACFT HRS 5246.3		WHEN DISC O	HOW REC G	MAL EFF 2		PID	CAT	HRS	PID	CAT	HRS
DELAY		WUC 00				TIPID ,	TI MANHOURS				
STATUS —	 SYS A	DATE 07 Aug 20	NO 5	TIME 11:25	PID Generated, Com	DATE 08 Aug 20	TIME 10:33	ACFT HRS 5246.3			
		ROUNDS	ACTION CODE 6		WUC 00						
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,						ACTION Inspect Ok					
ACFT HRS 5246.3		WHEN DISC O	HOW REC G	MAL EFF 2		PID	CAT	HRS	PID	CAT	HRS
DELAY		WUC 00				TIPID ,	TI MANHOURS				
STATUS —	 SYS H	DATE 08 Aug 20	NO 1	TIME 13:24	PID HAMMETT, LEOI	DATE 10 Aug 20	TIME 16:06	ACFT HRS 5247.3			
		ROUNDS	ACTION CODE 6		WUC 14B01						
FAULTS/REMARKS Post Op check required prior to next use.						ACTION completed; insp ok					
ACFT HRS 5247.3		WHEN DISC G	HOW REC O	MAL EFF 2		PID	CAT	HRS	PID	CAT	HRS
DELAY		WUC 14B				TIPID ,	TI MANHOURS				

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 60							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		SYS A		DATE 08 Aug 20		NO 1		TIME 14:01		PID Generated, Cor		DATE 08 Aug 20		TIME 14:17		ACFT HRS			
												ROUNDS		ACTION CODE 3		WUC 00			
FAULTS/REMARKS PMD Due								ACTION COMPLETED											
								PID		CAT		HRS		PID		CAT		HRS	
								Ragoonath		F		1.0							
ACFT HRS 5247.3				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS							
STATUS —		SYS A		DATE 08 Aug 20		NO 2		TIME 14:04		PID Generated, Com		DATE 08 Aug 20		TIME 14:15		ACFT HRS 5247.3			
												ROUNDS		ACTION CODE 3		WUC 00			
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 08 AUG 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 14 AUG 2020 REFERENCE: TM 1-1520-237-PMD								ACTION completed											
								PID		CAT		HRS		PID		CAT		HRS	
								AHLERS, R		F		1.0		REPASI, R		F		1.0	
ACFT HRS 5247.3				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS							
STATUS —		SYS A		DATE 08 Aug 20		NO 3		TIME 14:04		PID Generated, Com		DATE 08 Aug 20		TIME 14:15		ACFT HRS 5247.3			
												ROUNDS		ACTION CODE 6		WUC 00			
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 08 AUG 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5257.3 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD								ACTION completed											
								PID		CAT		HRS		PID		CAT		HRS	
								TWOMEY,		F		0.1		Ragoonath		F		0.1	
ACFT HRS 5247.3				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 61							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		SYS A	DATE 10 Aug 20	NO 1	TIME 00:00	PID Generated, Cor		DATE 14 Sep 20	TIME 15:02	ACFT HRS 5259.4									
FAULTS/REMARKS INSP A501 MAIN ROTOR BLADE SPAR PRESSURE CHECK FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 15 SEP 2020 REFERENCE: TM 1-1520-237-23&P								ACTION comp					ROUNDS			ACTION CODE P		WUC 00	
ACFT HRS 5247.3				WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
DELAY				WUC 00				TIPIID ,				TI MANHOURS							
STATUS —		SYS A	DATE 10 Aug 20	NO 2	TIME 07:21	PID Generated, Com		DATE 10 Aug 20	TIME 07:21	ACFT HRS 5247.3									
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,								ACTION comp					ROUNDS			ACTION CODE 6		WUC 00	
ACFT HRS 5247.3				WHEN DISC O	HOW REC G	MAL EFF 2		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
DELAY				WUC 00				TIPIID ,				TI MANHOURS							
STATUS —		SYS A	DATE 10 Aug 20	NO 3	TIME 17:05	PID Generated, Com		DATE 10 Aug 20	TIME 17:12	ACFT HRS 5247.3									
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 10 AUG 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 15 AUG 2020 REFERENCE: TM 1-1520-237-PMD								ACTION comp					ROUNDS			ACTION CODE 3		WUC 00	
ACFT HRS 5247.3				WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
DELAY				WUC 00				TIPIID ,				TI MANHOURS							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402			2. MODEL UH-60A			3. DATE			4. PAGE 62		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION					
STATUS —	 SYS A	DATE 10 Aug 20	NO 4	TIME 17:05	PID Generated, Cor	DATE 10 Aug 20	TIME 17:13	ACFT HRS WUC 00			
FAULTS/REMARKS PMD Due						ROUNDS	ACTION CODE 3	WUC 00			
						ACTION COMPLETED					
						PID Moore, S.	CAT F	HRS 1.0	PID	CAT	HRS
ACFT HRS 5247.3	WHEN DISC O	HOW REC O	MAL EFF 1								
DELAY			WUC 00			TIPIID ,			TI MANHOURS		
STATUS —	 SYS A	DATE 10 Aug 20	NO 5	TIME 17:14	PID Generated, Com	DATE 11 Aug 20	TIME 07:40	ACFT HRS 5247.3			
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,						ROUNDS	ACTION CODE 6	WUC 00			
						ACTION Inspect Ok					
						PID HAMMETT	CAT F	HRS 0.4	PID	CAT	HRS
ACFT HRS 5247.3	WHEN DISC O	HOW REC G	MAL EFF 2								
DELAY			WUC 00			TIPIID ,			TI MANHOURS		
STATUS —	 SYS A	DATE 12 Aug 20	NO 1	TIME 08:18	PID Generated, Com	DATE 15 Aug 20	TIME 09:07	ACFT HRS 5253.4			
FAULTS/REMARKS INSP A100 LH/RH ENGINE HISTORY RECORDER READINGS DUE FOR HCPT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 18 AUG 2020 REFERENCE: DA PAM 738-751						ROUNDS	ACTION CODE 6	WUC 00			
						ACTION COMP					
						PID Barnes, J.	CAT F	HRS 0.1	PID	CAT	HRS
ACFT HRS 5248.9	WHEN DISC O	HOW REC O	MAL EFF 1								
DELAY			WUC 00			TIPIID ,			TI MANHOURS		




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 63					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS /		SYS E	DATE 12 Aug 20	NO 1	TIME 14:14	PID Baltrus, Tyler		DATE 31 Aug 20	TIME 14:04	ACFT HRS 5255.9		ROUNDS		ACTION CODE A		WUC 19E18	
FAULTS/REMARKS MAL light remained on for the duration of the flight but did not effect the performance of the GPS.								ACTION REPLACED SDC BATTERY									
ACFT HRS 5251.1		WHEN DISC G	HOW REC D	MAL EFF 2				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
DELAY		WUC 19E18						TIPIID ,				TI MANHOURS					
STATUS /		SYS A	DATE 12 Aug 20	NO 2	TIME 14:23	PID Baltrus, Tyler		DATE 25 Aug 20	TIME 12:52	ACFT HRS 5253.4		ROUNDS		ACTION CODE A		WUC 02	
FAULTS/REMARKS While attempting a crossbleed start using the #1 ENG at fly, Ng stalled at 40% and TGT would have risen above limits but the start was aborted. unable to perform crossbleed start.								ACTION REPLACED #1 ENGINE BLEED AIR SHUTOFF VALVE									
ACFT HRS 5253.4		WHEN DISC G	HOW REC C	MAL EFF 2				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
DELAY		WUC 00						TIPIID ,				TI MANHOURS					
STATUS —		SYS A	DATE 12 Aug 20	NO 3	TIME 14:23	PID Baltrus, Tyler		DATE 18 Aug 20	TIME 06:36	ACFT HRS		ROUNDS		ACTION CODE		WUC 07D01	
FAULTS/REMARKS While attempting a crossbleed start using the #1 ENG at fly, Ng stalled at 40% and TGT would have risen above limits but the start was aborted. unable to perform crossbleed start.								ACTION CLOSED IN ERROR BY DUNCAN, JONATHAN SGT Status Symbol in error.									
ACFT HRS 5251.1		WHEN DISC G	HOW REC G	MAL EFF 2				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
DELAY		WUC 07D01						TIPIID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402		2. MODEL UH-60A			3. DATE			4. PAGE 64		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION				
STATUS —		SYS A	DATE 12 Aug 20	NO 4	TIME 14:25	PID Generated, Cor	DATE 12 Aug 20	TIME 14:30	ACFT HRS 5251.1	
FAULTS/REMARKS PMD DUE						ACTION COMPLETE				
ACFT HRS 5251.1						WHEN DISC O	HOW REC G	MAL EFF 2		
DELAY						WUC 00		TIPIID ,		TI MANHOURS
STATUS —		SYS A	DATE 12 Aug 20	NO 5	TIME 14:32	PID Generated, Com	DATE 13 Aug 20	TIME 07:35	ACFT HRS 5251.1	
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,						ACTION visual inspection performed				
ACFT HRS 5251.1						WHEN DISC O	HOW REC G	MAL EFF 2		
DELAY						WUC 00		TIPIID ,		TI MANHOURS
STATUS —		SYS A	DATE 12 Aug 20	NO 6	TIME 14:32	PID Generated, Com	DATE 12 Aug 20	TIME 14:32	ACFT HRS 5251.1	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 12 AUG 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5258.3 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD						ACTION COMPLETE				
ACFT HRS 5251.1						WHEN DISC O	HOW REC O	MAL EFF 1		
DELAY						WUC 00		TIPIID ,		TI MANHOURS




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 65						
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION										
STATUS —	 SYS A	DATE 12 Aug 20	NO 7	TIME 14:33	PID Generated, Cor			DATE 12 Aug 20	TIME 14:33	ACFT HRS 5251.1								
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 12 AUG 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 17 AUG 2020 REFERENCE: TM 1-1520-237-PMD								ROUNDS			ACTION CODE 3			WUC 02				
ACFT HRS 5251.1								WHEN DISC O	HOW REC O	MAL EFF 1								
DELAY				WUC 00				TIPID ,				TI MANHOURS						
STATUS —	 SYS A	DATE 12 Aug 20	NO 8	TIME 14:34	PID Generated, Com			DATE 12 Aug 20	TIME 14:34	ACFT HRS								
FAULTS/REMARKS PMD Due								ROUNDS			ACTION CODE 3			WUC 00				
ACFT HRS 5251.1								WHEN DISC O	HOW REC O	MAL EFF 1								
DELAY				WUC 00				TIPID ,				TI MANHOURS						
ACFT HRS 5251.1								WHEN DISC O	HOW REC O	MAL EFF 1								
DELAY				WUC 00				TIPID ,				TI MANHOURS						
STATUS —	 SYS A	DATE 13 Aug 20	NO 1	TIME 00:01	PID Generated, Com			DATE 15 Aug 20	TIME 09:07	ACFT HRS 5253.4								
FAULTS/REMARKS INSP A839 APU HOUR METER READING DUE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 18 AUG 2020 REFERENCE: SOP								ROUNDS			ACTION CODE 6			WUC 00				
ACFT HRS 5251.1								WHEN DISC O	HOW REC O	MAL EFF 1								
DELAY				WUC 00				TIPID ,				TI MANHOURS						
ACFT HRS 5251.1								WHEN DISC O	HOW REC O	MAL EFF 1								
DELAY				WUC 00				TIPID ,				TI MANHOURS						




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 66			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —	 SYS E	DATE 13 Aug 20	NO 1	TIME 00:01	PID Generated, Cor			DATE 15 Aug 20	TIME 14:36	ACFT HRS 5253.4					
FAULTS/REMARKS INSP E050 ARC-220 RADIO SET BATTERY INSPECTION OR REPLACE FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 19 AUG 2020 REFERENCE: TM 11-5821-357-12P								ROUNDS	ACTION CODE 6		WUC 19				
ACFT HRS 5251.1								WHEN DISC	O	HOW REC	O	MAL EFF		1	
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
STATUS —	 SYS E	DATE 13 Aug 20	NO 2	TIME 00:01	PID Generated, Com			DATE 17 Aug 20	TIME 14:20	ACFT HRS 5253.4					
FAULTS/REMARKS INSP E220 EMERGENCY LOCATOR TRANSMITTER SELF-TEST (AS REQUIRED) FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5353.9 AIRCRAFT HOURS OR 19 AUG 2020 REFERENCE: AWR 1516 R12								ROUNDS	ACTION CODE P		WUC 00				
ACFT HRS 5251.1								WHEN DISC	O	HOW REC	O	MAL EFF		1	
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
STATUS —	 SYS E	DATE 13 Aug 20	NO 3	TIME 00:01	PID Generated, Com			DATE 28 Aug 20	TIME 10:28	ACFT HRS 5255.9					
FAULTS/REMARKS INSP E155 KY-58 BATTERY REPLACEMENT FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 18 SEP 2020 REFERENCE: TM 11-5810-262-23								ROUNDS	ACTION CODE A		WUC 02				
ACFT HRS 5251.1								WHEN DISC	O	HOW REC	O	MAL EFF		1	
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
ACFT HRS 5251.1								WHEN DISC	O	HOW REC	O	MAL EFF		1	
DELAY				WUC 00				TIPIID ,				TI MANHOURS			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 67			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —	 SYS A	DATE 13 Aug 20	NO 2	TIME 07:33	PID Generated, Cor			DATE 13 Aug 20	TIME 16:20	ACFT HRS 5253.4					
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 13 AUG 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 20 AUG 2020 REFERENCE: TM 1-1520-237-23&P								ROUNDS	ACTION CODE 6			WUC 00			
ACFT HRS 5251.1								WHEN DISC	O	HOW REC	O	MAL EFF		1	
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
STATUS —	 SYS A	DATE 13 Aug 20	NO 3	TIME 16:13	PID Generated, Com			DATE 13 Aug 20	TIME 16:14	ACFT HRS 5253.4					
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 13 AUG 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5262.1 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD								ROUNDS	ACTION CODE 6			WUC 00			
ACFT HRS 5253.4								WHEN DISC	O	HOW REC	O	MAL EFF		1	
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
STATUS —	 SYS A	DATE 13 Aug 20	NO 4	TIME 16:13	PID Generated, Com			DATE 13 Aug 20	TIME 16:21	ACFT HRS					
FAULTS/REMARKS PMD Due								ROUNDS	ACTION CODE 3			WUC 00			
ACFT HRS 5253.4								WHEN DISC	O	HOW REC	O	MAL EFF		1	
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
ACFT HRS 5253.4								WHEN DISC	O	HOW REC	O	MAL EFF		1	
DELAY				WUC 00				TIPIID ,				TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 68						
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION										
STATUS —	R CLOSED	SYS A	DATE 13 Aug 20	NO 5	TIME 16:13	PID Generated, Cor		DATE 13 Aug 20	TIME 16:19	ACFT HRS 5253.4								
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 13 AUG 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 19 AUG 2020 REFERENCE: TM 1-1520-237-PMD								ACTION completed										
ACFT HRS	5253.4	WHEN DISC	O	HOW REC	O	MAL EFF		1	PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
AHLERS, R								F		1.0	REPASI, R	F		1.0	Meshaw, T	F		1.0
Barnes, J.								F		1.0								
ACFT HRS 5253.4				WHEN DISC O		HOW REC O		MAL EFF 1		TIPIID ,				TI MANHOURS				
DELAY	WUC 00																	
STATUS —	F CLOSED	SYS A	DATE 14 Aug 20	NO 1	TIME 00:01	PID Generated, Com		DATE 25 Aug 20	TIME 07:34	ACFT HRS 5253.4								
FAULTS/REMARKS INSP A160 90 DAY CORROSION INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 01 SEP 2020 REFERENCE: TM 1-1520-237-23&P								ACTION COMP										
ACFT HRS	5253.4	WHEN DISC	O	HOW REC	O	MAL EFF		1	PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
Richards, N								F		0.1								
ACFT HRS 5253.4				WHEN DISC O		HOW REC O		MAL EFF 1		TIPIID ,				TI MANHOURS				
DELAY								WUC 00										
STATUS /	F CLOSED	SYS A	DATE 14 Aug 20	NO 2	TIME 09:40	PID DENNIS, TYLER		DATE 14 Aug 20	TIME 11:18	ACFT HRS 5253.4								
FAULTS/REMARKS INSTALLATION OF CABIN TIE DOWN RINGS REQUIRED.								ACTION INSTALLED TQ TO 118 FT LBS										
ACFT HRS	5253.4	WHEN DISC	B	HOW REC	G	MAL EFF		2	PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
Moore, J.								F		0.3								
ACFT HRS 5253.4				WHEN DISC B		HOW REC G		MAL EFF 2		TIPIID ,				TI MANHOURS				
DELAY								WUC 02										




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 69			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS X		SYS A	DATE 14 Aug 20	NO 3	TIME 09:49	PID DENNIS, TYLER		DATE 14 Aug 20	TIME 11:19	ACFT HRS 5253.4					
FAULTS/REMARKS (IN PROCESS) INSTALLATION OF CABIN TIE DOWN RINGS REQUIRED.								ACTION COMP							
ACFT HRS 5253.4								WHEN DISC G	HOW REC G	MAL EFF 1					
DELAY								WUC 02		TIPIID FAUST, JONATHAN			TI MANHOURS 0.1		
STATUS —		SYS H	DATE 15 Aug 20	NO 1	TIME 00:01	PID Generated, Com		DATE 18 Aug 20	TIME 10:54	ACFT HRS 5253.4					
FAULTS/REMARKS INSP H810 CONDUCT HOIST OPERATIONAL CHECK IAW H-60-19-AMAM-01 ADDENDUM 1 (UPDATE) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5280.9 AIRCRAFT HOURS OR 21 AUG 2020 REFERENCE: H-60-19-AMAM-01								ACTION COMP							
ACFT HRS 5253.4								WHEN DISC O	HOW REC O	MAL EFF 1					
DELAY								WUC 00		TIPIID ,			TI MANHOURS		
STATUS —		SYS E	DATE 16 Aug 20	NO 1	TIME 00:01	PID Generated, Com		DATE 17 Aug 20	TIME 10:49	ACFT HRS 5253.4					
FAULTS/REMARKS INSP E108 KY-58 PMCS/OPNL CHECK (STANDBY) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 22 AUG 2020 REFERENCE: TM 11-5810-262-23								ACTION na no secure fills							
ACFT HRS 5253.4								WHEN DISC O	HOW REC O	MAL EFF 1					
DELAY								WUC 00		TIPIID ,			TI MANHOURS		




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 70								
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION												
STATUS —	 SYS A	DATE 17 Aug 20	NO 1	TIME 00:01	PID Generated, Cor			DATE 18 Aug 20	TIME 13:35	ACFT HRS 5253.4										
FAULTS/REMARKS INSP A103 AIRCRAFT WASH DUE FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 23 AUG 2020 REFERENCE: TM 1-1500-344-23								ROUNDS	ACTION CODE 6		WUC 00									
ACFT HRS 5253.4								WHEN DISC O	HOW REC O	MAL EFF 1	Ragoonati		F	1.0	BROWN, L	F	1.0			
DELAY				WUC 00				TIPIID ,				TI MANHOURS								
STATUS —	 SYS A	DATE 17 Aug 20	NO 2	TIME 00:01	PID Generated, Com			DATE 17 Aug 20	TIME 14:13	ACFT HRS 5253.4										
FAULTS/REMARKS INSP A092 30 DAY SLAB BATTERY INSPECTION (D8565/11-1) FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 23 AUG 2020 REFERENCE: TM 11-6140-203-23 P								ROUNDS	ACTION CODE P		WUC 00									
ACFT HRS 5253.4								WHEN DISC O	HOW REC O	MAL EFF 1	DUNCAN,		F	0.1						
DELAY				WUC 00				TIPIID ,				TI MANHOURS								
STATUS —	 SYS A	DATE 17 Aug 20	NO 3	TIME 00:01	PID Generated, Com			DATE 18 Aug 20	TIME 13:44	ACFT HRS 5253.4										
FAULTS/REMARKS INSP A115 LUBE REQUIRMENTS FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 23 AUG 2020 OR 5280.9 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23&P								ROUNDS	ACTION CODE 5		WUC 00									
ACFT HRS 5253.4								WHEN DISC O	HOW REC O	MAL EFF 1	Barnes, J.		F	1.0	Ragoonati	F	1.0	Moore, J.	F	1.0
DELAY				WUC 00				TIPIID ,				TI MANHOURS								




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 71				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS A	DATE 17 Aug 20	NO 4	TIME 00:01	PID Generated, Cor		DATE 18 Aug 20	TIME 10:55	ACFT HRS 5253.4						
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 20 AUG 2020 REFERENCE: TM 1-1520-237-PMD								ACTION completed								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								TWOMEY,	F	1.0	Moore, J.	F	1.0	Ragoonath	F	1.0
ACFT HRS 5253.4		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY			WUC 00					TIPIID ,			TI MANHOURS					
STATUS —		SYS A	DATE 18 Aug 20	NO 1	TIME 10:51	PID Generated, Com		DATE 18 Aug 20	TIME 10:56	ACFT HRS						
FAULTS/REMARKS PMD Due								ACTION COMPLETED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Ragoonath	F	1.0						
ACFT HRS 5253.4		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY			WUC 00					TIPIID ,			TI MANHOURS					
STATUS —		SYS A	DATE 18 Aug 20	NO 2	TIME 10:58	PID Generated, Com		DATE 18 Aug 20	TIME 11:00	ACFT HRS 5253.4						
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-AMAM-07 DESCRIPTION: COMPLY WITH H-60-20-AMAM-07, UPDATED ENGINE INLET BARRIER FILTER INSPECTION PROCEDURES, BY 14 FEB 21.. IS DUE: 14 FEB 2021 CALENDAR								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								BARBEE, A	F	0.1						
ACFT HRS 5253.4		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY			WUC 00					TIPIID BARBEE, ANDREW			TI MANHOURS 0.1					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402			2. MODEL UH-60A			3. DATE			4. PAGE 72		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION					
STATUS X		SYS A	DATE 18 Aug 20	NO 3	TIME 12:45	PID Ragoonath, Dev	DATE 18 Aug 20	TIME 13:45	ACFT HRS 5253.4		
FAULTS/REMARKS (IN PROCESS) INSP A115 LUBE REQUIRMENTS FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 23 AUG 2020 OR 5280.9 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23&P						ACTION comp					
						PID	CAT	HRS	PID	CAT	HRS
						Ragoonath	F	0.1			
ACFT HRS 5253.4		WHEN DISC O	HOW REC O	MAL EFF 1							
DELAY			WUC 00			TIPIID DUNCAN, JONATHAN			TI MANHOURS 0.3		
STATUS /		SYS A	DATE 18 Aug 20	NO 4	TIME 14:57	PID DENNIS, TYLER	DATE 26 Aug 20	TIME 14:12	ACFT HRS 5253.4		
FAULTS/REMARKS TAIL LANDING GEAR MAKES POPPING NOISE DURING AIRCRAFT TOWING. INSPECT TAIL LANDING GEAR AT NEXT 40 HOUR INSPECTION.						ACTION INSPECTED OK					
						PID	CAT	HRS	PID	CAT	HRS
						Rowe, S.	F	0.1			
ACFT HRS 5253.4		WHEN DISC O	HOW REC G	MAL EFF 2							
DELAY			WUC 03B			TIPIID ,			TI MANHOURS		
STATUS —		SYS A	DATE 22 Aug 20	NO 1	TIME 00:01	PID Generated, Com	DATE 26 Aug 20	TIME 00:00	ACFT HRS 5253.4		
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 25 AUG 2020 REFERENCE: TM 1-1520-237-PMD						ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON AUG 26 2020 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT					
						PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 5253.4		WHEN DISC O	HOW REC O	MAL EFF 1							
DELAY			WUC 00			TIPIID ,			TI MANHOURS		

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 73			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS X	F CLOSED	SYS A	DATE 24 Aug 20	NO 1	TIME 08:09	PID Richards, Micha		DATE 25 Aug 20	TIME 07:34	ACFT HRS 5253.4					
								ROUNDS	ACTION CODE P	WUC 02					
FAULTS/REMARKS (IN PROCESS) INSP A160 90 DAY CORROSION INSPECTION FOR HCPT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 01 SEP 2020 REFERENCE: TM 1-1520-237-23&P								ACTION COMP							
ACFT HRS 5253.4		WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 02				TIPIID FAUST, JONATHAN				TI MANHOURS 0.1			
STATUS X	F CLOSED	SYS A	DATE 25 Aug 20	NO 1	TIME 09:00	PID Rowe, Steven		DATE 25 Aug 20	TIME 13:00	ACFT HRS 5253.4					
								ROUNDS	ACTION CODE P	WUC 02					
FAULTS/REMARKS (IN-PROCESS) TAIL LANDING GEAR MAKES POPPING NOISE DURING AIRCRAFT TOWING. INSPECT TAIL LANDING GEAR AT NEXT 40 HOUR INSPECTION.								ACTION INSPECTED OK							
ACFT HRS 5253.4		WHEN DISC B	HOW REC G	MAL EFF 2											
DELAY				WUC 02				TIPIID FAUST, JONATHAN				TI MANHOURS 0.1			
STATUS X	F CLOSED	SYS A	DATE 25 Aug 20	NO 2	TIME 10:25	PID Rowe, Steven		DATE 25 Aug 20	TIME 12:51	ACFT HRS 5253.4					
								ROUNDS	ACTION CODE A	WUC 02					
FAULTS/REMARKS (IN-PROCESS) While attempting a crossbleed start using the #1 ENG at fly, Ng stalled at 40% and TGT would have risen above limits but the start was aborted. unable to perform crossbleed start.								ACTION COMP							
ACFT HRS 5253.4		WHEN DISC B	HOW REC G	MAL EFF 2											
DELAY				WUC 02				TIPIID FAUST, JONATHAN				TI MANHOURS 0.1			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 74				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS X		SYS A	DATE 25 Aug 20	NO 3	TIME 10:56	PID TWOMEY, DANI		DATE 26 Aug 20	TIME 17:01	ACFT HRS 5253.4						
FAULTS/REMARKS T/L/G YOKE TEFLON WASHER DISBONDED								ACTION REBONDED UPPER AND LOWER WASHER								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Rowe, S.	F	3.0						
ACFT HRS 5253.4		WHEN DISC K		HOW REC G		MAL EFF 1										
DELAY				WUC 03B				TIPID SHORTER, MATTHEW				TI MANHOURS 0.1				
STATUS —		SYS A	DATE 25 Aug 20	NO 4	TIME 12:54	PID Rowe, Steven		DATE 27 Aug 20	TIME 12:39	ACFT HRS 5253.4						
FAULTS/REMARKS OPERATIONAL CHECK OF #1 ENGINE BLEED AIR SHUTOFF VALVE REQUIRED DUE TO REPLACEMENT PER WP 0090.								ACTION MOC'd OK								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								UNDERWG	F	0.5						
ACFT HRS 5253.4		WHEN DISC B		HOW REC G		MAL EFF 2										
DELAY				WUC 02				TIPID ,				TI MANHOURS				
STATUS X		SYS A	DATE 26 Aug 20	NO 1	TIME 00:00	PID Generated, Com		DATE 26 Aug 20	TIME 14:08	ACFT HRS 5253.4						
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 WAS DUE. STATUS UPGRADED TO X ON: 25 AUG 2020 REFERENCE: TM 1-1520-237-PMD								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Rowe, S.	F	0.1						
ACFT HRS 5253.4		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPID FAUST, JONATHAN				TI MANHOURS 0.1				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 75			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —	 SYS A	DATE 26 Aug 20	NO 2	TIME 00:00	PID Generated, Cor			DATE 27 Aug 20	TIME 12:38	ACFT HRS 5253.4					
FAULTS/REMARKS INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 28 AUG 2020 REFERENCE: TM 1-1520-237-23&P								ROUNDS	ACTION CODE P			WUC 02			
ACFT HRS 5253.4								WHEN DISC	O	HOW REC	O	MAL EFF		1	
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
STATUS —	 SYS A	DATE 26 Aug 20	NO 1	TIME 10:04	PID Generated, Com			DATE 26 Aug 20	TIME 10:14	ACFT HRS 752.4					
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-AMAM-09 DESCRIPTION: COMPLY WITH H-60-20-AMAM-09, ATTITUDE HEADING REFERENCE UNIT (AHRU) REPLACEMENT, BY 24SEP2020 FOR ATTITUDE HEADING REFERENCE UNIT CAGE: A3379 PN: 765100-20 NSN: 6605015035284 SN: 10701 IS DUE: 24 SEP 2020 CALENDAR								ROUNDS	ACTION CODE P			WUC 08			
ACFT HRS 752.4								WHEN DISC	O	HOW REC	O	MAL EFF		1	
DELAY				WUC 19E06A				TIPIID TUTHEROW, MICHAEL				TI MANHOURS 0.1			
STATUS —	 SYS A	DATE 26 Aug 20	NO 3	TIME 10:13	PID TUTHEROW, MIK			DATE 10 Sep 20	TIME 13:34	ACFT HRS 5259.4					
FAULTS/REMARKS ATTITUDE HEADING REFERENCE UNIT PN 765100-20 AND CONTROL UNIT 765200-20 REQUIRE REPLACEMENT PER H-60-20-AMAM-09 BY 25AUG2022								ROUNDS	ACTION CODE P			WUC 00			
ACFT HRS 5253.4								WHEN DISC	O	HOW REC	O	MAL EFF		1	
DELAY				WUC 08				TIPIID ,				TI MANHOURS			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 76				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		 SYS A	DATE 26 Aug 20		NO 4	TIME 11:02		PID Generated, Cor			DATE 26 Aug 20		TIME 11:04		ACFT HRS 5253.4	
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-AMAM-09 DESCRIPTION: COMPLY WITH H-60-20-AMAM-09, ATTITUDE HEADING REFERENCE UNIT (AHRU) REPLACEMENT, BY 24SEP2020. IS DUE: 24 SEP 2020 CALENDAR								ACTION insp comp								
ACFT HRS 5253.4		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPID TUTHEROW, MICHAEL				TI MANHOURS 0.1				
STATUS —		 SYS A	DATE 26 Aug 20		NO 5	TIME 14:15		PID Generated, Com			DATE 26 Aug 20		TIME 14:15		ACFT HRS	
FAULTS/REMARKS PMD Due								ACTION COMPLETED								
ACFT HRS 5253.4		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPID ,				TI MANHOURS				
STATUS —		 SYS A	DATE 27 Aug 20		NO 1	TIME 16:36		PID Generated, Com			DATE 27 Aug 20		TIME 16:36		ACFT HRS 5253.4	
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,								ACTION comp								
ACFT HRS 5253.4		WHEN DISC O		HOW REC G		MAL EFF 2										
DELAY				WUC 00				TIPID ,				TI MANHOURS				

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 77					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS X	L Close	SYS A	DATE 28 Aug 20	NO 1	TIME 10:03	PID Chavis, Carlton		DATE 28 Aug 20	TIME 11:11	ACFT HRS 5255.9		ROUNDS		ACTION CODE 6		WUC 02	
FAULTS/REMARKS (IN PROCESS) IVHUMMS CARD EJECT BUTTON BROKEN								ACTION COMP									
ACFT HRS 5255.9		WHEN DISC O	HOW REC G	MAL EFF 1		PID Chavis, C.		CAT F	HRS 0.1	PID CAT HRS		PID CAT HRS		PID CAT HRS		PID CAT HRS	
DELAY				WUC 08F01				TIPID LLOYD, JUSTIN				TI MANHOURS 0.1					
STATUS —	R Close	SYS A	DATE 28 Aug 20	NO 2	TIME 15:43	PID Generated, Com		DATE 28 Aug 20	TIME 15:54	ACFT HRS 5255.9		ROUNDS		ACTION CODE P		WUC 02	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 28 AUG 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5264.4 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD								ACTION COMP									
ACFT HRS 5255.9		WHEN DISC O	HOW REC O	MAL EFF 1		PID Ragoonath		CAT F	HRS 1.9	PID Hilton, J.		CAT F	HRS 1.9	PID CAT HRS		PID CAT HRS	
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS —	R Close	SYS A	DATE 28 Aug 20	NO 3	TIME 15:43	PID Generated, Com		DATE 28 Aug 20	TIME 15:53	ACFT HRS 5255.9		ROUNDS		ACTION CODE P		WUC 02	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 28 AUG 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 01 SEP 2020 REFERENCE: TM 1-1520-237-PMD								ACTION COMP									
ACFT HRS 5255.9		WHEN DISC O	HOW REC O	MAL EFF 1		PID Ragoonath		CAT F	HRS 0.1	PID Hilton, J.		CAT F	HRS 0.1	PID CAT HRS		PID CAT HRS	
DELAY				WUC 00				TIPID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402		2. MODEL UH-60A			3. DATE			4. PAGE 78			
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION					
STATUS —	 SYS A	DATE 28 Aug 20	NO 4	TIME 15:56	PID Generated, Cor	DATE 28 Aug 20	TIME 15:56	ACFT HRS WUC 00			
FAULTS/REMARKS PMD Due						ACTION COMPLETED					
						PID	CAT	HRS	PID	CAT	HRS
						Richards, N	F	1.9			
ACFT HRS	5255.9	WHEN DISC	O	HOW REC	O	MAL EFF	1				
DELAY						WUC	00	TIPIID			
STATUS —	 SYS A	DATE 28 Aug 20	NO 5	TIME 15:57	PID Generated, Com	DATE 09 Sep 20	TIME 07:21	ACFT HRS 5255.9			
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,						ACTION comp					
						PID	CAT	HRS	PID	CAT	HRS
						BOWERS, E	F	0.1			
ACFT HRS	5255.9	WHEN DISC	O	HOW REC	G	MAL EFF	2				
DELAY						WUC	00	TIPIID			
STATUS /	 SYS E	DATE 31 Aug 20	NO 1	TIME 10:06	PID Chavis, Carlton	DATE 31 Aug 20	TIME 11:28	ACFT HRS 5255.9			
FAULTS/REMARKS Uniform radio has loud squeal when turned on. It did not go away during the flight.						ACTION REPLACED UHF CONTROL HEAD					
						PID	CAT	HRS	PID	CAT	HRS
						Chavis, C.	F	0.1			
ACFT HRS	5255.9	WHEN DISC	O	HOW REC	B	MAL EFF	1				
DELAY	40 Hr, CSM Shorter					WUC	19B02	TIPIID			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 79					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS X		SYS A	DATE 31 Aug 20	NO 1	TIME 10:18	PID Chavis, Carlton		DATE 31 Aug 20	TIME 11:27	ACFT HRS 5255.9		ROUNDS		ACTION CODE A		WUC 19B02	
FAULTS/REMARKS (IN PROCESS) Uniform radio has loud squeal when turned on. It did not go away during the flight.								ACTION COMP									
ACFT HRS 5255.9		WHEN DISC O	HOW REC B	MAL EFF 1				PID Chavis, C.	CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 19B02				TIPID LLOYD, JUSTIN				TI MANHOURS 0.1					
STATUS —		SYS A	DATE 01 Sep 20	NO 1	TIME 00:00	PID Generated, Com		DATE 04 Sep 20	TIME 09:07	ACFT HRS 5255.9		ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 04 SEP 2020 REFERENCE: TM 1-1520-237-PMD								ACTION PMD COMP									
ACFT HRS 5255.9		WHEN DISC O	HOW REC O	MAL EFF 1				PID Ryan, W.	CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS —		SYS A	DATE 01 Sep 20	NO 2	TIME 11:18	PID Generated, Com		DATE 04 Sep 20	TIME 09:18	ACFT HRS 5255.9		ROUNDS		ACTION CODE P		WUC 00	
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-09 DESCRIPTION: COMPLY WITH H-60-20-ASAM-09, NON-CONFORMING TAIL ROTOR PUSH ROD END, BY 06 SEP 20.. IS DUE: 31 AUG 2024 CALENDAR								ACTION TAIL ROTOR PUSHROD CLEVIS ROD END IN COMPLIANCE WITH H-60-20- ASAM-09									
ACFT HRS 5255.9		WHEN DISC O	HOW REC O	MAL EFF 1				PID Ryan, W.	CAT F	HRS 0.2	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 00				TIPID BARBEE, ANDREW				TI MANHOURS 0.1					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 80					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —	 SYS A	DATE 04 Sep 20	NO 1	TIME 08:47	PID Generated, Cor			DATE 04 Sep 20	TIME 09:05	ACFT HRS 5255.9							
FAULTS/REMARKS PMD DUE								ROUNDS	ACTION CODE 3		WUC 00						
ACFT HRS 5255.9								WHEN DISC O	HOW REC G	MAL EFF 2			ACTION PMD COMP				
								DELAY			WUC 00			TI PID ,			TI MANHOURS
STATUS —	 SYS A	DATE 04 Sep 20	NO 2	TIME 08:48	PID Generated, Com			DATE 04 Sep 20	TIME 08:52	ACFT HRS 5255.9							
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 04 SEP 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5266.9 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD								ROUNDS	ACTION CODE 3		WUC 00						
ACFT HRS 5255.9								WHEN DISC O	HOW REC O	MAL EFF 1			ACTION INSP COMP				
								DELAY			WUC 00			TI PID ,			TI MANHOURS
STATUS —	 SYS A	DATE 04 Sep 20	NO 3	TIME 13:38	PID Generated, Com			DATE 04 Sep 20	TIME 13:38	ACFT HRS							
FAULTS/REMARKS PMD Due								ROUNDS	ACTION CODE 3		WUC 00						
ACFT HRS 5255.9								WHEN DISC O	HOW REC O	MAL EFF 1			ACTION COMPLETED				
								DELAY			WUC 00			TI PID ,			TI MANHOURS
ACFT HRS 5255.9								WHEN DISC O	HOW REC O	MAL EFF 1			ACTION COMPLETED				
								DELAY			WUC 00			TI PID ,			TI MANHOURS




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 81			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —	 SYS A	DATE 08 Sep 20	NO 1	TIME 00:00	PID Generated, Cor			DATE 10 Sep 20	TIME 11:19	ACFT HRS 5259.4					
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 11 SEP 2020 REFERENCE: TM 1-1520-237-PMD								ROUNDS	ACTION CODE 3			WUC 00			
ACFT HRS 5255.9								WHEN DISC	O	HOW REC	O	MAL EFF		1	
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
STATUS —	 SYS A	DATE 09 Sep 20	NO 1	TIME 00:01	PID Generated, Com			DATE 09 Sep 20	TIME 15:00	ACFT HRS 5259.4					
FAULTS/REMARKS INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 11 SEP 2020 REFERENCE: TM 1-1520-237-23&P								ROUNDS	ACTION CODE P			WUC 00			
ACFT HRS 5255.9								WHEN DISC	O	HOW REC	O	MAL EFF		1	
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
STATUS —	 SYS A	DATE 10 Sep 20	NO 1	TIME 11:12	PID Generated, Com			DATE 10 Sep 20	TIME 11:12	ACFT HRS					
FAULTS/REMARKS PMD Due								ROUNDS	ACTION CODE 3			WUC 00			
ACFT HRS 5259.4								WHEN DISC	O	HOW REC	O	MAL EFF		1	
DELAY				WUC 00				TIPIID ,				TI MANHOURS			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 82			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —	 SYS A	DATE 10 Sep 20	NO 2	TIME 11:21	PID Generated, Cor			DATE 16 Sep 20	TIME 08:49	ACFT HRS 5259.4					
		ROUNDS	ACTION CODE 3			WUC 00									
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,								ACTION COMPLETE							
ACFT HRS 5259.4				WHEN DISC O	HOW REC G	MAL EFF 2		PID	CAT	HRS	PID	CAT	HRS		
DELAY				WUC 00				TIPIID ,			TI MANHOURS				
STATUS —	 SYS A	DATE 10 Sep 20	NO 3	TIME 11:22	PID Generated, Com			DATE 10 Sep 20	TIME 11:23	ACFT HRS 5259.4					
		ROUNDS	ACTION CODE P			WUC 00									
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 10 SEP 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5266.9 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD								ACTION comp							
ACFT HRS 5259.4				WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS		
DELAY				WUC 00				TIPIID ,			TI MANHOURS				
STATUS —	 SYS A	DATE 12 Sep 20	NO 1	TIME 00:01	PID Generated, Com			DATE 15 Sep 20	TIME 09:07	ACFT HRS 5259.4					
		ROUNDS	ACTION CODE 6			WUC 02									
FAULTS/REMARKS INSP A100 LH/RH ENGINE HISTORY RECORDER READINGS DUE FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 18 SEP 2020 REFERENCE: DA PAM 738-751								ACTION COMP							
ACFT HRS 5259.4				WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS		
DELAY				WUC 00				TIPIID ,			TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 83			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS E	DATE 12 Sep 20	NO 1	TIME 00:01	PID Generated, Cor		DATE 14 Sep 20	TIME 15:04	ACFT HRS 5259.4					
							ROUNDS	ACTION CODE P		WUC 00					
FAULTS/REMARKS INSP E220 EMERGENCY LOCATOR TRANSMITTER SELF-TEST (AS REQUIRED) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5378.4 AIRCRAFT HOURS OR 18 SEP 2020 REFERENCE: AWR 1516 R12								ACTION comp							
		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS					
		TWOMEY,	F	0.1											
ACFT HRS 5259.4		WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TI MANHOURS							
STATUS —		SYS E	DATE 12 Sep 20	NO 2	TIME 00:01	PID Generated, Com		DATE 14 Sep 20	TIME 15:05	ACFT HRS 5259.4					
							ROUNDS	ACTION CODE P		WUC 00					
FAULTS/REMARKS INSP E050 ARC-220 RADIO SET BATTERY INSPECTION OR REPLACE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 18 SEP 2020 REFERENCE: TM 11-5821-357-12P								ACTION batteries not installed							
		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS					
		FAUST, J.	F	0.1											
ACFT HRS 5259.4		WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TI MANHOURS							
STATUS —		SYS A	DATE 13 Sep 20	NO 1	TIME 00:01	PID Generated, Com		DATE 15 Sep 20	TIME 00:00	ACFT HRS 5259.4					
							ROUNDS	ACTION CODE 6		WUC 02					
FAULTS/REMARKS INSP A839 APU HOUR METER READING DUE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 18 SEP 2020 REFERENCE: SOP								ACTION COMP							
		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS					
		Bowman, R	F	0.3											
ACFT HRS 5259.4		WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TI MANHOURS							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 84				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS O	DATE 14 Sep 20	NO 1	TIME 00:01	PID Generated, Cor		DATE 18 Sep 20	TIME 09:38	ACFT HRS 5259.4						
FAULTS/REMARKS INSP O806 LOGBOOK RECONCILIATION FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 21 SEP 2020 REFERENCE: ATP 3-04.7								ACTION COMPLIED WITH								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								ANDERS, B	F	0.1						
ACFT HRS 5259.4		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 14 Sep 20	NO 1	TIME 00:01	PID Generated, Com		DATE 18 Sep 20	TIME 00:00	ACFT HRS 5259.4						
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 17 SEP 2020 REFERENCE: TM 1-1520-237-PMD								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON SEP 18 2020 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 5259.4		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS H	DATE 14 Sep 20	NO 1	TIME 00:01	PID Generated, Com		DATE 14 Sep 20	TIME 11:04	ACFT HRS 5259.4						
FAULTS/REMARKS INSP H810 CONDUCT HOIST OPERATIONAL CHECK IAW H-60-19-AMAM-01 ADDENDUM 1 (UPDATE) FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5297.4 AIRCRAFT HOURS OR 20 SEP 2020 REFERENCE: H-60-19-AMAM-01								ACTION insp comp used zephyr								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								TWOMEY, F	F	1.0						
ACFT HRS 5259.4		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 85					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS X		SYS A	DATE 14 Sep 20	NO 2	TIME 11:15	PID TWOMEY, DANI		DATE 14 Sep 20	TIME 13:01	ACFT HRS 5259.4		ROUNDS		ACTION CODE A		WUC 19R	
FAULTS/REMARKS ELT FAILS SELF TEST INSP								ACTION REPLACED BATT AND ANT, MOC OK									
ACFT HRS 5259.4		WHEN DISC O	HOW REC G	MAL EFF 1				PID Phillips, E.	CAT F	HRS 0.2	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 19R				TIPIID FAUST, JONATHAN				TI MANHOURS 0.1					
STATUS —		SYS E	DATE 15 Sep 20	NO 1	TIME 00:00	PID Generated, Com		DATE 16 Sep 20	TIME 14:50	ACFT HRS 5259.4		ROUNDS		ACTION CODE P		WUC 00	
FAULTS/REMARKS INSP E108 KY-58 PMCS/OPNL CHECK (STANDBY) FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 21 SEP 2020 REFERENCE: TM 11-5810-262-23								ACTION na no secure fills									
ACFT HRS 5259.4		WHEN DISC O	HOW REC O	MAL EFF 1				PID DUNCAN,	CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —		SYS A	DATE 16 Sep 20	NO 1	TIME 00:00	PID Generated, Com		DATE 18 Sep 20	TIME 07:37	ACFT HRS 5259.4		ROUNDS		ACTION CODE P		WUC 00	
FAULTS/REMARKS INSP A092 30 DAY SLAB BATTERY INSPECTION (D8565/11-1) FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 22 SEP 2020 REFERENCE: TM 11-6140-203-23 P								ACTION insp comp checked serviceable									
ACFT HRS 5259.4		WHEN DISC O	HOW REC O	MAL EFF 1				PID TWOMEY,	CAT F	HRS 0.2	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 00				TIPIID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 86					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —	 SYS A	DATE 16 Sep 20	NO 2	TIME 00:00	PID Generated, Cor			DATE 18 Sep 20	TIME 08:09	ACFT HRS 5259.4							
		WHEN DISC O	HOW REC O	MAL EFF 1	ROUNDS		ACTION CODE 1		WUC 00								
FAULTS/REMARKS INSP A103 AIRCRAFT WASH DUE FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 22 SEP 2020 REFERENCE: TM 1-1500-344-23								ACTION COMP									
ACFT HRS 5259.4								PID	CAT	HRS	PID	CAT	HRS				
TWOMEY,		F		0.3													
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —	 SYS A	DATE 16 Sep 20	NO 3	TIME 00:00	PID Generated, Com			DATE 18 Sep 20	TIME 08:47	ACFT HRS 5259.4							
		WHEN DISC O	HOW REC O	MAL EFF 1	ROUNDS		ACTION CODE 1		WUC 00								
FAULTS/REMARKS INSP A115 LUBE REQUIRMENTS FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 22 SEP 2020 OR 5297.4 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23&P								ACTION LUBE COMP									
ACFT HRS 5259.4								PID	CAT	HRS	PID	CAT	HRS				
Klein, J.		F		0.2		BROWN, L		F		0.2		Moore, S.					
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS X	 SYS A	DATE 16 Sep 20	NO 4	TIME 10:35	PID FAUST, JONATH.			DATE 16 Sep 20	TIME 12:53	ACFT HRS 5259.4							
		WHEN DISC B	HOW REC G	MAL EFF 2	ROUNDS		ACTION CODE A		WUC 04								
FAULTS/REMARKS NO 1 ENGINE WILL NOT START. FUEL MIST SEEN COMMING FROM EXHAUST BUT NO SPARK								ACTION REPLACED IGNITION EXCITER ASSY AND IGNITER PLUGS									
ACFT HRS 5259.4								PID	CAT	HRS	PID	CAT	HRS				
LEWIS, B.		F		1.0													
DELAY				WUC 04A				TIPIID Martin, Joel				TI MANHOURS 0.2					

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A			3. DATE			4. PAGE 87				
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION								
STATUS —	E CLOSED	SYS A	DATE 16 Sep 20	NO 5	TIME 12:55	PID Ziegler, Luke	DATE 16 Sep 20	TIME 13:26	ACFT HRS 5259.4					
FAULTS/REMARKS ENGINE STARTING PROCEDURES MOC REQUIRED OF NO.1 ENGINE DUE TO REPLACEMENT OF IGNITION EXCITER ASSY AND IGNITER PLUGS						ROUNDS	ACTION CODE P		WUC 00					
ACTION MOC OK														
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
						ELMORE, J	F	0.1						
ACFT HRS 5259.4		WHEN DISC G	HOW REC B	MAL EFF 1										
DELAY			WUC 04			TIPIID ,			TI MANHOURS					
STATUS —	E CLOSED	SYS A	DATE 16 Sep 20	NO 6	TIME 13:28	PID Generated, Com	DATE 16 Sep 20	TIME 13:28	ACFT HRS 5259.4					
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 16 SEP 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 25 SEP 2020 REFERENCE: TM 1-1520-237-23&P						ROUNDS	ACTION CODE P		WUC 00					
ACTION COMP														
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
						ELMORE, J	F	0.1						
ACFT HRS 5259.4		WHEN DISC O	HOW REC O	MAL EFF 1										
DELAY			WUC 00			TIPIID ,			TI MANHOURS					
STATUS —	T CLOSED	SYS A	DATE 17 Sep 20	NO 1	TIME 00:00	PID Generated, Com	DATE 18 Sep 20	TIME 12:45	ACFT HRS 5259.4					
FAULTS/REMARKS INSP A177 90 DAY REVIEW/UPDATE OF 365-4 ENTRIES FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 05 OCT 2020 REFERENCE: AR 95-1						ROUNDS	ACTION CODE 6		WUC 00					
ACTION comp														
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
						TWOMEY, F	F	0.1						
ACFT HRS 5259.4		WHEN DISC O	HOW REC O	MAL EFF 1										
DELAY			WUC 00			TIPIID ,			TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 88			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —	 SYS A	DATE 17 Sep 20	NO 1	TIME 11:41	PID Generated, Cor			DATE 18 Sep 20	TIME 09:49	ACFT HRS 778.4					
		ROUNDS	ACTION CODE P			WUC 00									
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR M/R SPINDLE NUT CAGE: 0JT27 PN: 70102-08105-102 NSN: 5310011269444 SN: 479WG1010400184 IS DUE: 15 OCT 2020 CALENDAR								ACTION COMPLIED WITH							
ACFT HRS 778.4		WHEN DISC O	HOW REC O	MAL EFF 1		PID		CAT	HRS	PID		CAT	HRS		
DELAY		WUC 05A01104		TIPID TUTHEROW, MICHAEL				TI MANHOURS 0.1							
STATUS —	 SYS A	DATE 17 Sep 20	NO 1	TIME 11:41	PID Generated, Com			DATE 18 Sep 20	TIME 09:46	ACFT HRS 3610.4					
		ROUNDS	ACTION CODE P			WUC 00									
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR M/R SPINDLE NUT CAGE: 78286 PN: 70102-08105-102 NSN: 5310011269444 SN: D47914989 IS DUE: 15 OCT 2020 CALENDAR								ACTION COMPLIED WITH							
ACFT HRS 3610.4		WHEN DISC O	HOW REC O	MAL EFF 1		PID		CAT	HRS	PID		CAT	HRS		
DELAY		WUC 05A01104		TIPID TUTHEROW, MICHAEL				TI MANHOURS 0.1							
STATUS —	 SYS A	DATE 17 Sep 20	NO 1	TIME 11:41	PID Generated, Com			DATE 18 Sep 20	TIME 09:40	ACFT HRS 778.4					
		ROUNDS	ACTION CODE P			WUC 00									
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR M/R SPINDLE NUT CAGE: 0JT27 PN: 70102-08105-102 NSN: 5310011269444 SN: 479WG1010400102 IS DUE: 15 OCT 2020 CALENDAR								ACTION COMPLIED WITH							
ACFT HRS 778.4		WHEN DISC O	HOW REC O	MAL EFF 1		PID		CAT	HRS	PID		CAT	HRS		
DELAY		WUC 05A01104		TIPID TUTHEROW, MICHAEL				TI MANHOURS 0.1							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 89				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS A	DATE 17 Sep 20	NO 1	TIME 11:46	PID Generated, Cor		DATE 18 Sep 20	TIME 09:47	ACFT HRS 3680.4						
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR CONTROL HORN ASSY CAGE: 78286 PN: 70102-08111-047 NSN: 1615012149140 SN: A24110389 IS DUE: 15 OCT 2020 CALENDAR								ROUNDS	ACTION CODE P		WUC 00		ACTION COMPLIED WITH			
ACFT HRS 3680.4				WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 05A01107				TIPIID TUTHEROW, MICHAEL				TI MANHOURS 0.1				
STATUS —		SYS A	DATE 17 Sep 20	NO 1	TIME 11:46	PID Generated, Com		DATE 18 Sep 20	TIME 09:43	ACFT HRS 626.4						
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR CONTROL HORN ASSY CAGE: 78286 PN: 70102-08111-047 NSN: 1615012149140 SN: H24100494 IS DUE: 15 OCT 2020 CALENDAR								ROUNDS	ACTION CODE P		WUC 00		ACTION COMPLIED WITH			
ACFT HRS 626.4				WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 05A01107				TIPIID TUTHEROW, MICHAEL				TI MANHOURS 0.1				
STATUS —		SYS A	DATE 17 Sep 20	NO 1	TIME 11:46	PID Generated, Com		DATE 18 Sep 20	TIME 09:36	ACFT HRS 4003.4						
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR CONTROL HORN ASSY CAGE: 78286 PN: 70102-08111-047 NSN: 1615012149140 SN: A24110452 IS DUE: 15 OCT 2020 CALENDAR								ROUNDS	ACTION CODE P		WUC 00		ACTION COMPLIED WITH			
ACFT HRS 4003.4				WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 05A01107				TIPIID TUTHEROW, MICHAEL				TI MANHOURS 0.1				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402		2. MODEL UH-60A			3. DATE			4. PAGE 90						
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION								
STATUS —	 SYS A	DATE 17 Sep 20	NO 1	TIME 11:48	PID Generated, Cor	DATE 18 Sep 20	TIME 09:43	ACFT HRS 3578.4						
		ROUNDS	ACTION CODE P		WUC 00									
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR MAIN ROTOR SPINDLE ASSY CAGE: 78286 PN: 70102-08200-069 NSN: 1615014426926 SN: A00100513 IS DUE: 15 OCT 2020 CALENDAR						ACTION COMPLIED WITH								
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
						ANDERS, B	F	0.1						
ACFT HRS 3578.4		WHEN DISC O	HOW REC O	MAL EFF 1										
DELAY			WUC 05A011			TIPID TUTHEROW, MICHAEL			TI MANHOURS 0.1					
STATUS —	 SYS A	DATE 17 Sep 20	NO 1	TIME 11:48	PID Generated, Com	DATE 18 Sep 20	TIME 09:37	ACFT HRS 626.4						
		ROUNDS	ACTION CODE P		WUC 00									
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR MAIN ROTOR SPINDLE ASSY CAGE: 78286 PN: 70102-08200-069 NSN: 1615014426926 SN: A00110264 IS DUE: 15 OCT 2020 CALENDAR						ACTION COMPLIED WITH								
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
						ANDERS, B	F	0.1						
ACFT HRS 626.4		WHEN DISC O	HOW REC O	MAL EFF 1										
DELAY			WUC 05A011			TIPID TUTHEROW, MICHAEL			TI MANHOURS 0.1					
STATUS —	 SYS A	DATE 17 Sep 20	NO 1	TIME 11:49	PID Generated, Com	DATE 18 Sep 20	TIME 09:36	ACFT HRS 981.4						
		ROUNDS	ACTION CODE P		WUC 00									
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR MAIN ROTOR SPINDLE ASSY CAGE: 78286 PN: 70102-08200-069 NSN: 1615014426926 SN: D00113532 IS DUE: 15 OCT 2020 CALENDAR						ACTION COMPLIED WITH								
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
						ANDERS, B	F	0.1						
ACFT HRS 981.4		WHEN DISC O	HOW REC O	MAL EFF 1										
DELAY			WUC 05A011			TIPID TUTHEROW, MICHAEL			TI MANHOURS 0.1					

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 91					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A		DATE 17 Sep 20		NO 1		TIME 11:51		PID Generated, Cor		DATE 18 Sep 20		TIME 09:41		ACFT HRS 5259.4	
												ROUNDS		ACTION CODE P		WUC 00	
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR AFT BELLCRANK CAGE: 78286 PN: 70400-08102-045 NSN: 1680011589685 SN: 34501264 IS DUE: 15 OCT 2020 CALENDAR										ACTION COMPLIED WITH							
												PID		CAT		HRS	
										ANDERS, B		F		0.1			
ACFT HRS 5259.4				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 11D04				TIPID TUTHEROW, MICHAEL				TI MANHOURS 0.1					
STATUS —		SYS A		DATE 17 Sep 20		NO 1		TIME 11:51		PID Generated, Com		DATE 18 Sep 20		TIME 09:42		ACFT HRS 2649.4	
												ROUNDS		ACTION CODE P		WUC 00	
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR FORWARD BELLCRANK CAGE: 78286 PN: 70400-08101-046 NSN: 1680011589652 SN: 66936-00628 IS DUE: 15 OCT 2020 CALENDAR										ACTION COMPLIED WITH							
												PID		CAT		HRS	
										ANDERS, B		F		0.1			
ACFT HRS 2649.4				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 11D15				TIPID TUTHEROW, MICHAEL				TI MANHOURS 0.1					
STATUS —		SYS A		DATE 17 Sep 20		NO 1		TIME 11:52		PID Generated, Com		DATE 18 Sep 20		TIME 09:44		ACFT HRS 2811.4	
												ROUNDS		ACTION CODE P		WUC 00	
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR LEFT TIE ROD ASSY CAGE: 78286 PN: 70400-08115-046 NSN: 1560012892697 SN: 34400757 IS DUE: 15 OCT 2020 CALENDAR										ACTION COMPLIED WITH							
												PID		CAT		HRS	
										ANDERS, B		F		0.1			
ACFT HRS 2811.4				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 11D13				TIPID TUTHEROW, MICHAEL				TI MANHOURS 0.1					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 92			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —	 SYS A	DATE 17 Sep 20	NO 1	TIME 11:53	PID Generated, Cor			DATE 18 Sep 20	TIME 09:46	ACFT HRS 2649.4					
		ROUNDS	ACTION CODE P			WUC 00									
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR FWD BELLCRANK SPT ASSY CAGE: 78286 PN: 70400-08162-042 NSN: 1560012212619 SN: B367-03390 IS DUE: 15 OCT 2020 CALENDAR								ACTION COMPLIED WITH							
ACFT HRS 2649.4				WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS		
DELAY				WUC 11D16				TIPIID TUTHEROW, MICHAEL				TI MANHOURS 0.1			
STATUS —	 SYS A	DATE 17 Sep 20	NO 1	TIME 11:54	PID Generated, Com			DATE 18 Sep 20	TIME 09:45	ACFT HRS 2649.4					
		ROUNDS	ACTION CODE P			WUC 00									
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR LATERAL SERVO BELLCRANK CAGE: 78286 PN: 70400-08166-041 NSN: 1680012212863 SN: F337-01812 IS DUE: 15 OCT 2020 CALENDAR								ACTION COMPLIED WITH							
ACFT HRS 2649.4				WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS		
DELAY				WUC 11D09				TIPIID TUTHEROW, MICHAEL				TI MANHOURS 0.1			
STATUS —	 SYS A	DATE 17 Sep 20	NO 1	TIME 11:55	PID Generated, Com			DATE 18 Sep 20	TIME 09:32	ACFT HRS 986.4					
		ROUNDS	ACTION CODE P			WUC 00									
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR LATERAL SWASHPLATE LINK CAGE: 15152 PN: 70400-08151-061 NSN: 3040012872438 SN: 015152-01373 IS DUE: 15 OCT 2020 CALENDAR								ACTION complied with							
ACFT HRS 986.4				WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS		
DELAY				WUC 11D08				TIPIID TUTHEROW, MICHAEL				TI MANHOURS 0.1			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 93			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —	 SYS A	DATE 17 Sep 20	NO 1	TIME 11:58	PID Generated, Cor			DATE 18 Sep 20	TIME 09:38	ACFT HRS 626.4					
		ROUNDS	ACTION CODE P			WUC 00									
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR CONTROL HORN ASSY CAGE: 78286 PN: 70102-08111-047 NSN: 1615012149140 SN: G24104461 IS DUE: 15 OCT 2020 CALENDAR								ACTION COMPLIED WITH							
ACFT HRS 626.4		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS		
DELAY		WUC 05A01107						TIPID TUTHEROW, MICHAEL			TI MANHOURS 0.1				
STATUS —	 SYS A	DATE 17 Sep 20	NO 1	TIME 12:00	PID Generated, Com			DATE 18 Sep 20	TIME 09:34	ACFT HRS 626.4					
		ROUNDS	ACTION CODE P			WUC 00									
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR M/R SPINDLE NUT CAGE: 78286 PN: 70102-08105-102 NSN: 5310011269444 SN: F47905726 IS DUE: 15 OCT 2020 CALENDAR								ACTION COMPLIED WITH							
ACFT HRS 626.4		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS		
DELAY		WUC 05A01104						TIPID TUTHEROW, MICHAEL			TI MANHOURS 0.1				
STATUS —	 SYS A	DATE 17 Sep 20	NO 1	TIME 12:00	PID Generated, Com			DATE 18 Sep 20	TIME 09:47	ACFT HRS 1862.4					
		ROUNDS	ACTION CODE P			WUC 00									
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR MAIN ROTOR SPINDLE ASSY CAGE: 78286 PN: 70102-08200-069 NSN: 1615014426926 SN: A00105996 IS DUE: 15 OCT 2020 CALENDAR								ACTION COMPLIED WITH							
ACFT HRS 1862.4		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS		
DELAY		WUC 05A011						TIPID TUTHEROW, MICHAEL			TI MANHOURS 0.1				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 94				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —	 SYS A	DATE 17 Sep 20	NO 1	TIME 15:30	PID Generated, Cor			DATE 18 Sep 20	TIME 09:44	ACFT HRS 4581.4						
		ROUNDS	ACTION CODE P			WUC 00										
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR MAIN ROTOR SHAFT EXTENDER CAGE: 78286 PN: 70351-08186-043 NSN: 1615010745151 SN: C286-00307 IS DUE: 15 OCT 2020 CALENDAR								ACTION COMPLIED WITH								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								ANDERS, B	F	0.1						
ACFT HRS 4581.4		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 05A01L				TIPID TUTHEROW, MICHAEL				TI MANHOURS 0.1				
STATUS —	 SYS A	DATE 17 Sep 20	NO 1	TIME 15:30	PID Generated, Com			DATE 18 Sep 20	TIME 09:39	ACFT HRS 2270.4						
		ROUNDS	ACTION CODE P			WUC 00										
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR HUB, M/R ROTOR ASSY CAGE: 78286 PN: 70103-08112-047 NSN: 1615014504834 SN: 015152-00700 IS DUE: 15 OCT 2020 CALENDAR								ACTION COMPLIED WITH								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								ANDERS, B	F	0.1						
ACFT HRS 2270.4		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 05A01A				TIPID TUTHEROW, MICHAEL				TI MANHOURS 0.1				
STATUS —	 SYS A	DATE 17 Sep 20	NO 1	TIME 15:33	PID Generated, Com			DATE 18 Sep 20	TIME 09:41	ACFT HRS 2649.4						
		ROUNDS	ACTION CODE P			WUC 00										
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR STATIONARY SWASHPLATE CAGE: 78286 PN: 70104-08010-044 NSN: 1615010871602 SN: 151521068 IS DUE: 15 OCT 2020 CALENDAR								ACTION COMPLIED WITH								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								ANDERS, B	F	0.1						
ACFT HRS 2649.4		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 05A03A01				TIPID TUTHEROW, MICHAEL				TI MANHOURS 0.1				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 95			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —	 SYS A	DATE 17 Sep 20	NO 1	TIME 15:33	PID Generated, Cor			DATE 18 Sep 20	TIME 09:40	ACFT HRS 2649.4					
		ROUNDS	ACTION CODE P			WUC 00									
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR ROTATING SWASHPLATE CAGE: 78286 PN: 70104-08001-045 NSN: 1615013575089 SN: 015152-1277 IS DUE: 15 OCT 2020 CALENDAR								ACTION COMPLIED WITH							
ACFT HRS 2649.4		WHEN DISC O	HOW REC O	MAL EFF 1		PID		CAT	HRS	PID		CAT	HRS		
DELAY		WUC 05A03A02		TIPID TUTHEROW, MICHAEL				TI MANHOURS 0.1							
STATUS —	 SYS A	DATE 18 Sep 20	NO 1	TIME 00:00	PID Generated, Com			DATE 18 Sep 20	TIME 11:05	ACFT HRS 5259.4					
		ROUNDS	ACTION CODE 6			WUC 00									
FAULTS/REMARKS INSP A865 SENSITIVE ITEM INVENTORY FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 28 SEP 2020 REFERENCE: SOP								ACTION comp							
ACFT HRS 5259.4		WHEN DISC O	HOW REC O	MAL EFF 1		PID		CAT	HRS	PID		CAT	HRS		
DELAY		WUC 00		TIPID ,				TI MANHOURS							
STATUS X	 SYS A	DATE 18 Sep 20	NO 2	TIME 00:00	PID Generated, Com			DATE 18 Sep 20	TIME 00:01	ACFT HRS 5259.4					
		ROUNDS	ACTION CODE 3			WUC 00									
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 WAS DUE. STATUS UPGRADED TO X ON: 17 SEP 2020 REFERENCE: TM 1-1520-237-PMD								ACTION insp comp							
ACFT HRS 5259.4		WHEN DISC O	HOW REC O	MAL EFF 1		PID		CAT	HRS	PID		CAT	HRS		
DELAY		WUC 00		TIPID FAUST, JONATHAN				TI MANHOURS 0.1							

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 96					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A		DATE 18 Sep 20		NO 3		TIME 08:08		PID Generated, Cor		DATE 18 Sep 20		TIME 09:27		ACFT HRS	
												ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS PMD Due								ACTION COMPLETED									
												PID		CAT		HRS	
												TWOMEY,		F		0.1	
ACFT HRS 5259.4				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS X		SYS A		DATE 18 Sep 20		NO 4		TIME 08:08		PID TWOMEY, DANI		DATE 18 Sep 20		TIME 08:49		ACFT HRS 5259.4	
												ROUNDS		ACTION CODE K		WUC 00	
FAULTS/REMARKS (IN-PROCESS) INSP A115 LUBE REQUIRMENTS FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 22 SEP 2020 OR 5297.4 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23&P								ACTION MAINT COMP									
												PID		CAT		HRS	
												TWOMEY,		F		0.1	
ACFT HRS 5259.4				WHEN DISC Q		HOW REC G		MAL EFF 1									
DELAY				WUC 00				TIPIID DUNCAN, JONATHAN				TI MANHOURS 0.3					
STATUS —		SYS A		DATE 18 Sep 20		NO 6		TIME 09:27		PID Generated, Com		DATE 24 Sep 20		TIME 05:06		ACFT HRS 5259.4	
												ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,								ACTION Completed									
												PID		CAT		HRS	
												Mahoney,		F		0.3	
ACFT HRS 5259.4				WHEN DISC O		HOW REC G		MAL EFF 2									
DELAY				WUC 00				TIPIID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 97							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		SYS A	DATE 21 Sep 20	NO 1	TIME 00:00	PID Generated, Cor		DATE 25 Sep 20	TIME 00:01	ACFT HRS 5259.4		ROUNDS		ACTION CODE		WUC 00			
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 24 SEP 2020 REFERENCE: TM 1-1520-237-PMD								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON SEP 25 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT											
ACFT HRS 5259.4		WHEN DISC O	HOW REC O	MAL EFF 1				PID		CAT		HRS		PID		CAT		HRS	
DELAY				WUC 00				TIPIID ,				TI MANHOURS							
STATUS X		SYS A	DATE 25 Sep 20	NO 1	TIME 00:01	PID Generated, Com		DATE 25 Sep 20	TIME 10:14	ACFT HRS 5259.4		ROUNDS		ACTION CODE 3		WUC 00			
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 WAS DUE. STATUS UPGRADED TO X ON: 24 SEP 2020 REFERENCE: TM 1-1520-237-PMD								ACTION completed											
ACFT HRS 5259.4		WHEN DISC O	HOW REC O	MAL EFF 1				PID Hilton, J.		CAT F		HRS 1.0		PID Ragoonath		CAT F		HRS 1.0	
DELAY				WUC 00				TIPIID RODGERS, CLINTON				TI MANHOURS 0.1							
STATUS —		SYS A	DATE 25 Sep 20	NO 2	TIME 08:54	PID Generated, Com		DATE 25 Sep 20	TIME 09:03	ACFT HRS		ROUNDS		ACTION CODE 3		WUC 00			
FAULTS/REMARKS PMD Due								ACTION COMPLETED											
ACFT HRS 5259.4		WHEN DISC O	HOW REC O	MAL EFF 1				PID Ragoonath		CAT F		HRS 1.0		PID		CAT		HRS	
DELAY				WUC 00				TIPIID ,				TI MANHOURS							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 98				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS A	DATE 25 Sep 20	NO 3	TIME 08:56	PID Generated, Cor		DATE 25 Sep 20	TIME 09:02	ACFT HRS 5259.4						
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 25 SEP 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 01 OCT 2020 REFERENCE: TM 1-1520-237-23&P								ACTION completed								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Ragoonath	F	0.1						
ACFT HRS 5259.4		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 25 Sep 20	NO 4	TIME 10:14	PID Generated, Com		DATE 25 Sep 20	TIME 10:14	ACFT HRS						
FAULTS/REMARKS PMD Due								ACTION COMPLETED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Ragoonath	F	1.0						
ACFT HRS 5266.6		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 25 Sep 20	NO 5	TIME 10:21	PID Generated, Com		DATE 25 Sep 20	TIME 10:22	ACFT HRS 5266.6						
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 25 SEP 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5270.4 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD								ACTION completed; insp ok								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Hilton, J.	F	0.3	Ragoonath	F	0.3			
ACFT HRS 5266.6		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 99							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		U CLOSED		SYS A		DATE 25 Sep 20		NO 6		TIME 10:26		PID Generated, Cor		DATE 21 Oct 20		TIME 12:19		ACFT HRS 5269.6	
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,								ACTION COMPLETED											
ACFT HRS 5266.6		WHEN DISC O		HOW REC G		MAL EFF 2		PID UNDERWC		CAT F		HRS 0.5		PID		CAT		HRS	
DELAY				WUC 00				TIPIID ,				TI MANHOURS							
STATUS —		K CLOSED		SYS A		DATE 28 Sep 20		NO 1		TIME 00:01		PID Generated, Com		DATE 01 Oct 20		TIME 08:29		ACFT HRS 5266.6	
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 01 OCT 2020 REFERENCE: TM 1-1520-237-PMD								ACTION COMP											
ACFT HRS 5266.6		WHEN DISC O		HOW REC O		MAL EFF 1		PID FAUST, J.		CAT F		HRS 1.9		PID Klein, J.		CAT F		HRS 1.9	
DELAY				WUC 00				TIPIID ,				TI MANHOURS							
STATUS —		K CLOSED		SYS E		DATE 01 Oct 20		NO 1		TIME 00:01		PID Generated, Com		DATE 01 Oct 20		TIME 07:27		ACFT HRS 5266.6	
FAULTS/REMARKS INSP E125 KY-58 PMCS/OPNL CHECK FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 19 OCT 2020 REFERENCE: TM 11-5810-262-23								ACTION COMP											
ACFT HRS 5266.6		WHEN DISC O		HOW REC O		MAL EFF 1		PID Klein, J.		CAT F		HRS 0.1		PID		CAT		HRS	
DELAY				WUC 00				TIPIID ,				TI MANHOURS							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 100				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —	 SYS A	DATE 01 Oct 20	NO 1	TIME 08:30	PID Generated, Cor			DATE 01 Oct 20	TIME 08:30	ACFT HRS						
		WHEN DISC O	HOW REC O	MAL EFF 1	PIID			ROUNDS	ACTION CODE 3	WUC 00						
FAULTS/REMARKS PMD Due								ACTION COMPLETED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Klein, J.	F	1.0						
ACFT HRS 5266.6		WHEN DISC O	HOW REC O	MAL EFF 1	PIID			ROUNDS	ACTION CODE 3	WUC 00						
DELAY				WUC 00				TIID ,				TI MANHOURS				
STATUS /	 SYS A	DATE 01 Oct 20	NO 2	TIME 09:30	PID Klein, Jonathan			DATE 08 Oct 20	TIME 13:42	ACFT HRS 5266.6						
		WHEN DISC X	HOW REC G	MAL EFF 2	PIID			ROUNDS	ACTION CODE E	WUC 02						
FAULTS/REMARKS PRO SEAL REAPPLICATION REQUIRED FOR BLUE RED AND BLACK SPINDLE TO M/R HUB								ACTION COMPLETE								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Plemons, F	F	0.4						
ACFT HRS 5266.6		WHEN DISC X	HOW REC G	MAL EFF 2	PIID			ROUNDS	ACTION CODE E	WUC 02						
DELAY				WUC 02				TIID ,				TI MANHOURS				
STATUS /	 SYS A	DATE 01 Oct 20	NO 3	TIME 09:32	PID Klein, Jonathan			DATE 08 Oct 20	TIME 13:51	ACFT HRS 5266.6						
		WHEN DISC X	HOW REC G	MAL EFF 2	PIID			ROUNDS	ACTION CODE S	WUC 02						
FAULTS/REMARKS 50 FT LH ICS CHORD NOT INSTALLED IAW SOP								ACTION INSTALLED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								RODGERS,	F	0.1						
ACFT HRS 5266.6		WHEN DISC X	HOW REC G	MAL EFF 2	PIID			ROUNDS	ACTION CODE S	WUC 02						
DELAY				WUC 02				TIID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A			3. DATE			4. PAGE 101		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS /		SYS A	DATE 01 Oct 20	NO 4	TIME 09:36	PID Klein, Jonathan	DATE 08 Oct 20	TIME 13:40	ACFT HRS 5266.6			
FAULTS/REMARKS SCRAM KIT NOT SECURED IAW SOP						ACTION INSTALLED						
ACFT HRS 5266.6						WHEN DISC X	HOW REC G	MAL EFF 2				
DELAY						WUC 02			TI MANHOURS			
STATUS —		SYS E	DATE 02 Oct 20	NO 1	TIME 00:01	PID Generated, Com	DATE 21 Oct 20	TIME 00:01	ACFT HRS 5269.6			
FAULTS/REMARKS INSP E040 APR-39 RADAR/LASER WARNING OPNL CHECK, 5841-01-236-8951 FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 20 OCT 2020 REFERENCE: TM 11-5841-294-12						ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON OCT 21 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT						
ACFT HRS 5266.6						WHEN DISC O	HOW REC O	MAL EFF 1				
DELAY						WUC 00			TI MANHOURS			
STATUS —		SYS A	DATE 05 Oct 20	NO 1	TIME 00:01	PID Generated, Com	DATE 08 Oct 20	TIME 12:56	ACFT HRS 5266.6			
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 08 OCT 2020 REFERENCE: TM 1-1520-237-PMD						ACTION COMPLETED INSPECTION						
ACFT HRS 5266.6						WHEN DISC O	HOW REC O	MAL EFF 1				
DELAY						WUC 00			TI MANHOURS			
ACFT HRS 5266.6						WHEN DISC O	HOW REC O	MAL EFF 1				
DELAY						WUC 00			TI MANHOURS			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 102					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A	DATE 07 Oct 20	NO 1	TIME 00:00	PID Generated, Cor		DATE 07 Oct 20	TIME 10:37	ACFT HRS 5266.6		ROUNDS		ACTION CODE P		WUC 00	
FAULTS/REMARKS INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 09 OCT 2020 REFERENCE: TM 1-1520-237-23&P								ACTION runup complete									
ACFT HRS 5266.6		WHEN DISC O	HOW REC O	MAL EFF 1		PID Hosack, J.		CAT F	HRS 0.3	PID		CAT	HRS	PID		CAT	HRS
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —		SYS A	DATE 08 Oct 20	NO 1	TIME 13:56	PID Generated, Com		DATE 08 Oct 20	TIME 13:56	ACFT HRS		ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS PMD Due								ACTION COMPLETED									
ACFT HRS 5266.6		WHEN DISC O	HOW REC O	MAL EFF 1		PID Plemons, F		CAT F	HRS 0.1	PID		CAT	HRS	PID		CAT	HRS
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS /		SYS A	DATE 08 Oct 20	NO 2	TIME 14:56	PID Plemons, Patrick		DATE 08 Oct 20	TIME 13:57	ACFT HRS 5266.6		ROUNDS		ACTION CODE 6		WUC 02	
FAULTS/REMARKS BLUE MAIN ROTOR BLADE REQUIRES INSPECTION AT ROOT LAMINATE.								ACTION INSPECT OK									
ACFT HRS 5266.6		WHEN DISC X	HOW REC G	MAL EFF 2		PID PAYNE, K.		CAT F	HRS 0.2	PID Plemons, P		CAT F	HRS 0.2	PID		CAT	HRS
DELAY				WUC 02				TIPIID ,				TI MANHOURS					





DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 103			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS E	DATE 12 Oct 20	NO 1	TIME 00:00	PID Generated, Cor		DATE 15 Oct 20	TIME 06:36	ACFT HRS 5266.6					
							ROUNDS	ACTION CODE B		WUC 19D01					
FAULTS/REMARKS INSP E050 ARC-220 RADIO SET BATTERY INSPECTION OR REPLACE FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 18 OCT 2020 REFERENCE: TM 11-5821-357-12P								ACTION N/A BATTERIES REMOVED							
ACFT HRS 5266.6		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS		
DELAY		WUC 00		TIPID ,		TI MANHOURS									
STATUS —		SYS A	DATE 12 Oct 20	NO 1	TIME 00:00	PID Generated, Com		DATE 15 Oct 20	TIME 09:10	ACFT HRS 5266.6					
							ROUNDS	ACTION CODE P		WUC 04A					
FAULTS/REMARKS INSP A100 LH/RH ENGINE HISTORY RECORDER READINGS DUE FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 18 OCT 2020 REFERENCE: DA PAM 738-751								ACTION COMP							
ACFT HRS 5266.6		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS		
DELAY		WUC 00		TIPID ,		TI MANHOURS									
STATUS —		SYS A	DATE 12 Oct 20	NO 2	TIME 00:00	PID Generated, Com		DATE 15 Oct 20	TIME 09:04	ACFT HRS 5266.6					
							ROUNDS	ACTION CODE 3		WUC 00					
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 15 OCT 2020 REFERENCE: TM 1-1520-237-PMD								ACTION COMP							
ACFT HRS 5266.6		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS		
DELAY		WUC 00		TIPID ,		TI MANHOURS									
STATUS —		SYS A	DATE 12 Oct 20	NO 2	TIME 00:00	PID Generated, Com		DATE 15 Oct 20	TIME 09:04	ACFT HRS 5266.6					
							ROUNDS	ACTION CODE 3		WUC 00					
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 15 OCT 2020 REFERENCE: TM 1-1520-237-PMD								ACTION COMP							
ACFT HRS 5266.6		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS		
DELAY		WUC 00		TIPID ,		TI MANHOURS									




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 104				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS E	DATE 12 Oct 20	NO 2	TIME 00:00	PID Generated, Cor		DATE 15 Oct 20	TIME 09:58	ACFT HRS 5266.6						
FAULTS/REMARKS INSP E220 EMERGENCY LOCATOR TRANSMITTER SELF-TEST (AS REQUIRED) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5384.4 AIRCRAFT HOURS OR 18 OCT 2020 REFERENCE: AWR 1516 R12								ACTION comp, passed								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Moore, S.	F	0.3						
ACFT HRS 5266.6		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 13 Oct 20	NO 1	TIME 00:00	PID Generated, Com		DATE 15 Oct 20	TIME 09:12	ACFT HRS 5266.6						
FAULTS/REMARKS INSP A839 APU HOUR METER READING DUE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 18 OCT 2020 REFERENCE: SOP								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Moore, S.	F	0.1						
ACFT HRS 5266.6		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS H	DATE 14 Oct 20	NO 1	TIME 00:00	PID Generated, Com		DATE 21 Oct 20	TIME 00:01	ACFT HRS 5269.6						
FAULTS/REMARKS INSP H810 CONDUCT HOIST OPERATIONAL CHECK IAW H-60-19-AMAM-01 ADDENDUM 1 (UPDATE) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5303.4 AIRCRAFT HOURS OR 20 OCT 2020 REFERENCE: H-60-19-AMAM-01								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON OCT 21 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 5266.6		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 105				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS E	DATE 15 Oct 20	NO 1	TIME 00:00	PID Generated, Cor		DATE 17 Oct 20	TIME 13:16	ACFT HRS 5266.6						
FAULTS/REMARKS INSP E108 KY-58 PMCS/OPNL CHECK (STANDBY) FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 21 OCT 2020 REFERENCE: TM 11-5810-262-23								ACTION n/a fills not available								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								TWOMEY,	F	0.1						
ACFT HRS 5266.6		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 15 Oct 20	NO 1	TIME 07:28	PID Generated, Com		DATE 15 Oct 20	TIME 09:06	ACFT HRS						
FAULTS/REMARKS PMD Due								ACTION COMPLETED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Moore, S.	F	1.0						
ACFT HRS 5266.6		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 16 Oct 20	NO 1	TIME 00:00	PID Generated, Com		DATE 20 Oct 20	TIME 08:57	ACFT HRS 5266.6						
FAULTS/REMARKS INSP A115 LUBE REQUIRMENTS FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 22 OCT 2020 OR 5303.4 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23&P								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Moore, S.	F	0.5	Klein, J.	F	0.5			
ACFT HRS 5266.6		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 106				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —	 SYS A	DATE 16 Oct 20	NO 2	TIME 00:00	PID Generated, Cor			DATE 20 Oct 20	TIME 08:59	ACFT HRS 5266.6						
FAULTS/REMARKS INSP A103 AIRCRAFT WASH DUE FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 22 OCT 2020 REFERENCE: TM 1-1500-344-23								ROUNDS	ACTION CODE P			WUC 02				
								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Moore, S.	F	1.0	Klein, J.	F	1.0			
ACFT HRS 5266.6		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —	 SYS A	DATE 16 Oct 20	NO 3	TIME 00:00	PID Generated, Com			DATE 20 Oct 20	TIME 09:07	ACFT HRS 5266.6						
FAULTS/REMARKS INSP A092 30 DAY SLAB BATTERY INSPECTION (D8565/11-1) FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 22 OCT 2020 REFERENCE: TM 11-6140-203-23 P								ROUNDS	ACTION CODE P			WUC 09B01A				
								ACTION COMP, PASS								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Moore, S.	F	0.2						
ACFT HRS 5266.6		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS X	 SYS E	DATE 17 Oct 20	NO 1	TIME 14:25	PID Barnes, Jarret			DATE 17 Oct 20	TIME 15:17	ACFT HRS 5266.6						
FAULTS/REMARKS SLAB BATTERY REQ REPLACEMENT DUE TO LOW VOLTAGE								ROUNDS	ACTION CODE A			WUC 00				
								ACTION REPLACED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								AHLERS, R	F	0.3						
ACFT HRS 5266.6		WHEN DISC Z	HOW REC G	MAL EFF 1												
DELAY				WUC 00				TIPIID ANDERS, BOBBY				TI MANHOURS 0.1				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 107				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —	 SYS A	DATE 19 Oct 20	NO 1	TIME 00:00	PID Generated, Cor			DATE 22 Oct 20	TIME 15:24	ACFT HRS 5269.6						
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 22 OCT 2020 REFERENCE: TM 1-1520-237-PMD								ROUNDS			ACTION CODE 3			WUC 00		
ACTION insp comp								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								TWOMEY,	F	1.0						
ACFT HRS 5266.6		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS X	 SYS A	DATE 20 Oct 20	NO 1	TIME 08:56	PID Moore, Sarah			DATE 20 Oct 20	TIME 08:58	ACFT HRS 5266.6						
FAULTS/REMARKS (IN PROCESS) INSP A115 LUBE REQUIRMENTS FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 22 OCT 2020 OR 5303.4 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23&P								ROUNDS			ACTION CODE K			WUC 02		
ACTION COMP								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Moore, S.	F	0.1						
ACFT HRS 5266.6		WHEN DISC O	HOW REC O	MAL EFF 2												
DELAY				WUC 02				TIPIID ANDERS, BOBBY				TI MANHOURS 0.1				
STATUS X	 SYS H	DATE 20 Oct 20	NO 1	TIME 20:15	PID POTVIN, JACK			DATE 21 Oct 20	TIME 11:33	ACFT HRS 5269.6						
FAULTS/REMARKS HOIST BUMPER CRUSHED AND REQUIRES REPLACMENT								ROUNDS			ACTION CODE A			WUC 14B01A		
ACTION replaced crush bumper								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Plemons, F	F	2.0						
ACFT HRS 5269.6		WHEN DISC B	HOW REC G	MAL EFF 2												
DELAY				WUC 02				TIPIID DUNCAN, JONATHAN				TI MANHOURS 0.3				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402			2. MODEL UH-60A			3. DATE			4. PAGE 108		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION					
STATUS —		SYS A	DATE 21 Oct 20	NO 1	TIME 00:01	PID Generated, Cor	DATE 22 Oct 20	TIME 13:40	ACFT HRS 5269.6		
FAULTS/REMARKS INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 23 OCT 2020 REFERENCE: TM 1-1520-237-23&P						ACTION COMP					
ACFT HRS 5269.6						WHEN DISC O	HOW REC O	MAL EFF 1			
DELAY						WUC 00			TI MANHOURS		
STATUS ×		SYS E	DATE 21 Oct 20	NO 1	TIME 00:01	PID Generated, Com	DATE 21 Oct 20	TIME 07:30	ACFT HRS 5269.6		
FAULTS/REMARKS INSP E040 APR-39 RADAR/LASER WARNING OPNL CHECK, 5841-01-236-8951 FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 WAS DUE. STATUS UPGRADED TO X ON: 20 OCT 2020 REFERENCE: TM 11-5841-294-12						ACTION COMPLETE, MOC OK					
ACFT HRS 5269.6						WHEN DISC O	HOW REC O	MAL EFF 1			
DELAY						WUC 00			TI MANHOURS 0.1		
STATUS ×		SYS H	DATE 21 Oct 20	NO 1	TIME 00:01	PID Generated, Com	DATE 22 Oct 20	TIME 12:46	ACFT HRS 5269.6		
FAULTS/REMARKS INSP H810 CONDUCT HOIST OPERATIONAL CHECK IAW H-60-19-AMAM-01 ADDENDUM 1 (UPDATE) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 WAS DUE. STATUS UPGRADED TO X ON: 5303.4 AIRCRAFT HOURS OR 20 OCT 2020 REFERENCE: H-60-19-AMAM-01						ACTION INSP COMP USED BUCKET					
ACFT HRS 5269.6						WHEN DISC O	HOW REC O	MAL EFF 1			
DELAY						WUC 00			TI MANHOURS 0.1		
ACFT HRS 5269.6						WHEN DISC O	HOW REC O	MAL EFF 1			
DELAY						WUC 00			TI MANHOURS 0.1		

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 109					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A		DATE 21 Oct 20		NO 2		TIME 07:53		PID Generated, Cor		DATE 21 Oct 20		TIME 13:17		ACFT HRS	
												ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS PMD Due								ACTION COMPLETED									
												PID		CAT		HRS	
												TWOMEY, F				0.1	
ACFT HRS 5269.6				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —		SYS A		DATE 21 Oct 20		NO 3		TIME 07:55		PID Generated, Com		DATE 22 Oct 20		TIME 15:25		ACFT HRS 5269.6	
												ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 21 OCT 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5277.6 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD								ACTION insp comp									
												PID		CAT		HRS	
												Plemons, F				0.2	
ACFT HRS 5269.6				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —		SYS H		DATE 21 Oct 20		NO 2		TIME 12:34		PID TWOMEY, DANI		DATE 27 Oct 20		TIME 16:00		ACFT HRS 5270.6	
												ROUNDS		ACTION CODE P		WUC 00	
FAULTS/REMARKS HOOK LOAD TEST REQ'D DUE TO REMOVAL AND REINSTALLATION OF HOOK ASSY								ACTION comp									
												PID		CAT		HRS	
												Richards, N				0.1	
ACFT HRS 5269.6				WHEN DISC L		HOW REC G		MAL EFF 1									
DELAY				WUC 14B				TIPIID ,				TI MANHOURS					

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 110			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS ⊗	E Closed	SYS H	DATE 21 Oct 20	NO 3	TIME 12:36	PID TWOMEY, DANI		DATE 27 Oct 20	TIME 16:02	ACFT HRS 5270.6					
								ROUNDS	ACTION CODE P	WUC 00					
FAULTS/REMARKS HOIST RESTRICTED FROM LIVE HOIST OPERATIONS UNTIL HOOK LOAD TEST IS COMP								ACTION comp							
ACFT HRS 5269.6		WHEN DISC K	HOW REC G	MAL EFF 1		PID Richards, N		CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 14B				TIPIID ELMORE, JOSEPH				TI MANHOURS 0.1			
STATUS X	D Closed	SYS A	DATE 21 Oct 20	NO 4	TIME 12:49	PID UNDERWOOD, -		DATE 22 Oct 20	TIME 11:01	ACFT HRS 5269.6					
								ROUNDS	ACTION CODE A	WUC 02					
FAULTS/REMARKS SECTION 3 DRIVESHAFT JUST BEFORE THE INTERMEDIAT DRIVESHAFT HAS VISCOUS DAMPER BEARING CONTACTING RETAINING RING								ACTION RE SHIMED SECTION 2 NUMBER 3 D/S IN ACCORDANCE WITH WP 0892							
ACFT HRS 5269.6		WHEN DISC M	HOW REC G	MAL EFF 5		PID Bowman, K		CAT F	HRS 2.0	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 06H19				TIPIID DUNCAN, JONATHAN				TI MANHOURS 0.3			
STATUS —	R Closed	SYS A	DATE 21 Oct 20	NO 5	TIME 13:19	PID Generated, Com		DATE 04 Nov 20	TIME 12:53	ACFT HRS 5272.3					
								ROUNDS	ACTION CODE P	WUC 00					
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,								ACTION inspection complete							
ACFT HRS 5269.6		WHEN DISC O	HOW REC G	MAL EFF 2		PID Hosack, J.		CAT F	HRS 0.3	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 00				TIPIID ,				TI MANHOURS			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 111					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —	 SYS A	DATE 22 Oct 20	NO 1	TIME 11:57	PID Bowman, Kendr			DATE 22 Oct 20	TIME 12:41	ACFT HRS 5269.6							
FAULTS/REMARKS TAIL RTR D/S 9-11 HR TRQ CHECK DUE ON SECTION 2 NUMBER 3 STA 591.8 (5278.6-5280.6) FOR REPLACEMENT OF HDW W/SHIMS ON FLEX COUPLING								ROUNDS	ACTION CODE 5		WUC 02						
								ACTION ENTERD IN ERROR									
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
								Bowman, K	F	0.1							
ACFT HRS 5269.6		WHEN DISC B	HOW REC G	MAL EFF 2													
DELAY				WUC 02				TIPIID ,				TI MANHOURS					
STATUS ×	 SYS A	DATE 22 Oct 20	NO 3	TIME 16:36	PID Bowman, Kendri			DATE 23 Oct 20	TIME 13:12	ACFT HRS 5269.6							
FAULTS/REMARKS BLUE M/R BLADE NICKEL ERROSION STRIP DEBONDED								ROUNDS	ACTION CODE P		WUC 02						
								ACTION REPLACED WITH M/R BLADE A007-17311									
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
								Rowe, S.	F	4.0							
ACFT HRS 5269.6		WHEN DISC B	HOW REC G	MAL EFF 2													
DELAY				WUC 02				TIPIID BARBEE, ANDREW				TI MANHOURS 0.1					
STATUS ×	 SYS A	DATE 23 Oct 20	NO 3	TIME 11:12	PID Rowe, Steven			DATE 23 Oct 20	TIME 13:19	ACFT HRS 5269.6							
FAULTS/REMARKS IVHMS NOSE CAMARA REQUIRES INSTALLATION								ROUNDS	ACTION CODE L		WUC 02						
								ACTION INSTALLED IVHMS NOSE CAMARA									
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
								Klein, J.	F	0.3							
ACFT HRS 5269.6		WHEN DISC B	HOW REC G	MAL EFF 2													
DELAY				WUC 02				TIPIID BARBEE, ANDREW				TI MANHOURS 0.1					

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 112					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A		DATE 23 Oct 20		NO 4		TIME 14:14		PID Rowe, Steven		DATE 04 Nov 20		TIME 07:23		ACFT HRS 5272.3	
												ROUNDS		ACTION CODE P		WUC 02	
FAULTS/REMARKS 9-11 HOUR TQ CHECK REQUIRED ON BLUE M/R BLADE BETWEEN (5278.6)-(5280.6) AIRCRAFT HOURS DUE TO REPLACEMENT OF BLADE								ACTION WRITE ENTERED IN ERROR									
												PID		CAT		HRS	
												Richards, N		F		0.1	
ACFT HRS 5269.6				WHEN DISC B		HOW REC G		MAL EFF 2									
DELAY				WUC 02				TIPIID ,				TI MANHOURS					
STATUS —		SYS A		DATE 26 Oct 20		NO 1		TIME 00:01		PID Generated, Com		DATE 28 Oct 20		TIME 15:40		ACFT HRS 5271.1	
												ROUNDS		ACTION CODE P		WUC 02	
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 29 OCT 2020 REFERENCE: TM 1-1520-237-PMD								ACTION COMP									
												PID		CAT		HRS	
												Richards, N		F		1.9	
ACFT HRS 5269.6				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS X		SYS A		DATE 26 Oct 20		NO 2		TIME 13:39		PID Richards, Michae		DATE 26 Oct 20		TIME 13:49		ACFT HRS 5269.6	
												ROUNDS		ACTION CODE P		WUC 02	
FAULTS/REMARKS (IN PROCESS) AIRCRAFT TRACK AND BALANCE REQUIRED DUE TO REPLACEMENT OF M/R BLADE								ACTION COMP									
												PID		CAT		HRS	
												Richards, N		F		0.1	
ACFT HRS 5269.6				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 02				TIPIID ELMORE, JOSEPH				TI MANHOURS 0.1					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A			3. DATE			4. PAGE 113		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS /	 SYS A	DATE 26 Oct 20	NO 3	TIME 17:07	PID Hosack, Jay	DATE 27 Oct 20	TIME 12:32	ACFT HRS 5270.6				
		WHEN DISC K	HOW REC G	MAL EFF 1			ROUNDS	ACTION CODE A	WUC 19B			
FAULTS/REMARKS UHF RADIO WILL NOT TRANSMIT OR RECEIVE						ACTION REPLACED UHF R/T, MOC OK						
						PID	CAT	HRS	PID	CAT	HRS	
						Lyons, C.	F	0.1				
ACFT HRS 5270.6		WHEN DISC K	HOW REC G	MAL EFF 1								
DELAY			WUC 00			TIPIID ,			TI MANHOURS			
STATUS /	 SYS A	DATE 26 Oct 20	NO 4	TIME 17:08	PID Hosack, Jay	DATE 27 Oct 20	TIME 12:33	ACFT HRS 5270.6				
		WHEN DISC G	HOW REC G	MAL EFF 1			ROUNDS	ACTION CODE J	WUC 19A			
FAULTS/REMARKS PILOTS ICS TRANSMITS WHEN NOT BEING KEYED						ACTION COULD NOT DUPLICATE						
						PID	CAT	HRS	PID	CAT	HRS	
						Chavis, C.	F	0.1	Lyons, C.	F	0.1	
ACFT HRS 5270.6		WHEN DISC G	HOW REC G	MAL EFF 1								
DELAY			WUC 00			TIPIID ,			TI MANHOURS			
STATUS /	 SYS A	DATE 26 Oct 20	NO 5	TIME 17:14	PID Hosack, Jay	DATE 27 Oct 20	TIME 12:34	ACFT HRS 5270.6				
		WHEN DISC G	HOW REC G	MAL EFF 1			ROUNDS	ACTION CODE 6	WUC 08B18			
FAULTS/REMARKS CHANNEL 2 LIGHT ILLUMINATES PRIOR TO ENGINE START						ACTION COULD NOT DUPLICATE						
						PID	CAT	HRS	PID	CAT	HRS	
						Lyons, C.	F	0.1				
ACFT HRS 5270.6		WHEN DISC G	HOW REC G	MAL EFF 1								
DELAY			WUC 00			TIPIID ,			TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 114				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS X	E CLOSED	SYS A	DATE 27 Oct 20	NO 1	TIME 08:31	PID Lyons, Christop	DATE 27 Oct 20			TIME 11:27			ACFT HRS 5270.6			
							ROUNDS			ACTION CODE A			WUC 19B			
FAULTS/REMARKS (IN PROCESS) UHF RADIO WILL NOT TRANSMIT OR RECEIVE								ACTION COMPLETE								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Lyons, C.	F	0.1						
ACFT HRS 5270.6		WHEN DISC K		HOW REC B		MAL EFF 2										
DELAY				WUC 19C04A				TIPID ELMORE, JOSEPH				TI MANHOURS 0.1				
STATUS X	E CLOSED	SYS A	DATE 27 Oct 20	NO 2	TIME 09:07	PID Richards, Michar	DATE 27 Oct 20			TIME 13:15			ACFT HRS 5270.6			
							ROUNDS			ACTION CODE P			WUC 02			
FAULTS/REMARKS (IN PROCESS) AIRCRAFT TRACK AND BALANCE REQUIRED DUE TO REPLACEMENT OF M/R BLADE								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Richards, M	F	0.1						
ACFT HRS 5270.6		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 02				TIPID ELMORE, JOSEPH				TI MANHOURS 0.1				
STATUS X	L CLOSED	SYS A	DATE 27 Oct 20	NO 3	TIME 17:46	PID ELMORE, JOSEPH	DATE 28 Oct 20			TIME 10:12			ACFT HRS 5271.1			
							ROUNDS			ACTION CODE A			WUC 19E18			
FAULTS/REMARKS GPS FAILS SELF TEST								ACTION REPLACED HUB BATT								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Phillips, E.	F	0.1						
ACFT HRS 5271.1		WHEN DISC G		HOW REC G		MAL EFF 1										
DELAY				WUC 00				TIPID LLOYD, JUSTIN				TI MANHOURS 0.1				

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A			3. DATE			4. PAGE 115		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS X	L CLOSED	SYS A	DATE 27 Oct 20	NO 4	TIME 17:49	PID ELMORE, JOSEP	DATE 28 Oct 20	TIME 14:44	ACFT HRS 5271.1			
FAULTS/REMARKS DURING FLIGHT LOW RPMR HORN SOUNDS AND RPMR INDICATION DECREASES TO APPROXIMATELY 85% INTERMITTENTLY						ROUNDS	ACTION CODE A		WUC 06A11C			
ACTION REPLACED R/H NR SENSOR						PID	CAT	HRS	PID	CAT	HRS	
						Lyons, C.	F	0.1				
ACFT HRS 5271.1	WHEN DISC G		HOW REC G	MAL EFF 1								
DELAY			WUC 00			TIPID LLOYD, JUSTIN			TI MANHOURS 0.1			
STATUS -	R CLOSED	SYS A	DATE 28 Oct 20	NO 1	TIME 07:37	PID Generated, Com	DATE 28 Oct 20	TIME 14:44	ACFT HRS 5271.1			
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 28 OCT 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5280.6 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD						ROUNDS	ACTION CODE P		WUC 02			
ACTION COMP						PID	CAT	HRS	PID	CAT	HRS	
						Richards, M	F	0.1				
ACFT HRS 5271.1	WHEN DISC O		HOW REC O	MAL EFF 1								
DELAY			WUC 00			TIPID ,			TI MANHOURS			
STATUS X	L CLOSED	SYS A	DATE 28 Oct 20	NO 2	TIME 10:14	PID Phillips, Ethan	DATE 28 Oct 20	TIME 16:04	ACFT HRS 5271.1			
FAULTS/REMARKS MAIN TRANSMISSION OIL TEMP INDICATING 122DEG C ON GROUND.						ROUNDS	ACTION CODE A		WUC 00			
ACTION REPLACED MAIN MOD CHIP DECT/TEMP SENSOR. MOC OK						PID	CAT	HRS	PID	CAT	HRS	
						Phillips, E.	F	0.1				
ACFT HRS 5271.1	WHEN DISC O		HOW REC G	MAL EFF 1								
DELAY			WUC 06A17			TIPID LLOYD, JUSTIN			TI MANHOURS 0.1			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 116				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS /		SYS A	DATE 28 Oct 20	NO 3	TIME 13:24	PID Phillips, Ethan		DATE 28 Oct 20	TIME 15:28	ACFT HRS 5271.1						
FAULTS/REMARKS INSERT THAT SECURES AFT SIDE OF MR DRIP PAN BROKEN. LOCATION MARKED ON AIRFRAME								ACTION REPLACED NUTPLATE								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								VANG, C.	F	1.5						
ACFT HRS 5271.1		WHEN DISC	K	HOW REC	G	MAL EFF 1										
DELAY				WUC 02				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 28 Oct 20	NO 4	TIME 14:48	PID Lyons, Christoph		DATE 30 Oct 20	TIME 15:46	ACFT HRS 5272.3						
FAULTS/REMARKS LMTF REQ DUE TO REPLACEMENT OF R/H NR SENSOR								ACTION LMTF COMPLETE. CHECKED OK.								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Hosack, J.	F	0.7						
ACFT HRS 5271.1		WHEN DISC	K	HOW REC	G	MAL EFF 2										
DELAY				WUC 06A11C				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 28 Oct 20	NO 5	TIME 15:41	PID Generated, Com		DATE 28 Oct 20	TIME 15:41	ACFT HRS						
FAULTS/REMARKS PMD Due								ACTION COMPLETED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Richards, N	F	1.9						
ACFT HRS 5271.1		WHEN DISC	O	HOW REC	O	MAL EFF 1										
DELAY				WUC 00				TIPIID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 117							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —	 SYS A	DATE 28 Oct 20	NO 6	TIME 15:49	PID Generated, Cor			DATE 30 Oct 20	TIME 10:35	ACFT HRS 5271.1									
		WHEN DISC O	HOW REC G	MAL EFF 2	ROUNDS		ACTION CODE P		WUC 00										
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,								ACTION insp comp											
ACFT HRS 5271.1		WHEN DISC O		HOW REC G		MAL EFF 2		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
DELAY		WUC 00		TIPIID ,		TI MANHOURS													
STATUS —	 SYS A	DATE 28 Oct 20	NO 7	TIME 16:03	PID TWOMEY, DANI			DATE 30 Oct 20	TIME 13:38	ACFT HRS 5271.6									
		WHEN DISC K	HOW REC G	MAL EFF 1	ROUNDS		ACTION CODE P		WUC 02										
FAULTS/REMARKS MAIN TRANSMISSION SERVICEABILITY CHECK REQ'D								ACTION comp. no chips found											
ACFT HRS 5271.1		WHEN DISC K		HOW REC G		MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
DELAY		WUC 06A		TIPIID ,		TI MANHOURS													
STATUS ⊗	 SYS A	DATE 28 Oct 20	NO 8	TIME 16:06	PID TWOMEY, DANI			DATE 30 Oct 20	TIME 15:48	ACFT HRS 5272.3									
		WHEN DISC K	HOW REC G	MAL EFF 1	ROUNDS		ACTION CODE P		WUC 00										
FAULTS/REMARKS ACFT RESTRICTED TO MTF ONLY UNTIL MAIN TRANSMISSION SERVICEABILITY CHECK IS COMPLETE								ACTION MAIN XSMN SERVICEABILITY CHECK COMPLETE. CHECKED OK.											
ACFT HRS 5271.1		WHEN DISC K		HOW REC G		MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
DELAY		WUC 00		TIPIID ELMORE, JOSEPH		TI MANHOURS 0.1													




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 118					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS O	DATE 29 Oct 20	NO 1	TIME 00:01	PID Generated, Cor		DATE 06 Nov 20	TIME 00:00	ACFT HRS 5273.4							
FAULTS/REMARKS INSP O806 LOGBOOK RECONCILIATION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 05 NOV 2020 REFERENCE: ATP 3-04.7								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON NOV 6 2020 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT									
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
ACFT HRS 5271.1								WHEN DISC	O	HOW REC	O	MAL EFF 1					
DELAY								WUC 00				TIPIID ,				TI MANHOURS	
STATUS X		SYS A	DATE 30 Oct 20	NO 1	TIME 12:46	PID Richards, Michar		DATE 30 Oct 20	TIME 13:08	ACFT HRS 5271.1							
FAULTS/REMARKS MAIN TRANSMISSION SERVICEABILITY CHECK REQ'D								ACTION comp									
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
ACFT HRS 5271.1								WHEN DISC	O	HOW REC	O	MAL EFF 1					
DELAY								WUC 02				TIPIID SHORTER, MATTHEW				TI MANHOURS 0.1	
STATUS —		SYS A	DATE 01 Nov 20	NO 1	TIME 00:00	PID Generated, Com		DATE 04 Nov 20	TIME 08:09	ACFT HRS 5272.3							
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 04 NOV 2020 REFERENCE: TM 1-1520-237-PMD								ACTION COMP									
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
ACFT HRS 5272.3								WHEN DISC	O	HOW REC	O	MAL EFF 1					
DELAY								WUC 00				TIPIID ,				TI MANHOURS	




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 119				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS A	DATE 02 Nov 20	NO 1	TIME 00:00	PID Generated, Cor		DATE 03 Nov 20	TIME 15:51	ACFT HRS 5272.3						
FAULTS/REMARKS INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 04 NOV 2020 REFERENCE: TM 1-1520-237-23&P								ACTION COMPLETED ON 30 OCT 2020								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Rowe, S.	F	0.1						
ACFT HRS 5272.3		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS X		SYS A	DATE 02 Nov 20	NO 2	TIME 15:49	PID Richards, Michar		DATE 03 Nov 20	TIME 14:56	ACFT HRS 5272.3						
FAULTS/REMARKS CRACK FOUND IN RED MAIN ROTOR BLADE S/N A007-07344, CRACK FOUND IN STA 246, 11.25 IN FROM TRAIING EDGE								ACTION replaced blade								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Richards, M	F	2.0						
ACFT HRS 5272.3		WHEN DISC O	HOW REC G	MAL EFF 1												
DELAY				WUC 05A02				TIPIID MONEY, DONALD				TI MANHOURS 0.1				
STATUS X		SYS A	DATE 03 Nov 20	NO 1	TIME 11:57	PID Richards, Michar		DATE 03 Nov 20	TIME 14:59	ACFT HRS 5272.3						
FAULTS/REMARKS (IN PROCESS) AIRCRAFT TRACK AND BALANCE REQUIRED DUE TO REPLACEMENT OF M/R BLADE								ACTION comp								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Richards, M	F	0.1						
ACFT HRS 5272.3		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 05A01				TIPIID MONEY, DONALD				TI MANHOURS 0.1				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 120				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —	 SYS A	DATE 03 Nov 20	NO 2	TIME 13:38	PID Richards, Micha			DATE 03 Nov 20	TIME 15:11	ACFT HRS 5272.3						
FAULTS/REMARKS M/R BLADE SPAR PRESSURE CHECK REQUIRED ON BLADE S/N A007-14214								ROUNDS	ACTION CODE 6		WUC 05A02					
								ACTION comp								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Richards, N	F	0.3						
ACFT HRS 5272.3		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 05A02				TIPIID ,				TI MANHOURS				
STATUS —	 SYS A	DATE 03 Nov 20	NO 3	TIME 13:40	PID Richards, Micha			DATE 03 Nov 20	TIME 15:10	ACFT HRS 5272.3						
FAULTS/REMARKS COIN TAP TEST REQUIRED ON BLADE S/N A007-14214								ROUNDS	ACTION CODE 6		WUC 05A02					
								ACTION comp								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								MONEY, D	F	1.0						
ACFT HRS 5272.3		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 05A02				TIPIID ,				TI MANHOURS				
STATUS —	 SYS A	DATE 03 Nov 20	NO 4	TIME 13:42	PID Richards, Micha			DATE 03 Nov 20	TIME 13:56	ACFT HRS 5272.3						
FAULTS/REMARKS M/R BLADE PIN INSPECTION REQUIRED								ROUNDS	ACTION CODE P		WUC 02					
								ACTION REPLACED PINS S/N 23626, S/N 38942 WITH PINS S/N 10104, S/N 08712								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Richards, N	F	0.1						
ACFT HRS 5272.3		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 05A02				TIPIID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 121				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS A	DATE 04 Nov 20	NO 1	TIME 08:10	PID Generated, Cor		DATE 04 Nov 20	TIME 08:10	ACTION CODE 3		ACFT HRS WUC 00				
FAULTS/REMARKS PMD Due								ACTION COMPLETED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Richards, N	F	1.9						
ACFT HRS 5272.3		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS ×		SYS A	DATE 05 Nov 20	NO 1	TIME 09:47	PID Barnes, Jarret		DATE 05 Nov 20	TIME 09:53	ACTION CODE P		ACFT HRS 5272.9				
FAULTS/REMARKS (IN-PROCESS) AIRCRAFT TRACK AND BALANCE REQUIRED DUE TO REPLACEMENT OF M/R BLADE								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Rowe, S.	F	0.1						
ACFT HRS 5272.9		WHEN DISC B	HOW REC G	MAL EFF 2												
DELAY				WUC 02				TIPIID BARBEE, ANDREW				TI MANHOURS 0.1				
STATUS ×		SYS A	DATE 05 Nov 20	NO 2	TIME 11:33	PID Hosack, Jay		DATE 06 Nov 20	TIME 08:54	ACTION CODE A		ACFT HRS 5273.4				
FAULTS/REMARKS RPMR INDICATION ISSUE. LOW ROTOR RPM AUDIO SOUNDS MULTIPLE TIMES DURING FLIGHT WITHOUT ACTUAL LOSS OF ROTOR RPM.								ACTION REPLACED #2 SDC								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Lyons, C.	F	0.1						
ACFT HRS 5273.4		WHEN DISC G	HOW REC C	MAL EFF 5												
DELAY				WUC 08B14				TIPIID MONEY, DONALD				TI MANHOURS 0.1				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402			2. MODEL UH-60A			3. DATE			4. PAGE 122		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION					
STATUS —	 SYS A	DATE 05 Nov 20	NO 3	TIME 14:27	PID Generated, Cor	DATE 05 Nov 20	TIME 14:58	ACFT HRS 5273.4			
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 05 NOV 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5282.1 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD						ROUNDS	ACTION CODE 3		WUC 00		
ACFT HRS 5273.4						WHEN DISC O	HOW REC O	MAL EFF 1			
DELAY						WUC 00			TI MANHOURS		
STATUS —	 SYS A	DATE 05 Nov 20	NO 4	TIME 14:27	PID Generated, Com	DATE 05 Nov 20	TIME 14:45	ACFT HRS 5273.4			
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 05 NOV 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 11 NOV 2020 REFERENCE: TM 1-1520-237-PMD						ROUNDS	ACTION CODE 3		WUC 00		
ACFT HRS 5273.4						WHEN DISC O	HOW REC O	MAL EFF 1			
DELAY						WUC 00			TI MANHOURS		
STATUS —	 SYS A	DATE 05 Nov 20	NO 5	TIME 14:58	PID Generated, Com	DATE 06 Nov 20	TIME 10:06	ACFT HRS 5273.4			
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,						ROUNDS	ACTION CODE P		WUC 00		
ACFT HRS 5273.4						WHEN DISC O	HOW REC G	MAL EFF 2			
DELAY						WUC 00			TI MANHOURS		

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 123							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		SYS A		DATE 05 Nov 20		NO 6		TIME 15:04		PID Generated, Cor		DATE 05 Nov 20		TIME 15:04		ACFT HRS			
CLOSED												ROUNDS		ACTION CODE 3		WUC 00			
FAULTS/REMARKS PMD Due								ACTION COMPLETED											
ACFT HRS 5273.4		WHEN DISC O		HOW REC O		MAL EFF 1		PID		CAT		HRS		PID		CAT		HRS	
DELAY		WUC 00		TIPID ,		TI MANHOURS		Barnes, J.		F		0.1							
STATUS —		SYS A		DATE 06 Nov 20		NO 1		TIME 00:00		PID Generated, Com		DATE 06 Jan 21		TIME 00:00		ACFT HRS 5274.5			
CLOSED												ROUNDS		ACTION CODE		WUC 00			
FAULTS/REMARKS INSP A530 AIRCRAFT EQUIPMENT INVENTORY (DA FORM 2408-17) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 05 JAN 2021 REFERENCE: DA PAM 738-751								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON JAN 6 2021 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT											
ACFT HRS 5273.4		WHEN DISC O		HOW REC O		MAL EFF 1		PID		CAT		HRS		PID		CAT		HRS	
DELAY		WUC 00		TIPID ,		TI MANHOURS													
STATUS —		SYS E		DATE 06 Nov 20		NO 1		TIME 00:00		PID Generated, Com		DATE 13 Dec 20		TIME 00:00		ACFT HRS 5274.5			
CLOSED												ROUNDS		ACTION CODE		WUC 00			
FAULTS/REMARKS INSP E331 UNDER WATER ACOUSTIC BEACON TEST AND CLEAN FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 12 DEC 2020 OR 5688.4 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23_P								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON DEC 13 2020 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT											
ACFT HRS 5273.4		WHEN DISC O		HOW REC O		MAL EFF 1		PID		CAT		HRS		PID		CAT		HRS	
DELAY		WUC 00		TIPID ,		TI MANHOURS													

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 124				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS X	F Closed	SYS A	DATE 06 Nov 20	NO 2	TIME 18:30	PID Richards, Micha		DATE 06 Nov 20	TIME 18:31	ACFT HRS 5274.0						
								ROUNDS	ACTION CODE B		WUC 02					
FAULTS/REMARKS (IN PROCESS) AIRCRAFT TRACK AND BALANCE REQUIRED DUE TO REPLACEMENT OF M/R BLADE								ACTION ADJUSTMENTS MADE								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Richards, N	F	0.1						
ACFT HRS 5274		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 02				TIPID FAUST, JONATHAN			TI MANHOURS 0.1					
STATUS —	R Closed	SYS A	DATE 07 Nov 20	NO 1	TIME 08:07	PID Generated, Com		DATE 07 Nov 20	TIME 08:14	ACFT HRS 5274.0						
								ROUNDS	ACTION CODE P		WUC 02					
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 07 NOV 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5284.4 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Richards, N	F	1.9						
ACFT HRS 5274		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPID ,			TI MANHOURS					
STATUS —	Closed	SYS A	DATE 07 Nov 20	NO 2	TIME 08:15	PID Generated, Com		DATE 07 Nov 20	TIME 08:16	ACFT HRS						
								ROUNDS	ACTION CODE 3		WUC 00					
FAULTS/REMARKS PMD Due								ACTION COMPLETED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Richards, N	F	1.9						
ACFT HRS 5274		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPID ,			TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 125					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A	DATE 09 Nov 20	NO 1	TIME 00:00	PID Generated, Cor		DATE 13 Nov 20	TIME 00:00	ACFT HRS 5274.5		ROUNDS		ACTION CODE		WUC 00	
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 12 NOV 2020 REFERENCE: TM 1-1520-237-PMD								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON NOV 13 2020 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT									
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —		SYS A	DATE 11 Nov 20	NO 1	TIME 00:00	PID Generated, Com		DATE 18 Nov 20	TIME 00:01	ACFT HRS 5274.5		ROUNDS		ACTION CODE		WUC 00	
FAULTS/REMARKS INSP A100 LH/RH ENGINE HISTORY RECORDER READINGS DUE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 17 NOV 2020 REFERENCE: DA PAM 738-751								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON NOV 18 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT									
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —		SYS E	DATE 11 Nov 20	NO 1	TIME 00:00	PID Generated, Com		DATE 16 Nov 20	TIME 10:14	ACFT HRS 5274.5		ROUNDS		ACTION CODE P		WUC 02	
FAULTS/REMARKS INSP E220 EMERGENCY LOCATOR TRANSMITTER SELF-TEST (AS REQUIRED) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5391.6 AIRCRAFT HOURS OR 17 NOV 2020 REFERENCE: AWR 1516 R12								ACTION COMP									
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 00				TIPIID ,				TI MANHOURS					

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 126			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —	L CLOSED	SYS E	DATE 11 Nov 20	NO 2	TIME 00:00	PID Generated, Cor		DATE 12 Nov 20	TIME 06:52	ACFT HRS 5274.5					
								ROUNDS	ACTION CODE B	WUC 19D01					
FAULTS/REMARKS INSP E050 ARC-220 RADIO SET BATTERY INSPECTION OR REPLACE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 17 NOV 2020 REFERENCE: TM 11-5821-357-12P								ACTION N/A REMOVED BATTERIES							
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS		
DELAY		WUC 00				TIPIID ,			TI MANHOURS						
STATUS —	R CLOSED	SYS A	DATE 12 Nov 20	NO 1	TIME 00:00	PID Generated, Com		DATE 16 Nov 20	TIME 10:14	ACFT HRS 5274.5					
								ROUNDS	ACTION CODE P	WUC 02					
FAULTS/REMARKS INSP A839 APU HOUR METER READING DUE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 17 NOV 2020 REFERENCE: SOP								ACTION COMP							
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS		
DELAY		WUC 00				TIPIID ,			TI MANHOURS						
STATUS —	CLOSED	SYS A	DATE 12 Nov 20	NO 2	TIME 00:00	PID Generated, Com		DATE 01 Dec 20	TIME 00:00	ACFT HRS 5274.5					
								ROUNDS	ACTION CODE	WUC 00					
FAULTS/REMARKS INSP A160 90 DAY CORROSION INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 30 NOV 2020 REFERENCE: TM 1-1520-237-23&P								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON DEC 1 2020 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS		
DELAY		WUC 00				TIPIID ,			TI MANHOURS						




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 127			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS A	DATE 12 Nov 20	NO 3	TIME 00:00	PID Generated, Cor		DATE 15 Nov 20	TIME 00:01	ACFT HRS 5274.5					
FAULTS/REMARKS INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 14 NOV 2020 REFERENCE: TM 1-1520-237-23&P								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON NOV 15 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
ACFT HRS 5274.5								WHEN DISC O	HOW REC O	MAL EFF 1					
DELAY								WUC 00				TIPIID , TI MANHOURS			
STATUS X		SYS A	DATE 12 Nov 20	NO 4	TIME 09:08	PID LEWIS, BRADLEY		DATE 01 Dec 20	TIME 13:26	ACFT HRS 5274.5					
FAULTS/REMARKS #1 ENGINE SN# GE-E-763276C REQUIRES REMOVAL TO FACILITATE MAINTENANCE								ACTION REPLACED WITH SN# GE-E761061C							
ACFT HRS 5274.5								WHEN DISC K	HOW REC G	MAL EFF 1					
DELAY								WUC 04				TIPIID Ziegler, Luke TI MANHOURS 0.1			
STATUS X		SYS A	DATE 12 Nov 20	NO 5	TIME 10:00	PID LEWIS, BRADLEY		DATE 14 Nov 20	TIME 12:59	ACFT HRS 5274.5					
FAULTS/REMARKS #2 ENGINE SN# GE-E-964277 REQUIRES REMOVAL TO FACILITATE MAINTENANCE								ACTION replaced with Eng SN: GE-E-761098C							
ACFT HRS 5274.5								WHEN DISC K	HOW REC G	MAL EFF 1					
DELAY								WUC 04				TIPIID Ziegler, Luke TI MANHOURS 0.1			
ACFT HRS 5274.5								WHEN DISC K	HOW REC G	MAL EFF 1					
DELAY								WUC 04				TIPIID Ziegler, Luke TI MANHOURS 0.1			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 128				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS E	DATE 14 Nov 20	NO 1	TIME 00:01	PID Generated, Cor		DATE 16 Nov 20	TIME 06:17	ACFT HRS 5274.5						
FAULTS/REMARKS INSP E108 KY-58 PMCS/OPNL CHECK (STANDBY) FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 20 NOV 2020 REFERENCE: TM 11-5810-262-23								ACTION N/A, NO FILLS INSTALLED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Lyons, C.	F	0.1						
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS X		SYS A	DATE 14 Nov 20	NO 1	TIME 15:26	PID LEWIS, BRADLEY		DATE 20 Nov 20	TIME 16:36	ACFT HRS 5274.5						
FAULTS/REMARKS NO.1 ENGINE INBOARD MOUNTING STRUT UPPER BEARING WORN BEYOND LIMITS								ACTION REPLACED STRUT								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								LEWIS, B.	F	2.0						
ACFT HRS 5274.5		WHEN DISC O	HOW REC K	MAL EFF 1												
DELAY				WUC 04				TIPIID Ziegler, Luke				TI MANHOURS 0.1				
STATUS X		SYS A	DATE 14 Nov 20	NO 2	TIME 15:39	PID LEWIS, BRADLEY		DATE 20 Nov 20	TIME 16:35	ACFT HRS 5274.5						
FAULTS/REMARKS NO.1 ENGINE OUTBOARD MOUNT FITTING BEARING WORN BEYOND LIMITS								ACTION REPLACED FITTING								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								LEWIS, B.	F	7.0						
ACFT HRS 5274.5		WHEN DISC O	HOW REC K	MAL EFF 1												
DELAY				WUC 04				TIPIID TUTHEROW, MICHAEL				TI MANHOURS 0.1				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 129							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —	 SYS A	DATE 15 Nov 20	NO 2	TIME 00:01	PID Generated, Cor			DATE 22 Nov 20	TIME 00:01	ACFT HRS 5274.5									
FAULTS/REMARKS INSP A115 LUBE REQUIRMENTS FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 21 NOV 2020 OR 5310.6 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23&P								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON NOV 22 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT						ROUNDS		ACTION CODE		WUC 00	
ACFT HRS 5274.5				WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
DELAY				WUC 00				TIPIID ,				TI MANHOURS							
STATUS —	 SYS A	DATE 15 Nov 20	NO 3	TIME 00:01	PID Generated, Com			DATE 22 Nov 20	TIME 00:01	ACFT HRS 5274.5									
FAULTS/REMARKS INSP A092 30 DAY SLAB BATTERY INSPECTION (D8565/11-1) FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 21 NOV 2020 REFERENCE: TM 11-6140-203-23 P								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON NOV 22 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT						ROUNDS		ACTION CODE		WUC 00	
ACFT HRS 5274.5				WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
DELAY				WUC 00				TIPIID ,				TI MANHOURS							
STATUS —	 SYS A	DATE 15 Nov 20	NO 4	TIME 00:01	PID Generated, Com			DATE 24 Nov 20	TIME 11:01	ACFT HRS 5274.5									
FAULTS/REMARKS INSP A230 INSPECT BATTERY COMPARTMENT FOR CORROSION (SLAB) FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 09 DEC 2020 REFERENCE: MWO 1-1520-237-50-77								ACTION COMP						ROUNDS		ACTION CODE P		WUC 09B01A	
ACFT HRS 5274.5				WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
DELAY				WUC 00				TIPIID ,				TI MANHOURS							

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 130					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A		DATE 15 Nov 20		NO 5		TIME 00:01		PID Generated, Cor		DATE 22 Nov 20		TIME 00:01		ACFT HRS 5274.5	
CLOSED												ROUNDS		ACTION CODE		WUC 00	
FAULTS/REMARKS INSP A103 AIRCRAFT WASH DUE FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 21 NOV 2020 REFERENCE: TM 1-1500-344-23								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON NOV 22 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT									
ACFT HRS 5274.5		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —		SYS A		DATE 17 Nov 20		NO 1		TIME 00:01		PID Generated, Com		DATE 24 Dec 20		TIME 00:01		ACFT HRS 5274.5	
CLOSED												ROUNDS		ACTION CODE		WUC 00	
FAULTS/REMARKS INSP A496 CF3BR FIRE EXTINGUISHER WEIGHT TEST INSPECTION FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 23 DEC 2020 REFERENCE: TM 1-1520-237-23&P								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON DEC 24 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT									
ACFT HRS 5274.5		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —		SYS H		DATE 18 Nov 20		NO 1		TIME 00:01		PID Generated, Com		DATE 25 Nov 20		TIME 00:01		ACFT HRS 5274.5	
CLOSED												ROUNDS		ACTION CODE		WUC 00	
FAULTS/REMARKS INSP H810 CONDUCT HOIST OPERATIONAL CHECK IAW H-60-19-AMAM-01 ADDENDUM 1 (UPDATE) FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5313.6 AIRCRAFT HOURS OR 24 NOV 2020 REFERENCE: H-60-19-AMAM-01								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON NOV 25 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT									
ACFT HRS 5274.5		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 131				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS X		SYS A	DATE 22 Nov 20	NO 2	TIME 00:01	PID Generated, Cor		DATE 24 Nov 20	TIME 10:58	ACFT HRS 5274.5						
FAULTS/REMARKS INSP A092 30 DAY SLAB BATTERY INSPECTION (D8565/11-1) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 WAS DUE. STATUS UPGRADED TO X ON: 21 NOV 2020 REFERENCE: TM 11-6140-203-23 P								ACTION PASSED INSPECTION								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Moore, S.	F	0.2	Klein, J.	F	0.2			
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID TUTHEROW, MICHAEL				TI MANHOURS 0.1				
STATUS —		SYS A	DATE 23 Nov 20	NO 1	TIME 08:53	PID Generated, Com		DATE 27 Nov 20	TIME 08:06	ACFT HRS 5274.5						
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-AMAM-10 DESCRIPTION: COMPLY WITH H-60-20-AMAM-10, EXTERNAL/ INTERNAL HOIST AND PENDANT CONTROL DA FORM 2410 TRACKING, BY 30 NOV 20.. IS DUE: 30 NOV 2020 CALENDAR								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								BARBEE, A.	F	0.1						
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID BARBEE, ANDREW				TI MANHOURS 0.1				
STATUS —		SYS A	DATE 24 Nov 20	NO 4	TIME 18:35	PID Moore, Sarah		DATE 24 Nov 20	TIME 18:37	ACFT HRS 5274.5						
FAULTS/REMARKS PERFROM OPERATIONAL CHECK OF THE HYDRAULIC SYSTEM (WP 0098 HYDRAULIC SYSTEM)								ACTION WRITE UP ENTERED IN ERROR								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Richards, N	F	0.1						
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 02				TIPIID ,				TI MANHOURS				

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 132			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —	E Closed	SYS A	DATE 04 Dec 20	NO 1	TIME 10:32	PID ELMORE, JOSEP		DATE 20 Apr 21	TIME 10:33	ACFT HRS 5274.5					
FAULTS/REMARKS LMTF REQ								ROUNDS	ACTION CODE A		WUC 00				
ACTION ENTERED IN ERROR															
ACFT HRS 5274.5		WHEN DISC G	HOW REC A	MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
STATUS X	L Closed	SYS A	DATE 10 Dec 20	NO 3	TIME 16:22	PID Phillips, Ethan		DATE 04 Jan 21	TIME 09:12	ACFT HRS 5274.5					
FAULTS/REMARKS ARC-186 R/T REMOVED FOR TROUBLESHOOTING ON AFCT 963								ROUNDS	ACTION CODE L		WUC 00				
ACTION REINSTALLED ARC-186 R/T															
ACFT HRS 5274.5		WHEN DISC G	HOW REC G	MAL EFF 1											
DELAY				WUC 00				TIPIID LLOYD, JUSTIN				TI MANHOURS 0.1			
STATUS —	Closed	SYS E	DATE 11 Dec 20	NO 1	TIME 00:00	PID Generated, Com		DATE 18 Dec 20	TIME 00:01	ACFT HRS 5274.5					
FAULTS/REMARKS INSP E220 EMERGENCY LOCATOR TRANSMITTER SELF-TEST (AS REQUIRED) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5399.5 AIRCRAFT HOURS OR 17 DEC 2020 REFERENCE: AWR 1516 R12								ROUNDS	ACTION CODE		WUC 00				
ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON DEC 18 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT															
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 133					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS E	DATE 11 Dec 20	NO 2	TIME 00:00	PID Generated, Cor		DATE 18 Dec 20	TIME 00:01	ACFT HRS 5274.5		ROUNDS		ACTION CODE		WUC 00	
FAULTS/REMARKS INSP E050 ARC-220 RADIO SET BATTERY INSPECTION OR REPLACE FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 17 DEC 2020 REFERENCE: TM 11-5821-357-12P								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON DEC 18 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT									
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS —		SYS A	DATE 13 Dec 20	NO 1	TIME 00:00	PID Generated, Com		DATE 19 Dec 20	TIME 00:00	ACFT HRS 5274.5		ROUNDS		ACTION CODE		WUC 00	
FAULTS/REMARKS INSP A839 APU HOUR METER READING DUE FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 18 DEC 2020 REFERENCE: SOP								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON DEC 19 2020 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT									
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS X		SYS E	DATE 13 Dec 20	NO 1	TIME 00:00	PID Generated, Com		DATE 18 Dec 20	TIME 12:44	ACFT HRS 5274.5		ROUNDS		ACTION CODE 6		WUC 00	
FAULTS/REMARKS INSP E331 UNDER WATER ACOUSTIC BEACON TEST AND CLEAN FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 WAS DUE. STATUS UPGRADED TO X ON: 12 DEC 2020 OR 5688.4 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23_P								ACTION INSP OK									
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1				Phillips, E.	F	0.1	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 00				TIPID LLOYD, JUSTIN				TI MANHOURS 0.1					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 134			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —	 SYS E	DATE 14 Dec 20	NO 1	TIME 00:00	PID Generated, Cor			DATE 21 Dec 20	TIME 00:00	ACFT HRS 5274.5					
		ROUNDS	ACTION CODE			WUC 00									
FAULTS/REMARKS INSP E108 KY-58 PMCS/OPNL CHECK (STANDBY) FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 20 DEC 2020 REFERENCE: TM 11-5810-262-23								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON DEC 21 2020 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS		
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
STATUS —	 SYS A	DATE 16 Dec 20	NO 1	TIME 00:01	PID Generated, Com			DATE 04 Jan 21	TIME 00:00	ACFT HRS 5274.5					
		ROUNDS	ACTION CODE			WUC 00									
FAULTS/REMARKS INSP A177 90 DAY REVIEW/UPDATE OF 365-4 ENTRIES FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 03 JAN 2021 REFERENCE: AR 95-1								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON JAN 4 2021 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS		
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
STATUS —	 SYS A	DATE 17 Dec 20	NO 1	TIME 00:01	PID Generated, Com			DATE 28 Dec 20	TIME 00:00	ACFT HRS 5274.5					
		ROUNDS	ACTION CODE			WUC 00									
FAULTS/REMARKS INSP A865 SENSITIVE ITEM INVENTORY FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 27 DEC 2020 REFERENCE: SOP								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON DEC 28 2020 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS		
DELAY				WUC 00				TIPIID ,				TI MANHOURS			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 135				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS X		SYS A	DATE 18 Dec 20	NO 1	TIME 11:25	PID Phillips, Ethan		DATE 18 Dec 20	TIME 14:30	ACFT HRS 5274.5						
FAULTS/REMARKS IVHMU SN:00833 RMVD FOR CE ACFT 9026277, CE WYDDC0352001								ACTION REPLACED IVHMU WITH SN: 00475								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Phillips, E.	F	0.1						
ACFT HRS 5274.5		WHEN DISC K		HOW REC G		MAL EFF 1										
DELAY				WUC 00				TIPIID TUTHEROW, MICHAEL				TI MANHOURS 0.1				
STATUS X		SYS A	DATE 18 Dec 20	NO 2	TIME 13:38	PID Phillips, Ethan		DATE 18 Dec 20	TIME 14:26	ACFT HRS 5274.5						
FAULTS/REMARKS AFT L/H SCREW SECURING IVHMU NOT INSTALLED SUSPECTED BROEKN NUT PLATE.								ACTION entered in error								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Phillips, E.	F	0.1						
ACFT HRS 5274.5		WHEN DISC K		HOW REC G		MAL EFF 1										
DELAY				WUC 02				TIPIID TUTHEROW, MICHAEL				TI MANHOURS 0.1				
STATUS —		SYS A	DATE 21 Dec 20	NO 1	TIME 00:00	PID Generated, Com		DATE 28 Dec 20	TIME 00:00	ACFT HRS 5274.5						
FAULTS/REMARKS INSP A092 30 DAY SLAB BATTERY INSPECTION (D8565/11-1) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 27 DEC 2020 REFERENCE: TM 11-6140-203-23 P								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON DEC 28 2020 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 5274.5		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPIID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 136			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS X		SYS A	DATE 21 Dec 20	NO 2	TIME 09:37	PID Chavis, Carlton		DATE 21 Dec 20	TIME 09:50	ACFT HRS 5274.5					
								ROUNDS	ACTION CODE 6	WUC 19					
FAULTS/REMARKS IVHMUS PDU REMOVED FOR TROUBLESHOOTING ON AFCT 277								ACTION ENTERED IN ERROR							
ACFT HRS 5274.5		WHEN DISC K	HOW REC G	MAL EFF 2		PID Chavis, C.		CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 08F01				TIPIID Martin, Joel				TI MANHOURS 0.1			
STATUS X		SYS A	DATE 21 Dec 20	NO 3	TIME 09:51	PID Chavis, Carlton		DATE 21 Dec 20	TIME 14:39	ACFT HRS 5274.5					
								ROUNDS	ACTION CODE L	WUC 08F01					
FAULTS/REMARKS IVHMUS CDU REMOVED FOR TROUBLESHOOTING ON AFCT 277								ACTION REINSTALLED							
ACFT HRS 5274.5		WHEN DISC K	HOW REC G	MAL EFF 2		PID Chavis, C.		CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 08F01				TIPIID Martin, Joel				TI MANHOURS 0.1			
STATUS X		SYS A	DATE 21 Dec 20	NO 4	TIME 14:40	PID Chavis, Carlton		DATE 21 Dec 20	TIME 14:52	ACFT HRS 5274.5					
								ROUNDS	ACTION CODE L	WUC 00					
FAULTS/REMARKS IVHMU REMOVED FOR TROUBLESHOOTING								ACTION REINSTALLED							
ACFT HRS 5274.5		WHEN DISC K	HOW REC G	MAL EFF 2		PID Coley, L.		CAT F	HRS 0.5	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 08F01				TIPIID Martin, Joel				TI MANHOURS 0.1			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 137				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS E	DATE 25 Dec 20	NO 1	TIME 00:01	PID Generated, Cor		DATE 31 Jan 21	TIME 00:01	ACFT HRS 5274.5						
FAULTS/REMARKS INSP E015 ASN 128D DOPPLER GPS BATTERY REPLACEMENT FOR HCPT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 30 JAN 2021 REFERENCE: MWO 1-1520-237-50-92								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON JAN 31 2021 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 5274.5								WHEN DISC	O	HOW REC	O	MAL EFF 1				
DELAY								WUC 00				TI MANHOURS				
STATUS —		SYS A	DATE 29 Dec 20	NO 1	TIME 00:00	PID Generated, Com		DATE 04 Feb 21	TIME 00:01	ACFT HRS 5274.5						
FAULTS/REMARKS INSP A502 INSPECT AND TEST GROUND RECEPTACLE IAW TM 1-1500-204-23 FOR HCPT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 03 FEB 2021 REFERENCE: TM 1-1520-237-23&P								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON FEB 4 2021 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 5274.5								WHEN DISC	O	HOW REC	O	MAL EFF 1				
DELAY								WUC 00				TI MANHOURS				
STATUS —		SYS E	DATE 29 Dec 20	NO 1	TIME 00:00	PID Generated, Com		DATE 04 Feb 21	TIME 00:01	ACFT HRS 5274.5						
FAULTS/REMARKS INSP E135 AN/ARC-201(V) SINGARS RADIO HUB BATT REPL FOR HCPT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 03 FEB 2021 REFERENCE: TM 11-5821-333-12								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON FEB 4 2021 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 5274.5								WHEN DISC	O	HOW REC	O	MAL EFF 1				
DELAY								WUC 00				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 138				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS E	DATE 30 Dec 20	NO 1	TIME 00:00	PID Generated, Cor		DATE 18 Jan 21	TIME 00:00	ACFT HRS 5274.5		ROUNDS		ACTION CODE		WUC 00
FAULTS/REMARKS INSP E125 KY-58 PMCS/OPNL CHECK FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 17 JAN 2021 REFERENCE: TM 11-5810-262-23								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON JAN 18 2021 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT								
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS X		SYS A	DATE 30 Dec 20	NO 1	TIME 15:10	PID Ziegler, Luke		DATE 15 Mar 21	TIME 15:30	ACFT HRS 5274.5		ROUNDS		ACTION CODE A		WUC 15C01
FAULTS/REMARKS APU FUEL CONTROL ASSY FUEL PUMP S/N 2873-592 REMOVED FOR CE TO ACFT 8624511,CE # WYDDC0364001								ACTION REPLACED FUEL CONTROL ASSY								
ACFT HRS 5274.5		WHEN DISC K	HOW REC G	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 15C				TIPIID Martin, Joel				TI MANHOURS 0.1				
STATUS —		SYS E	DATE 11 Jan 21	NO 1	TIME 00:01	PID Generated, Com		DATE 30 Jan 21	TIME 00:00	ACFT HRS 5274.5		ROUNDS		ACTION CODE		WUC 00
FAULTS/REMARKS INSP E040 APR-39 RADAR/LASER WARNING OPNL CHECK, 5841-01-236-8951 FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 29 JAN 2021 REFERENCE: TM 11-5841-294-12								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON JAN 30 2021 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT								
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 00				TIPIID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 139			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS A	DATE 20 Jan 21	NO 1	TIME 15:08	PID Generated, Cor		DATE 26 Jan 21	TIME 14:53	ACFT HRS 5274.5					
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-21-ASAM-02 DESCRIPTION: COMPLY WITH H-60-21-ASAM-02, BREEZE EASTERN HOIST PENDANT ASSEMBLY SHOULDER SCREW, BY 04 MAR 2021. IS DUE: 04 MAR 2021 CALENDAR								ACTION COMP							
ACFT HRS 5274.5								WHEN DISC	O	HOW REC	O	MAL EFF	1		
DELAY								WUC 00		TIPIID TUTHEROW, MICHAEL			TI MANHOURS 0.1		
STATUS —		SYS A	DATE 21 Jan 21	NO 1	TIME 00:01	PID Generated, Com		DATE 21 Feb 21	TIME 00:01	ACFT HRS 5274.5					
FAULTS/REMARKS INSP A534 FIRST AID KIT INSPECTION FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 22 MAR 2021 REFERENCE: TM 1-1500-204-23-1								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON FEB 21 2021 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
ACFT HRS 5274.5								WHEN DISC	O	HOW REC	O	MAL EFF	1		
DELAY								WUC 00		TIPIID ,			TI MANHOURS		
STATUS X		SYS A	DATE 21 Jan 21	NO 3	TIME 10:45	PID Phillips, Ethan		DATE 21 Jan 21	TIME 10:57	ACFT HRS 5274.5					
FAULTS/REMARKS ASSY, PILOTS RELAY BRACKET SN:0190 RMVD FOR CE WITH AFCT 9126348. CE#WYDDCO021001								ACTION REPLACED WITH BAD PART FROM AFCT 348. SN:0247							
ACFT HRS 5274.5								WHEN DISC	K	HOW REC	G	MAL EFF	1		
DELAY								WUC 00		TIPIID LLOYD, JUSTIN			TI MANHOURS 0.1		




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 140							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS X		SYS A	DATE 26 Jan 21	NO 1	TIME 13:35	PID Rowe, Steven		DATE 26 Jan 21	TIME 14:53	ACFT HRS 5274.5									
FAULTS/REMARKS (IN-PROCESS) SAFETY MESSAGE NUMBER: H-60-21-ASAM-02 DESCRIPTION: COMPLY WITH H-60-21-ASAM-02, BREEZE EASTERN HOIST ASSEMBLY SHOULDER SCREW, BY 04 MAR 2021 FOR CONTROLLER, ACFT CAGE: 08484 PN: CP-1100-2 NSN: 1680015028652 SN: 1161A IS DUE: 04 MAR 2021 CALENDAR								ACTION COMP											
ACFT HRS 5274.5								WHEN DISC B	HOW REC G	MAL EFF 2									
DELAY								WUC 02				TIPIID TUTHEROW, MICHAEL				TI MANHOURS 0.1			
STATUS X		SYS H	DATE 26 Jan 21	NO 1	TIME 15:33	PID TUTHEROW, MIK		DATE 26 Jan 21	TIME 15:35	ACFT HRS 5274.5									
FAULTS/REMARKS Hoist pendant thumb wheels sticks and does not roll smoothly								ACTION entered in error											
ACFT HRS 5274.5								WHEN DISC B	HOW REC K	MAL EFF 1									
DELAY								WUC 14				TIPIID TUTHEROW, MICHAEL				TI MANHOURS 0.1			
STATUS —		SYS A	DATE 28 Jan 21	NO 1	TIME 00:00	PID Generated, Com		DATE 30 Mar 21	TIME 00:01	ACFT HRS 5274.5									
FAULTS/REMARKS INSP A550 REPLACE IVHMU AA LITHIUM BATTERY FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 29 MAR 2021 REFERENCE: AWR1346R25/AWR1823R6								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON MAR 30 2021 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT											
ACFT HRS 5274.5								WHEN DISC O	HOW REC O	MAL EFF 1									
DELAY								WUC 00				TIPIID ,				TI MANHOURS			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 141			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS A	DATE 30 Jan 21	NO 1	TIME 00:00	PID Generated, Cor		DATE 01 Apr 21	TIME 00:01	ACFT HRS 5274.5					
FAULTS/REMARKS INSP A675 FLIGHT CONTROL RODS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 31 MAR 2021 REFERENCE: TM 1-1520-237-23&P								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON APR 1 2021 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
ACFT HRS 5274.5				WHEN DISC O	HOW REC O	MAL EFF 1		TIPIID ,		TI MANHOURS					
DELAY	WUC 00							DATE 01 Apr 21		TIME 00:01	ACFT HRS 5274.5				
STATUS —		SYS A	DATE 30 Jan 21	NO 2	TIME 00:00	PID Generated, Com		ROUNDS	ACTION CODE		WUC 00				
FAULTS/REMARKS INSP A673 FUEL CELL CORROSION INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 31 MAR 2021 REFERENCE: TM 1-1520-237-23&P								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON APR 1 2021 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
ACFT HRS 5274.5				WHEN DISC O	HOW REC O	MAL EFF 1		TIPIID ,		TI MANHOURS					
DELAY	WUC 00							DATE 01 Apr 21		TIME 00:01	ACFT HRS 5274.5				
STATUS —		SYS A	DATE 30 Jan 21	NO 3	TIME 00:00	PID Generated, Com		ROUNDS	ACTION CODE		WUC 00				
FAULTS/REMARKS INSP A665 REPLACE FUEL CELL O-RING SEAL PN MS29513-215 FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 31 MAR 2021 REFERENCE: H-60-14-AMAM-18								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON APR 1 2021 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
ACFT HRS 5274.5				WHEN DISC O	HOW REC O	MAL EFF 1		TIPIID ,		TI MANHOURS					
DELAY	WUC 00							DATE 01 Apr 21		TIME 00:01	ACFT HRS 5274.5				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 142					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —	 CLOS	SYS A	DATE 30 Jan 21	NO 4	TIME 00:00	PID Generated, Cor		DATE 01 Apr 21	TIME 00:01	ACFT HRS 5274.5		ROUNDS		ACTION CODE		WUC 00	
FAULTS/REMARKS INSP A670 CABIN TUB INSPECTION FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 01 MAR 2021 REFERENCE: TM 1-1520-237-23&P								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON APR 1 2021 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT									
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —	 CLOS	SYS A	DATE 31 Jan 21	NO 1	TIME 00:01	PID Generated, Com		DATE 02 Apr 21	TIME 00:01	ACFT HRS 5274.5		ROUNDS		ACTION CODE		WUC 00	
FAULTS/REMARKS INSP A532 COMPASS SWING / RMI FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 01 APR 2021 REFERENCE: TM 1-1500-204-23-4								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON APR 2 2021 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT									
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —	 CLOS	SYS A	DATE 05 Feb 21	NO 1	TIME 08:21	PID Generated, Com		DATE 05 Feb 21	TIME 08:24	ACFT HRS 5274.5		ROUNDS		ACTION CODE T		WUC 02	
FAULTS/REMARKS SAFETY MESSAGE NUMBER: GEN-21-AMAM-04 DESCRIPTION: COMPLY WITH GEN-21-AMAM-04, AN/AAR 57 CMWS ECU, CMWS DCDU DA FORM 2410 TRACKING REQUIREMENTS BY 04 JUNE 2021.. IS DUE: 04 JUN 2021 CALENDAR								ACTION COMP									
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 00				TIPIID BARBEE, ANDREW				TI MANHOURS 0.1					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 143							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		SYS E	DATE 09 Feb 21	NO 1	TIME 00:01	PID Generated, Cor		DATE 18 Mar 21	TIME 00:00	ACFT HRS 5274.5									
FAULTS/REMARKS INSP E155 KY-58 BATTERY REPLACEMENT FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 17 MAR 2021 REFERENCE: TM 11-5810-262-23								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON MAR 18 2021 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT					ROUNDS			ACTION CODE		WUC 00	
ACFT HRS 5274.5				WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —		SYS A	DATE 10 Feb 21	NO 1	TIME 00:01	PID Generated, Com		DATE 19 Mar 21	TIME 00:00	ACFT HRS 5274.5									
FAULTS/REMARKS INSP A501 MAIN ROTOR BLADE SPAR PRESSURE CHECK FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 18 MAR 2021 REFERENCE: TM 1-1520-237-23P								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON MAR 19 2021 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT					ROUNDS			ACTION CODE		WUC 00	
ACFT HRS 5274.5				WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —		SYS A	DATE 11 Feb 21	NO 1	TIME 10:46	PID Generated, Com		DATE 11 Feb 21	TIME 10:49	ACFT HRS 5274.5									
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-21-AMAM-02 DESCRIPTION: COMPLY WITH H-60-21-AMAM-02, EXTERNAL HOIST CABLE SET SCREW INSTALL, BY 10 AUG 21.. IS DUE: 10 AUG 2021 CALENDAR								ACTION COMP					ROUNDS			ACTION CODE T		WUC 02	
ACFT HRS 5274.5				WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
DELAY				WUC 00				TIPID BARBEE, ANDREW				TI MANHOURS 0.1							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00




1. AIRCRAFT SERIAL NUMBER 8524402		2. MODEL UH-60A		3. DATE		4. PAGE 144	
PART I - FAULT INFORMATION				PART II - CORRECTING INFORMATION			
STATUS —	 SYS A	DATE 25 Feb 21	NO 1	TIME 07:22	PID Generated, Cor		ACFT HRS 5274.5
FAULTS/REMARKS SAFETY MESSAGE NUMBER: GEN-21-AMAM-05 DESCRIPTION: COMPLY WITH GEN-21-AMAM-05, AN/AVR-2B LASER DETECTION SYSTEM DA FORM 2410 TRACKING REQUIREMENT, BY 23 JUNE 2021.. IS DUE: 23 JUN 2021 CALENDAR				ACTION COMP			
ACFT HRS 5274.5				WHEN DISC O	HOW REC O	MAL EFF 1	
DELAY				WUC 00		TI MANHOURS 0.1	
STATUS —	 SYS E	DATE 04 Mar 21	NO 1	TIME 00:00	PID Generated, Com		ACFT HRS 5274.5
FAULTS/REMARKS INSP E320 EMERGENCY LOCATOR TRANSMITTER G-SWITCH (EBC-406HM) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 03 MAY 2021 REFERENCE: AWR 1516 R12				ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON MAY 4 2021 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT			
ACFT HRS 5274.5				WHEN DISC O	HOW REC O	MAL EFF 1	
DELAY				WUC 00		TI MANHOURS	
STATUS —	 SYS A	DATE 11 Mar 21	NO 2	TIME 14:00	PID Generated, Com		ACFT HRS 5274.5
FAULTS/REMARKS INSP A642 CARGO HOOK CARTRIDGE REPLACEMENT DODIC MJ21 FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 30 APR 2021 REFERENCE: TB 9-1300-385				ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON MAY 1 2021 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT			
ACFT HRS 5274.5				WHEN DISC O	HOW REC O	MAL EFF 1	
DELAY				WUC 00		TI MANHOURS	

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 145				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —	 SYS A	DATE 15 Mar 21	NO 1	TIME 00:01	PID Generated, Cor			DATE 09 Apr 21	TIME 00:00	ACFT HRS 5274.5						
		ROUNDS	ACTION CODE			WUC 00										
FAULTS/REMARKS INSP A230 INSPECT BATTERY COMPARTMENT FOR CORROSION (SLAB) FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 08 APR 2021 REFERENCE: MWO 1-1520-237-50-77								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON APR 9 2021 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT								
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —	 SYS A	DATE 23 Apr 21	NO 1	TIME 10:23	PID Generated, Com			DATE 23 Apr 21	TIME 10:27	ACFT HRS 5274.5						
		ROUNDS	ACTION CODE T			WUC 02										
FAULTS/REMARKS COMPLY WITH H-60-21-AMAM-04, FAST ROPE INSERION/ EXTRACTION SYSTEM (FRIES), BEFORE NEXT USE, BUT NOT TO EXCEED 20 MAY 2021								ACTION COMP								
ACFT HRS 5274.5		WHEN DISC O	HOW REC G	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —	 SYS A	DATE 23 Apr 21	NO 2	TIME 10:27	PID Generated, Com			DATE 23 Apr 21	TIME 10:27	ACFT HRS 5274.5						
		ROUNDS	ACTION CODE T			WUC 02										
FAULTS/REMARKS COMPLY WITH H-60-21-AMAM-04, FAST ROPE INSERION/ EXTRACTION SYSTEM (FRIES), BEFORE NEXT USE, BUT NOT TO EXCEED 20 MAY 2021								ACTION COMP								
ACFT HRS 5274.5		WHEN DISC O	HOW REC G	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
ACFT HRS 5274.5		WHEN DISC O	HOW REC G	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 00				TIPIID ,				TI MANHOURS				

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 1					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A		DATE 05 Mar 20		NO 4		TIME 14:23		PID TUTHEROW, MI		DATE 02 Dec 20		TIME 07:23		ACFT HRS 5274.5	
												ROUNDS		ACTION CODE P		WUC 04A	
FAULTS/REMARKS ENGINE (# 1) AI/SBV LINK ASSEMBLY AND THE AI/SBV SHAFT QDP REQUIRES REPLACEMENT PER H-60-20-AMAM-03 BY 31DEC21.										ACTION COMPLETED IN CONJUNCTION WITH ENGINE SWAP							
												PID		CAT		HRS	
												LEWIS, B.		F		0.1	
ACFT HRS 5177.9				WHEN DISC X		HOW REC G		MAL EFF 1									
DELAY				WUC 04A				TIPIID ,				TI MANHOURS					
STATUS —		SYS A		DATE 05 Mar 20		NO 5		TIME 14:23		PID TUTHEROW, MI		DATE 02 Dec 20		TIME 07:23		ACFT HRS 5274.5	
												ROUNDS		ACTION CODE P		WUC 04A	
FAULTS/REMARKS ENGINE (# 2) AI/SBV LINK ASSEMBLY AND THE AI/SBV SHAFT QDP REQUIRES REPLACEMENT PER H-60-20-AMAM-03 BY 31DEC21.										ACTION COMPLETED IN CNJUNCTION WITH ENGINE SWAP							
												PID		CAT		HRS	
												LEWIS, B.		F		0.1	
ACFT HRS 5177.9				WHEN DISC X		HOW REC G		MAL EFF 1									
DELAY				WUC 04A05A				TIPIID ,				TI MANHOURS					
STATUS —		SYS A		DATE 05 Mar 20		NO 6		TIME 14:24		PID TUTHEROW, MI		DATE 02 Dec 20		TIME 07:22		ACFT HRS 5274.5	
												ROUNDS		ACTION CODE P		WUC 04A	
FAULTS/REMARKS ENGINE (# 1) HMU CONTROL LINK AND THE VARIABLE GUIDE VANE ACTUATING SHAFT QDP REQUIRES REPLACEMENT PER H-60-20-AMAM-03 BY 31DEC21.										ACTION COMPLETED IN CONJUNCTION WITH ENGINE SWAP							
												PID		CAT		HRS	
												LEWIS, B.		F		0.1	
ACFT HRS 5177.9				WHEN DISC X		HOW REC G		MAL EFF 1									
DELAY				WUC 04A05A				TIPIID ,				TI MANHOURS					

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 2					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A		DATE 05 Mar 20		NO 7		TIME 14:26		PID TUTHEROW, MI		DATE 02 Dec 20		TIME 07:20		ACFT HRS 5274.5	
												ROUNDS		ACTION CODE P		WUC 04A	
FAULTS/REMARKS ENGINE (# 2) HMU CONTROL LINK AND THE VARIABLE GUIDE VANE ACTUATING SHAFT QDP REQUIRES REPLACEMENT PER H-60-20-AMAM-03 BY 31DEC21.								ACTION COMPLETED IN CONJUNCTION WITH ENGINE SWAP. INSP COMPLETE									
												PID		CAT		HRS	
												LEWIS, B.		F		0.1	
ACFT HRS 5177.9				WHEN DISC X		HOW REC G		MAL EFF 1									
DELAY				WUC 04A05A				TIPIID ,				TI MANHOURS					
STATUS —		SYS A		DATE 13 Apr 20		NO 1		TIME 00:01		PID Generated, Com		DATE 09 Jun 20		TIME 12:45		ACFT HRS 5207.7	
												ROUNDS		ACTION CODE E		WUC 00	
FAULTS/REMARKS INSP A117 TAIL GEARBOX OIL SAMPLE FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 12 JUN 2020 OR 5565.1 AIRCRAFT HOURS REFERENCE: H-60-10-AMAM-11								ACTION COMP									
												PID		CAT		HRS	
												FAUST, J.		F		0.1	
ACFT HRS 5182.6				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —		SYS A		DATE 13 Apr 20		NO 2		TIME 00:01		PID Generated, Com		DATE 09 Jun 20		TIME 12:46		ACFT HRS 5207.7	
												ROUNDS		ACTION CODE E		WUC 00	
FAULTS/REMARKS INSP A116 INTERMEDIATE GEARBOX OIL SAMPLE FOR INTERMEDIATE GEARBOX CAGE: 78286 PN: 70357-06300-042 NSN: 1680010745152 SN: A005-01869 IS DUE. STATUS WILL UPGRADE TO X ON: 12 JUN 2020 OR 5563.6 AIRCRAFT HOURS REFERENCE: H-60-10-AMAM-11								ACTION COMP									
												PID		CAT		HRS	
												FAUST, J.		F		0.1	
ACFT HRS 5182.6				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPIID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 3			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —	 SYS A	DATE 13 Apr 20	NO 4	TIME 00:01	PID Generated, Cor			DATE 09 Jun 20	TIME 12:47	ACFT HRS 5207.7					
								ROUNDS	ACTION CODE E	WUC 00					
FAULTS/REMARKS INSP A211 APU OIL SAMPLE FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5565.1 AIRCRAFT HOURS OR 12 JUN 2020 REFERENCE: H-60-10-AMAM-11								ACTION COMP							
ACFT HRS 5182.6				WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS		
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
STATUS —	 SYS A	DATE 13 Apr 20	NO 6	TIME 00:01	PID Generated, Com			DATE 10 Jun 20	TIME 14:07	ACFT HRS 5207.7					
								ROUNDS	ACTION CODE 6	WUC 08B01					
FAULTS/REMARKS INSP A538 FAT/OAT GAUGE INSPECTION/TEST FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 12 JUN 2020 REFERENCE: TM 1-1520-237-23&P								ACTION completed; insp ok							
ACFT HRS 5182.6				WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS		
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
STATUS —	 SYS A	DATE 30 Apr 20	NO 1	TIME 00:00	PID Generated, Com			DATE 29 Jun 20	TIME 15:40	ACFT HRS 5222.5					
								ROUNDS	ACTION CODE P	WUC 02					
FAULTS/REMARKS INSP A302 LUBRICATE MAIN LANDING GEAR WHEEL BEARINGS FOR HCPT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 29 JUN 2020 OR 5563.6 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23&P								ACTION COMP							
ACFT HRS 5191.7				WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS		
DELAY				WUC 00				TIPIID ,				TI MANHOURS			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 4				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS A	DATE 30 Apr 20	NO 2	TIME 00:00	PID Generated, Cor		DATE 30 Jun 20	TIME 00:01	ACFT HRS 5222.5		ROUNDS		ACTION CODE P		WUC 00
FAULTS/REMARKS INSP A298 LUBRICATE TAIL WHEEL BEARINGS FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 29 JUN 2020 OR 5563.6 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23&P								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON JUN 30 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT								
ACFT HRS 5191.7		WHEN DISC O	HOW REC O	MAL EFF 1		Conversion		PID F	CAT 1.2	HRS Conversion	PID F	CAT 1.2	PID	CAT	HRS	
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 01 May 20	NO 1	TIME 00:00	PID Generated, Com		DATE 01 Jun 20	TIME 10:54	ACFT HRS 5203.4		ROUNDS		ACTION CODE A		WUC 19
FAULTS/REMARKS INSP A541 REPLACE DIGITAL CLOCK BATTERY FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 30 JUN 2020 REFERENCE: TM 1-1520-237-23&P								ACTION REPLACED MOC OK								
ACFT HRS 5192.5		WHEN DISC O	HOW REC O	MAL EFF 1		Conversion		PID F	CAT 0.1	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 01 May 20	NO 2	TIME 00:00	PID Generated, Com		DATE 29 Jun 20	TIME 17:47	ACFT HRS 5222.5		ROUNDS		ACTION CODE P		WUC 02
FAULTS/REMARKS INSP A299 LUBRICATE SWASHPLATE FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5563.6 AIRCRAFT HOURS OR 30 JUN 2020 REFERENCE: TM 1-1520-237-23&P								ACTION COMP								
ACFT HRS 5192.5		WHEN DISC O	HOW REC O	MAL EFF 1		Conversion		PID F	CAT 0.5	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 00				TIPIID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402		2. MODEL UH-60A			3. DATE			4. PAGE 5		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION				
STATUS —		SYS A	DATE 03 May 20	NO 1	TIME 00:00	PID Generated, Cor	DATE 01 Jun 20	TIME 13:21	ACFT HRS 5203.4	
FAULTS/REMARKS INSP A533 PITOT STATIC SYSTEM INSPECTION FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 02 JUL 2020 REFERENCE: TM 1-1520-237-23&P						ACTION COMP				
ACFT HRS 5193						WHEN DISC O	HOW REC O	MAL EFF 1		
DELAY						WUC 00		TI MANHOURS		
STATUS ⊗		SYS A	DATE 05 May 20	NO 5	TIME 11:12	PID Generated, Com	DATE 19 Jun 20	TIME 12:58	ACFT HRS 5211.7	
FAULTS/REMARKS (402)OPERATE WITHIN THE LIMITATIONS PRESCRIBED IN THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r12 29Nov18, AWR1270r12 05Sep18, AWR1279r8 15May18, AWR1309r12 30Jul19, AWR1348r14 23Apr18, AWR1407r5 31May18, AWR1425r21 27Dec17, AWR2122r5 09Aug19, AWR1444r9 15May18, AWR1451r10 25Jul19, AWR1452r7 22Apr19, AWR1466r9 23Aug19, AWR1494r11 27Dec17, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1594r6 01Dec17, AWR1682r25 01Aug19, AWR1692r8 30Oct17, AWR1693r5 15Mar18, AWR1694r6 26Jan18, AWR1750r5 27Feb18,						ACTION updated				
ACFT HRS 5196						WHEN DISC O	HOW REC G	MAL EFF 2		
DELAY						WUC 00		TI MANHOURS 0.1		
STATUS —		SYS E	DATE 06 May 20	NO 1	TIME 07:12	PID Generated, Com	DATE 01 Jun 20	TIME 11:12	ACFT HRS 5203.4	
FAULTS/REMARKS INSP E331 UNDER WATER ACOUSTIC BEACON TEST AND CLEAN FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 11 JUN 2020 OR 5622.3 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23_P						ACTION COMP				
ACFT HRS 5196						WHEN DISC O	HOW REC O	MAL EFF 1		
DELAY						WUC 00		TI MANHOURS		
ACFT HRS 5193						WHEN DISC O	HOW REC O	MAL EFF 1		
DELAY						WUC 00		TI MANHOURS		




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 6				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS /		SYS E	DATE 06 May 20	NO 2	TIME 11:36	PID HAMMETT, LEO		DATE 16 Jul 20	TIME 12:49	ACFT HRS 5234.3						
FAULTS/REMARKS Color camera blurred and obstructed.								ACTION NO FAULTS FOUND, MOC OK								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Conversion	F	0.1						
ACFT HRS 5198.6		WHEN DISC G		HOW REC G		MAL EFF 4										
DELAY 40HR, MS523924				WUC 16S				TIPIID ,				TI MANHOURS				
STATUS —		SYS E	DATE 10 May 20	NO 1	TIME 00:01	PID Generated, Com		DATE 01 Jun 20	TIME 10:50	ACFT HRS 5203.4						
FAULTS/REMARKS INSP E357 REPLACE APX-123 TRANSPONDER SAFT BATTERY FOR HCPT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 09 JUL 2020 REFERENCE: TM 11-5895-1841-13P								ACTION REPLACED BATTERY								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Conversion	F	0.2						
ACFT HRS 5198.6		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 12 May 20	NO 2	TIME 00:01	PID Generated, Com		DATE 05 Jun 20	TIME 09:00	ACFT HRS 5207.7						
FAULTS/REMARKS INSP A496 CF3BR FIRE EXTINGUISHER WEIGHT TEST INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 17 JUN 2020 REFERENCE: TM 1-1520-237-23&P								ACTION comp								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								DUNCAN,	F	0.1						
ACFT HRS 5198.6		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPIID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402		2. MODEL UH-60A			3. DATE			4. PAGE 7			
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION					
STATUS —		SYS A	DATE 13 May 20	NO 1	TIME 00:01	PID Generated, Cor		DATE 07 Jul 20	TIME 09:16	ACFT HRS 5226.8	
FAULTS/REMARKS INSP A553 AIRCRAFT WEIGHING INVENTORY (365-1) FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 12 JUL 2020 REFERENCE: AR 95-1						ACTION COMP					
ACFT HRS 5198.6						WHEN DISC O	HOW REC O	MAL EFF 1			
DELAY						WUC 00			TI MANHOURS		
STATUS —		SYS A	DATE 16 May 20	NO 1	TIME 00:01	PID Generated, Com		DATE 02 Jun 20	TIME 11:02	ACFT HRS 5203.4	
FAULTS/REMARKS INSP A160 90 DAY CORROSION INSPECTION FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 03 JUN 2020 REFERENCE: TM 1-1520-237-23&P						ACTION COMP					
ACFT HRS 5198.6						WHEN DISC O	HOW REC O	MAL EFF 1			
DELAY						WUC 00			TI MANHOURS		
STATUS —		SYS A	DATE 22 May 20	NO 11	TIME 16:26	PID Generated, Com		DATE 28 May 20	TIME 15:20	ACFT HRS 5200.9	
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r12 29Nov18, AWR1270r12 05Sep18, AWR1279r8 15May18, AWR1309r12 30Jul19, AWR1348r14 23Apr18, AWR1407r5 31May18, AWR2122r5 09Aug19, AWR1444r9 15May18, AWR1466r9 23Aug19, AWR1494r11 27Dec17, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r8 12Apr19, AWR1930r10 11Jan19, AWR1967r4 04May18, AWR2002r4 21Dec17,						ACTION complete					
ACFT HRS 5199.1						WHEN DISC O	HOW REC G	MAL EFF 2			
DELAY						WUC 00			TI MANHOURS		




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 8							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		SYS A	DATE 23 May 20	NO 1	TIME 00:00	PID Generated, Cor		DATE 29 May 20	TIME 11:12	ACFT HRS 5203.4									
FAULTS/REMARKS INSP A103 AIRCRAFT WASH DUE FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 29 MAY 2020 REFERENCE: TM 1-1500-344-23								ACTION comp						ROUNDS		ACTION CODE 6		WUC 00	
ACFT HRS 5199.1				WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
DELAY				WUC 00				TIPIID ,				TI MANHOURS							
STATUS —		SYS A	DATE 25 May 20	NO 1	TIME 00:00	PID Generated, Com		DATE 01 Jun 20	TIME 00:01	ACFT HRS 5203.4									
FAULTS/REMARKS INSP A115 LUBE REQUIRMENTS FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 31 MAY 2020 OR 5232.7 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23&P								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON JUN 1 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT						ROUNDS		ACTION CODE 6		WUC 00	
ACFT HRS 5199.1				WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
DELAY				WUC 00				TIPIID ,				TI MANHOURS							
STATUS —		SYS E	DATE 25 May 20	NO 1	TIME 00:00	PID Generated, Com		DATE 29 May 20	TIME 08:46	ACFT HRS 5203.4									
FAULTS/REMARKS INSP E108 KY-58 PMCS/OPNL CHECK (STANDBY) FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 31 MAY 2020 REFERENCE: TM 11-5810-262-23								ACTION COMP						ROUNDS		ACTION CODE 3		WUC 00	
ACFT HRS 5199.1				WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
DELAY				WUC 00				TIPIID ,				TI MANHOURS							

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 9					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A		DATE 26 May 20		NO 1		TIME 00:00		PID Generated, Cor		DATE 29 May 20		TIME 09:14		ACFT HRS 5203.4	
												ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 29 MAY 2020 REFERENCE: TM 1-1520-237-PMD										ACTION comp							
												PID		CAT		HRS	
										BROWN, L		F		1.0		Barnes, J.	
ACFT HRS 5199.1				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —		SYS A		DATE 28 May 20		NO 1		TIME 00:00		PID Generated, Com		DATE 29 May 20		TIME 09:16		ACFT HRS 5203.4	
												ROUNDS		ACTION CODE P		WUC 00	
FAULTS/REMARKS INSP A092 30 DAY SLAB BATTERY INSPECTION (D8565/11-1) FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 03 JUN 2020 REFERENCE: TM 11-6140-203-23 P										ACTION comp							
												PID		CAT		HRS	
										Barnes, J.		F		0.1			
ACFT HRS 5199.1				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS /		SYS H		DATE 28 May 20		NO 1		TIME 23:13		PID HAMMETT, LEOI		DATE 29 May 20		TIME 11:13		ACFT HRS 5203.4	
												ROUNDS		ACTION CODE 6		WUC 14B	
FAULTS/REMARKS Hoist post op check required.										ACTION completed; insp ok							
												PID		CAT		HRS	
										BOWERS, F		F		0.1			
ACFT HRS 5203.4				WHEN DISC G		HOW REC G		MAL EFF 1									
DELAY				WUC 14B				TIPIID ,				TI MANHOURS					

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 10				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS A	DATE 29 May 20		NO 1	TIME 08:48		PID Generated, Cor			DATE 29 May 20		TIME 08:48		ACFT HRS 5203.4	
B Closed											ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 29 MAY 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5210.1 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD								ACTION COMP								
ACFT HRS 5203.4		WHEN DISC O		HOW REC O		MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
BROWN, L								F		0.1						
DELAY				WUC 00				TIPID ,				TI MANHOURS				
STATUS —		SYS A	DATE 29 May 20		NO 2	TIME 09:16		PID Generated, Com			DATE 29 May 20		TIME 09:16		ACFT HRS	
C Closed											ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS PMD Due								ACTION COMPLETED								
ACFT HRS 5203.4		WHEN DISC O		HOW REC O		MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
Barnes, J.								F		1.0						
DELAY				WUC 00				TIPID ,				TI MANHOURS				
STATUS —		SYS A	DATE 29 May 20		NO 3	TIME 09:19		PID Generated, Com			DATE 04 Jun 20		TIME 13:45		ACFT HRS 5203.4	
R Closed											ROUNDS		ACTION CODE 6		WUC 00	
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r12 29Nov18, AWR1270r12 05Sep18, AWR1279r8 15May18, AWR1309r12 30Jul19, AWR1348r14 23Apr18, AWR1407r5 31May18, AWR2122r5 09Aug19, AWR1444r9 15May18, AWR1466r9 23Aug19, AWR1494r11 27Dec17, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r8 12Apr19, AWR1930r10 11Jan19, AWR1967r4 04May18, AWR2002r4 21Dec17,								ACTION complete								
ACFT HRS 5203.4		WHEN DISC O		HOW REC G		MAL EFF 2		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
SINAY, C.								F		0.2						
DELAY				WUC 00				TIPID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 11					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS X		SYS A	DATE 29 May 20	NO 4	TIME 11:15	PID Conversion, Ulls		DATE 29 May 20	TIME 11:20	ACFT HRS 5203.4		ROUNDS		ACTION CODE 6		WUC 00	
FAULTS/REMARKS (IN PROCESS) INSP A115 LUBE REQUIRMENTS FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 31 MAY 2020 OR 5232.7 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23&P								ACTION COMP									
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
ACFT HRS 5203.4								Conversion	F	0.1							
DELAY			WHEN DISC	O	HOW REC	O	MAL EFF	TIPIID GANTT, KENDALL				TI MANHOURS 0.1					
STATUS X		SYS A	DATE 01 Jun 20	NO 1	TIME 00:01	PID Generated, Com		DATE 01 Jun 20	TIME 00:01	ACFT HRS 5203.4		ROUNDS		ACTION CODE P		WUC 00	
FAULTS/REMARKS INSP A115 LUBE REQUIRMENTS FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 WAS DUE. STATUS UPGRADED TO X ON: 31 MAY 2020 OR 5232.7 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23&P								ACTION comp									
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
ACFT HRS 5203.4								Conversion	F	1.0	Conversion	F	1.0				
DELAY			WHEN DISC	O	HOW REC	O	MAL EFF	TIPIID DUNCAN, JONATHAN				TI MANHOURS 0.3					
STATUS X		SYS A	DATE 01 Jun 20	NO 2	TIME 07:41	PID RODGERS, CLIN		DATE 02 Jun 20	TIME 11:03	ACFT HRS 5203.4		ROUNDS		ACTION CODE P		WUC 02	
FAULTS/REMARKS (in process) INSP A160 90 DAY CORROSION INSPECTION FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 03 JUN 2020 REFERENCE: TM 1-1520-237-23&P								ACTION COMP									
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
ACFT HRS 5203.4								DENNIS, T	F	0.1							
DELAY			WHEN DISC	O	HOW REC	G	MAL EFF	TIPIID MONEY, DONALD				TI MANHOURS 0.1					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 12			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —	 SYS A	DATE 02 Jun 20	NO 1	TIME 00:01	PID Generated, Cor			DATE 02 Jun 20	TIME 11:00	ACFT HRS 5203.4					
		ROUNDS	ACTION CODE P			WUC 02									
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 05 JUN 2020 REFERENCE: TM 1-1520-237-PMD								ACTION comp							
ACFT HRS 5203.4		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS		
DELAY		WUC 00				TIPID ,			TI MANHOURS						
STATUS —	 SYS A	DATE 02 Jun 20	NO 2	TIME 10:38	PID Generated, Com			DATE 02 Jun 20	TIME 11:00	ACFT HRS 5203.4					
		ROUNDS	ACTION CODE 3			WUC 02									
FAULTS/REMARKS PMD DUE								ACTION comp							
ACFT HRS 5203.4		WHEN DISC O	HOW REC G	MAL EFF 2				PID	CAT	HRS	PID	CAT	HRS		
DELAY		WUC 00				TIPID ,			TI MANHOURS						
STATUS —	 SYS A	DATE 02 Jun 20	NO 3	TIME 10:45	PID Generated, Com			DATE 02 Jun 20	TIME 10:49	ACFT HRS 5203.4					
		ROUNDS	ACTION CODE P			WUC 02									
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r12 29Nov18, AWR1270r12 05Sep18, AWR1279r8 15May18, AWR1309r12 30Jul19, AWR1348r14 23Apr18, AWR1407r5 31May18, AWR2122r5 09Aug19, AWR1444r9 15May18, AWR1466r9 23Aug19, AWR1494r11 27Dec17, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r8 12Apr19, AWR1930r10 11Jan19, AWR1967r4 04May18, AWR2002r4 21Dec17,								ACTION entered in error							
ACFT HRS 5203.4		WHEN DISC O	HOW REC G	MAL EFF 2				PID	CAT	HRS	PID	CAT	HRS		
DELAY		WUC 00				TIPID ,			TI MANHOURS						




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 13				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS X		SYS A	DATE 02 Jun 20	NO 4	TIME 10:54	PID TWOMEY, DANI		DATE 02 Jun 20	TIME 14:09	ACFT HRS 5203.4						
FAULTS/REMARKS (IN-PROCESS) R/H FLYSWATTER NUTPLATE REQUIRES REPLACEMENT								ACTION entered in error CLOSED IN ERROR BY DUNCAN, JONATHAN SGT Entry made in error.								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Conversion	F	0.1						
ACFT HRS 5203.4		WHEN DISC K		HOW REC G		MAL EFF 1										
DELAY				WUC 02				TIPIID DUNCAN, JONATHAN				TI MANHOURS 0.1				
STATUS —		SYS A	DATE 02 Jun 20	NO 5	TIME 11:07	PID Generated, Com		DATE 02 Jun 20	TIME 11:07	ACFT HRS						
FAULTS/REMARKS PMD Due								ACTION COMPLETED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								RODGERS,	F	0.1						
ACFT HRS 5203.4		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 02 Jun 20	NO 6	TIME 11:23	PID Generated, Com		DATE 02 Jun 20	TIME 11:24	ACFT HRS 5203.4						
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 02 JUN 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTUR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 06 JUN 2020 REFERENCE: TM 1-1520-237-23&P								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								DENNIS, T	F	0.1						
ACFT HRS 5203.4		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPIID ,				TI MANHOURS				

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 14					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS /	B Closed	SYS A	DATE 02 Jun 20	NO 7	TIME 13:50	PID Conversion, Ulls		DATE 02 Jun 20	TIME 13:58	ACFT HRS 5203.4		ROUNDS		ACTION CODE A		WUC 02	
FAULTS/REMARKS R/H FLYSWATTER NUTPLATE REQUIRES REPLACEMENT								ACTION REPLACED									
ACFT HRS 5203.4		WHEN DISC B		HOW REC G		MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
DELAY 120HR, MS523924		WUC 02		TIPID ,		TI MANHOURS											
STATUS X	D Closed	SYS A	DATE 02 Jun 20	NO 8	TIME 13:52	PID Conversion, Ulls		DATE 02 Jun 20	TIME 14:03	ACFT HRS 5203.4		ROUNDS		ACTION CODE K		WUC 02	
FAULTS/REMARKS (IN-PROCESS) R/H FLYSWATTER NUTPLATE REQUIRES REPLACEMENT								ACTION MAINT COMP									
ACFT HRS 5203.4		WHEN DISC B		HOW REC G		MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
DELAY		WUC 02		TIPID DUNCAN, JONATHAN		TI MANHOURS 0.3											
STATUS —	D Closed	SYS A	DATE 05 Jun 20	NO 1	TIME 07:11	PID Generated, Com		DATE 05 Jun 20	TIME 08:55	ACFT HRS 5207.7		ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 05 JUN 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5214.4 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD								ACTION comp									
ACFT HRS 5207.7		WHEN DISC O		HOW REC O		MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
DELAY		WUC 00		TIPID ,		TI MANHOURS											

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 15					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —	D CLOSED	SYS A	DATE 05 Jun 20		NO 2	TIME 07:11	PID Generated, Cor	DATE 05 Jun 20		TIME 08:54		ACFT HRS 5207.7					
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 05 JUN 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 09 JUN 2020 REFERENCE: TM 1-1520-237-PMD								ACTION comp									
ACFT HRS 5207.7	WHEN DISC O		HOW REC O		MAL EFF 1	PID DUNCAN,	CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS			
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —	D CLOSED	SYS A	DATE 05 Jun 20		NO 3	TIME 08:45	PID Generated, Com	DATE 05 Jun 20		TIME 08:45		ACFT HRS					
FAULTS/REMARKS PMD Due								ACTION COMPLETED									
ACFT HRS 5207.7	WHEN DISC O		HOW REC O		MAL EFF 1	PID DUNCAN,	CAT F	HRS 2.0	PID	CAT	HRS	PID	CAT	HRS			
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —	D CLOSED	SYS A	DATE 05 Jun 20		NO 4	TIME 08:57	PID Generated, Com	DATE 05 Jun 20		TIME 08:57		ACFT HRS 5207.7					
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 05 JUN 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 12 JUN 2020 REFERENCE: TM 1-1520-237-23&P								ACTION pilot didnt sign off									
ACFT HRS 5207.7	WHEN DISC O		HOW REC O		MAL EFF 1	PID DUNCAN,	CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS			
DELAY				WUC 00				TIPIID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 16			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS A	DATE 05 Jun 20	NO 5	TIME 10:31	PID Generated, Cor		DATE 18 Jun 20	TIME 09:23	ACFT HRS 5207.7					
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r12 29Nov18, AWR1270r12 05Sep18, AWR1279r8 15May18, AWR1309r12 30Jul19, AWR1348r14 23Apr18, AWR1407r5 31May18, AWR2122r5 09Aug19, AWR1444r9 15May18, AWR1466r9 23Aug19, AWR1494r11 27Dec17, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r8 12Apr19, AWR1930r10 11Jan19, AWR1967r4 04May18, AWR2002r4 21Dec17,								ACTION comp							
ACFT HRS 5207.7				WHEN DISC O	HOW REC G	MAL EFF 2		PID	CAT	HRS	PID	CAT	HRS		
DELAY				WUC 00				TIPIID ,			TI MANHOURS				
STATUS —		SYS A	DATE 09 Jun 20	NO 1	TIME 00:01	PID Generated, Com		DATE 11 Jun 20	TIME 09:08	ACFT HRS 5207.7					
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 12 JUN 2020 REFERENCE: TM 1-1520-237-PMD								ACTION COMP							
ACFT HRS 5207.7				WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS		
DELAY				WUC 00				TIPIID ,			TI MANHOURS				
STATUS X		SYS A	DATE 09 Jun 20	NO 2	TIME 12:38	PID FAUST, JONATH.		DATE 09 Jun 20	TIME 13:22	ACFT HRS 5207.7					
FAULTS/REMARKS (IN PROCESS) INSP A116 INTERMEDIATE GEARBOX OIL SAMPLE FOR INTERMEDIATE GEARBOX CAGE: 78286 PN: 70357-06300-042 NSN: 1680010745152 SN: A005-01869 IS DUE. STATUS WILL UPGRADE TO X ON: 12 JUN 2020 OR 5563.6 AIRCRAFT HOURS REFERENCE: H-60-10-AMAM-11								ACTION COMP							
ACFT HRS 5207.7				WHEN DISC B	HOW REC A	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS		
DELAY				WUC 00				TIPIID GANTT, KENDALL			TI MANHOURS 0.1				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 17					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS X		SYS A	DATE 10 Jun 20	NO 1	TIME 13:21	PID Conversion, Ulls		DATE 10 Jun 20	TIME 14:08	ACFT HRS 5207.7		ROUNDS		ACTION CODE 6		WUC 08B01	
FAULTS/REMARKS (IN PROCESS) INSP A538 FAT/OAT GAUGE INSPECTION/TEST FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 12 JUN 2020 REFERENCE: TM 1-1520-237-23&P								ACTION completed									
ACFT HRS 5207.7		WHEN DISC O	HOW REC O	MAL EFF 1				PID Conversion	CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 08B01				TIPIID FAUST, JONATHAN				TI MANHOURS 0.1					
STATUS —		SYS A	DATE 11 Jun 20	NO 1	TIME 00:01	PID Generated, Com		DATE 15 Jun 20	TIME 09:23	ACFT HRS 5207.7		ROUNDS		ACTION CODE 1		WUC 00	
FAULTS/REMARKS INSP A100 LH/RH ENGINE HISTORY RECORDER READINGS DUE FOR HCPTRE UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 17 JUN 2020 REFERENCE: DA PAM 738-751								ACTION COMP									
ACFT HRS 5207.7		WHEN DISC O	HOW REC O	MAL EFF 1				PID TWOMEY,	CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —		SYS A	DATE 11 Jun 20	NO 2	TIME 09:09	PID Generated, Com		DATE 11 Jun 20	TIME 09:09	ACFT HRS		ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS PMD Due								ACTION COMPLETED									
ACFT HRS 5207.7		WHEN DISC O	HOW REC O	MAL EFF 1				PID Barnes, J.	CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 00				TIPIID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 18				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS A	DATE 12 Jun 20	NO 1	TIME 00:01	PID Generated, Cor		DATE 15 Jun 20	TIME 09:25	ACFT HRS 5207.7						
FAULTS/REMARKS INSP A839 APU HOUR METER READING DUE FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 17 JUN 2020 REFERENCE: SOP								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								TWOMEY,	F	0.1						
ACFT HRS 5207.7			WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS E	DATE 14 Jun 20	NO 1	TIME 00:01	PID Generated, Com		DATE 15 Jun 20	TIME 08:21	ACFT HRS 5207.7						
FAULTS/REMARKS INSP E220 EMERGENCY LOCATOR TRANSMITTER SELF-TEST (AS REQUIRED) FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5323.6 AIRCRAFT HOURS OR 20 JUN 2020 REFERENCE: AWR 1516 R12								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Conversion	F	0.2						
ACFT HRS 5207.7			WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS E	DATE 14 Jun 20	NO 2	TIME 00:01	PID Generated, Com		DATE 15 Jun 20	TIME 10:46	ACFT HRS 5207.7						
FAULTS/REMARKS INSP E050 ARC-220 RADIO SET BATTERY INSPECTION OR REPLACE FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 20 JUN 2020 REFERENCE: TM 11-5821-357-12P								ACTION BATTERIES NOT INSTALLED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								RODGERS,	F	0.1						
ACFT HRS 5207.7			WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 19						
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION										
STATUS —		SYS A	DATE 15 Jun 20	NO 1	TIME 00:01	PID Generated, Cor		DATE 15 Jun 20	TIME 08:46	ACFT HRS 5207.7		ROUNDS		ACTION CODE 3		WUC 02		
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 18 JUN 2020 REFERENCE: TM 1-1520-237-PMD								ACTION COMP										
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS		
ACFT HRS 5207.7								Conversion	F	1.0								
DELAY			WHEN DISC	O	HOW REC	O	MAL EFF	TIPID ,		TI MANHOURS								
STATUS —		SYS A	DATE 15 Jun 20	NO 2	TIME 08:47	PID Generated, Com		DATE 15 Jun 20	TIME 08:48	ACFT HRS		ROUNDS		ACTION CODE 3		WUC 00		
FAULTS/REMARKS PMD Due								ACTION COMPLETED										
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS		
ACFT HRS 5207.7								Conversion	F	1.0								
DELAY			WHEN DISC	O	HOW REC	O	MAL EFF	TIPID ,		TI MANHOURS								
STATUS —		SYS H	DATE 15 Jun 20	NO 1	TIME 10:44	PID Generated, Com		DATE 15 Jun 20	TIME 10:45	ACFT HRS 5207.7		ROUNDS		ACTION CODE 6		WUC 00		
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 15 JUN 2020. INSP H810 CONDUCT HOIST OPERATIONAL CHECK IAW H-60-19-AMAM-01 ADDENDUM 1 (UPDATE) FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5243.1 AIRCRAFT HOURS OR 22 JUN 2020 REFERENCE: H-60-19-AMAM-01								ACTION INSP COMP										
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS		
ACFT HRS 5207.7								Conversion	F	0.1	TWOMEY,	F	0.1					
DELAY			WHEN DISC	O	HOW REC	O	MAL EFF	TIPID ,		TI MANHOURS								




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402			2. MODEL UH-60A			3. DATE			4. PAGE 20		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION					
STATUS —		SYS O	DATE 16 Jun 20	NO 1	TIME 00:01	PID Generated, Cor	DATE 19 Jun 20	TIME 12:57	ACFT HRS 5211.7		
FAULTS/REMARKS INSP O806 LOGBOOK RECONCILIATION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 23 JUN 2020 REFERENCE: ATP 3-04.7						ACTION comp					
ACFT HRS 5207.7						WHEN DISC O	HOW REC O	MAL EFF 1			
DELAY						WUC 00			TI MANHOURS		
STATUS —		SYS A	DATE 17 Jun 20	NO 1	TIME 00:01	PID Generated, Com	DATE 18 Jun 20	TIME 10:05	ACFT HRS 5207.7		
FAULTS/REMARKS INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 19 JUN 2020 REFERENCE: TM 1-1520-237-23&P						ACTION Completed					
ACFT HRS 5207.7						WHEN DISC O	HOW REC O	MAL EFF 1			
DELAY						WUC 00			TI MANHOURS		
STATUS —		SYS A	DATE 19 Jun 20	NO 1	TIME 07:18	PID Generated, Com	DATE 07 Jul 20	TIME 09:14	ACFT HRS 5226.8		
FAULTS/REMARKS INSP A177 90 DAY REVIEW/UPDATE OF 365-4 ENTRIES FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 07 JUL 2020 REFERENCE: AR 95-1						ACTION COMP					
ACFT HRS 5211.7						WHEN DISC O	HOW REC O	MAL EFF 1			
DELAY						WUC 00			TI MANHOURS		
ACFT HRS 5207.7						WHEN DISC O	HOW REC O	MAL EFF 1			
DELAY						WUC 00			TI MANHOURS		

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 21					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A		DATE 19 Jun 20		NO 2		TIME 07:18		PID Generated, Cor		DATE 19 Jun 20		TIME 10:12		ACFT HRS 5211.7	
												ROUNDS		ACTION CODE 3		WUC 02	
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 22 JUN 2020 REFERENCE: TM 1-1520-237-PMD								ACTION COMP									
												PID		CAT		HRS	
												Conversion		F		1.0	
ACFT HRS 5211.7				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —		SYS A		DATE 19 Jun 20		NO 3		TIME 07:22		PID Generated, Com		DATE 19 Jun 20		TIME 10:07		ACFT HRS 5211.7	
												ROUNDS		ACTION CODE 3		WUC 02	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 19 JUN 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5218.7 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD								ACTION COMP									
												PID		CAT		HRS	
												Conversion		F		0.2	
ACFT HRS 5211.7				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —		SYS A		DATE 19 Jun 20		NO 4		TIME 10:13		PID Generated, Com		DATE 19 Jun 20		TIME 10:13		ACFT HRS	
												ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS PMD Due								ACTION COMPLETED									
												PID		CAT		HRS	
												Conversion		F		1.0	
ACFT HRS 5211.7				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPIID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402		2. MODEL UH-60A			3. DATE			4. PAGE 22		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION				
STATUS ⊗		SYS A	DATE 19 Jun 20	NO 5	TIME 12:59	PID Generated, Cor	DATE 04 Aug 20	TIME 08:52	ACFT HRS 5244.9	
FAULTS/REMARKS (402)OPERATE WITHIN THE LIMITATIONS PRESCRIBED IN THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r12 29Nov18, AWR1270r12 05Sep18, AWR1279r8 15May18, AWR1309r12 30Jul19, AWR1348r14 23Apr18, AWR1407r5 31May18, AWR1425r21 27Dec17, AWR2122r5 09Aug19, AWR1444r9 15May18, AWR1451r10 25Jul19, AWR1452r7 22Apr19, AWR1466r9 23Aug19, AWR1494r11 27Dec17, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1594r6 01Dec17, AWR1682r25 01Aug19, AWR1692r8 30Oct17, AWR1693r5 15Mar18, AWR1694r6 26Jan18, AWR1750r5 27Feb18,						ACTION COMP				
ACFT HRS 5211.7						WHEN DISC O	HOW REC G	MAL EFF 2		
DELAY						WUC 00		TIPIID ANDERS, BOBBY		TI MANHOURS 0.1
STATUS —		SYS A	DATE 20 Jun 20	NO 1	TIME 00:01	PID Generated, Com	DATE 29 Jun 20	TIME 08:54	ACFT HRS 5222.5	
FAULTS/REMARKS INSP A865 SENSITIVE ITEM INVENTORY FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 30 JUN 2020 REFERENCE: SOP						ACTION COMP				
ACFT HRS 5211.7						WHEN DISC O	HOW REC O	MAL EFF 1		
DELAY						WUC 00		TIPIID ,		TI MANHOURS
STATUS —		SYS A	DATE 22 Jun 20	NO 1	TIME 00:00	PID Generated, Com	DATE 26 Jun 20	TIME 10:29	ACFT HRS 5222.5	
FAULTS/REMARKS INSP A103 AIRCRAFT WASH DUE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 28 JUN 2020 REFERENCE: TM 1-1500-344-23						ACTION COMP				
ACFT HRS 5211.7						WHEN DISC O	HOW REC O	MAL EFF 1		
DELAY						WUC 00		TIPIID ,		TI MANHOURS
ACFT HRS 5211.7						WHEN DISC O	HOW REC O	MAL EFF 1		
DELAY						WUC 00		TIPIID ,		TI MANHOURS




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 23				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS A	DATE 23 Jun 20	NO 1	TIME 00:00	PID Generated, Cor		DATE 23 Jun 20	TIME 10:36	ACFT HRS 5213.9						
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 26 JUN 2020 REFERENCE: TM 1-1520-237-PMD								ACTION completed								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Conversion	F	1.0	Moore, S.	F	1.0			
ACFT HRS 5213.9		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS X		SYS A	DATE 23 Jun 20	NO 2	TIME 09:34	PID Conversion, Ulls		DATE 23 Jun 20	TIME 10:21	ACFT HRS 5213.9						
FAULTS/REMARKS MAIN XSMN DIP STICK BROKEN; DIP STICK CAP UNSCREWS FROM STICK								ACTION replaced								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Moore, S.	F	0.1						
ACFT HRS 5213.9		WHEN DISC X	HOW REC K	MAL EFF 1												
DELAY				WUC 06A17				TIPIID FAUST, JONATHAN				TI MANHOURS 0.1				
STATUS —		SYS A	DATE 23 Jun 20	NO 3	TIME 10:25	PID Generated, Com		DATE 23 Jun 20	TIME 10:38	ACFT HRS						
FAULTS/REMARKS PMD Due								ACTION COMPLETED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Moore, S.	F	1.0						
ACFT HRS 5213.9		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402		2. MODEL UH-60A			3. DATE			4. PAGE 24		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION				
STATUS —		SYS A	DATE 23 Jun 20	NO 4	TIME 10:39	PID Generated, Cor	DATE 23 Jun 20	TIME 10:39	ACFT HRS 5213.9	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 23 JUN 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5222.7 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD						ACTION completed				
ACFT HRS 5213.9						WHEN DISC O	HOW REC O	MAL EFF 1		
DELAY						WUC 00				
TIPID ,						TI MANHOURS				
STATUS —		SYS A	DATE 23 Jun 20	NO 5	TIME 10:41	PID Generated, Com	DATE 23 Jun 20	TIME 10:41	ACFT HRS 5213.9	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 23 JUN 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 03 JUL 2020 REFERENCE: TM 1-1520-237-23&P						ACTION completed				
ACFT HRS 5213.9						WHEN DISC O	HOW REC O	MAL EFF 1		
DELAY						WUC 00				
TIPID ,						TI MANHOURS				
STATUS —		SYS A	DATE 23 Jun 20	NO 6	TIME 10:46	PID Generated, Com	DATE 25 Jun 20	TIME 07:32	ACFT HRS 5215.6	
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,						ACTION Complete				
ACFT HRS 5213.9						WHEN DISC O	HOW REC G	MAL EFF 2		
DELAY						WUC 00				
TIPID ,						TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 25				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS X		SYS A	DATE 23 Jun 20	NO 7	TIME 20:33	PID ROMINGER, BRI		DATE 24 Jun 20	TIME 10:02	ACFT HRS 5214.6						
FAULTS/REMARKS ROTOR INDICATION CHANGES RAPIDLY WITH LOW ROTOR AUDIO COMING ON BRIEFLY								ACTION Status symbol changed to a dash (-); see entry below								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								ELMORE, J	F	0.1						
ACFT HRS 5214.6		WHEN DISC G		HOW REC C		MAL EFF 5										
DELAY				WUC 02				TIPID BARBEE, ANDREW				TI MANHOURS 0.1				
STATUS —		SYS E	DATE 24 Jun 20	NO 1	TIME 00:00	PID Generated, Com		DATE 29 Jun 20	TIME 07:56	ACFT HRS 5222.5						
FAULTS/REMARKS INSP E108 KY-58 PMCS/OPNL CHECK (STANDBY) FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 30 JUN 2020 REFERENCE: TM 11-5810-262-23								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Conversion	F	0.2						
ACFT HRS 5214.6		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPID ,				TI MANHOURS				
STATUS —		SYS A	DATE 24 Jun 20	NO 1	TIME 10:03	PID ELMORE, JOSEPI		DATE 24 Jun 20	TIME 10:04	ACFT HRS 5214.6						
FAULTS/REMARKS Aircraft cleared for a maintenance test flight to verify								ACTION status entered in error								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								ELMORE, J	F	0.1						
ACFT HRS 5214.6		WHEN DISC G		HOW REC G		MAL EFF 1										
DELAY				WUC 00				TIPID ,				TI MANHOURS				

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 26				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —	E CLOSED	SYS A	DATE 24 Jun 20	NO 2	TIME 10:05	PID ELMORE, JOSEP		DATE 24 Jun 20	TIME 13:12	ACFT HRS 5215.1						
								ROUNDS	ACTION CODE A	WUC 00						
FAULTS/REMARKS Aircraft cleared for a maintenance test flight to verify ROTOR INDICATION CHANGES RAPIDLY WITH LOW ROTOR AUDIO COMING ON BRIEFLY.								ACTION Test flight completed. See entry below.								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								ELMORE, J	F	0.5						
ACFT HRS 5214.6		WHEN DISC G	HOW REC G	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS X	E CLOSED	SYS A	DATE 24 Jun 20	NO 3	TIME 13:13	PID ELMORE, JOSEP		DATE 24 Jun 20	TIME 15:00	ACFT HRS 5215.1						
								ROUNDS	ACTION CODE L	WUC 09						
FAULTS/REMARKS ROTOR INDICATION CHANGES RAPIDLY WITH LOW ROTOR AUDIO COMING ON BRIEFLY.								ACTION DISC 8 ELEC CONNECTOR IN RPMR INDICATING AND LOW ROTOR WARNING SYSTEM, APPLIED CPC AND RECONNECTED ALSO INSPECTED HARNESSSES.								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Conversion	F	0.1						
ACFT HRS 5215.1		WHEN DISC G	HOW REC G	MAL EFF 1												
DELAY				WUC 00				TIPIID ELMORE, JOSEPH				TI MANHOURS 0.1				
STATUS —	E CLOSED	SYS A	DATE 24 Jun 20	NO 4	TIME 15:04	PID Conversion, Ulls		DATE 24 Jun 20	TIME 16:04	ACFT HRS 5215.6						
								ROUNDS	ACTION CODE P	WUC 00						
FAULTS/REMARKS LMTF REQ TO VERIFY LOW ROTOR WARNING FAULT HAS BEEN CORRECTED								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								ELMORE, J	F	0.5						
ACFT HRS 5215.1		WHEN DISC K	HOW REC G	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 27					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A		DATE 25 Jun 20		NO 1		TIME 07:11		PID Generated, Cor		DATE 25 Jun 20		TIME 08:05		ACFT HRS 5215.6	
												ROUNDS		ACTION CODE 6		WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 25 JUN 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5224.9 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD										ACTION completed							
ACFT HRS 5215.6		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —		SYS A		DATE 25 Jun 20		NO 2		TIME 07:11		PID Generated, Com		DATE 25 Jun 20		TIME 08:04		ACFT HRS 5215.6	
												ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 25 JUN 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 30 JUN 2020 REFERENCE: TM 1-1520-237-PMD										ACTION completed							
ACFT HRS 5215.6		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —		SYS A		DATE 25 Jun 20		NO 3		TIME 08:01		PID Generated, Com		DATE 25 Jun 20		TIME 08:05		ACFT HRS	
												ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS PMD Due										ACTION COMPLETED							
ACFT HRS 5215.6		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 28			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS A	DATE 25 Jun 20		NO 4	TIME 08:06	PID Generated, Cor	DATE 25 Jun 20		TIME 17:08		ACFT HRS 5219.1			
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,								ACTION Complete							
ACFT HRS 5215.6	WHEN DISC O		HOW REC G		MAL EFF 2		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY	WUC 00							TIPID ,				TI MANHOURS			
STATUS —		SYS A	DATE 25 Jun 20		NO 5	TIME 16:47	PID Generated, Com	DATE 25 Jun 20		TIME 16:47		ACFT HRS			
FAULTS/REMARKS PMD Due								ACTION COMPLETED							
ACFT HRS 5219.1	WHEN DISC O		HOW REC O		MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY	WUC 00							TIPID ,				TI MANHOURS			
STATUS /		SYS A	DATE 25 Jun 20		NO 6	TIME 16:47	PID LEWIS, BRADLEY	DATE 28 Aug 20		TIME 10:30		ACFT HRS 5255.9			
FAULTS/REMARKS IVHUMMS CARD EJECT BUTTON BROKEN								ACTION REPLACED DTU MOC OK							
ACFT HRS 5219.1	WHEN DISC B		HOW REC G		MAL EFF 2		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY	WUC 02							TIPID ,				TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 29							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		SYS A		DATE 25 Jun 20		NO 7		TIME 16:51		PID Generated, Cor		DATE 25 Jun 20		TIME 16:51		ACFT HRS 5219.1			
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 25 JUN 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5226.6 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD								ACTION COMP											
ACFT HRS 5219.1		WHEN DISC O		HOW REC O		MAL EFF 1		Conversion		F		HRS 0.1		PID		CAT		HRS	
DELAY				WUC 00				TIPIID ,				TI MANHOURS							
STATUS —		SYS A		DATE 25 Jun 20		NO 8		TIME 16:51		PID Generated, Com		DATE 25 Jun 20		TIME 17:01		ACFT HRS 5219.1			
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 25 JUN 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 02 JUL 2020 REFERENCE: TM 1-1520-237-PMD								ACTION COMP											
ACFT HRS 5219.1		WHEN DISC O		HOW REC O		MAL EFF 1		Conversion		F		HRS 0.1		PID		CAT		HRS	
DELAY				WUC 00				TIPIID ,				TI MANHOURS							
STATUS X		SYS A		DATE 26 Jun 20		NO 1		TIME 09:12		PID Conversion, Ulls		DATE 26 Jun 20		TIME 10:46		ACFT HRS 5222.5			
FAULTS/REMARKS (IN PROCESS)INSPECTION MANUALLY GENERATED ON 26 JUN 2020. INSP A115 LUBE REQUIRMENTS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5247.4 AIRCRAFT HOURS OR 04 JUL 2020 REFERENCE: TM 1-1520-237-23&P								ACTION COMP											
ACFT HRS 5222.5		WHEN DISC G		HOW REC G		MAL EFF 1		Conversion		F		HRS 0.1		PID		CAT		HRS	
DELAY				WUC 00				TIPIID FAUST, JONATHAN				TI MANHOURS 0.1							

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 30													
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																	
STATUS —		C CLOSED		SYS A		DATE 26 Jun 20		NO 2		TIME 10:33		PID Generated, Cor		DATE 26 Jun 20		TIME 10:41		ACFT HRS 5222.5							
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 26 JUN 2020. INSP A115 LUBE REQUIRMENTS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5247.4 AIRCRAFT HOURS OR 04 JUL 2020 REFERENCE: TM 1-1520-237-23&P								ACTION COMP																	
ACFT HRS 5222.5		WHEN DISC O		HOW REC O		MAL EFF 1		Conversion		F		0.1		SMITH, D.		F		0.1		Hall, T.		F		0.1	
DELAY				WUC 00				TIPIID ,				TI MANHOURS													
STATUS —		C CLOSED		SYS A		DATE 26 Jun 20		NO 3		TIME 10:45		PID Generated, Com		DATE 26 Jun 20		TIME 10:45		ACFT HRS 5222.5							
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 26 JUN 2020. INSP A092 30 DAY SLAB BATTERY INSPECTION (D8565/11-1) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 03 JUL 2020 REFERENCE: TM 11-6140-203-23 P								ACTION INSP OK																	
ACFT HRS 5222.5		WHEN DISC O		HOW REC O		MAL EFF 1		Conversion		F		0.1		SMITH, D.		F		0.1		Hall, T.		F		0.1	
DELAY				WUC 00				TIPIID ,				TI MANHOURS													
STATUS —		D CLOSED		SYS E		DATE 29 Jun 20		NO 1		TIME 00:00		PID Generated, Com		DATE 21 Jul 20		TIME 11:06		ACFT HRS 5236.9							
FAULTS/REMARKS INSP E222 EMERGENCY LOCATOR TRANSMITTER (ELT) REGISTRATION UPDATE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 28 AUG 2020 REFERENCE: GEN-16-AMAM-05								ACTION comp																	
ACFT HRS 5222.5		WHEN DISC O		HOW REC O		MAL EFF 1		Conversion		DUNCAN, F		0.1													
DELAY				WUC 00				TIPIID ,				TI MANHOURS													




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 31				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS A	DATE 29 Jun 20	NO 1	TIME 00:00	PID Generated, Cor		DATE 30 Jun 20	TIME 08:05	ACFT HRS 5222.5						
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 02 JUL 2020 REFERENCE: TM 1-1520-237-PMD								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Conversion	F	1.9	Conversion	F	1.9			
ACFT HRS 5222.5		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 29 Jun 20	NO 2	TIME 09:30	PID Generated, Com		DATE 29 Jun 20	TIME 09:30	ACFT HRS 5222.5						
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 29 JUN 2020. INSP A103 AIRCRAFT WASH DUE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 28 JUL 2020 REFERENCE: TM 1-1500-344-23								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Conversion	F	0.3	Conversion	F	0.3	Conversion	F	0.3
ACFT HRS 5222.5		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS X		SYS A	DATE 29 Jun 20	NO 3	TIME 10:16	PID Conversion, Ulls		DATE 29 Jun 20	TIME 15:51	ACFT HRS 5222.5						
FAULTS/REMARKS (IN PROCESS) INSP A302 LUBRICATE MAIN LANDING GEAR WHEEL BEARINGS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 29 JUN 2020 OR 5563.6 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23&P								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Conversion	F	0.1						
ACFT HRS 5222.5		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 03A04A01				TIPIID MONEY, DONALD				TI MANHOURS 0.1				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 32						
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION										
STATUS X		SYS A	DATE 29 Jun 20	NO 4	TIME 10:18	PID Conversion, Ulls	DATE 29 Jun 20				TIME 15:51				ACFT HRS 5222.5			
							ROUNDS				ACTION CODE P				WUC 02			
FAULTS/REMARKS (IN PROCESS) INSP A298 LUBRICATE TAIL WHEEL BEARINGS FOR HCPT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 29 JUN 2020 OR 5563.6 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23&P								ACTION COMP										
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS		
ACFT HRS 5222.5								Conversion	F	0.1								
ACFT HRS 5222.5			WHEN DISC O	HOW REC O	MAL EFF 1													
DELAY				WUC 03B03A01				TIPID MONEY, DONALD				TI MANHOURS 0.1						
STATUS X		SYS A	DATE 29 Jun 20	NO 5	TIME 10:20	PID Conversion, Ulls	DATE 29 Jun 20				TIME 17:48				ACFT HRS 5222.5			
							ROUNDS				ACTION CODE P				WUC 02			
FAULTS/REMARKS (IN PROCESS) INSP A299 LUBRICATE SWASHPLATE FOR HCPT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5563.6 AIRCRAFT HOURS OR 30 JUN 2020 REFERENCE: TM 1-1520-237-23&P								ACTION COMP										
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS		
ACFT HRS 5222.5								Conversion	F	0.1								
ACFT HRS 5222.5			WHEN DISC O	HOW REC O	MAL EFF 1													
DELAY				WUC 05A03A				TIPID MONEY, DONALD				TI MANHOURS 0.1						
STATUS X		SYS A	DATE 29 Jun 20	NO 6	TIME 10:22	PID Conversion, Ulls	DATE 30 Jun 20				TIME 08:07				ACFT HRS 5222.5			
							ROUNDS				ACTION CODE P				WUC 02			
FAULTS/REMARKS (IN PROCESS) INSPECTION MANUALLY GENERATED ON 26 JUN 2020. INSP A115 LUBE REQUIREMENTS FOR HCPT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5247.4 AIRCRAFT HOURS OR 04 JUL 2020 REFERENCE: TM 1-1520-237-23&P								ACTION COMP										
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS		
ACFT HRS 5222.5								Conversion	F	0.1								
ACFT HRS 5222.5			WHEN DISC O	HOW REC O	MAL EFF 1													
DELAY				WUC 02				TIPID MONEY, DONALD				TI MANHOURS 0.1						




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 33					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS X		SYS A	DATE 30 Jun 20	NO 1	TIME 00:01	PID Generated, Cor		DATE 30 Jun 20	TIME 08:08	ACFT HRS 5222.5		ROUNDS		ACTION CODE P		WUC 02	
FAULTS/REMARKS INSP A298 LUBRICATE TAIL WHEEL BEARINGS FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 WAS DUE. STATUS UPGRADED TO X ON: 29 JUN 2020 OR 5563.6 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23&P								ACTION COMP									
ACFT HRS 5222.5		WHEN DISC O	HOW REC O	MAL EFF 1		PID		CAT	HRS	PID		CAT	HRS	PID		CAT	HRS
DELAY		WUC 00		TIPIID MONEY, DONALD				TI MANHOURS 0.1									
STATUS —		SYS A	DATE 30 Jun 20	NO 2	TIME 08:07	PID Generated, Com		DATE 30 Jun 20	TIME 08:07	ACFT HRS		ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS PMD Due								ACTION COMPLETED									
ACFT HRS 5222.5		WHEN DISC O	HOW REC O	MAL EFF 1		PID		CAT	HRS	PID		CAT	HRS	PID		CAT	HRS
DELAY		WUC 00		TIPIID ,				TI MANHOURS									
STATUS —		SYS A	DATE 01 Jul 20	NO 1	TIME 07:38	PID Generated, Com		DATE 01 Jul 20	TIME 10:31	ACFT HRS 5224.3		ROUNDS		ACTION CODE P		WUC 02	
FAULTS/REMARKS PMD DUE								ACTION COMP									
ACFT HRS 5224.3		WHEN DISC O	HOW REC G	MAL EFF 2		PID		CAT	HRS	PID		CAT	HRS	PID		CAT	HRS
DELAY		WUC 00		TIPIID ,				TI MANHOURS									




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 34							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		SYS A	DATE 01 Jul 20	NO 2	TIME 07:45	PID Generated, Cor		DATE 01 Jul 20	TIME 17:09	ACFT HRS 5224.3									
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,								ACTION comp					ROUNDS			ACTION CODE 6		WUC 00	
ACFT HRS 5224.3				WHEN DISC O	HOW REC G	MAL EFF 2		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
DELAY				WUC 00				TIPIID ,				TI MANHOURS							
STATUS —		SYS A	DATE 01 Jul 20	NO 3	TIME 10:34	PID Generated, Com		DATE 01 Jul 20	TIME 10:34	ACFT HRS									
FAULTS/REMARKS PMD Due								ACTION COMPLETED					ROUNDS			ACTION CODE 3		WUC 00	
ACFT HRS 5224.3				WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
DELAY				WUC 00				TIPIID ,				TI MANHOURS							
STATUS —		SYS A	DATE 01 Jul 20	NO 4	TIME 10:59	PID Generated, Com		DATE 01 Jul 20	TIME 10:59	ACFT HRS 5224.3									
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 01 JUL 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5230.1 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD								ACTION COMP					ROUNDS			ACTION CODE P		WUC 02	
ACFT HRS 5224.3				WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
DELAY				WUC 00				TIPIID ,				TI MANHOURS							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 35																					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																									
STATUS —	 SYS A	DATE 01 Jul 20	NO 5	TIME 13:17	PID Generated, Cor			DATE 01 Jul 20	TIME 13:17	ACFT HRS																							
		ROUNDS	ACTION CODE 3			WUC 00																											
FAULTS/REMARKS PMD Due								ACTION COMPLETED																									
								<table border="1"> <thead> <tr> <th>PID</th> <th>CAT</th> <th>HRS</th> <th>PID</th> <th>CAT</th> <th>HRS</th> <th>PID</th> <th>CAT</th> <th>HRS</th> </tr> </thead> <tbody> <tr> <td>Conversion</td> <td>F</td> <td>1.0</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	Conversion	F	1.0						
PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS																									
Conversion	F	1.0																															
ACFT HRS 5224.3		WHEN DISC O	HOW REC O	MAL EFF 1																													
DELAY				WUC 00				TIPIID ,				TI MANHOURS																					
STATUS —	 SYS A	DATE 01 Jul 20	NO 6	TIME 22:46	PID Haggett, Brittan			DATE 16 Jul 20	TIME 10:56	ACFT HRS 5234.3																							
		ROUNDS	ACTION CODE B			WUC 19A																											
FAULTS/REMARKS Left rear ICS volume control knob broken								ACTION Tightened ics knob																									
								<table border="1"> <thead> <tr> <th>PID</th> <th>CAT</th> <th>HRS</th> <th>PID</th> <th>CAT</th> <th>HRS</th> <th>PID</th> <th>CAT</th> <th>HRS</th> </tr> </thead> <tbody> <tr> <td>Hall, T.</td> <td>F</td> <td>0.2</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	Hall, T.	F	0.2						
PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS																									
Hall, T.	F	0.2																															
ACFT HRS 5226.8		WHEN DISC G	HOW REC B	MAL EFF 3																													
DELAY				WUC 00				TIPIID ,				TI MANHOURS																					
STATUS —	 SYS A	DATE 02 Jul 20	NO 1	TIME 07:09	PID Generated, Com			DATE 02 Jul 20	TIME 08:33	ACFT HRS 5226.8																							
		ROUNDS	ACTION CODE P			WUC 02																											
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 02 JUL 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 08 JUL 2020 REFERENCE: TM 1-1520-237-PMD								ACTION COMP																									
								<table border="1"> <thead> <tr> <th>PID</th> <th>CAT</th> <th>HRS</th> <th>PID</th> <th>CAT</th> <th>HRS</th> <th>PID</th> <th>CAT</th> <th>HRS</th> </tr> </thead> <tbody> <tr> <td>Conversion</td> <td>F</td> <td>1.9</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	Conversion	F	1.9						
PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS																									
Conversion	F	1.9																															
ACFT HRS 5226.8		WHEN DISC O	HOW REC O	MAL EFF 1																													
DELAY				WUC 00				TIPIID ,				TI MANHOURS																					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 36						
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION										
STATUS —		SYS A	DATE 02 Jul 20	NO 2	TIME 07:21	PID Generated, Cor		DATE 02 Jul 20	TIME 08:16	ACFT HRS 5226.8								
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 02 JUL 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTUR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5235.3 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD								ACTION comp			ROUNDS		ACTION CODE P		WUC 02			
ACFT HRS 5226.8								WHEN DISC O	HOW REC O	MAL EFF 1		PID		CAT	HRS	PID	CAT	HRS
DELAY								WUC 00		TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 02 Jul 20	NO 3	TIME 08:35	PID Generated, Com		DATE 14 Jul 20	TIME 17:03	ACFT HRS 5228.9								
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,								ACTION comp			ROUNDS		ACTION CODE P		WUC 02			
ACFT HRS 5226.8								WHEN DISC O	HOW REC G	MAL EFF 2		PID		CAT	HRS	PID	CAT	HRS
DELAY								WUC 00		TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 02 Jul 20	NO 4	TIME 13:00	PID Generated, Com		DATE 02 Jul 20	TIME 13:00	ACFT HRS 5226.8								
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 02 JUL 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTUR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 07 JUL 2020 REFERENCE: TM 1-1520-237-23&P								ACTION COMP			ROUNDS		ACTION CODE P		WUC 00			
ACFT HRS 5226.8								WHEN DISC O	HOW REC O	MAL EFF 1		PID		CAT	HRS	PID	CAT	HRS
DELAY								WUC 00		TIPIID ,				TI MANHOURS				

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 37							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		SYS E		DATE 03 Jul 20		NO 1		TIME 00:01		PID Generated, Cor		DATE 14 Jul 20		TIME 13:41		ACFT HRS 5228.9			
												ROUNDS		ACTION CODE 6		WUC 00			
FAULTS/REMARKS INSP E125 KY-58 PMCS/OPNL CHECK FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 21 JUL 2020 REFERENCE: TM 11-5810-262-23										ACTION comp									
ACFT HRS 5226.8		WHEN DISC O		HOW REC O		MAL EFF 1		PID		CAT		HRS		PID		CAT		HRS	
								FAUST, J.		F		0.1							
DELAY				WUC 00				TIPIID ,				TI MANHOURS							
STATUS —		SYS E		DATE 04 Jul 20		NO 1		TIME 00:01		PID Generated, Com		DATE 16 Jul 20		TIME 10:59		ACFT HRS 5234.3			
												ROUNDS		ACTION CODE J		WUC 76			
FAULTS/REMARKS INSP E040 APR-39 RADAR/LASER WARNING OPNL CHECK, 5841-01-236-8951 FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 22 JUL 2020 REFERENCE: TM 11-5841-294-12										ACTION Moc ok.									
ACFT HRS 5226.8		WHEN DISC O		HOW REC O		MAL EFF 1		PID		CAT		HRS		PID		CAT		HRS	
								Hall, T.		F		0.2		Lyons, C.		F		0.2	
DELAY				WUC 00				TIPIID ,				TI MANHOURS							
STATUS —		SYS A		DATE 06 Jul 20		NO 1		TIME 00:01		PID Generated, Com		DATE 09 Jul 20		TIME 08:35		ACFT HRS 5228.9			
												ROUNDS		ACTION CODE 3		WUC 02			
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 09 JUL 2020 REFERENCE: TM 1-1520-237-PMD										ACTION COMP									
ACFT HRS 5226.8		WHEN DISC O		HOW REC O		MAL EFF 1		PID		CAT		HRS		PID		CAT		HRS	
								Conversion		F		1.0		Moore, S.		F		1.0	
FAUST, J.		F		1.0		FAUST, J.		F		1.0									
DELAY				WUC 00				TIPIID ,				TI MANHOURS							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 38					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —	 C Closed	SYS A	DATE 09 Jul 20	NO 1	TIME 07:23	PID Generated, Cor		DATE 09 Jul 20	TIME 07:24	ACFT HRS 5228.9		ROUNDS		ACTION CODE 1		WUC 02	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 09 JUL 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 17 JUL 2020 REFERENCE: TM 1-1520-237-23&P								ACTION COMP									
ACFT HRS 5228.9		WHEN DISC O	HOW REC O	MAL EFF 1		PID WHITTEN,		CAT F	HRS 0.2	PID		CAT	HRS	PID		CAT	HRS
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —	 F Closed	SYS A	DATE 09 Jul 20	NO 2	TIME 07:23	PID Generated, Com		DATE 09 Jul 20	TIME 08:34	ACFT HRS 5228.9		ROUNDS		ACTION CODE 3		WUC 02	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 09 JUL 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5237.8 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD								ACTION COMP									
ACFT HRS 5228.9		WHEN DISC O	HOW REC O	MAL EFF 1		PID Conversion		CAT F	HRS 0.2	PID		CAT	HRS	PID		CAT	HRS
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —	 C Closed	SYS A	DATE 09 Jul 20	NO 3	TIME 08:36	PID Generated, Com		DATE 09 Jul 20	TIME 08:36	ACFT HRS		ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS PMD Due								ACTION COMPLETED									
ACFT HRS 5228.9		WHEN DISC O	HOW REC O	MAL EFF 1		PID FAUST, J.		CAT F	HRS 1.0	PID		CAT	HRS	PID		CAT	HRS
DELAY				WUC 00				TIPIID ,				TI MANHOURS					

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 39						
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION										
STATUS —	F CLOSED	SYS A	DATE 12 Jul 20		NO 1	TIME 00:01	PID Generated, Cor	DATE 16 Jul 20		TIME 10:07		ACFT HRS 5234.3						
FAULTS/REMARKS INSP A100 LH/RH ENGINE HISTORY RECORDER READINGS DUE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 18 JUL 2020 REFERENCE: DA PAM 738-751								ROUNDS		ACTION CODE P		WUC 00						
ACTION comp								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS		
ACFT HRS 5228.9								WHEN DISC O	HOW REC O	MAL EFF 1	FAUST, J.	F	0.1					
DELAY				WUC 00				TIPIID ,				TI MANHOURS						
STATUS —	F CLOSED	SYS A	DATE 13 Jul 20		NO 1	TIME 00:01	PID Generated, Com	DATE 16 Jul 20		TIME 10:06		ACFT HRS 5234.3						
FAULTS/REMARKS INSP A839 APU HOUR METER READING DUE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 18 JUL 2020 REFERENCE: SOP								ROUNDS		ACTION CODE P		WUC 00						
ACTION comp								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS		
ACFT HRS 5228.9								WHEN DISC O	HOW REC O	MAL EFF 1	FAUST, J.	F	0.1					
DELAY				WUC 00				TIPIID ,				TI MANHOURS						
STATUS —	F CLOSED	SYS A	DATE 13 Jul 20		NO 2	TIME 00:01	PID Generated, Com	DATE 15 Jul 20		TIME 09:28		ACFT HRS 5231.0						
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 16 JUL 2020 REFERENCE: TM 1-1520-237-PMD								ROUNDS		ACTION CODE 3		WUC 00						
ACTION COMP								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS		
ACFT HRS 5228.9								WHEN DISC O	HOW REC O	MAL EFF 1	Moore, S.	F	1.0	FAUST, J.	F	1.0		
DELAY				WUC 00				TIPIID ,				TI MANHOURS						




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 40					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS E	DATE 14 Jul 20	NO 1	TIME 00:01	PID Generated, Cor		DATE 14 Jul 20	TIME 13:51	ACFT HRS 5228.9		ROUNDS		ACTION CODE 6		WUC 00	
FAULTS/REMARKS INSP E220 EMERGENCY LOCATOR TRANSMITTER SELF-TEST (AS REQUIRED) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5332.7 AIRCRAFT HOURS OR 20 JUL 2020 REFERENCE: AWR 1516 R12								ACTION comp									
ACFT HRS 5228.9		WHEN DISC O	HOW REC O	MAL EFF 1		PID FAUST, J.		CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS		
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —		SYS E	DATE 14 Jul 20	NO 2	TIME 00:01	PID Generated, Com		DATE 14 Jul 20	TIME 13:40	ACFT HRS 5228.9		ROUNDS		ACTION CODE 6		WUC 00	
FAULTS/REMARKS INSP E050 ARC-220 RADIO SET BATTERY INSPECTION OR REPLACE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 20 JUL 2020 REFERENCE: TM 11-5821-357-12P								ACTION batteries not installed									
ACFT HRS 5228.9		WHEN DISC O	HOW REC O	MAL EFF 1		PID FAUST, J.		CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS		
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS /		SYS E	DATE 14 Jul 20	NO 3	TIME 22:33	PID Conversion, Ulls		DATE 16 Jul 20	TIME 12:50	ACFT HRS 5234.3		ROUNDS		ACTION CODE J		WUC 19E18	
FAULTS/REMARKS NO1 NEEDLE WILL NOT POINT TO SELECTED GPS WAYPOINT								ACTION NO FAULT FOUND MOC OK									
ACFT HRS 5231		WHEN DISC G	HOW REC D	MAL EFF 4		PID Conversion		CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS		
DELAY				WUC 02				TIPIID ,				TI MANHOURS					

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 41					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A		DATE 15 Jul 20		NO 1		TIME 07:14		PID Generated, Cor		DATE 15 Jul 20		TIME 09:16		ACFT HRS WUC 00	
FAULTS/REMARKS PMD Due								ACTION COMPLETED									
ACFT HRS 5231		WHEN DISC O		HOW REC O		MAL EFF 1		PID FAUST, J.		CAT F		HRS 1.0		PID		CAT	
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS ⊗		SYS H		DATE 15 Jul 20		NO 1		TIME 09:16		PID FAUST, JONATH.		DATE 16 Jul 20		TIME 09:32		ACFT HRS 5234.3	
FAULTS/REMARKS AIRCRAFT RESTRICTED FROM HOIST OPERATIONS DUE TO DAMAGED CRUSHABLE BUMPER ON HOIST								ACTION replaced bumper									
ACFT HRS 5231		WHEN DISC X		HOW REC G		MAL EFF 2		PID Moore, S.		CAT F		HRS 0.5		PID		CAT	
DELAY				WUC 14				TIPIID FAUST, JONATHAN				TI MANHOURS 0.1					
STATUS —		SYS A		DATE 15 Jul 20		NO 2		TIME 09:30		PID Generated, Com		DATE 16 Jul 20		TIME 17:58		ACFT HRS 5234.3	
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,								ACTION insp ok									
ACFT HRS 5231		WHEN DISC O		HOW REC G		MAL EFF 2		PID HAMMETT		CAT F		HRS 0.4		PID		CAT	
DELAY				WUC 00				TIPIID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 42				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS H	DATE 16 Jul 20	NO 1	TIME 00:01	PID Generated, Cor		DATE 21 Jul 20	TIME 15:48	ACFT HRS 5236.9						
FAULTS/REMARKS INSP H810 CONDUCT HOIST OPERATIONAL CHECK IAW H-60-19-AMAM-01 ADDENDUM 1 (UPDATE) FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5251.7 AIRCRAFT HOURS OR 22 JUL 2020 REFERENCE: H-60-19-AMAM-01								ACTION comp								
ACFT HRS 5234.3								WHEN DISC O	HOW REC O	MAL EFF 1						
DELAY								WUC 00				TI MANHOURS				
STATUS —		SYS A	DATE 16 Jul 20	NO 1	TIME 07:26	PID Generated, Com		DATE 16 Jul 20	TIME 09:21	ACFT HRS						
FAULTS/REMARKS PMD Due								ACTION COMPLETED								
ACFT HRS 5234.3								WHEN DISC O	HOW REC O	MAL EFF 1						
DELAY								WUC 00				TI MANHOURS				
STATUS —		SYS A	DATE 16 Jul 20	NO 2	TIME 07:27	PID Generated, Com		DATE 16 Jul 20	TIME 09:19	ACFT HRS 5234.3						
FAULTS/REMARKS PMD DUE								ACTION comp								
ACFT HRS 5234.3								WHEN DISC O	HOW REC G	MAL EFF 2						
DELAY								WUC 00				TI MANHOURS				
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								DUNCAN,	F	0.1						
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Moore, S.	F	1.0						
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								FAUST, J.	F	1.0	Moore, S.	F	1.0			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 43			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS A	DATE 16 Jul 20	NO 3	TIME 09:21	PID Generated, Cor		DATE 16 Jul 20	TIME 17:59	ACFT HRS 5234.3					
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,								ACTION insp ok							
ACFT HRS 5234.3		WHEN DISC O	HOW REC G	MAL EFF 2											
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
STATUS ⊗		SYS H	DATE 16 Jul 20	NO 2	TIME 09:33	PID Moore, Sarah		DATE 17 Jul 20	TIME 07:42	ACFT HRS 5236.9					
FAULTS/REMARKS restricted from hoist operations due to load test on hook								ACTION hoist operational check complete							
ACFT HRS 5234.3		WHEN DISC B	HOW REC G	MAL EFF 2											
DELAY				WUC 14				TIPIID FAUST, JONATHAN				TI MANHOURS 0.1			
STATUS —		SYS E	DATE 16 Jul 20	NO 1	TIME 11:07	PID Generated, Com		DATE 16 Jul 20	TIME 11:09	ACFT HRS 5234.3					
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 16 JUL 2020. INSP E135 AN/ ARC-201(V) SINGARS RADIO HUB BATT REPL FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 19 SEP 2020 REFERENCE: TM 11-5821-333-12								ACTION Replaced Batteries.							
ACFT HRS 5234.3		WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 44			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS E	DATE 16 Jul 20	NO 2	TIME 11:07	PID Generated, Cor		DATE 16 Jul 20	TIME 11:12	ACFT HRS 5234.3					
								ROUNDS	ACTION CODE A	WUC 19E04D					
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 16 JUL 2020. INSP E015 ASN 128D DOPPLER GPS BATTERY REPLACEMENT FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 30 AUG 2020 REFERENCE: MWO 1-1520-237-50-92								ACTION Replaced Battery.							
ACFT HRS 5234.3		WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
STATUS —		SYS A	DATE 16 Jul 20	NO 4	TIME 11:07	PID Generated, Com		DATE 16 Jul 20	TIME 11:08	ACFT HRS 5234.3					
								ROUNDS	ACTION CODE J	WUC 10U					
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 16 JUL 2020. INSP A502 INSPECT AND TEST GROUND RECEPTACLE IAW TM 1-1500-204-23 FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 07 OCT 2020 REFERENCE: TM 1-1520-237-23&P								ACTION Complete.							
ACFT HRS 5234.3		WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
STATUS —		SYS A	DATE 16 Jul 20	NO 5	TIME 22:19	PID Generated, Com		DATE 21 Jul 20	TIME 13:13	ACFT HRS 5236.9					
								ROUNDS	ACTION CODE 3	WUC 00					
FAULTS/REMARKS INSP A110 PMS 40 HOUR INSPECTION FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5240.6 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMS								ACTION comp							
ACFT HRS 5236.9		WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 45					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A		DATE 17 Jul 20		NO 1		TIME 09:25		PID Generated, Cor		DATE 17 Jul 20		TIME 10:03		ACFT HRS	
												ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS PMD Due								ACTION COMPLETED									
												PID		CAT		HRS	
												Moore, S.		F		1.0	
ACFT HRS 5236.9				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —		SYS A		DATE 17 Jul 20		NO 2		TIME 09:25		PID Generated, Com		DATE 17 Jul 20		TIME 10:03		ACFT HRS 5236.9	
												ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS PMD DUE								ACTION completed									
												PID		CAT		HRS	
												Moore, S.		F		1.0	
ACFT HRS 5236.9				WHEN DISC O		HOW REC G		MAL EFF 2									
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —		SYS A		DATE 17 Jul 20		NO 3		TIME 10:03		PID Generated, Com		DATE 21 Jul 20		TIME 20:00		ACFT HRS 5236.9	
												ROUNDS		ACTION CODE 6		WUC 00	
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,								ACTION complete									
												PID		CAT		HRS	
												MORAN, A		F		0.3	
ACFT HRS 5236.9				WHEN DISC O		HOW REC G		MAL EFF 2									
DELAY				WUC 00				TIPIID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 46			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —	 SYS A	DATE 18 Jul 20	NO 1	TIME 00:01	PID Generated, Cor			DATE 21 Jul 20	TIME 10:28	ACFT HRS 5236.9					
		ROUNDS	ACTION CODE P			WUC 00									
FAULTS/REMARKS INSP A230 INSPECT BATTERY COMPARTMENT FOR CORROSION (SLAB) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 11 AUG 2020 REFERENCE: MWO 1-1520-237-50-77								ACTION comp							
ACFT HRS 5236.9	WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS		
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
STATUS —	 SYS A	DATE 19 Jul 20	NO 1	TIME 00:01	PID Generated, Com			DATE 21 Jul 20	TIME 08:41	ACFT HRS 5236.9					
		ROUNDS	ACTION CODE 3			WUC 00									
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 22 JUL 2020 REFERENCE: TM 1-1520-237-PMD								ACTION comp							
ACFT HRS 5236.9	WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS		
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
STATUS —	 SYS A	DATE 20 Jul 20	NO 1	TIME 07:25	PID Generated, Com			DATE 21 Jul 20	TIME 10:33	ACFT HRS 5236.9					
		ROUNDS	ACTION CODE P			WUC 00									
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 20 JUL 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5239.9 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD								ACTION comp							
ACFT HRS 5236.9	WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS		
DELAY				WUC 00				TIPIID ,				TI MANHOURS			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 47			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS E	DATE 20 Jul 20	NO 1	TIME 07:26	PID Generated, Cor		DATE 20 Jul 20	TIME 07:26	ACFT HRS 5236.9					
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 20 JUL 2020. INSP E108 KY-58 PMCS/OPNL CHECK (STANDBY) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 30 JUL 2020 REFERENCE: TM 11-5810-262-23								ROUNDS		ACTION CODE P		WUC 00			
ACTION na no secure fills								PID		CAT		HRS			
DUNCAN, F								0.1							
ACFT HRS 5236.9		WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
STATUS —		SYS A	DATE 20 Jul 20	NO 2	TIME 07:28	PID Generated, Com		DATE 21 Jul 20	TIME 10:32	ACFT HRS 5236.9					
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 20 JUL 2020. INSP A092 30 DAY SLAB BATTERY INSPECTION (D8565/11-1) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 29 JUL 2020 REFERENCE: TM 11-6140-203-23 P								ROUNDS		ACTION CODE P		WUC 00			
ACTION comp, 25.6v								PID		CAT		HRS			
DUNCAN, F								0.1							
ACFT HRS 5236.9		WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
STATUS —		SYS A	DATE 21 Jul 20	NO 1	TIME 10:49	PID Generated, Com		DATE 21 Jul 20	TIME 10:49	ACFT HRS					
FAULTS/REMARKS PMD Due								ROUNDS		ACTION CODE 3		WUC 00			
ACTION COMPLETED								PID		CAT		HRS			
DUNCAN, F								2.0							
ACFT HRS 5236.9		WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 48				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS H	DATE 21 Jul 20	NO 1	TIME 15:49	PID DUNCAN, JON		DATE 22 Jul 20	TIME 15:39	ACFT HRS 5241.9						
FAULTS/REMARKS HOIST CABLE RESEAT DUE TO CABLE LOOSENESS AT 149' OUT, 159' OUT, AND FULL OUT (ALL MARKED WITH BLACK SHARPIE)								ROUNDS	ACTION CODE 6	WUC 14B05F						
ACTION Completed																
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								FAUST, J.	F	0.5						
ACFT HRS 5236.9		WHEN DISC O	HOW REC G	MAL EFF 1												
DELAY				WUC 14B				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 21 Jul 20	NO 2	TIME 15:53	PID Generated, Com		DATE 21 Jul 20	TIME 15:53	ACFT HRS 5236.9						
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 21 JUL 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 24 JUL 2020 REFERENCE: TM 1-1520-237-23&P								ROUNDS	ACTION CODE P	WUC 00						
ACTION PILOT DIDNT SIGN OFF																
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								DUNCAN,	F	0.1						
ACFT HRS 5236.9		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 21 Jul 20	NO 3	TIME 15:55	PID Generated, Com		DATE 21 Jul 20	TIME 15:55	ACFT HRS 5236.9						
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 21 JUL 2020. INSP A295 STABILATOR ACTUATOR ASSY LUBE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5443.6 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23&P								ROUNDS	ACTION CODE P	WUC 00						
ACTION COMP																
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								DUNCAN,	F	0.1						
ACFT HRS 5236.9		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 49					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A	DATE 21 Jul 20	NO 4	TIME 15:55	PID Generated, Cor		DATE 21 Jul 20	TIME 15:55	ACFT HRS 5236.9		ROUNDS		ACTION CODE P		WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 21 JUL 2020. INSP A115 LUBE REQUIRMENTS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5266.5 AIRCRAFT HOURS OR 03 AUG 2020 REFERENCE: TM 1-1520-237-23&P								ACTION COMP									
ACFT HRS 5236.9		WHEN DISC O	HOW REC O	MAL EFF 1		PID DUNCAN,		CAT F	HRS 0.1	PID		CAT	HRS	PID		CAT	HRS
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS /		SYS E	DATE 21 Jul 20	NO 1	TIME 23:30	PID Conversion, Ulls		DATE 28 Aug 20	TIME 13:56	ACFT HRS 5255.9		ROUNDS		ACTION CODE 6		WUC 02	
FAULTS/REMARKS Uniform radio has loud squeal when turned on. It did not go away during the flight.								ACTION COULD NOT DUPLICATE									
ACFT HRS 5236.9		WHEN DISC G	HOW REC B	MAL EFF 4		PID Chavis, C.		CAT F	HRS 0.1	PID		CAT	HRS	PID		CAT	HRS
DELAY 40 HR, MS523924				WUC 00				TIPIID ,				TI MANHOURS					
STATUS /		SYS E	DATE 21 Jul 20	NO 3	TIME 23:35	PID Conversion, Ulls		DATE 23 Jul 20	TIME 11:26	ACFT HRS 5244.9		ROUNDS		ACTION CODE A		WUC 19E04	
FAULTS/REMARKS Number one needle was in the parked position for the entire flight with GPS on. I tried turning it off and turning it on again but the needle would not move.								ACTION REPLACED DOPPLER/GPS CDU									
ACFT HRS 5236.9		WHEN DISC G	HOW REC G	MAL EFF 3		PID Lyons, C.		CAT F	HRS 0.1	PID		CAT	HRS	PID		CAT	HRS
DELAY 40 Hr, MS523924				WUC 00				TIPIID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 50					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS X		SYS A	DATE 23 Jul 20	NO 1	TIME 10:07	PID Lyons, Christop		DATE 23 Jul 20	TIME 11:25	ACFT HRS 5244.9		ROUNDS		ACTION CODE A		WUC 19E04	
FAULTS/REMARKS (IN PROCESS) Number one needle was in the parked position for the entire flight with GPS on. I tried turning it off and turning it on again but the needle would not move.								ACTION COMPLETE									
ACFT HRS 5244.9		WHEN DISC K		HOW REC G		MAL EFF 2		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
DELAY		WUC 19E04		TIPID TUTHEROW, MICHAEL		TI MANHOURS 0.1		Lyons, C.	F	0.1							
STATUS —		SYS A	DATE 23 Jul 20	NO 2	TIME 11:09	PID Generated, Com		DATE 23 Jul 20	TIME 11:16	ACFT HRS 5244.9		ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 23 JUL 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 28 JUL 2020 REFERENCE: TM 1-1520-237-PMD								ACTION COMP									
ACFT HRS 5244.9		WHEN DISC O		HOW REC O		MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
DELAY		WUC 00		TIPID ,		TI MANHOURS		Moore, S.	F	1.0	BROWN, L	F	1.0				
STATUS —		SYS A	DATE 23 Jul 20	NO 3	TIME 11:17	PID Generated, Com		DATE 23 Jul 20	TIME 11:17	ACFT HRS 5244.9		ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 23 JUL 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5247.9 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD								ACTION COMP									
ACFT HRS 5244.9		WHEN DISC O		HOW REC O		MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
DELAY		WUC 00		TIPID ,		TI MANHOURS		BROWN, L	F	0.4							

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 51					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A		DATE 23 Jul 20		NO 4		TIME 11:18		PID Generated, Cor		DATE 23 Jul 20		TIME 11:18		ACFT HRS WUC 00	
												ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS PMD Due								ACTION COMPLETED									
												PID		CAT		HRS	
												BROWN, L		F		1.0	
ACFT HRS 5244.9				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00		TIPIID ,				TI MANHOURS							
STATUS —		SYS A		DATE 23 Jul 20		NO 5		TIME 11:19		PID Generated, Com		DATE 28 Jul 20		TIME 09:35		ACFT HRS 5244.9	
												ROUNDS		ACTION CODE 6		WUC 00	
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,								ACTION Complete									
												PID		CAT		HRS	
												EBERT, D.		F		0.4	
ACFT HRS 5244.9				WHEN DISC O		HOW REC G		MAL EFF 2									
DELAY				WUC 00		TIPIID ,				TI MANHOURS							
STATUS /		SYS E		DATE 24 Jul 20		NO 1		TIME 11:18		PID Lyons, Christoph		DATE 29 Jul 20		TIME 11:04		ACFT HRS 5244.9	
												ROUNDS		ACTION CODE A		WUC 19E04	
FAULTS/REMARKS #1 NEEDLE DROPS OUT AFTER 8 MINS FOR DOPPLER/GPS								ACTION REPLACED DOPPLER CDU MOC OK									
												PID		CAT		HRS	
												Lyons, C.		F		0.1	
ACFT HRS 5244.9				WHEN DISC L		HOW REC G		MAL EFF 2									
DELAY				WUC 19E04		TIPIID ,				TI MANHOURS							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 52					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS X		SYS A	DATE 24 Jul 20	NO 1	TIME 14:20	PID Lyons, Christop		DATE 24 Jul 20	TIME 14:29	ACFT HRS 5244.9		ROUNDS		ACTION CODE J		WUC 19E04	
FAULTS/REMARKS (IN PROCESS) #1 NEEDLE DROPS OUT AFTER 8 MINS FOR DOPPLER/GPS								ACTION COMPLETE									
ACFT HRS 5244.9		WHEN DISC K		HOW REC G		MAL EFF 2		PID Lyons, C.	CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 19E04				TIPIID MONEY, DONALD				TI MANHOURS 0.1					
STATUS —		SYS A	DATE 26 Jul 20	NO 1	TIME 00:00	PID Generated, Com		DATE 27 Jul 20	TIME 06:17	ACFT HRS 5244.9		ROUNDS		ACTION CODE P		WUC 00	
FAULTS/REMARKS INSP A103 AIRCRAFT WASH DUE FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 01 AUG 2020 REFERENCE: TM 1-1500-344-23								ACTION comp									
ACFT HRS 5244.9		WHEN DISC O		HOW REC O		MAL EFF 1		PID DUNCAN,	CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —		SYS A	DATE 27 Jul 20	NO 1	TIME 00:00	PID Generated, Com		DATE 30 Jul 20	TIME 14:44	ACFT HRS 5244.9		ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 30 JUL 2020 REFERENCE: TM 1-1520-237-PMD								ACTION completed									
ACFT HRS 5244.9		WHEN DISC O		HOW REC O		MAL EFF 1		PID Barnes, J.	CAT F	HRS 1.0	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 00				TIPIID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 53				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS A	DATE 27 Jul 20	NO 2	TIME 00:00	PID Generated, Cor		DATE 27 Jul 20	TIME 06:18	ACFT HRS 5244.9						
FAULTS/REMARKS INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 29 JUL 2020 REFERENCE: TM 1-1520-237-23&P								ACTION pilot didnt sign off								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								DUNCAN,	F	0.1						
ACFT HRS 5244.9		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS X		SYS A	DATE 27 Jul 20	NO 3	TIME 10:57	PID Lyons, Christop		DATE 27 Jul 20	TIME 14:20	ACFT HRS 5244.9						
FAULTS/REMARKS (IN PROCESS) #1 NEEDLE DROPS OUT AFTER 8 MINS FOR DOPPLER/GPS								ACTION COMPLETE								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Lyons, C.	F	0.1						
ACFT HRS 5244.9		WHEN DISC K	HOW REC G	MAL EFF 2												
DELAY				WUC 19E04				TIPIID LLOYD, JUSTIN				TI MANHOURS 0.1				
STATUS X		SYS A	DATE 28 Jul 20	NO 1	TIME 08:41	PID Lyons, Christop		DATE 28 Jul 20	TIME 08:42	ACFT HRS 5244.9						
FAULTS/REMARKS (IN PROCESS) #1 NEEDLE DROPS OUT AFTER 8 MINS FOR DOPPLER/GPS								ACTION fault entered in error								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Lyons, C.	F	0.1						
ACFT HRS 5244.9		WHEN DISC K	HOW REC G	MAL EFF 2												
DELAY				WUC 19				TIPIID LLOYD, JUSTIN				TI MANHOURS 0.1				

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 54				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS X	L CLOSED	SYS A	DATE 28 Jul 20	NO 2	TIME 10:18	PID LLOYD, JUSTIN		DATE 29 Jul 20	TIME 11:01	ACFT HRS 5244.9						
								ROUNDS	ACTION CODE J	WUC 19E04						
FAULTS/REMARKS "IN PROCESS" #1 NEEDLE DROPS OUT AFTER 8 MINS FOR DOPPLER/GPS								ACTION COMPLETE								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Lyons, C.	F	0.1						
ACFT HRS 5244.9		WHEN DISC K	HOW REC G	MAL EFF 1												
DELAY				WUC 19E04				TIPID LLOYD, JUSTIN			TI MANHOURS 0.1					
STATUS X	L CLOSED	SYS A	DATE 28 Jul 20	NO 3	TIME 16:00	PID LLOYD, JUSTIN		DATE 31 Jul 20	TIME 07:49	ACFT HRS 5244.9						
								ROUNDS	ACTION CODE C	WUC 02						
FAULTS/REMARKS MULTIPLE WIRES ARE CHAFFED ON THE INTERIOR OF THE CO-PLT CIRCUIT BREAKER PANEL AND REQ REPAIR.								ACTION REPAIRED WIRING HARNESS AND MOC'D ASSOCIATED SYSTEMS								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Lyons, C.	F	7.0	OVERSTRE	F	1.0			
ACFT HRS 5244.9		WHEN DISC K	HOW REC G	MAL EFF 1												
DELAY				WUC 09A02B				TIPID LLOYD, JUSTIN			TI MANHOURS 0.1					
STATUS —	L CLOSED	SYS E	DATE 30 Jul 20	NO 1	TIME 12:58	PID Lyons, Christoph		DATE 30 Jul 20	TIME 15:30	ACFT HRS 5244.9						
								ROUNDS	ACTION CODE J	WUC 02						
FAULTS/REMARKS MOC OF FLIR SYS REQ DUE TO REPAIR OF 2EA ELECTRICAL WIRES BEHIND CO-PILOTS CB PANEL								ACTION moc'd ok								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Lyons, C.	F	0.1						
ACFT HRS 5244.9		WHEN DISC K	HOW REC G	MAL EFF 2												
DELAY				WUC 16S05				TIPID ,			TI MANHOURS					

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 55							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		SYS A		DATE 30 Jul 20		NO 1		TIME 14:34		PID Generated, Cor		DATE 30 Jul 20		TIME 14:55		ACFT HRS			
												ROUNDS		ACTION CODE 3		WUC 00			
FAULTS/REMARKS PMD Due								ACTION COMPLETED											
																PID		CAT	
ACFT HRS 5244.9		WHEN DISC O		HOW REC O		MAL EFF 1		Barnes, J.		F		1.0							
DELAY				WUC 00				TIPIID ,				TI MANHOURS							
STATUS —		SYS O		DATE 31 Jul 20		NO 1		TIME 00:01		PID Generated, Com		DATE 04 Aug 20		TIME 08:55		ACFT HRS 5244.9			
												ROUNDS		ACTION CODE P		WUC 00			
FAULTS/REMARKS INSP O806 LOGBOOK RECONCILIATION FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 07 AUG 2020 REFERENCE: ATP 3-04.7								ACTION COMP											
																PID		CAT	
ACFT HRS 5244.9		WHEN DISC O		HOW REC O		MAL EFF 1		ANDERS, B		F		0.1							
DELAY				WUC 00				TIPIID ,				TI MANHOURS							
STATUS /		SYS A		DATE 31 Jul 20		NO 1		TIME 08:55		PID VANG, CHENG		DATE 31 Jul 20		TIME 08:56		ACFT HRS 5244.9			
												ROUNDS		ACTION CODE C		WUC 02			
FAULTS/REMARKS PAINT REQ FOR TAIL CONE REPAIR								ACTION PAINTED											
																PID		CAT	
ACFT HRS 5244.9		WHEN DISC K		HOW REC G		MAL EFF 1		VANG, C.		F		1.0							
DELAY				WUC 02				TIPIID ,				TI MANHOURS							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402		2. MODEL UH-60A			3. DATE			4. PAGE 56		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION				
STATUS —		SYS A	DATE 03 Aug 20	NO 1	TIME 00:01	PID Generated, Cor		DATE 06 Aug 20	TIME 14:17	ACFT HRS 5244.9
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 06 AUG 2020 REFERENCE: TM 1-1520-237-PMD						ACTION COMP				
ACFT HRS 5244.9						WHEN DISC O	HOW REC O	MAL EFF 1		
DELAY						WUC 00		TI MANHOURS		
STATUS —		SYS A	DATE 04 Aug 20	NO 1	TIME 00:01	PID Generated, Com		DATE 06 Aug 20	TIME 18:40	ACFT HRS 5246.3
FAULTS/REMARKS INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 06 AUG 2020 REFERENCE: TM 1-1520-237-23&P						ACTION completed				
ACFT HRS 5244.9						WHEN DISC O	HOW REC O	MAL EFF 1		
DELAY						WUC 00		TI MANHOURS		
STATUS ⊗		SYS A	DATE 04 Aug 20	NO 2	TIME 08:55	PID Generated, Com		DATE 18 Sep 20	TIME 08:22	ACFT HRS 5259.4
FAULTS/REMARKS (402)OPERATE WITHIN THE LIMITATIONS PRESCRIBED IN THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR1425r22 13Jan20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1451r11 22May20, AWR1452r7 22Apr19, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1594r7 22Nov19, AWR1682r25 01Aug19, AWR1692r10 19Mar20, AWR1693r5 15Mar18, AWR1694r7 29Jan20, AWR1750r6 31Mar20, AWR1753R9						ACTION updated				
ACFT HRS 5244.9						WHEN DISC O	HOW REC G	MAL EFF 2		
DELAY						WUC 00		TI MANHOURS 0.1		
						TIPID TUTHEROW, MICHAEL				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 57						
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION										
STATUS —	 SYS A	DATE 06 Aug 20	NO 1	TIME 14:19	PID Generated, Cor			DATE 06 Aug 20	TIME 14:21	ACFT HRS 5244.9								
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,								ACTION comp			ROUNDS			ACTION CODE 6			WUC 00	
ACFT HRS 5244.9				WHEN DISC O	HOW REC G	MAL EFF 2		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS		
DELAY				WUC 00				TIPIID ,				TI MANHOURS						
STATUS —	 SYS A	DATE 06 Aug 20	NO 2	TIME 14:20	PID Generated, Com			DATE 06 Aug 20	TIME 14:20	ACFT HRS								
FAULTS/REMARKS PMD Due								ACTION COMPLETED			ROUNDS			ACTION CODE 3		WUC 00		
ACFT HRS 5244.9				WHEN DISC O	HOW REC O	MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS		
DELAY				WUC 00				TIPIID ,				TI MANHOURS						
STATUS /	 SYS O	DATE 07 Aug 20	NO 1	TIME 10:44	PID Mahoney, Aaror			DATE 09 Sep 20	TIME 10:08	ACFT HRS 5255.9								
FAULTS/REMARKS GPS 128D WMM Expired								ACTION UPDATED WMM			ROUNDS			ACTION CODE B		WUC 19E04		
ACFT HRS 5246.3				WHEN DISC T	HOW REC G	MAL EFF 2		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS		
DELAY 120 Hr, CSM Shorter				WUC 19				TIPIID ,				TI MANHOURS						

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 58					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A		DATE 07 Aug 20		NO 1		TIME 11:13		PID Generated, Cor		DATE 07 Aug 20		TIME 11:13		ACFT HRS WUC 00	
FAULTS/REMARKS PMD Due												ACTION COMPLETED					
ACFT HRS 5246.3		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00						TIPIID ,				TI MANHOURS			
STATUS —		SYS A		DATE 07 Aug 20		NO 2		TIME 11:14		PID Generated, Com		DATE 07 Aug 20		TIME 11:22		ACFT HRS 5246.3	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 07 AUG 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 13 AUG 2020 REFERENCE: TM 1-1520-237-PMD												ACTION INSP COMP					
ACFT HRS 5246.3		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00						TIPIID ,				TI MANHOURS			
STATUS —		SYS A		DATE 07 Aug 20		NO 3		TIME 11:14		PID Generated, Com		DATE 07 Aug 20		TIME 11:14		ACFT HRS 5246.3	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 07 AUG 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5255.9 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD												ACTION INSP COMP					
ACFT HRS 5246.3		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00						TIPIID ,				TI MANHOURS			
STATUS —		SYS A		DATE 07 Aug 20		NO 3		TIME 11:14		PID Generated, Com		DATE 07 Aug 20		TIME 11:14		ACFT HRS 5246.3	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 07 AUG 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5255.9 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD												ACTION INSP COMP					
ACFT HRS 5246.3		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00						TIPIID ,				TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402		2. MODEL UH-60A			3. DATE			4. PAGE 59		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION				
STATUS —	B Closed	SYS A	DATE 07 Aug 20	NO 4	TIME 11:24	PID Generated, Cor	DATE 07 Aug 20	TIME 11:24	ACFT HRS 5246.3	
FAULTS/REMARKS (845)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1037R16 31Jul19, AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1800r9 18Jul19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,						ACTION ENTERED IN ERROR				
ACFT HRS 5246.3						WHEN DISC O	HOW REC G	MAL EFF 2		
DELAY						WUC 00		TIPIID ,		TI MANHOURS
STATUS —	R Closed	SYS A	DATE 07 Aug 20	NO 5	TIME 11:25	PID Generated, Com	DATE 08 Aug 20	TIME 10:33	ACFT HRS 5246.3	
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,						ACTION Inspect Ok				
ACFT HRS 5246.3						WHEN DISC O	HOW REC G	MAL EFF 2		
DELAY						WUC 00		TIPIID ,		TI MANHOURS
STATUS —	R Closed	SYS H	DATE 08 Aug 20	NO 1	TIME 13:24	PID HAMMETT, LEOI	DATE 10 Aug 20	TIME 16:06	ACFT HRS 5247.3	
FAULTS/REMARKS Post Op check required prior to next use.						ACTION completed; insp ok				
ACFT HRS 5247.3						WHEN DISC G	HOW REC O	MAL EFF 2		
DELAY						WUC 14B		TIPIID ,		TI MANHOURS
ACFT HRS 5246.3						WHEN DISC O	HOW REC G	MAL EFF 2		
DELAY						WUC 00		TIPIID ,		TI MANHOURS
STATUS —	R Closed	SYS A	DATE 07 Aug 20	NO 4	TIME 11:24	PID Generated, Cor	DATE 07 Aug 20	TIME 11:24	ACFT HRS 5246.3	
FAULTS/REMARKS (845)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1037R16 31Jul19, AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1800r9 18Jul19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,						ACTION ENTERED IN ERROR				
ACFT HRS 5246.3						WHEN DISC O	HOW REC G	MAL EFF 2		
DELAY						WUC 00		TIPIID ,		TI MANHOURS
STATUS —	R Closed	SYS A	DATE 07 Aug 20	NO 5	TIME 11:25	PID Generated, Com	DATE 08 Aug 20	TIME 10:33	ACFT HRS 5246.3	
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,						ACTION Inspect Ok				
ACFT HRS 5246.3						WHEN DISC O	HOW REC G	MAL EFF 2		
DELAY						WUC 00		TIPIID ,		TI MANHOURS
STATUS —	R Closed	SYS H	DATE 08 Aug 20	NO 1	TIME 13:24	PID HAMMETT, LEOI	DATE 10 Aug 20	TIME 16:06	ACFT HRS 5247.3	
FAULTS/REMARKS Post Op check required prior to next use.						ACTION completed; insp ok				
ACFT HRS 5247.3						WHEN DISC G	HOW REC O	MAL EFF 2		
DELAY						WUC 14B		TIPIID ,		TI MANHOURS

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 60							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		SYS A		DATE 08 Aug 20		NO 1		TIME 14:01		PID Generated, Cor		DATE 08 Aug 20		TIME 14:17		ACFT HRS			
												ROUNDS		ACTION CODE 3		WUC 00			
FAULTS/REMARKS PMD Due								ACTION COMPLETED											
								PID		CAT		HRS		PID		CAT		HRS	
												Ragoonath		F		1.0			
ACFT HRS 5247.3				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS							
STATUS —		SYS A		DATE 08 Aug 20		NO 2		TIME 14:04		PID Generated, Com		DATE 08 Aug 20		TIME 14:15		ACFT HRS 5247.3			
												ROUNDS		ACTION CODE 3		WUC 00			
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 08 AUG 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 14 AUG 2020 REFERENCE: TM 1-1520-237-PMD								ACTION completed											
								PID		CAT		HRS		PID		CAT		HRS	
												AHLERS, R		F		1.0		REPASI, R	
ACFT HRS 5247.3				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS							
STATUS —		SYS A		DATE 08 Aug 20		NO 3		TIME 14:04		PID Generated, Com		DATE 08 Aug 20		TIME 14:15		ACFT HRS 5247.3			
												ROUNDS		ACTION CODE 6		WUC 00			
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 08 AUG 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5257.3 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD								ACTION completed											
								PID		CAT		HRS		PID		CAT		HRS	
												TWOMEY,		F		0.1		Ragoonath	
ACFT HRS 5247.3				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402		2. MODEL UH-60A			3. DATE			4. PAGE 61		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION				
STATUS —		SYS A	DATE 10 Aug 20	NO 1	TIME 00:00	PID Generated, Cor	DATE 14 Sep 20	TIME 15:02	ACFT HRS 5259.4	
FAULTS/REMARKS INSP A501 MAIN ROTOR BLADE SPAR PRESSURE CHECK FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 15 SEP 2020 REFERENCE: TM 1-1520-237-23&P						ACTION comp				
ACFT HRS 5247.3						WHEN DISC O	HOW REC O	MAL EFF 1		
DELAY						WUC 00		TI MANHOURS		
STATUS —		SYS A	DATE 10 Aug 20	NO 2	TIME 07:21	PID Generated, Com	DATE 10 Aug 20	TIME 07:21	ACFT HRS 5247.3	
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,						ACTION comp				
ACFT HRS 5247.3						WHEN DISC O	HOW REC G	MAL EFF 2		
DELAY						WUC 00		TI MANHOURS		
STATUS —		SYS A	DATE 10 Aug 20	NO 3	TIME 17:05	PID Generated, Com	DATE 10 Aug 20	TIME 17:12	ACFT HRS 5247.3	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 10 AUG 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 15 AUG 2020 REFERENCE: TM 1-1520-237-PMD						ACTION comp				
ACFT HRS 5247.3						WHEN DISC O	HOW REC O	MAL EFF 1		
DELAY						WUC 00		TI MANHOURS		
ACFT HRS 5247.3						WHEN DISC O	HOW REC O	MAL EFF 1		
DELAY						WUC 00		TI MANHOURS		




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402			2. MODEL UH-60A			3. DATE			4. PAGE 62		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION					
STATUS —	 SYS A	DATE 10 Aug 20	NO 4	TIME 17:05	PID Generated, Cor	DATE 10 Aug 20	TIME 17:13	ACFT HRS WUC 00			
FAULTS/REMARKS PMD Due						ROUNDS	ACTION CODE 3	WUC 00			
						ACTION COMPLETED					
						PID Moore, S.	CAT F	HRS 1.0	PID	CAT	HRS
ACFT HRS 5247.3		WHEN DISC O	HOW REC O	MAL EFF 1							
DELAY			WUC 00			TIPIID ,			TI MANHOURS		
STATUS —	 SYS A	DATE 10 Aug 20	NO 5	TIME 17:14	PID Generated, Com	DATE 11 Aug 20	TIME 07:40	ACFT HRS 5247.3			
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,						ROUNDS	ACTION CODE 6	WUC 00			
						ACTION Inspect Ok					
						PID HAMMETT	CAT F	HRS 0.4	PID	CAT	HRS
ACFT HRS 5247.3		WHEN DISC O	HOW REC G	MAL EFF 2							
DELAY			WUC 00			TIPIID ,			TI MANHOURS		
STATUS —	 SYS A	DATE 12 Aug 20	NO 1	TIME 08:18	PID Generated, Com	DATE 15 Aug 20	TIME 09:07	ACFT HRS 5253.4			
FAULTS/REMARKS INSP A100 LH/RH ENGINE HISTORY RECORDER READINGS DUE FOR HCPT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 18 AUG 2020 REFERENCE: DA PAM 738-751						ROUNDS	ACTION CODE 6	WUC 00			
						ACTION COMP					
						PID Barnes, J.	CAT F	HRS 0.1	PID	CAT	HRS
ACFT HRS 5248.9		WHEN DISC O	HOW REC O	MAL EFF 1							
DELAY			WUC 00			TIPIID ,			TI MANHOURS		




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 63					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS /		SYS E	DATE 12 Aug 20	NO 1	TIME 14:14	PID Baltrus, Tyler		DATE 31 Aug 20	TIME 14:04	ACFT HRS 5255.9		ROUNDS		ACTION CODE A		WUC 19E18	
FAULTS/REMARKS MAL light remained on for the duration of the flight but did not effect the performance of the GPS.								ACTION REPLACED SDC BATTERY									
ACFT HRS 5251.1		WHEN DISC G	HOW REC D	MAL EFF 2				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
DELAY		WUC 19E18						TIPIID ,				TI MANHOURS					
STATUS /		SYS A	DATE 12 Aug 20	NO 2	TIME 14:23	PID Baltrus, Tyler		DATE 25 Aug 20	TIME 12:52	ACFT HRS 5253.4		ROUNDS		ACTION CODE A		WUC 02	
FAULTS/REMARKS While attempting a crossbleed start using the #1 ENG at fly, Ng stalled at 40% and TGT would have risen above limits but the start was aborted. unable to perform crossbleed start.								ACTION REPLACED #1 ENGINE BLEED AIR SHUTOFF VALVE									
ACFT HRS 5253.4		WHEN DISC G	HOW REC C	MAL EFF 2				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
DELAY		WUC 00						TIPIID ,				TI MANHOURS					
STATUS —		SYS A	DATE 12 Aug 20	NO 3	TIME 14:23	PID Baltrus, Tyler		DATE 18 Aug 20	TIME 06:36	ACFT HRS		ROUNDS		ACTION CODE		WUC 07D01	
FAULTS/REMARKS While attempting a crossbleed start using the #1 ENG at fly, Ng stalled at 40% and TGT would have risen above limits but the start was aborted. unable to perform crossbleed start.								ACTION CLOSED IN ERROR BY DUNCAN, JONATHAN SGT Status Symbol in error.									
ACFT HRS 5251.1		WHEN DISC G	HOW REC G	MAL EFF 2				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
DELAY		WUC 07D01						TIPIID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402		2. MODEL UH-60A			3. DATE			4. PAGE 64						
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION								
STATUS —	 SYS A	DATE 12 Aug 20	NO 4	TIME 14:25	PID Generated, Cor	DATE 12 Aug 20	TIME 14:30	ACFT HRS 5251.1						
		ROUNDS	ACTION CODE 3		WUC 02									
FAULTS/REMARKS PMD DUE						ACTION COMPLETE								
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
						Hilton, J.	F	0.1						
ACFT HRS 5251.1		WHEN DISC O	HOW REC G	MAL EFF 2										
DELAY			WUC 00			TIPIID ,			TI MANHOURS					
STATUS —	 SYS A	DATE 12 Aug 20	NO 5	TIME 14:32	PID Generated, Com	DATE 13 Aug 20	TIME 07:35	ACFT HRS 5251.1						
		ROUNDS	ACTION CODE P		WUC 00									
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,						ACTION visual inspection performed								
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
						Hickey, P.	F	0.5						
ACFT HRS 5251.1		WHEN DISC O	HOW REC G	MAL EFF 2										
DELAY			WUC 00			TIPIID ,			TI MANHOURS					
STATUS —	 SYS A	DATE 12 Aug 20	NO 6	TIME 14:32	PID Generated, Com	DATE 12 Aug 20	TIME 14:32	ACFT HRS 5251.1						
		ROUNDS	ACTION CODE 6		WUC 05									
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 12 AUG 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5258.3 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD						ACTION COMPLETE								
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
						Hilton, J.	F	0.2						
ACFT HRS 5251.1		WHEN DISC O	HOW REC O	MAL EFF 1										
DELAY			WUC 00			TIPIID ,			TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 65				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —	 SYS A	DATE 12 Aug 20	NO 7	TIME 14:33	PID Generated, Cor			DATE 12 Aug 20	TIME 14:33	ACFT HRS 5251.1						
		ROUNDS	ACTION CODE 3			WUC 02										
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 12 AUG 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 17 AUG 2020 REFERENCE: TM 1-1520-237-PMD								ACTION COMPLETE								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Hilton, J.	F	0.2						
ACFT HRS 5251.1		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —	 SYS A	DATE 12 Aug 20	NO 8	TIME 14:34	PID Generated, Com			DATE 12 Aug 20	TIME 14:34	ACFT HRS						
		ROUNDS	ACTION CODE 3			WUC 00										
FAULTS/REMARKS PMD Due								ACTION COMPLETED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								DENNIS, T.	F	1.0						
ACFT HRS 5251.1		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —	 SYS A	DATE 13 Aug 20	NO 1	TIME 00:01	PID Generated, Com			DATE 15 Aug 20	TIME 09:07	ACFT HRS 5253.4						
		ROUNDS	ACTION CODE 6			WUC 00										
FAULTS/REMARKS INSP A839 APU HOUR METER READING DUE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 18 AUG 2020 REFERENCE: SOP								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Barnes, J.	F	0.1						
ACFT HRS 5251.1		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 66				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS E	DATE 13 Aug 20	NO 1	TIME 00:01	PID Generated, Cor		DATE 15 Aug 20	TIME 14:36	ACFT HRS 5253.4						
							ROUNDS	ACTION CODE 6		WUC 19						
FAULTS/REMARKS INSP E050 ARC-220 RADIO SET BATTERY INSPECTION OR REPLACE FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 19 AUG 2020 REFERENCE: TM 11-5821-357-12P								ACTION N/A								
ACFT HRS 5251.1		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY		WUC 00						TI PID ,			TI MANHOURS					
STATUS —		SYS E	DATE 13 Aug 20	NO 2	TIME 00:01	PID Generated, Com		DATE 17 Aug 20	TIME 14:20	ACFT HRS 5253.4						
							ROUNDS	ACTION CODE P		WUC 00						
FAULTS/REMARKS INSP E220 EMERGENCY LOCATOR TRANSMITTER SELF-TEST (AS REQUIRED) FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5353.9 AIRCRAFT HOURS OR 19 AUG 2020 REFERENCE: AWR 1516 R12								ACTION test ok								
ACFT HRS 5251.1		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY		WUC 00						TI PID ,			TI MANHOURS					
STATUS —		SYS E	DATE 13 Aug 20	NO 3	TIME 00:01	PID Generated, Com		DATE 28 Aug 20	TIME 10:28	ACFT HRS 5255.9						
							ROUNDS	ACTION CODE A		WUC 02						
FAULTS/REMARKS INSP E155 KY-58 BATTERY REPLACEMENT FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 18 SEP 2020 REFERENCE: TM 11-5810-262-23								ACTION REPLACED BATTERYS								
ACFT HRS 5251.1		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY		WUC 00						TI PID ,			TI MANHOURS					

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 67				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —	R CLOSED	SYS A	DATE 13 Aug 20	NO 2	TIME 07:33	PID Generated, Cor		DATE 13 Aug 20	TIME 16:20	ACFT HRS 5253.4						
								ROUNDS	ACTION CODE 6	WUC 00						
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 13 AUG 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 20 AUG 2020 REFERENCE: TM 1-1520-237-23&P								ACTION completed								
ACFT HRS 5251.1		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY		WUC 00						TIPIID ,			TI MANHOURS					
STATUS —	R CLOSED	SYS A	DATE 13 Aug 20	NO 3	TIME 16:13	PID Generated, Com		DATE 13 Aug 20	TIME 16:14	ACFT HRS 5253.4						
								ROUNDS	ACTION CODE 6	WUC 00						
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 13 AUG 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5262.1 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD								ACTION completed								
ACFT HRS 5253.4		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY		WUC 00						TIPIID ,			TI MANHOURS					
STATUS —	R CLOSED	SYS A	DATE 13 Aug 20	NO 4	TIME 16:13	PID Generated, Com		DATE 13 Aug 20	TIME 16:21	ACFT HRS						
								ROUNDS	ACTION CODE 3	WUC 00						
FAULTS/REMARKS PMD Due								ACTION COMPLETED								
ACFT HRS 5253.4		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY		WUC 00						TIPIID ,			TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 68				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS A	DATE 13 Aug 20	NO 5	TIME 16:13	PID Generated, Cor		DATE 13 Aug 20	TIME 16:19	ACFT HRS 5253.4						
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 13 AUG 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 19 AUG 2020 REFERENCE: TM 1-1520-237-PMD								ACTION completed								
ACFT HRS 5253.4								WHEN DISC O	HOW REC O	MAL EFF 1	PID	CAT	HRS	PID	CAT	HRS
DELAY								WUC 00			TIPIID ,	TI MANHOURS				
STATUS —		SYS A	DATE 14 Aug 20	NO 1	TIME 00:01	PID Generated, Com		DATE 25 Aug 20	TIME 07:34	ACFT HRS 5253.4						
FAULTS/REMARKS INSP A160 90 DAY CORROSION INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 01 SEP 2020 REFERENCE: TM 1-1520-237-23&P								ACTION COMP								
ACFT HRS 5253.4								WHEN DISC O	HOW REC O	MAL EFF 1	PID	CAT	HRS	PID	CAT	HRS
DELAY								WUC 00			TIPIID ,	TI MANHOURS				
STATUS /		SYS A	DATE 14 Aug 20	NO 2	TIME 09:40	PID DENNIS, TYLER		DATE 14 Aug 20	TIME 11:18	ACFT HRS 5253.4						
FAULTS/REMARKS INSTALLATION OF CABIN TIE DOWN RINGS REQUIRED.								ACTION INSTALLED TQ TO 118 FT LBS								
ACFT HRS 5253.4								WHEN DISC B	HOW REC G	MAL EFF 2	PID	CAT	HRS	PID	CAT	HRS
DELAY								WUC 02			TIPIID ,	TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 69			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS X		SYS A	DATE 14 Aug 20	NO 3	TIME 09:49	PID DENNIS, TYLER		DATE 14 Aug 20	TIME 11:19	ACFT HRS 5253.4					
FAULTS/REMARKS (IN PROCESS) INSTALLATION OF CABIN TIE DOWN RINGS REQUIRED.								ACTION COMP							
ACFT HRS 5253.4								WHEN DISC G	HOW REC G	MAL EFF 1					
DELAY								WUC 02		TIPIID FAUST, JONATHAN			TI MANHOURS 0.1		
STATUS —		SYS H	DATE 15 Aug 20	NO 1	TIME 00:01	PID Generated, Com		DATE 18 Aug 20	TIME 10:54	ACFT HRS 5253.4					
FAULTS/REMARKS INSP H810 CONDUCT HOIST OPERATIONAL CHECK IAW H-60-19-AMAM-01 ADDENDUM 1 (UPDATE) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5280.9 AIRCRAFT HOURS OR 21 AUG 2020 REFERENCE: H-60-19-AMAM-01								ACTION COMP							
ACFT HRS 5253.4								WHEN DISC O	HOW REC O	MAL EFF 1					
DELAY								WUC 00		TIPIID ,			TI MANHOURS		
STATUS —		SYS E	DATE 16 Aug 20	NO 1	TIME 00:01	PID Generated, Com		DATE 17 Aug 20	TIME 10:49	ACFT HRS 5253.4					
FAULTS/REMARKS INSP E108 KY-58 PMCS/OPNL CHECK (STANDBY) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 22 AUG 2020 REFERENCE: TM 11-5810-262-23								ACTION na no secure fills							
ACFT HRS 5253.4								WHEN DISC O	HOW REC O	MAL EFF 1					
DELAY								WUC 00		TIPIID ,			TI MANHOURS		
ACFT HRS 5253.4								WHEN DISC O	HOW REC O	MAL EFF 1					
DELAY								WUC 00		TIPIID ,			TI MANHOURS		




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 70			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —	 SYS A	DATE 17 Aug 20	NO 1	TIME 00:01	PID Generated, Cor			DATE 18 Aug 20	TIME 13:35	ACFT HRS 5253.4					
FAULTS/REMARKS INSP A103 AIRCRAFT WASH DUE FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 23 AUG 2020 REFERENCE: TM 1-1500-344-23								ACTION completed							
ACFT HRS 5253.4	WHEN DISC O	HOW REC O	MAL EFF 1		Ragoonati	F	1.0	Moore, J.	F	1.0	Ryan, W.	F	1.0		
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
STATUS —	 SYS A	DATE 17 Aug 20	NO 2	TIME 00:01	PID Generated, Com			DATE 17 Aug 20	TIME 14:13	ACFT HRS 5253.4					
FAULTS/REMARKS INSP A092 30 DAY SLAB BATTERY INSPECTION (D8565/11-1) FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 23 AUG 2020 REFERENCE: TM 11-6140-203-23 P								ACTION comp. 27.2v							
ACFT HRS 5253.4	WHEN DISC O	HOW REC O	MAL EFF 1		Ragoonati	F	1.0	BROWN, L	F	1.0					
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
STATUS —	 SYS A	DATE 17 Aug 20	NO 3	TIME 00:01	PID Generated, Com			DATE 18 Aug 20	TIME 13:44	ACFT HRS 5253.4					
FAULTS/REMARKS INSP A115 LUBE REQUIRMENTS FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 23 AUG 2020 OR 5280.9 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23&P								ACTION completed							
ACFT HRS 5253.4	WHEN DISC O	HOW REC O	MAL EFF 1		Barnes, J.	F	1.0	Ragoonati	F	1.0	Moore, J.	F	1.0		
DELAY				WUC 00				TIPIID ,				TI MANHOURS			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 71				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS A	DATE 17 Aug 20	NO 4	TIME 00:01	PID Generated, Cor		DATE 18 Aug 20	TIME 10:55	ACFT HRS 5253.4						
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 20 AUG 2020 REFERENCE: TM 1-1520-237-PMD								ACTION completed								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								TWOMEY,	F	1.0	Moore, J.	F	1.0	Ragoonath	F	1.0
ACFT HRS 5253.4		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 18 Aug 20	NO 1	TIME 10:51	PID Generated, Com		DATE 18 Aug 20	TIME 10:56	ACFT HRS						
FAULTS/REMARKS PMD Due								ACTION COMPLETED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Ragoonath	F	1.0						
ACFT HRS 5253.4		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 18 Aug 20	NO 2	TIME 10:58	PID Generated, Com		DATE 18 Aug 20	TIME 11:00	ACFT HRS 5253.4						
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-AMAM-07 DESCRIPTION: COMPLY WITH H-60-20-AMAM-07, UPDATED ENGINE INLET BARRIER FILTER INSPECTION PROCEDURES, BY 14 FEB 21.. IS DUE: 14 FEB 2021 CALENDAR								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								BARBEE, A	F	0.1						
ACFT HRS 5253.4		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID BARBEE, ANDREW				TI MANHOURS 0.1				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402			2. MODEL UH-60A			3. DATE			4. PAGE 72			
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS X		SYS A	DATE 18 Aug 20	NO 3	TIME 12:45	PID Ragoonath, Dev	DATE 18 Aug 20	TIME 13:45	ACFT HRS 5253.4			
FAULTS/REMARKS (IN PROCESS) INSP A115 LUBE REQUIRMENTS FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 23 AUG 2020 OR 5280.9 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23&P						ACTION comp						
ACFT HRS 5253.4						WHEN DISC O	HOW REC O	MAL EFF 1				
DELAY						WUC 00			TIPIID DUNCAN, JONATHAN			TI MANHOURS 0.3
STATUS /		SYS A	DATE 18 Aug 20	NO 4	TIME 14:57	PID DENNIS, TYLER	DATE 26 Aug 20	TIME 14:12	ACFT HRS 5253.4			
FAULTS/REMARKS TAIL LANDING GEAR MAKES POPPING NOISE DURING AIRCRAFT TOWING. INSPECT TAIL LANDING GEAR AT NEXT 40 HOUR INSPECTION.						ACTION INSPECTED OK						
ACFT HRS 5253.4						WHEN DISC O	HOW REC G	MAL EFF 2				
DELAY						WUC 03B			TIPIID ,			TI MANHOURS
STATUS —		SYS A	DATE 22 Aug 20	NO 1	TIME 00:01	PID Generated, Com	DATE 26 Aug 20	TIME 00:00	ACFT HRS 5253.4			
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 25 AUG 2020 REFERENCE: TM 1-1520-237-PMD						ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON AUG 26 2020 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT						
ACFT HRS 5253.4						WHEN DISC O	HOW REC O	MAL EFF 1				
DELAY						WUC 00			TIPIID ,			TI MANHOURS

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 73				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS X	F CLOSED	SYS A	DATE 24 Aug 20	NO 1	TIME 08:09	PID Richards, Micha		DATE 25 Aug 20	TIME 07:34	ACFT HRS 5253.4						
								ROUNDS	ACTION CODE P	WUC 02						
FAULTS/REMARKS (IN PROCESS) INSP A160 90 DAY CORROSION INSPECTION FOR HCPT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 01 SEP 2020 REFERENCE: TM 1-1520-237-23&P								ACTION COMP								
ACFT HRS 5253.4		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY		WUC 02						TIPIID FAUST, JONATHAN				TI MANHOURS 0.1				
STATUS X	F CLOSED	SYS A	DATE 25 Aug 20	NO 1	TIME 09:00	PID Rowe, Steven		DATE 25 Aug 20	TIME 13:00	ACFT HRS 5253.4						
								ROUNDS	ACTION CODE P	WUC 02						
FAULTS/REMARKS (IN-PROCESS) TAIL LANDING GEAR MAKES POPPING NOISE DURING AIRCRAFT TOWING. INSPECT TAIL LANDING GEAR AT NEXT 40 HOUR INSPECTION.								ACTION INSPECTED OK								
ACFT HRS 5253.4		WHEN DISC B	HOW REC G	MAL EFF 2				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY		WUC 02						TIPIID FAUST, JONATHAN				TI MANHOURS 0.1				
STATUS X	F CLOSED	SYS A	DATE 25 Aug 20	NO 2	TIME 10:25	PID Rowe, Steven		DATE 25 Aug 20	TIME 12:51	ACFT HRS 5253.4						
								ROUNDS	ACTION CODE A	WUC 02						
FAULTS/REMARKS (IN-PROCESS) While attempting a crossbleed start using the #1 ENG at fly, Ng stalled at 40% and TGT would have risen above limits but the start was aborted. unable to perform crossbleed start.								ACTION COMP								
ACFT HRS 5253.4		WHEN DISC B	HOW REC G	MAL EFF 2				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY		WUC 02						TIPIID FAUST, JONATHAN				TI MANHOURS 0.1				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 74				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS X		SYS A	DATE 25 Aug 20	NO 3	TIME 10:56	PID TWOMEY, DANI		DATE 26 Aug 20	TIME 17:01	ACFT HRS 5253.4						
FAULTS/REMARKS T/L/G YOKE TEFLON WASHER DISBONDED								ACTION REBONDED UPPER AND LOWER WASHER								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Rowe, S.	F	3.0						
ACFT HRS 5253.4		WHEN DISC K		HOW REC G		MAL EFF 1										
DELAY				WUC 03B				TIPID SHORTER, MATTHEW				TI MANHOURS 0.1				
STATUS —		SYS A	DATE 25 Aug 20	NO 4	TIME 12:54	PID Rowe, Steven		DATE 27 Aug 20	TIME 12:39	ACFT HRS 5253.4						
FAULTS/REMARKS OPERATIONAL CHECK OF #1 ENGINE BLEED AIR SHUTOFF VALVE REQUIRED DUE TO REPLACEMENT PER WP 0090.								ACTION MOC'd OK								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								UNDERWG	F	0.5						
ACFT HRS 5253.4		WHEN DISC B		HOW REC G		MAL EFF 2										
DELAY				WUC 02				TIPID ,				TI MANHOURS				
STATUS X		SYS A	DATE 26 Aug 20	NO 1	TIME 00:00	PID Generated, Com		DATE 26 Aug 20	TIME 14:08	ACFT HRS 5253.4						
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 WAS DUE. STATUS UPGRADED TO X ON: 25 AUG 2020 REFERENCE: TM 1-1520-237-PMD								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Rowe, S.	F	0.1						
ACFT HRS 5253.4		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPID FAUST, JONATHAN				TI MANHOURS 0.1				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402			2. MODEL UH-60A			3. DATE			4. PAGE 75		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION					
STATUS —	 SYS A	DATE 26 Aug 20	NO 2	TIME 00:00	PID Generated, Cor	DATE 27 Aug 20	TIME 12:38	ACFT HRS 5253.4			
		ROUNDS	ACTION CODE P			WUC 02					
FAULTS/REMARKS INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 28 AUG 2020 REFERENCE: TM 1-1520-237-23&P						ACTION Completed					
						PID	CAT	HRS	PID	CAT	HRS
						UNDERW	F	0.5			
ACFT HRS 5253.4	WHEN DISC O	HOW REC O	MAL EFF 1								
DELAY			WUC 00			TIPIID ,			TI MANHOURS		
STATUS —	 SYS A	DATE 26 Aug 20	NO 1	TIME 10:04	PID Generated, Com	DATE 26 Aug 20	TIME 10:14	ACFT HRS 752.4			
		ROUNDS	ACTION CODE P			WUC 08					
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-AMAM-09 DESCRIPTION: COMPLY WITH H-60-20-AMAM-09, ATTITUDE HEADING REFERENCE UNIT (AHRU) REPLACEMENT, BY 24SEP2020 FOR ATTITUDE HEADING REFERENCE UNIT CAGE: A3379 PN: 765100-20 NSN: 6605015035284 SN: 10701 IS DUE: 24 SEP 2020 CALENDAR						ACTION insp comp					
						PID	CAT	HRS	PID	CAT	HRS
						ANDERS, B	F	0.1			
ACFT HRS 752.4	WHEN DISC O	HOW REC O	MAL EFF 1								
DELAY			WUC 19E06A			TIPIID TUTHEROW, MICHAEL			TI MANHOURS 0.1		
STATUS —	 SYS A	DATE 26 Aug 20	NO 3	TIME 10:13	PID TUTHEROW, MI	DATE 10 Sep 20	TIME 13:34	ACFT HRS 5259.4			
		ROUNDS	ACTION CODE P			WUC 00					
FAULTS/REMARKS ATTITUDE HEADING REFERENCE UNIT PN 765100-20 AND CONTROL UNIT 765200-20 REQUIRE REPLACEMENT PER H-60-20-AMAM-09 BY 25AUG2022						ACTION REPLACEMENT NOT REQUIRED FOR UH-60A+ IAW H-60-20-AMAM-09 (UPDATE)					
						PID	CAT	HRS	PID	CAT	HRS
						TUTHEROW	F	0.1			
ACFT HRS 5253.4	WHEN DISC O	HOW REC O	MAL EFF 1								
DELAY			WUC 08			TIPIID ,			TI MANHOURS		




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 76				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS A	DATE 26 Aug 20	NO 4	TIME 11:02	PID Generated, Cor		DATE 26 Aug 20	TIME 11:04	ACFT HRS 5253.4						
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-AMAM-09 DESCRIPTION: COMPLY WITH H-60-20-AMAM-09, ATTITUDE HEADING REFERENCE UNIT (AHRU) REPLACEMENT, BY 24SEP2020. IS DUE: 24 SEP 2020 CALENDAR								ACTION insp comp								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								ANDERS, E	F	0.1						
ACFT HRS 5253.4		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPID TUTHEROW, MICHAEL				TI MANHOURS 0.1				
STATUS —		SYS A	DATE 26 Aug 20	NO 5	TIME 14:15	PID Generated, Com		DATE 26 Aug 20	TIME 14:15	ACFT HRS						
FAULTS/REMARKS PMD Due								ACTION COMPLETED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Ryan, W.	F	0.1						
ACFT HRS 5253.4		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPID ,				TI MANHOURS				
STATUS —		SYS A	DATE 27 Aug 20	NO 1	TIME 16:36	PID Generated, Com		DATE 27 Aug 20	TIME 16:36	ACFT HRS 5253.4						
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,								ACTION comp								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Haggett, B	F	0.3						
ACFT HRS 5253.4		WHEN DISC O	HOW REC G	MAL EFF 2												
DELAY				WUC 00				TIPID ,				TI MANHOURS				

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A			3. DATE			4. PAGE 77		
PART I - FAULT INFORMATION							PART II - CORRECTING INFORMATION					
STATUS X	L Close	SYS A	DATE 28 Aug 20	NO 1	TIME 10:03	PID Chavis, Carlton	DATE 28 Aug 20	TIME 11:11	ACFT HRS 5255.9			
FAULTS/REMARKS (IN PROCESS) IVHUMMS CARD EJECT BUTTON BROKEN							ROUNDS	ACTION CODE 6	WUC 02			
ACFT HRS 5255.9							WHEN DISC O	HOW REC G	MAL EFF 1			
DELAY				WUC 08F01			TIPID LLOYD, JUSTIN			TI MANHOURS 0.1		
STATUS —	R Close	SYS A	DATE 28 Aug 20	NO 2	TIME 15:43	PID Generated, Com	DATE 28 Aug 20	TIME 15:54	ACFT HRS 5255.9			
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 28 AUG 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5264.4 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD							ROUNDS	ACTION CODE P	WUC 02			
ACFT HRS 5255.9							WHEN DISC O	HOW REC O	MAL EFF 1			
DELAY				WUC 00			TIPID ,			TI MANHOURS		
STATUS —	R Close	SYS A	DATE 28 Aug 20	NO 3	TIME 15:43	PID Generated, Com	DATE 28 Aug 20	TIME 15:53	ACFT HRS 5255.9			
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 28 AUG 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 01 SEP 2020 REFERENCE: TM 1-1520-237-PMD							ROUNDS	ACTION CODE P	WUC 02			
ACFT HRS 5255.9							WHEN DISC O	HOW REC O	MAL EFF 1			
DELAY				WUC 00			TIPID ,			TI MANHOURS		
ACFT HRS 5255.9							WHEN DISC O	HOW REC O	MAL EFF 1			
DELAY				WUC 00			TIPID ,			TI MANHOURS		

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 78					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A		DATE 28 Aug 20		NO 4		TIME 15:56		PID Generated, Cor		DATE 28 Aug 20		TIME 15:56		ACFT HRS WUC 00	
												ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS PMD Due								ACTION COMPLETED									
												PID		CAT		HRS	
												Richards, N		F		1.9	
ACFT HRS 5255.9				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —		SYS A		DATE 28 Aug 20		NO 5		TIME 15:57		PID Generated, Com		DATE 09 Sep 20		TIME 07:21		ACFT HRS 5255.9	
												ROUNDS		ACTION CODE 6		WUC 00	
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,								ACTION comp									
												PID		CAT		HRS	
												BOWERS, E		F		0.1	
ACFT HRS 5255.9				WHEN DISC O		HOW REC G		MAL EFF 2									
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS /		SYS E		DATE 31 Aug 20		NO 1		TIME 10:06		PID Chavis, Carlton		DATE 31 Aug 20		TIME 11:28		ACFT HRS 5255.9	
												ROUNDS		ACTION CODE A		WUC 19B02	
FAULTS/REMARKS Uniform radio has loud squeal when turned on. It did not go away during the flight.								ACTION REPLACED UHF CONTROL HEAD									
												PID		CAT		HRS	
												Chavis, C.		F		0.1	
ACFT HRS 5255.9				WHEN DISC O		HOW REC B		MAL EFF 1									
DELAY 40 Hr, CSM Shorter				WUC 19B02				TIPIID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 79					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS X		SYS A	DATE 31 Aug 20	NO 1	TIME 10:18	PID Chavis, Carlton		DATE 31 Aug 20	TIME 11:27	ACFT HRS 5255.9		ROUNDS		ACTION CODE A		WUC 19B02	
FAULTS/REMARKS (IN PROCESS) Uniform radio has loud squeal when turned on. It did not go away during the flight.								ACTION COMP									
ACFT HRS 5255.9		WHEN DISC O	HOW REC B	MAL EFF 1				PID Chavis, C.	CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 19B02				TIPID LLOYD, JUSTIN				TI MANHOURS 0.1					
STATUS —		SYS A	DATE 01 Sep 20	NO 1	TIME 00:00	PID Generated, Com		DATE 04 Sep 20	TIME 09:07	ACFT HRS 5255.9		ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 04 SEP 2020 REFERENCE: TM 1-1520-237-PMD								ACTION PMD COMP									
ACFT HRS 5255.9		WHEN DISC O	HOW REC O	MAL EFF 1				PID Ryan, W.	CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS —		SYS A	DATE 01 Sep 20	NO 2	TIME 11:18	PID Generated, Com		DATE 04 Sep 20	TIME 09:18	ACFT HRS 5255.9		ROUNDS		ACTION CODE P		WUC 00	
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-09 DESCRIPTION: COMPLY WITH H-60-20-ASAM-09, NON-CONFORMING TAIL ROTOR PUSH ROD END, BY 06 SEP 20.. IS DUE: 31 AUG 2024 CALENDAR								ACTION TAIL ROTOR PUSHROD CLEVIS ROD END IN COMPLIANCE WITH H-60-20- ASAM-09									
ACFT HRS 5255.9		WHEN DISC O	HOW REC O	MAL EFF 1				PID Ryan, W.	CAT F	HRS 0.2	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 00				TIPID BARBEE, ANDREW				TI MANHOURS 0.1					

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 80				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —	R CLOSED	SYS A	DATE 04 Sep 20		NO 1	TIME 08:47		PID Generated, Cor			DATE 04 Sep 20		TIME 09:05		ACFT HRS 5255.9	
FAULTS/REMARKS PMD DUE								ACTION PMD COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Ryan, W.	F	1.0						
ACFT HRS 5255.9		WHEN DISC O		HOW REC G		MAL EFF 2										
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —	R CLOSED	SYS A	DATE 04 Sep 20		NO 2	TIME 08:48		PID Generated, Com			DATE 04 Sep 20		TIME 08:52		ACFT HRS 5255.9	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 04 SEP 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5266.9 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD								ACTION INSP COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Ryan, W.	F	0.2						
ACFT HRS 5255.9		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —	R CLOSED	SYS A	DATE 04 Sep 20		NO 3	TIME 13:38		PID Generated, Com			DATE 04 Sep 20		TIME 13:38		ACFT HRS	
FAULTS/REMARKS PMD Due								ACTION COMPLETED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Ryan, W.	F	0.1						
ACFT HRS 5255.9		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPIID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 81			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS A	DATE 08 Sep 20	NO 1	TIME 00:00	PID Generated, Cor		DATE 10 Sep 20	TIME 11:19	ACFT HRS 5259.4					
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 11 SEP 2020 REFERENCE: TM 1-1520-237-PMD								ACTION comp							
ACFT HRS 5255.9				WHEN DISC O	HOW REC O	MAL EFF 1		PID		CAT	HRS	PID	CAT	HRS	
DELAY				WUC 00				TIPIID ,			TI MANHOURS				
STATUS —		SYS A	DATE 09 Sep 20	NO 1	TIME 00:01	PID Generated, Com		DATE 09 Sep 20	TIME 15:00	ACFT HRS 5259.4					
FAULTS/REMARKS INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 11 SEP 2020 REFERENCE: TM 1-1520-237-23&P								ACTION comp							
ACFT HRS 5255.9				WHEN DISC O	HOW REC O	MAL EFF 1		PID		CAT	HRS	PID	CAT	HRS	
DELAY				WUC 00				TIPIID ,			TI MANHOURS				
STATUS —		SYS A	DATE 10 Sep 20	NO 1	TIME 11:12	PID Generated, Com		DATE 10 Sep 20	TIME 11:12	ACFT HRS					
FAULTS/REMARKS PMD Due								ACTION COMPLETED							
ACFT HRS 5259.4				WHEN DISC O	HOW REC O	MAL EFF 1		PID		CAT	HRS	PID	CAT	HRS	
DELAY				WUC 00				TIPIID ,			TI MANHOURS				

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 82				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —	R CLOSED	SYS A	DATE 10 Sep 20		NO 2	TIME 11:21		PID Generated, Cor			DATE 16 Sep 20		TIME 08:49		ACFT HRS 5259.4	
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,								ACTION COMPLETE								
ACFT HRS 5259.4		WHEN DISC O		HOW REC G		MAL EFF 2		PID RAMSEY, J	CAT F	HRS 0.2	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —	F CLOSED	SYS A	DATE 10 Sep 20		NO 3	TIME 11:22		PID Generated, Com			DATE 10 Sep 20		TIME 11:23		ACFT HRS 5259.4	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 10 SEP 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5266.9 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD								ACTION comp								
ACFT HRS 5259.4		WHEN DISC O		HOW REC O		MAL EFF 1		PID FAUST, J.	CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —	B CLOSED	SYS A	DATE 12 Sep 20		NO 1	TIME 00:01		PID Generated, Com			DATE 15 Sep 20		TIME 09:07		ACFT HRS 5259.4	
FAULTS/REMARKS INSP A100 LH/RH ENGINE HISTORY RECORDER READINGS DUE FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 18 SEP 2020 REFERENCE: DA PAM 738-751								ACTION COMP								
ACFT HRS 5259.4		WHEN DISC O		HOW REC O		MAL EFF 1		PID Bowman, R	CAT F	HRS 0.3	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 00				TIPIID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 83			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —	 SYS E	DATE 12 Sep 20	NO 1	TIME 00:01	PID Generated, Cor			DATE 14 Sep 20	TIME 15:04	ACFT HRS 5259.4					
FAULTS/REMARKS INSP E220 EMERGENCY LOCATOR TRANSMITTER SELF-TEST (AS REQUIRED) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5378.4 AIRCRAFT HOURS OR 18 SEP 2020 REFERENCE: AWR 1516 R12								ROUNDS	ACTION CODE P			WUC 00			
ACFT HRS 5259.4								WHEN DISC	O	HOW REC	O	MAL EFF		1	
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
STATUS —	 SYS E	DATE 12 Sep 20	NO 2	TIME 00:01	PID Generated, Com			DATE 14 Sep 20	TIME 15:05	ACFT HRS 5259.4					
FAULTS/REMARKS INSP E050 ARC-220 RADIO SET BATTERY INSPECTION OR REPLACE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 18 SEP 2020 REFERENCE: TM 11-5821-357-12P								ROUNDS	ACTION CODE P			WUC 00			
ACFT HRS 5259.4								WHEN DISC	O	HOW REC	O	MAL EFF		1	
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
STATUS —	 SYS A	DATE 13 Sep 20	NO 1	TIME 00:01	PID Generated, Com			DATE 15 Sep 20	TIME 00:00	ACFT HRS 5259.4					
FAULTS/REMARKS INSP A839 APU HOUR METER READING DUE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 18 SEP 2020 REFERENCE: SOP								ROUNDS	ACTION CODE 6			WUC 02			
ACFT HRS 5259.4								WHEN DISC	O	HOW REC	O	MAL EFF		1	
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
ACFT HRS 5259.4								WHEN DISC	O	HOW REC	O	MAL EFF		1	
DELAY				WUC 00				TIPIID ,				TI MANHOURS			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 84				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS O	DATE 14 Sep 20	NO 1	TIME 00:01	PID Generated, Cor		DATE 18 Sep 20	TIME 09:38	ACFT HRS 5259.4						
FAULTS/REMARKS INSP O806 LOGBOOK RECONCILIATION FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 21 SEP 2020 REFERENCE: ATP 3-04.7								ACTION COMPLIED WITH								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								ANDERS, E	F	0.1						
ACFT HRS 5259.4		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 14 Sep 20	NO 1	TIME 00:01	PID Generated, Com		DATE 18 Sep 20	TIME 00:00	ACFT HRS 5259.4						
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 17 SEP 2020 REFERENCE: TM 1-1520-237-PMD								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON SEP 18 2020 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 5259.4		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS H	DATE 14 Sep 20	NO 1	TIME 00:01	PID Generated, Com		DATE 14 Sep 20	TIME 11:04	ACFT HRS 5259.4						
FAULTS/REMARKS INSP H810 CONDUCT HOIST OPERATIONAL CHECK IAW H-60-19-AMAM-01 ADDENDUM 1 (UPDATE) FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5297.4 AIRCRAFT HOURS OR 20 SEP 2020 REFERENCE: H-60-19-AMAM-01								ACTION insp comp used zephyr								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								TWOMEY, F	F	1.0						
ACFT HRS 5259.4		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402			2. MODEL UH-60A			3. DATE			4. PAGE 85		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION					
STATUS X		SYS A	DATE 14 Sep 20	NO 2	TIME 11:15	PID TWOMEY, DANI	DATE 14 Sep 20	TIME 13:01	ACFT HRS 5259.4		
FAULTS/REMARKS ELT FAILS SELF TEST INSP						ACTION REPLACED BATT AND ANT, MOC OK					
						PID	CAT	HRS	PID	CAT	HRS
						Phillips, E.	F	0.2			
ACFT HRS 5259.4		WHEN DISC O	HOW REC G	MAL EFF 1							
DELAY			WUC 19R			TIPID FAUST, JONATHAN			TI MANHOURS 0.1		
STATUS —		SYS E	DATE 15 Sep 20	NO 1	TIME 00:00	PID Generated, Com	DATE 16 Sep 20	TIME 14:50	ACFT HRS 5259.4		
FAULTS/REMARKS INSP E108 KY-58 PMCS/OPNL CHECK (STANDBY) FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 21 SEP 2020 REFERENCE: TM 11-5810-262-23						ACTION na no secure fills					
						PID	CAT	HRS	PID	CAT	HRS
						DUNCAN,	F	0.1			
ACFT HRS 5259.4		WHEN DISC O	HOW REC O	MAL EFF 1							
DELAY			WUC 00			TIPID ,			TI MANHOURS		
STATUS —		SYS A	DATE 16 Sep 20	NO 1	TIME 00:00	PID Generated, Com	DATE 18 Sep 20	TIME 07:37	ACFT HRS 5259.4		
FAULTS/REMARKS INSP A092 30 DAY SLAB BATTERY INSPECTION (D8565/11-1) FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 22 SEP 2020 REFERENCE: TM 11-6140-203-23 P						ACTION insp comp checked serviceable					
						PID	CAT	HRS	PID	CAT	HRS
						TWOMEY,	F	0.2			
ACFT HRS 5259.4		WHEN DISC O	HOW REC O	MAL EFF 1							
DELAY			WUC 00			TIPID ,			TI MANHOURS		




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 86					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —	 SYS A	DATE 16 Sep 20	NO 2	TIME 00:00	PID Generated, Cor			DATE 18 Sep 20	TIME 08:09	ACFT HRS 5259.4							
		WHEN DISC O	HOW REC O	MAL EFF 1	ROUNDS		ACTION CODE 1		WUC 00								
FAULTS/REMARKS INSP A103 AIRCRAFT WASH DUE FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 22 SEP 2020 REFERENCE: TM 1-1500-344-23								ACTION COMP									
ACFT HRS 5259.4		WHEN DISC O		HOW REC O		MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
DELAY		WUC 00		TIPIID ,		TI MANHOURS											
STATUS —	 SYS A	DATE 16 Sep 20	NO 3	TIME 00:00	PID Generated, Com			DATE 18 Sep 20	TIME 08:47	ACFT HRS 5259.4							
		WHEN DISC O	HOW REC O	MAL EFF 1	ROUNDS		ACTION CODE 1		WUC 00								
FAULTS/REMARKS INSP A115 LUBE REQUIRMENTS FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 22 SEP 2020 OR 5297.4 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23&P								ACTION LUBE COMP									
ACFT HRS 5259.4		WHEN DISC O		HOW REC O		MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
DELAY		WUC 00		TIPIID ,		TI MANHOURS											
STATUS ×	 SYS A	DATE 16 Sep 20	NO 4	TIME 10:35	PID FAUST, JONATH.			DATE 16 Sep 20	TIME 12:53	ACFT HRS 5259.4							
		WHEN DISC B	HOW REC G	MAL EFF 2	ROUNDS		ACTION CODE A		WUC 04								
FAULTS/REMARKS NO 1 ENGINE WILL NOT START. FUEL MIST SEEN COMMING FROM EXHAUST BUT NO SPARK								ACTION REPLACED IGNITION EXCITER ASSY AND IGNITER PLUGS									
ACFT HRS 5259.4		WHEN DISC B		HOW REC G		MAL EFF 2		PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	
DELAY		WUC 04A		TIPIID Martin, Joel		TI MANHOURS 0.2											

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A			3. DATE			4. PAGE 87		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS —	E CLOSED	SYS A	DATE 16 Sep 20	NO 5	TIME 12:55	PID Ziegler, Luke	DATE 16 Sep 20	TIME 13:26	ACFT HRS 5259.4			
FAULTS/REMARKS ENGINE STARTING PRECEDURES MOC REQUIRED OF NO.1 ENGINE DUE TO REPLACEMENT OF IGNITION EXCITER ASSY AND IGNITER PLUGS						ROUNDS	ACTION CODE P		WUC 00			
ACFT HRS 5259.4						WHEN DISC G	HOW REC B	MAL EFF 1				
DELAY						WUC 04			TI PID ,		TI MANHOURS	
STATUS —	E CLOSED	SYS A	DATE 16 Sep 20	NO 6	TIME 13:28	PID Generated, Com	DATE 16 Sep 20	TIME 13:28	ACFT HRS 5259.4			
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 16 SEP 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 25 SEP 2020 REFERENCE: TM 1-1520-237-23&P						ROUNDS	ACTION CODE P		WUC 00			
ACFT HRS 5259.4						WHEN DISC O	HOW REC O	MAL EFF 1				
DELAY						WUC 00			TI PID ,		TI MANHOURS	
STATUS —	T CLOSED	SYS A	DATE 17 Sep 20	NO 1	TIME 00:00	PID Generated, Com	DATE 18 Sep 20	TIME 12:45	ACFT HRS 5259.4			
FAULTS/REMARKS INSP A177 90 DAY REVIEW/UPDATE OF 365-4 ENTRIES FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 05 OCT 2020 REFERENCE: AR 95-1						ROUNDS	ACTION CODE 6		WUC 00			
ACFT HRS 5259.4						WHEN DISC O	HOW REC O	MAL EFF 1				
DELAY						WUC 00			TI PID ,		TI MANHOURS	




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 88			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —	 SYS A	DATE 17 Sep 20	NO 1	TIME 11:41	PID Generated, Cor			DATE 18 Sep 20	TIME 09:49	ACFT HRS 778.4					
		ROUNDS	ACTION CODE P			WUC 00									
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR M/R SPINDLE NUT CAGE: 0JT27 PN: 70102-08105-102 NSN: 5310011269444 SN: 479WG1010400184 IS DUE: 15 OCT 2020 CALENDAR								ACTION COMPLIED WITH							
ACFT HRS 778.4		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS		
DELAY		WUC 05A01104				TIPIID TUTHEROW, MICHAEL				TI MANHOURS 0.1					
STATUS —	 SYS A	DATE 17 Sep 20	NO 1	TIME 11:41	PID Generated, Com			DATE 18 Sep 20	TIME 09:46	ACFT HRS 3610.4					
		ROUNDS	ACTION CODE P			WUC 00									
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR M/R SPINDLE NUT CAGE: 78286 PN: 70102-08105-102 NSN: 5310011269444 SN: D47914989 IS DUE: 15 OCT 2020 CALENDAR								ACTION COMPLIED WITH							
ACFT HRS 3610.4		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS		
DELAY		WUC 05A01104				TIPIID TUTHEROW, MICHAEL				TI MANHOURS 0.1					
STATUS —	 SYS A	DATE 17 Sep 20	NO 1	TIME 11:41	PID Generated, Com			DATE 18 Sep 20	TIME 09:40	ACFT HRS 778.4					
		ROUNDS	ACTION CODE P			WUC 00									
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR M/R SPINDLE NUT CAGE: 0JT27 PN: 70102-08105-102 NSN: 5310011269444 SN: 479WG1010400102 IS DUE: 15 OCT 2020 CALENDAR								ACTION COMPLIED WITH							
ACFT HRS 778.4		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS		
DELAY		WUC 05A01104				TIPIID TUTHEROW, MICHAEL				TI MANHOURS 0.1					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 89			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —	 SYS A	DATE 17 Sep 20	NO 1	TIME 11:46	PID Generated, Cor			DATE 18 Sep 20	TIME 09:47	ACFT HRS 3680.4					
		ROUNDS	ACTION CODE P			WUC 00									
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR CONTROL HORN ASSY CAGE: 78286 PN: 70102-08111-047 NSN: 1615012149140 SN: A24110389 IS DUE: 15 OCT 2020 CALENDAR								ACTION COMPLIED WITH							
ACFT HRS 3680.4		WHEN DISC O	HOW REC O	MAL EFF 1		PID ANDERS, B		CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 05A01107				TIPIID TUTHEROW, MICHAEL				TI MANHOURS 0.1			
STATUS —	 SYS A	DATE 17 Sep 20	NO 1	TIME 11:46	PID Generated, Com			DATE 18 Sep 20	TIME 09:43	ACFT HRS 626.4					
		ROUNDS	ACTION CODE P			WUC 00									
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR CONTROL HORN ASSY CAGE: 78286 PN: 70102-08111-047 NSN: 1615012149140 SN: H24100494 IS DUE: 15 OCT 2020 CALENDAR								ACTION COMPLIED WITH							
ACFT HRS 626.4		WHEN DISC O	HOW REC O	MAL EFF 1		PID ANDERS, B		CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 05A01107				TIPIID TUTHEROW, MICHAEL				TI MANHOURS 0.1			
STATUS —	 SYS A	DATE 17 Sep 20	NO 1	TIME 11:46	PID Generated, Com			DATE 18 Sep 20	TIME 09:36	ACFT HRS 4003.4					
		ROUNDS	ACTION CODE P			WUC 00									
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR CONTROL HORN ASSY CAGE: 78286 PN: 70102-08111-047 NSN: 1615012149140 SN: A24110452 IS DUE: 15 OCT 2020 CALENDAR								ACTION COMPLIED WITH							
ACFT HRS 4003.4		WHEN DISC O	HOW REC O	MAL EFF 1		PID ANDERS, B		CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 05A01107				TIPIID TUTHEROW, MICHAEL				TI MANHOURS 0.1			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 90					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A		DATE 17 Sep 20		NO 1		TIME 11:48		PID Generated, Cor		DATE 18 Sep 20		TIME 09:43		ACFT HRS 3578.4	
												ROUNDS		ACTION CODE P		WUC 00	
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR MAIN ROTOR SPINDLE ASSY CAGE: 78286 PN: 70102-08200-069 NSN: 1615014426926 SN: A00100513 IS DUE: 15 OCT 2020 CALENDAR										ACTION COMPLIED WITH							
												PID		CAT		HRS	
												ANDERS, B		F		0.1	
ACFT HRS 3578.4				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 05A011				TIPID TUTHEROW, MICHAEL				TI MANHOURS 0.1					
STATUS —		SYS A		DATE 17 Sep 20		NO 1		TIME 11:48		PID Generated, Com		DATE 18 Sep 20		TIME 09:37		ACFT HRS 626.4	
												ROUNDS		ACTION CODE P		WUC 00	
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR MAIN ROTOR SPINDLE ASSY CAGE: 78286 PN: 70102-08200-069 NSN: 1615014426926 SN: A00110264 IS DUE: 15 OCT 2020 CALENDAR										ACTION COMPLIED WITH							
												PID		CAT		HRS	
												ANDERS, B		F		0.1	
ACFT HRS 626.4				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 05A011				TIPID TUTHEROW, MICHAEL				TI MANHOURS 0.1					
STATUS —		SYS A		DATE 17 Sep 20		NO 1		TIME 11:49		PID Generated, Com		DATE 18 Sep 20		TIME 09:36		ACFT HRS 981.4	
												ROUNDS		ACTION CODE P		WUC 00	
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR MAIN ROTOR SPINDLE ASSY CAGE: 78286 PN: 70102-08200-069 NSN: 1615014426926 SN: D00113532 IS DUE: 15 OCT 2020 CALENDAR										ACTION COMPLIED WITH							
												PID		CAT		HRS	
												ANDERS, B		F		0.1	
ACFT HRS 981.4				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 05A011				TIPID TUTHEROW, MICHAEL				TI MANHOURS 0.1					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 91			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —	 SYS A	DATE 17 Sep 20	NO 1	TIME 11:51	PID Generated, Cor			DATE 18 Sep 20	TIME 09:41	ACFT HRS 5259.4					
		ROUNDS	ACTION CODE P			WUC 00									
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR AFT BELLCRANK CAGE: 78286 PN: 70400-08102-045 NSN: 1680011589685 SN: 34501264 IS DUE: 15 OCT 2020 CALENDAR								ACTION COMPLIED WITH							
ACFT HRS 5259.4		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS		
DELAY		WUC 11D04				TIPID TUTHEROW, MICHAEL				TI MANHOURS 0.1					
STATUS —	 SYS A	DATE 17 Sep 20	NO 1	TIME 11:51	PID Generated, Com			DATE 18 Sep 20	TIME 09:42	ACFT HRS 2649.4					
		ROUNDS	ACTION CODE P			WUC 00									
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR FORWARD BELLCRANK CAGE: 78286 PN: 70400-08101-046 NSN: 1680011589652 SN: 66936-00628 IS DUE: 15 OCT 2020 CALENDAR								ACTION COMPLIED WITH							
ACFT HRS 2649.4		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS		
DELAY		WUC 11D15				TIPID TUTHEROW, MICHAEL				TI MANHOURS 0.1					
STATUS —	 SYS A	DATE 17 Sep 20	NO 1	TIME 11:52	PID Generated, Com			DATE 18 Sep 20	TIME 09:44	ACFT HRS 2811.4					
		ROUNDS	ACTION CODE P			WUC 00									
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR LEFT TIE ROD ASSY CAGE: 78286 PN: 70400-08115-046 NSN: 1560012892697 SN: 34400757 IS DUE: 15 OCT 2020 CALENDAR								ACTION COMPLIED WITH							
ACFT HRS 2811.4		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS		
DELAY		WUC 11D13				TIPID TUTHEROW, MICHAEL				TI MANHOURS 0.1					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 92			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —	 SYS A	DATE 17 Sep 20	NO 1	TIME 11:53	PID Generated, Cor			DATE 18 Sep 20	TIME 09:46	ACFT HRS 2649.4					
		ROUNDS	ACTION CODE P			WUC 00									
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR FWD BELLCRANK SPT ASSY CAGE: 78286 PN: 70400-08162-042 NSN: 1560012212619 SN: B367-03390 IS DUE: 15 OCT 2020 CALENDAR								ACTION COMPLIED WITH							
ACFT HRS 2649.4		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS		
DELAY		WUC 11D16		TIPID TUTHEROW, MICHAEL				TI MANHOURS 0.1							
STATUS —	 SYS A	DATE 17 Sep 20	NO 1	TIME 11:54	PID Generated, Com			DATE 18 Sep 20	TIME 09:45	ACFT HRS 2649.4					
		ROUNDS	ACTION CODE P			WUC 00									
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR LATERAL SERVO BELLCRANK CAGE: 78286 PN: 70400-08166-041 NSN: 1680012212863 SN: F337-01812 IS DUE: 15 OCT 2020 CALENDAR								ACTION COMPLIED WITH							
ACFT HRS 2649.4		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS		
DELAY		WUC 11D09		TIPID TUTHEROW, MICHAEL				TI MANHOURS 0.1							
STATUS —	 SYS A	DATE 17 Sep 20	NO 1	TIME 11:55	PID Generated, Com			DATE 18 Sep 20	TIME 09:32	ACFT HRS 986.4					
		ROUNDS	ACTION CODE P			WUC 00									
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR LATERAL SWASHPLATE LINK CAGE: 15152 PN: 70400-08151-061 NSN: 3040012872438 SN: 015152-01373 IS DUE: 15 OCT 2020 CALENDAR								ACTION complied with							
ACFT HRS 986.4		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS		
DELAY		WUC 11D08		TIPID TUTHEROW, MICHAEL				TI MANHOURS 0.1							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 93			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —	 SYS A	DATE 17 Sep 20	NO 1	TIME 11:58	PID Generated, Cor			DATE 18 Sep 20	TIME 09:38	ACFT HRS 626.4					
		ROUNDS	ACTION CODE P			WUC 00									
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR CONTROL HORN ASSY CAGE: 78286 PN: 70102-08111-047 NSN: 1615012149140 SN: G24104461 IS DUE: 15 OCT 2020 CALENDAR								ACTION COMPLIED WITH							
ACFT HRS 626.4		WHEN DISC O	HOW REC O	MAL EFF 1		PID ANDERS, B		CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 05A01107				TIPID TUTHEROW, MICHAEL				TI MANHOURS 0.1			
STATUS —	 SYS A	DATE 17 Sep 20	NO 1	TIME 12:00	PID Generated, Com			DATE 18 Sep 20	TIME 09:34	ACFT HRS 626.4					
		ROUNDS	ACTION CODE P			WUC 00									
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR M/R SPINDLE NUT CAGE: 78286 PN: 70102-08105-102 NSN: 5310011269444 SN: F47905726 IS DUE: 15 OCT 2020 CALENDAR								ACTION COMPLIED WITH							
ACFT HRS 626.4		WHEN DISC O	HOW REC O	MAL EFF 1		PID ANDERS, B		CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 05A01104				TIPID TUTHEROW, MICHAEL				TI MANHOURS 0.1			
STATUS —	 SYS A	DATE 17 Sep 20	NO 1	TIME 12:00	PID Generated, Com			DATE 18 Sep 20	TIME 09:47	ACFT HRS 1862.4					
		ROUNDS	ACTION CODE P			WUC 00									
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR MAIN ROTOR SPINDLE ASSY CAGE: 78286 PN: 70102-08200-069 NSN: 1615014426926 SN: A00105996 IS DUE: 15 OCT 2020 CALENDAR								ACTION COMPLIED WITH							
ACFT HRS 1862.4		WHEN DISC O	HOW REC O	MAL EFF 1		PID ANDERS, B		CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 05A011				TIPID TUTHEROW, MICHAEL				TI MANHOURS 0.1			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 94				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS A	DATE 17 Sep 20	NO 1	TIME 15:30	PID Generated, Cor		DATE 18 Sep 20	TIME 09:44	ACFT HRS 4581.4						
								ROUNDS	ACTION CODE P	WUC 00						
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR MAIN ROTOR SHAFT EXTENDER CAGE: 78286 PN: 70351-08186-043 NSN: 1615010745151 SN: C286-00307 IS DUE: 15 OCT 2020 CALENDAR								ACTION COMPLIED WITH								
ACFT HRS 4581.4		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY		WUC 05A01L				TIPIID TUTHEROW, MICHAEL				TI MANHOURS 0.1						
STATUS —		SYS A	DATE 17 Sep 20	NO 1	TIME 15:30	PID Generated, Com		DATE 18 Sep 20	TIME 09:39	ACFT HRS 2270.4						
								ROUNDS	ACTION CODE P	WUC 00						
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR HUB, M/R ROTOR ASSY CAGE: 78286 PN: 70103-08112-047 NSN: 1615014504834 SN: 015152-00700 IS DUE: 15 OCT 2020 CALENDAR								ACTION COMPLIED WITH								
ACFT HRS 2270.4		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY		WUC 05A01A				TIPIID TUTHEROW, MICHAEL				TI MANHOURS 0.1						
STATUS —		SYS A	DATE 17 Sep 20	NO 1	TIME 15:33	PID Generated, Com		DATE 18 Sep 20	TIME 09:41	ACFT HRS 2649.4						
								ROUNDS	ACTION CODE P	WUC 00						
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR STATIONARY SWASHPLATE CAGE: 78286 PN: 70104-08010-044 NSN: 1615010871602 SN: 151521068 IS DUE: 15 OCT 2020 CALENDAR								ACTION COMPLIED WITH								
ACFT HRS 2649.4		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY		WUC 05A03A01				TIPIID TUTHEROW, MICHAEL				TI MANHOURS 0.1						




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 95				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —	 SYS A	DATE 17 Sep 20	NO 1	TIME 15:33	PID Generated, Cor			DATE 18 Sep 20	TIME 09:40	ACFT HRS 2649.4						
		ROUNDS	ACTION CODE P			WUC 00										
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-10 DESCRIPTION: COMPLY WITH H-60-20-ASAM-10, HONTEK COMPONENT TIME SINCE NEW LIFE ADJUSTMENT, AT THE NEXT LOGBOOK RECONCILIATION, NOT TO EXCEED 15 OCT 20 FOR ROTATING SWASHPLATE CAGE: 78286 PN: 70104-08001-045 NSN: 1615013575089 SN: 015152-1277 IS DUE: 15 OCT 2020 CALENDAR								ACTION COMPLIED WITH								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								ANDERS, B	F	0.1						
ACFT HRS 2649.4		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 05A03A02				TIPID TUTHEROW, MICHAEL				TI MANHOURS 0.1				
STATUS —	 SYS A	DATE 18 Sep 20	NO 1	TIME 00:00	PID Generated, Com			DATE 18 Sep 20	TIME 11:05	ACFT HRS 5259.4						
		ROUNDS	ACTION CODE 6			WUC 00										
FAULTS/REMARKS INSP A865 SENSITIVE ITEM INVENTORY FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 28 SEP 2020 REFERENCE: SOP								ACTION comp								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								TWOMEY, F	F	1.0						
ACFT HRS 5259.4		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPID ,				TI MANHOURS				
STATUS X	 SYS A	DATE 18 Sep 20	NO 2	TIME 00:00	PID Generated, Com			DATE 18 Sep 20	TIME 00:01	ACFT HRS 5259.4						
		ROUNDS	ACTION CODE 3			WUC 00										
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 WAS DUE. STATUS UPGRADED TO X ON: 17 SEP 2020 REFERENCE: TM 1-1520-237-PMD								ACTION insp comp								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Moore, S.	F	1.0	TWOMEY, F	F	1.0			
ACFT HRS 5259.4		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPID FAUST, JONATHAN				TI MANHOURS 0.1				

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402			2. MODEL UH-60A			3. DATE			4. PAGE 96					
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION								
STATUS —	CLOS ^{ED} SYS A	DATE 18 Sep 20	NO 3	TIME 08:08	PID Generated, Cor	DATE 18 Sep 20	TIME 09:27	ACFT HRS		WUC 00				
		ROUNDS	ACTION CODE 3		WUC 00									
FAULTS/REMARKS PMD Due						ACTION COMPLETED								
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
						TWOMEY,	F	0.1						
ACFT HRS 5259.4		WHEN DISC O	HOW REC O	MAL EFF 1										
DELAY			WUC 00			TIPIID ,			TI MANHOURS					
STATUS X	D CLOS ^{ED} SYS A	DATE 18 Sep 20	NO 4	TIME 08:08	PID TWOMEY, DANI	DATE 18 Sep 20	TIME 08:49	ACFT HRS 5259.4		WUC 00				
		ROUNDS	ACTION CODE K		WUC 00									
FAULTS/REMARKS (IN-PROCESS) INSP A115 LUBE REQUIRMENTS FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 22 SEP 2020 OR 5297.4 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23&P						ACTION MAINT COMP								
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
						TWOMEY,	F	0.1						
ACFT HRS 5259.4		WHEN DISC Q	HOW REC G	MAL EFF 1										
DELAY			WUC 00			TIPIID DUNCAN, JONATHAN			TI MANHOURS 0.3					
STATUS —	M CLOS ^{ED} SYS A	DATE 18 Sep 20	NO 6	TIME 09:27	PID Generated, Com	DATE 24 Sep 20	TIME 05:06	ACFT HRS 5259.4		WUC 00				
		ROUNDS	ACTION CODE 3		WUC 00									
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,						ACTION Completed								
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
						Mahoney,	F	0.3						
ACFT HRS 5259.4		WHEN DISC O	HOW REC G	MAL EFF 2										
DELAY			WUC 00			TIPIID ,			TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 97																					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																									
STATUS —		SYS A	DATE 21 Sep 20	NO 1	TIME 00:00	PID Generated, Cor		DATE 25 Sep 20	TIME 00:01	ACFT HRS 5259.4		ROUNDS		ACTION CODE		WUC 00																	
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 24 SEP 2020 REFERENCE: TM 1-1520-237-PMD								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON SEP 25 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT																									
ACFT HRS 5259.4		WHEN DISC O	HOW REC O	MAL EFF 1				TIPID ,		TI MANHOURS																							
DELAY	WUC 00							DATE 25 Sep 20		TIME 10:14	ACFT HRS 5259.4		ROUNDS		ACTION CODE 3		WUC 00																
STATUS X		SYS A	DATE 25 Sep 20	NO 1	TIME 00:01	PID Generated, Com		ACTION completed																									
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 WAS DUE. STATUS UPGRADED TO X ON: 24 SEP 2020 REFERENCE: TM 1-1520-237-PMD								<table border="1"> <thead> <tr> <th>PID</th><th>CAT</th><th>HRS</th><th>PID</th><th>CAT</th><th>HRS</th><th>PID</th><th>CAT</th><th>HRS</th> </tr> </thead> <tbody> <tr> <td>Hilton, J.</td><td>F</td><td>1.0</td><td>Ragoonath</td><td>F</td><td>1.0</td><td>SMITH, D.</td><td>F</td><td>1.0</td> </tr> </tbody> </table>								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	Hilton, J.	F	1.0	Ragoonath	F	1.0	SMITH, D.	F	1.0
PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS																									
Hilton, J.	F	1.0	Ragoonath	F	1.0	SMITH, D.	F	1.0																									
ACFT HRS 5259.4		WHEN DISC O	HOW REC O	MAL EFF 1				TIPID RODGERS, CLINTON		TI MANHOURS 0.1																							
DELAY	WUC 00							DATE 25 Sep 20		TIME 09:03	ACFT HRS		ROUNDS		ACTION CODE 3		WUC 00																
STATUS —		SYS A	DATE 25 Sep 20	NO 2	TIME 08:54	PID Generated, Com		ACTION COMPLETED																									
FAULTS/REMARKS PMD Due								<table border="1"> <thead> <tr> <th>PID</th><th>CAT</th><th>HRS</th><th>PID</th><th>CAT</th><th>HRS</th><th>PID</th><th>CAT</th><th>HRS</th> </tr> </thead> <tbody> <tr> <td>Ragoonath</td><td>F</td><td>1.0</td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> </tbody> </table>								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	Ragoonath	F	1.0						
PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS																									
Ragoonath	F	1.0																															
ACFT HRS 5259.4		WHEN DISC O	HOW REC O	MAL EFF 1				TIPID ,		TI MANHOURS																							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 98				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS A	DATE 25 Sep 20	NO 3	TIME 08:56	PID Generated, Cor		DATE 25 Sep 20	TIME 09:02	ACFT HRS 5259.4						
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 25 SEP 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 01 OCT 2020 REFERENCE: TM 1-1520-237-23&P								ACTION completed								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Ragoonath	F	0.1						
ACFT HRS 5259.4		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 25 Sep 20	NO 4	TIME 10:14	PID Generated, Com		DATE 25 Sep 20	TIME 10:14	ACFT HRS						
FAULTS/REMARKS PMD Due								ACTION COMPLETED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Ragoonath	F	1.0						
ACFT HRS 5266.6		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 25 Sep 20	NO 5	TIME 10:21	PID Generated, Com		DATE 25 Sep 20	TIME 10:22	ACFT HRS 5266.6						
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 25 SEP 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5270.4 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD								ACTION completed; insp ok								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Hilton, J.	F	0.3	Ragoonath	F	0.3			
ACFT HRS 5266.6		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402			2. MODEL UH-60A			3. DATE			4. PAGE 99		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION					
STATUS —	 SYS A	DATE 25 Sep 20	NO 6	TIME 10:26	PID Generated, Cor	DATE 21 Oct 20	TIME 12:19	ACFT HRS 5269.6			
		ROUNDS	ACTION CODE P			WUC 02					
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,						ACTION COMPLETED					
ACFT HRS 5266.6						WHEN DISC O	HOW REC G	MAL EFF 2			
DELAY						WUC 00			TI MANHOURS		
STATUS —	 SYS A	DATE 28 Sep 20	NO 1	TIME 00:01	PID Generated, Com	DATE 01 Oct 20	TIME 08:29	ACFT HRS 5266.6			
		ROUNDS	ACTION CODE 3			WUC 02					
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 01 OCT 2020 REFERENCE: TM 1-1520-237-PMD						ACTION COMP					
ACFT HRS 5266.6						WHEN DISC O	HOW REC O	MAL EFF 1			
DELAY						WUC 00			TI MANHOURS		
STATUS —	 SYS E	DATE 01 Oct 20	NO 1	TIME 00:01	PID Generated, Com	DATE 01 Oct 20	TIME 07:27	ACFT HRS 5266.6			
		ROUNDS	ACTION CODE 3			WUC 02					
FAULTS/REMARKS INSP E125 KY-58 PMCS/OPNL CHECK FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 19 OCT 2020 REFERENCE: TM 11-5810-262-23						ACTION COMP					
ACFT HRS 5266.6						WHEN DISC O	HOW REC O	MAL EFF 1			
DELAY						WUC 00			TI MANHOURS		
ACFT HRS 5266.6						WHEN DISC O	HOW REC O	MAL EFF 1			
DELAY						WUC 00			TI MANHOURS		




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 100				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —	 SYS A	DATE 01 Oct 20	NO 1	TIME 08:30	PID Generated, Cor			DATE 01 Oct 20	TIME 08:30	ACFT HRS						
		WHEN DISC O	HOW REC O	MAL EFF 1				ROUNDS	ACTION CODE 3	WUC 00						
FAULTS/REMARKS PMD Due								ACTION COMPLETED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Klein, J.	F	1.0						
ACFT HRS 5266.6				WHEN DISC O				HOW REC O				MAL EFF 1				
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS /	 SYS A	DATE 01 Oct 20	NO 2	TIME 09:30	PID Klein, Jonathan			DATE 08 Oct 20	TIME 13:42	ACFT HRS 5266.6						
		WHEN DISC X	HOW REC G	MAL EFF 2				ROUNDS	ACTION CODE E	WUC 02						
FAULTS/REMARKS PRO SEAL REAPPLICATION REQUIRED FOR BLUE RED AND BLACK SPINDLE TO M/R HUB								ACTION COMPLETE								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Plemons, F	F	0.4						
ACFT HRS 5266.6				WHEN DISC X				HOW REC G				MAL EFF 2				
DELAY				WUC 02				TIPIID ,				TI MANHOURS				
STATUS /	 SYS A	DATE 01 Oct 20	NO 3	TIME 09:32	PID Klein, Jonathan			DATE 08 Oct 20	TIME 13:51	ACFT HRS 5266.6						
		WHEN DISC X	HOW REC G	MAL EFF 2				ROUNDS	ACTION CODE S	WUC 02						
FAULTS/REMARKS 50 FT LH ICS CHORD NOT INSTALLED IAW SOP								ACTION INSTALLED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								RODGERS, F	F	0.1						
ACFT HRS 5266.6				WHEN DISC X				HOW REC G				MAL EFF 2				
DELAY				WUC 02				TIPIID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 101				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS /		SYS A	DATE 01 Oct 20	NO 4	TIME 09:36	PID Klein, Jonathan		DATE 08 Oct 20	TIME 13:40	ACFT HRS 5266.6						
FAULTS/REMARKS SCRAM KIT NOT SECURED IAW SOP								ACTION INSTALLED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								RODGERS,	F	0.1						
ACFT HRS 5266.6		WHEN DISC X	HOW REC G	MAL EFF 2												
DELAY				WUC 02				TIPIID ,				TI MANHOURS				
STATUS —		SYS E	DATE 02 Oct 20	NO 1	TIME 00:01	PID Generated, Com		DATE 21 Oct 20	TIME 00:01	ACFT HRS 5269.6						
FAULTS/REMARKS INSP E040 APR-39 RADAR/LASER WARNING OPNL CHECK, 5841-01-236-8951 FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 20 OCT 2020 REFERENCE: TM 11-5841-294-12								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON OCT 21 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 5266.6		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 05 Oct 20	NO 1	TIME 00:01	PID Generated, Com		DATE 08 Oct 20	TIME 12:56	ACFT HRS 5266.6						
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 08 OCT 2020 REFERENCE: TM 1-1520-237-PMD								ACTION COMPLETED INSPECTION								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Plemons, F	F	5.0						
ACFT HRS 5266.6		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 102									
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION													
STATUS —		SYS A	DATE 07 Oct 20	NO 1	TIME 00:00	PID Generated, Cor		DATE 07 Oct 20	TIME 10:37	ACFT HRS 5266.6		ROUNDS		ACTION CODE P		WUC 00					
FAULTS/REMARKS INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 09 OCT 2020 REFERENCE: TM 1-1520-237-23&P								ACTION runup complete													
ACFT HRS 5266.6		WHEN DISC O	HOW REC O	MAL EFF 1		PID Hosack, J.		CAT F	HRS 0.3	PID		CAT		HRS		PID		CAT		HRS	
DELAY				WUC 00				TIPIID ,				TI MANHOURS									
STATUS —		SYS A	DATE 08 Oct 20	NO 1	TIME 13:56	PID Generated, Com		DATE 08 Oct 20	TIME 13:56	ACFT HRS		ROUNDS		ACTION CODE 3		WUC 00					
FAULTS/REMARKS PMD Due								ACTION COMPLETED													
ACFT HRS 5266.6		WHEN DISC O	HOW REC O	MAL EFF 1		PID Plemons, F		CAT F	HRS 0.1	PID		CAT		HRS		PID		CAT		HRS	
DELAY				WUC 00				TIPIID ,				TI MANHOURS									
STATUS /		SYS A	DATE 08 Oct 20	NO 2	TIME 14:56	PID Plemons, Patrick		DATE 08 Oct 20	TIME 13:57	ACFT HRS 5266.6		ROUNDS		ACTION CODE 6		WUC 02					
FAULTS/REMARKS BLUE MAIN ROTOR BLADE REQUIRES INSPECTION AT ROOT LAMINATE.								ACTION INSPECT OK													
ACFT HRS 5266.6		WHEN DISC X	HOW REC G	MAL EFF 2		PID PAYNE, K.		CAT F	HRS 0.2	PID Plemons, P		CAT F	HRS 0.2	PID		CAT		HRS			
DELAY				WUC 02				TIPIID ,				TI MANHOURS									




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 103				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS E	DATE 12 Oct 20	NO 1	TIME 00:00	PID Generated, Cor		DATE 15 Oct 20	TIME 06:36	ACFT HRS 5266.6						
FAULTS/REMARKS INSP E050 ARC-220 RADIO SET BATTERY INSPECTION OR REPLACE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 18 OCT 2020 REFERENCE: TM 11-5821-357-12P								ACTION N/A BATTERIES REMOVED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Lyons, C.	F	0.1						
ACFT HRS 5266.6		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 12 Oct 20	NO 1	TIME 00:00	PID Generated, Com		DATE 15 Oct 20	TIME 09:10	ACFT HRS 5266.6						
FAULTS/REMARKS INSP A100 LH/RH ENGINE HISTORY RECORDER READINGS DUE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 18 OCT 2020 REFERENCE: DA PAM 738-751								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Moore, S.	F	0.1						
ACFT HRS 5266.6		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 12 Oct 20	NO 2	TIME 00:00	PID Generated, Com		DATE 15 Oct 20	TIME 09:04	ACFT HRS 5266.6						
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 15 OCT 2020 REFERENCE: TM 1-1520-237-PMD								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Moore, S.	F	1.0	WOMEY, F	F	1.0			
ACFT HRS 5266.6		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 104				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS E	DATE 12 Oct 20	NO 2	TIME 00:00	PID Generated, Cor		DATE 15 Oct 20	TIME 09:58	ACFT HRS 5266.6						
FAULTS/REMARKS INSP E220 EMERGENCY LOCATOR TRANSMITTER SELF-TEST (AS REQUIRED) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5384.4 AIRCRAFT HOURS OR 18 OCT 2020 REFERENCE: AWR 1516 R12								ACTION comp, passed								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Moore, S.	F	0.3						
ACFT HRS 5266.6		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 13 Oct 20	NO 1	TIME 00:00	PID Generated, Com		DATE 15 Oct 20	TIME 09:12	ACFT HRS 5266.6						
FAULTS/REMARKS INSP A839 APU HOUR METER READING DUE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 18 OCT 2020 REFERENCE: SOP								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Moore, S.	F	0.1						
ACFT HRS 5266.6		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS H	DATE 14 Oct 20	NO 1	TIME 00:00	PID Generated, Com		DATE 21 Oct 20	TIME 00:01	ACFT HRS 5269.6						
FAULTS/REMARKS INSP H810 CONDUCT HOIST OPERATIONAL CHECK IAW H-60-19-AMAM-01 ADDENDUM 1 (UPDATE) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5303.4 AIRCRAFT HOURS OR 20 OCT 2020 REFERENCE: H-60-19-AMAM-01								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON OCT 21 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 5266.6		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 105				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS E	DATE 15 Oct 20	NO 1	TIME 00:00	PID Generated, Cor		DATE 17 Oct 20	TIME 13:16	ACFT HRS 5266.6						
FAULTS/REMARKS INSP E108 KY-58 PMCS/OPNL CHECK (STANDBY) FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 21 OCT 2020 REFERENCE: TM 11-5810-262-23								ACTION n/a fills not available								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								TWOMEY,	F	0.1						
ACFT HRS 5266.6		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 15 Oct 20	NO 1	TIME 07:28	PID Generated, Com		DATE 15 Oct 20	TIME 09:06	ACFT HRS						
FAULTS/REMARKS PMD Due								ACTION COMPLETED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Moore, S.	F	1.0						
ACFT HRS 5266.6		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 16 Oct 20	NO 1	TIME 00:00	PID Generated, Com		DATE 20 Oct 20	TIME 08:57	ACFT HRS 5266.6						
FAULTS/REMARKS INSP A115 LUBE REQUIRMENTS FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 22 OCT 2020 OR 5303.4 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23&P								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Moore, S.	F	0.5	Klein, J.	F	0.5			
ACFT HRS 5266.6		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 106				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —	 SYS A	DATE 16 Oct 20	NO 2	TIME 00:00	PID Generated, Cor			DATE 20 Oct 20	TIME 08:59	ACFT HRS 5266.6						
FAULTS/REMARKS INSP A103 AIRCRAFT WASH DUE FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 22 OCT 2020 REFERENCE: TM 1-1500-344-23								ROUNDS	ACTION CODE P			WUC 02				
ACFT HRS 5266.6 WHEN DISC O HOW REC O MAL EFF 1								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Moore, S.	F	1.0	Klein, J.	F	1.0			
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —	 SYS A	DATE 16 Oct 20	NO 3	TIME 00:00	PID Generated, Com			DATE 20 Oct 20	TIME 09:07	ACFT HRS 5266.6						
FAULTS/REMARKS INSP A092 30 DAY SLAB BATTERY INSPECTION (D8565/11-1) FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 22 OCT 2020 REFERENCE: TM 11-6140-203-23 P								ROUNDS	ACTION CODE P			WUC 09B01A				
ACFT HRS 5266.6 WHEN DISC O HOW REC O MAL EFF 1								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Moore, S.	F	0.2						
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS X	 SYS E	DATE 17 Oct 20	NO 1	TIME 14:25	PID Barnes, Jarret			DATE 17 Oct 20	TIME 15:17	ACFT HRS 5266.6						
FAULTS/REMARKS SLAB BATTERY REQ REPLACEMENT DUE TO LOW VOLTAGE								ROUNDS	ACTION CODE A			WUC 00				
ACFT HRS 5266.6 WHEN DISC Z HOW REC G MAL EFF 1								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								AHLERS, R	F	0.3						
DELAY				WUC 00				TIPIID ANDERS, BOBBY				TI MANHOURS 0.1				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402			2. MODEL UH-60A			3. DATE			4. PAGE 107			
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS —		SYS A	DATE 19 Oct 20	NO 1	TIME 00:00	PID Generated, Cor			DATE 22 Oct 20	TIME 15:24	ACFT HRS 5269.6	
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 22 OCT 2020 REFERENCE: TM 1-1520-237-PMD						ACTION insp comp						
ACFT HRS 5266.6						WHEN DISC O	HOW REC O	MAL EFF 1	PID	CAT	HRS	
DELAY						WUC 00			TIPID ,	TI MANHOURS		
STATUS X		SYS A	DATE 20 Oct 20	NO 1	TIME 08:56	PID Moore, Sarah			DATE 20 Oct 20	TIME 08:58	ACFT HRS 5266.6	
FAULTS/REMARKS (IN PROCESS) INSP A115 LUBE REQUIRMENTS FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 22 OCT 2020 OR 5303.4 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23&P						ACTION COMP						
ACFT HRS 5266.6						WHEN DISC O	HOW REC O	MAL EFF 2	PID	CAT	HRS	
DELAY						WUC 02			TIPID ANDERS, BOBBY	TI MANHOURS 0.1		
STATUS X		SYS H	DATE 20 Oct 20	NO 1	TIME 20:15	PID POTVIN, JACK			DATE 21 Oct 20	TIME 11:33	ACFT HRS 5269.6	
FAULTS/REMARKS HOIST BUMPER CRUSHED AND REQUIRES REPLACMENT						ACTION replaced crush bumper						
ACFT HRS 5269.6						WHEN DISC B	HOW REC G	MAL EFF 2	PID	CAT	HRS	
DELAY						WUC 02			TIPID DUNCAN, JONATHAN	TI MANHOURS 0.3		

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 108							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —	B Closed	SYS A	DATE 21 Oct 20	NO 1	TIME 00:01	PID Generated, Cor		DATE 22 Oct 20	TIME 13:40	ACFT HRS 5269.6									
FAULTS/REMARKS INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 23 OCT 2020 REFERENCE: TM 1-1520-237-23&P								ACTION COMP					ROUNDS			ACTION CODE E		WUC 02	
ACFT HRS 5269.6								WHEN DISC O	HOW REC O	MAL EFF 1		PID		CAT	HRS	PID	CAT	HRS	
DELAY								WUC 00		TIPID ,				TI MANHOURS					
STATUS X	M Closed	SYS E	DATE 21 Oct 20	NO 1	TIME 00:01	PID Generated, Com		DATE 21 Oct 20	TIME 07:30	ACFT HRS 5269.6									
FAULTS/REMARKS INSP E040 APR-39 RADAR/LASER WARNING OPNL CHECK, 5841-01-236-8951 FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 WAS DUE. STATUS UPGRADED TO X ON: 20 OCT 2020 REFERENCE: TM 11-5841-294-12								ACTION COMPLETE, MOC OK					ROUNDS			ACTION CODE J		WUC 76	
ACFT HRS 5269.6								WHEN DISC O	HOW REC O	MAL EFF 1		PID		CAT	HRS	PID	CAT	HRS	
DELAY								WUC 00		TIPID Martin, Joel				TI MANHOURS 0.1					
STATUS X	M Closed	SYS H	DATE 21 Oct 20	NO 1	TIME 00:01	PID Generated, Com		DATE 22 Oct 20	TIME 12:46	ACFT HRS 5269.6									
FAULTS/REMARKS INSP H810 CONDUCT HOIST OPERATIONAL CHECK IAW H-60-19-AMAM-01 ADDENDUM 1 (UPDATE) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 WAS DUE. STATUS UPGRADED TO X ON: 5303.4 AIRCRAFT HOURS OR 20 OCT 2020 REFERENCE: H-60-19-AMAM-01								ACTION INSP COMP USED BUCKET					ROUNDS			ACTION CODE 6		WUC 14B01	
ACFT HRS 5269.6								WHEN DISC O	HOW REC O	MAL EFF 1		PID		CAT	HRS	PID	CAT	HRS	
DELAY								WUC 00		TIPID MONEY, DONALD				TI MANHOURS 0.1					

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 109							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		SYS A		DATE 21 Oct 20		NO 2		TIME 07:53		PID Generated, Cor		DATE 21 Oct 20		TIME 13:17		ACFT HRS			
												ROUNDS		ACTION CODE 3		WUC 00			
FAULTS/REMARKS PMD Due								ACTION COMPLETED											
ACFT HRS 5269.6		WHEN DISC O		HOW REC O		MAL EFF 1		PID		CAT		HRS		PID		CAT		HRS	
DELAY		WUC 00		TIPID ,		TI MANHOURS		TWOMEY, F		0.1									
STATUS —		SYS A		DATE 21 Oct 20		NO 3		TIME 07:55		PID Generated, Com		DATE 22 Oct 20		TIME 15:25		ACFT HRS 5269.6			
												ROUNDS		ACTION CODE 3		WUC 00			
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 21 OCT 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5277.6 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD								ACTION insp comp											
ACFT HRS 5269.6		WHEN DISC O		HOW REC O		MAL EFF 1		PID		CAT		HRS		PID		CAT		HRS	
DELAY		WUC 00		TIPID ,		TI MANHOURS		Plemons, F		0.2									
STATUS —		SYS H		DATE 21 Oct 20		NO 2		TIME 12:34		PID TWOMEY, DANI		DATE 27 Oct 20		TIME 16:00		ACFT HRS 5270.6			
												ROUNDS		ACTION CODE P		WUC 00			
FAULTS/REMARKS HOOK LOAD TEST REQ'D DUE TO REMOVAL AND REINSTALLATION OF HOOK ASSY								ACTION comp											
ACFT HRS 5269.6		WHEN DISC L		HOW REC G		MAL EFF 1		PID		CAT		HRS		PID		CAT		HRS	
DELAY		WUC 14B		TIPID ,		TI MANHOURS		Richards, N		0.1									

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402			2. MODEL UH-60A			3. DATE			4. PAGE 110		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION					
STATUS ⊗	E Closed	SYS H	DATE 21 Oct 20	NO 3	TIME 12:36	PID TWOMEY, DANI	DATE 27 Oct 20	TIME 16:02	ACFT HRS 5270.6		
							ROUNDS	ACTION CODE P	WUC 00		
FAULTS/REMARKS HOIST RESTRICTED FROM LIVE HOIST OPERATIONS UNTIL HOOK LOAD TEST IS COMP						ACTION comp					
						PID	CAT	HRS	PID	CAT	HRS
						Richards, N	F	0.1			
ACFT HRS 5269.6	WHEN DISC K	HOW REC G	MAL EFF 1								
DELAY			WUC 14B			TIPID ELMORE, JOSEPH			TI MANHOURS 0.1		
STATUS ×	D Closed	SYS A	DATE 21 Oct 20	NO 4	TIME 12:49	PID UNDERWOOD, -	DATE 22 Oct 20	TIME 11:01	ACFT HRS 5269.6		
							ROUNDS	ACTION CODE A	WUC 02		
FAULTS/REMARKS SECTION 3 DRIVESHAFT JUST BEFORE THE INTERMEDIAT DRIVESHAFT HAS VISCOUS DAMPER BEARING CONTACTING RETAINING RING						ACTION RE SHIMED SECTION 2 NUMBER 3 D/S IN ACCORDANCE WITH WP 0892					
						PID	CAT	HRS	PID	CAT	HRS
						Bowman, K	F	2.0			
ACFT HRS 5269.6	WHEN DISC M	HOW REC G	MAL EFF 5								
DELAY			WUC 06H19			TIPID DUNCAN, JONATHAN			TI MANHOURS 0.3		
STATUS —	R Closed	SYS A	DATE 21 Oct 20	NO 5	TIME 13:19	PID Generated, Com	DATE 04 Nov 20	TIME 12:53	ACFT HRS 5272.3		
							ROUNDS	ACTION CODE P	WUC 00		
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,						ACTION inspection complete					
						PID	CAT	HRS	PID	CAT	HRS
						Hosack, J.	F	0.3			
ACFT HRS 5269.6	WHEN DISC O	HOW REC G	MAL EFF 2								
DELAY			WUC 00			TIPID ,			TI MANHOURS		




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402			2. MODEL UH-60A			3. DATE			4. PAGE 111		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION					
STATUS —	 SYS A	DATE 22 Oct 20	NO 1	TIME 11:57	PID Bowman, Kendr	DATE 22 Oct 20	TIME 12:41	ACFT HRS 5269.6			
		ROUNDS	ACTION CODE 5		WUC 02						
FAULTS/REMARKS TAIL RTR D/S 9-11 HR TRQ CHECK DUE ON SECTION 2 NUMBER 3 STA 591.8 (5278.6-5280.6) FOR REPLACEMENT OF HDW W/SHIMS ON FLEX COUPLING						ACTION ENTERD IN ERROR					
						PID	CAT	HRS	PID	CAT	HRS
						Bowman, K	F	0.1			
ACFT HRS 5269.6	WHEN DISC B	HOW REC G	MAL EFF 2								
DELAY			WUC 02			TIPIID			TI MANHOURS		
STATUS ×	 SYS A	DATE 22 Oct 20	NO 3	TIME 16:36	PID Bowman, Kendri	DATE 23 Oct 20	TIME 13:12	ACFT HRS 5269.6			
		ROUNDS	ACTION CODE P		WUC 02						
FAULTS/REMARKS BLUE M/R BLADE NICKEL ERROSION STRIP DEBONDED						ACTION REPLACED WITH M/R BLADE A007-17311					
						PID	CAT	HRS	PID	CAT	HRS
						Rowe, S.	F	4.0			
ACFT HRS 5269.6	WHEN DISC B	HOW REC G	MAL EFF 2								
DELAY			WUC 02			TIPIID BARBEE, ANDREW			TI MANHOURS 0.1		
STATUS ×	 SYS A	DATE 23 Oct 20	NO 3	TIME 11:12	PID Rowe, Steven	DATE 23 Oct 20	TIME 13:19	ACFT HRS 5269.6			
		ROUNDS	ACTION CODE L		WUC 02						
FAULTS/REMARKS IVHMS NOSE CAMARA REQUIRES INSTALLATION						ACTION INSTALLED IVHMS NOSE CAMARA					
						PID	CAT	HRS	PID	CAT	HRS
						Klein, J.	F	0.3			
ACFT HRS 5269.6	WHEN DISC B	HOW REC G	MAL EFF 2								
DELAY			WUC 02			TIPIID BARBEE, ANDREW			TI MANHOURS 0.1		

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 112							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		R CLOSED SYS A		DATE 23 Oct 20		NO 4		TIME 14:14		PID Rowe, Steven		DATE 04 Nov 20		TIME 07:23		ACFT HRS 5272.3			
FAULTS/REMARKS 9-11 HOUR TQ CHECK REQUIRED ON BLUE M/R BLADE BETWEEN (5278.6)-(5280.6) AIRCRAFT HOURS DUE TO REPLACEMENT OF BLADE								ACTION WRITE ENTERED IN ERROR											
ACFT HRS 5269.6		WHEN DISC B		HOW REC G		MAL EFF 2		PID Richards, N		CAT F		HRS 0.1		PID		CAT		HRS	
DELAY				WUC 02				TI PID ,				TI MANHOURS							
STATUS —		R CLOSED SYS A		DATE 26 Oct 20		NO 1		TIME 00:01		PID Generated, Com		DATE 28 Oct 20		TIME 15:40		ACFT HRS 5271.1			
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 29 OCT 2020 REFERENCE: TM 1-1520-237-PMD								ACTION COMP											
ACFT HRS 5269.6		WHEN DISC O		HOW REC O		MAL EFF 1		PID Richards, N		CAT F		HRS 1.9		PID		CAT		HRS	
DELAY				WUC 00				TI PID ,				TI MANHOURS							
STATUS X		E CLOSED SYS A		DATE 26 Oct 20		NO 2		TIME 13:39		PID Richards, Michae		DATE 26 Oct 20		TIME 13:49		ACFT HRS 5269.6			
FAULTS/REMARKS (IN PROCESS) AIRCRAFT TRACK AND BALANCE REQUIRED DUE TO REPLACEMENT OF M/R BLADE								ACTION COMP											
ACFT HRS 5269.6		WHEN DISC O		HOW REC O		MAL EFF 1		PID Richards, N		CAT F		HRS 0.1		PID		CAT		HRS	
DELAY				WUC 02				TI ELMORE, JOSEPH				TI MANHOURS 0.1							

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 113				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS /	L CLOSED	SYS A	DATE 26 Oct 20	NO 3	TIME 17:07	PID Hosack, Jay		DATE 27 Oct 20	TIME 12:32	ACFT HRS 5270.6						
								ROUNDS	ACTION CODE A	WUC 19B						
FAULTS/REMARKS UHF RADIO WILL NOT TRANSMIT OR RECEIVE								ACTION REPLACED UHF R/T, MOC OK								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Lyons, C.	F	0.1						
ACFT HRS 5270.6		WHEN DISC K		HOW REC G		MAL EFF 1										
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS /	L CLOSED	SYS A	DATE 26 Oct 20	NO 4	TIME 17:08	PID Hosack, Jay		DATE 27 Oct 20	TIME 12:33	ACFT HRS 5270.6						
								ROUNDS	ACTION CODE J	WUC 19A						
FAULTS/REMARKS PILOTS ICS TRANSMITS WHEN NOT BEING KEYED								ACTION COULD NOT DUPLICATE								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Chavis, C.	F	0.1	Lyons, C.	F	0.1			
ACFT HRS 5270.6		WHEN DISC G		HOW REC G		MAL EFF 1										
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS /	L CLOSED	SYS A	DATE 26 Oct 20	NO 5	TIME 17:14	PID Hosack, Jay		DATE 27 Oct 20	TIME 12:34	ACFT HRS 5270.6						
								ROUNDS	ACTION CODE 6	WUC 08B18						
FAULTS/REMARKS CHANNEL 2 LIGHT ILLUMINATES PRIOR TO ENGINE START								ACTION COULD NOT DUPLICATE								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Lyons, C.	F	0.1						
ACFT HRS 5270.6		WHEN DISC G		HOW REC G		MAL EFF 1										
DELAY				WUC 00				TIPIID ,				TI MANHOURS				

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 114				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS X	E CLOSED	SYS A	DATE 27 Oct 20	NO 1	TIME 08:31	PID Lyons, Christop	DATE 27 Oct 20			TIME 11:27			ACFT HRS 5270.6			
							ROUNDS			ACTION CODE A			WUC 19B			
FAULTS/REMARKS (IN PROCESS) UHF RADIO WILL NOT TRANSMIT OR RECEIVE								ACTION COMPLETE								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Lyons, C.	F	0.1						
ACFT HRS 5270.6		WHEN DISC K		HOW REC B		MAL EFF 2										
DELAY				WUC 19C04A				TIPID ELMORE, JOSEPH				TI MANHOURS 0.1				
STATUS X	E CLOSED	SYS A	DATE 27 Oct 20	NO 2	TIME 09:07	PID Richards, Michar	DATE 27 Oct 20			TIME 13:15			ACFT HRS 5270.6			
							ROUNDS			ACTION CODE P			WUC 02			
FAULTS/REMARKS (IN PROCESS) AIRCRAFT TRACK AND BALANCE REQUIRED DUE TO REPLACEMENT OF M/R BLADE								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Richards, M	F	0.1						
ACFT HRS 5270.6		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 02				TIPID ELMORE, JOSEPH				TI MANHOURS 0.1				
STATUS X	L CLOSED	SYS A	DATE 27 Oct 20	NO 3	TIME 17:46	PID ELMORE, JOSEPH	DATE 28 Oct 20			TIME 10:12			ACFT HRS 5271.1			
							ROUNDS			ACTION CODE A			WUC 19E18			
FAULTS/REMARKS GPS FAILS SELF TEST								ACTION REPLACED HUB BATT								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Phillips, E.	F	0.1						
ACFT HRS 5271.1		WHEN DISC G		HOW REC G		MAL EFF 1										
DELAY				WUC 00				TIPID LLOYD, JUSTIN				TI MANHOURS 0.1				

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 115				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS X	L CLOSED	SYS A	DATE 27 Oct 20	NO 4	TIME 17:49	PID ELMORE, JOSEP		DATE 28 Oct 20	TIME 14:44	ACFT HRS 5271.1						
								ROUNDS	ACTION CODE A	WUC 06A11C						
FAULTS/REMARKS DURING FLIGHT LOW RPMR HORN SOUNDS AND RPMR INDICATION DECREASES TO APPROXIMATELY 85% INTERMITTENTLY								ACTION REPLACED R/H NR SENSOR								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Lyons, C.	F	0.1						
ACFT HRS 5271.1		WHEN DISC G		HOW REC G		MAL EFF 1										
DELAY				WUC 00				TIPID LLOYD, JUSTIN				TI MANHOURS 0.1				
STATUS —	R CLOSED	SYS A	DATE 28 Oct 20	NO 1	TIME 07:37	PID Generated, Com		DATE 28 Oct 20	TIME 14:44	ACFT HRS 5271.1						
								ROUNDS	ACTION CODE P	WUC 02						
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 28 OCT 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5280.6 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Richards, N	F	0.1						
ACFT HRS 5271.1		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPID ,				TI MANHOURS				
STATUS X	L CLOSED	SYS A	DATE 28 Oct 20	NO 2	TIME 10:14	PID Phillips, Ethan		DATE 28 Oct 20	TIME 16:04	ACFT HRS 5271.1						
								ROUNDS	ACTION CODE A	WUC 00						
FAULTS/REMARKS MAIN TRANSMISSION OIL TEMP INDICATING 122DEG C ON GROUND.								ACTION REPLACED MAIN MOD CHIP DECT/TEMP SENSOR. MOC OK								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Phillips, E.	F	0.1						
ACFT HRS 5271.1		WHEN DISC O		HOW REC G		MAL EFF 1										
DELAY				WUC 06A17				TIPID LLOYD, JUSTIN				TI MANHOURS 0.1				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 116				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS /		SYS A	DATE 28 Oct 20	NO 3	TIME 13:24	PID Phillips, Ethan		DATE 28 Oct 20	TIME 15:28	ACFT HRS 5271.1						
FAULTS/REMARKS INSERT THAT SECURES AFT SIDE OF MR DRIP PAN BROKEN. LOCATION MARKED ON AIRFRAME								ACTION REPLACED NUTPLATE								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								VANG, C.	F	1.5						
ACFT HRS 5271.1		WHEN DISC	K	HOW REC	G	MAL EFF 1										
DELAY				WUC 02				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 28 Oct 20	NO 4	TIME 14:48	PID Lyons, Christoph		DATE 30 Oct 20	TIME 15:46	ACFT HRS 5272.3						
FAULTS/REMARKS LMTF REQ DUE TO REPLACEMENT OF R/H NR SENSOR								ACTION LMTF COMPLETE. CHECKED OK.								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Hosack, J.	F	0.7						
ACFT HRS 5271.1		WHEN DISC	K	HOW REC	G	MAL EFF 2										
DELAY				WUC 06A11C				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 28 Oct 20	NO 5	TIME 15:41	PID Generated, Com		DATE 28 Oct 20	TIME 15:41	ACFT HRS						
FAULTS/REMARKS PMD Due								ACTION COMPLETED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Richards, N	F	1.9						
ACFT HRS 5271.1		WHEN DISC	O	HOW REC	O	MAL EFF 1										
DELAY				WUC 00				TIPIID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 117			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —	 SYS A	DATE 28 Oct 20	NO 6	TIME 15:49	PID Generated, Cor			DATE 30 Oct 20	TIME 10:35	ACFT HRS 5271.1					
		ROUNDS	ACTION CODE P			WUC 00									
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,								ACTION insp comp							
ACFT HRS 5271.1		WHEN DISC O	HOW REC G	MAL EFF 2		PID		CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY		WUC 00		TIPID ,				TI MANHOURS							
STATUS —	 SYS A	DATE 28 Oct 20	NO 7	TIME 16:03	PID TWOMEY, DANI			DATE 30 Oct 20	TIME 13:38	ACFT HRS 5271.6					
		ROUNDS	ACTION CODE P			WUC 02									
FAULTS/REMARKS MAIN TRANSMISSION SERVICEABILITY CHECK REQ'D								ACTION comp. no chips found							
ACFT HRS 5271.1		WHEN DISC K	HOW REC G	MAL EFF 1		PID		CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY		WUC 06A		TIPID ,				TI MANHOURS							
STATUS ⊗	 SYS A	DATE 28 Oct 20	NO 8	TIME 16:06	PID TWOMEY, DANI			DATE 30 Oct 20	TIME 15:48	ACFT HRS 5272.3					
		ROUNDS	ACTION CODE P			WUC 00									
FAULTS/REMARKS ACFT RESTRICTED TO MTF ONLY UNTIL MAIN TRANSMISSION SERVICEABILITY CHECK IS COMPLETE								ACTION MAIN XSMN SERVICEABILITY CHECK COMPLETE. CHECKED OK.							
ACFT HRS 5271.1		WHEN DISC K	HOW REC G	MAL EFF 1		PID		CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY		WUC 00		TIPID ELMORE, JOSEPH				TI MANHOURS 0.1							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 118							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		SYS O	DATE 29 Oct 20	NO 1	TIME 00:01	PID Generated, Cor		DATE 06 Nov 20	TIME 00:00	ACFT HRS 5273.4									
FAULTS/REMARKS INSP O806 LOGBOOK RECONCILIATION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 05 NOV 2020 REFERENCE: ATP 3-04.7								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON NOV 6 2020 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT											
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 5271.1								WHEN DISC	O	HOW REC	O	MAL EFF 1							
DELAY								WUC 00				TIPIID ,				TI MANHOURS			
STATUS X		SYS A	DATE 30 Oct 20	NO 1	TIME 12:46	PID Richards, Michar		DATE 30 Oct 20	TIME 13:08	ACFT HRS 5271.1									
FAULTS/REMARKS MAIN TRANSMISSION SERVICEABILITY CHECK REQ'D								ACTION comp											
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 5271.1								WHEN DISC	O	HOW REC	O	MAL EFF 1							
DELAY								WUC 02				TIPIID SHORTER, MATTHEW				TI MANHOURS 0.1			
STATUS —		SYS A	DATE 01 Nov 20	NO 1	TIME 00:00	PID Generated, Com		DATE 04 Nov 20	TIME 08:09	ACFT HRS 5272.3									
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 04 NOV 2020 REFERENCE: TM 1-1520-237-PMD								ACTION COMP											
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 5272.3								WHEN DISC	O	HOW REC	O	MAL EFF 1							
DELAY								WUC 00				TIPIID ,				TI MANHOURS			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 119			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS A	DATE 02 Nov 20	NO 1	TIME 00:00	PID Generated, Cor		DATE 03 Nov 20	TIME 15:51	ACFT HRS 5272.3					
							ROUNDS	ACTION CODE P		WUC 02					
FAULTS/REMARKS INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 04 NOV 2020 REFERENCE: TM 1-1520-237-23&P								ACTION COMPLETED ON 30 OCT 2020							
ACFT HRS 5272.3		WHEN DISC O	HOW REC O	MAL EFF 1		PID Rowe, S.		CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
STATUS X		SYS A	DATE 02 Nov 20	NO 2	TIME 15:49	PID Richards, Michar		DATE 03 Nov 20	TIME 14:56	ACFT HRS 5272.3					
							ROUNDS	ACTION CODE A		WUC 05A02					
FAULTS/REMARKS CRACK FOUND IN RED MAIN ROTOR BLADE S/N A007-07344, CRACK FOUND IN STA 246, 11.25 IN FROM TRAIING EDGE								ACTION replaced blade							
ACFT HRS 5272.3		WHEN DISC O	HOW REC G	MAL EFF 1		PID Richards, M		CAT F	HRS 2.0	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 05A02				TIPIID MONEY, DONALD				TI MANHOURS 0.1			
STATUS X		SYS A	DATE 03 Nov 20	NO 1	TIME 11:57	PID Richards, Michar		DATE 03 Nov 20	TIME 14:59	ACFT HRS 5272.3					
							ROUNDS	ACTION CODE A		WUC 02					
FAULTS/REMARKS (IN PROCESS) AIRCRAFT TRACK AND BALANCE REQUIRED DUE TO REPLACEMENT OF M/R BLADE								ACTION comp							
ACFT HRS 5272.3		WHEN DISC O	HOW REC O	MAL EFF 1		PID Richards, M		CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 05A01				TIPIID MONEY, DONALD				TI MANHOURS 0.1			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 120				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —	 SYS A	DATE 03 Nov 20	NO 2	TIME 13:38	PID Richards, Micha			DATE 03 Nov 20	TIME 15:11	ACFT HRS 5272.3						
		ROUNDS	ACTION CODE 6			WUC 05A02										
FAULTS/REMARKS M/R BLADE SPAR PRESSURE CHECK REQUIRED ON BLADE S/N A007-14214								ACTION comp								
ACFT HRS 5272.3		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY		WUC 05A02						TIPIID ,			TI MANHOURS					
STATUS —	 SYS A	DATE 03 Nov 20	NO 3	TIME 13:40	PID Richards, Micha			DATE 03 Nov 20	TIME 15:10	ACFT HRS 5272.3						
		ROUNDS	ACTION CODE 6			WUC 05A02										
FAULTS/REMARKS COIN TAP TEST REQUIRED ON BLADE S/N A007-14214								ACTION comp								
ACFT HRS 5272.3		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY		WUC 05A02						TIPIID ,			TI MANHOURS					
STATUS —	 SYS A	DATE 03 Nov 20	NO 4	TIME 13:42	PID Richards, Micha			DATE 03 Nov 20	TIME 13:56	ACFT HRS 5272.3						
		ROUNDS	ACTION CODE P			WUC 02										
FAULTS/REMARKS M/R BLADE PIN INSPECTION REQUIRED								ACTION REPLACED PINS S/N 23626, S/N 38942 WITH PINS S/N 10104, S/N 08712								
ACFT HRS 5272.3		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY		WUC 05A02						TIPIID ,			TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 121							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		SYS A	DATE 04 Nov 20	NO 1	TIME 08:10	PID Generated, Cor		DATE 04 Nov 20	TIME 08:10	ACFT HRS		ROUNDS		ACTION CODE 3		WUC 00			
FAULTS/REMARKS PMD Due								ACTION COMPLETED											
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 5272.3								WHEN DISC O	HOW REC O	MAL EFF 1		Richards, N		F	1.9				
DELAY				WUC 00				TIPIID ,				TI MANHOURS							
STATUS ×		SYS A	DATE 05 Nov 20	NO 1	TIME 09:47	PID Barnes, Jarret		DATE 05 Nov 20	TIME 09:53	ACFT HRS 5272.9		ROUNDS		ACTION CODE P		WUC 02			
FAULTS/REMARKS (IN-PROCESS) AIRCRAFT TRACK AND BALANCE REQUIRED DUE TO REPLACEMENT OF M/R BLADE								ACTION COMP											
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 5272.9								WHEN DISC B	HOW REC G	MAL EFF 2		Rowe, S.		F	0.1				
DELAY				WUC 02				TIPIID BARBEE, ANDREW				TI MANHOURS 0.1							
STATUS ×		SYS A	DATE 05 Nov 20	NO 2	TIME 11:33	PID Hosack, Jay		DATE 06 Nov 20	TIME 08:54	ACFT HRS 5273.4		ROUNDS		ACTION CODE A		WUC 08B21			
FAULTS/REMARKS RPMR INDICATION ISSUE. LOW ROTOR RPM AUDIO SOUNDS MULTIPLE TIMES DURING FLIGHT WITHOUT ACTUAL LOSS OF ROTOR RPM.								ACTION REPLACED #2 SDC											
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 5273.4								WHEN DISC G	HOW REC C	MAL EFF 5		Lyons, C.		F	0.1				
DELAY				WUC 08B14				TIPIID MONEY, DONALD				TI MANHOURS 0.1							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402			2. MODEL UH-60A			3. DATE			4. PAGE 122		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION					
STATUS —		SYS A	DATE 05 Nov 20	NO 3	TIME 14:27	PID Generated, Cor	DATE 05 Nov 20	TIME 14:58	ACFT HRS 5273.4		
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 05 NOV 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5282.1 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD						ACTION COMP					
ACFT HRS 5273.4						WHEN DISC O	HOW REC O	MAL EFF 1			
DELAY						WUC 00			TI MANHOURS		
STATUS —		SYS A	DATE 05 Nov 20	NO 4	TIME 14:27	PID Generated, Com	DATE 05 Nov 20	TIME 14:45	ACFT HRS 5273.4		
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 05 NOV 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 11 NOV 2020 REFERENCE: TM 1-1520-237-PMD						ACTION COMP					
ACFT HRS 5273.4						WHEN DISC O	HOW REC O	MAL EFF 1			
DELAY						WUC 00			TI MANHOURS		
STATUS —		SYS A	DATE 05 Nov 20	NO 5	TIME 14:58	PID Generated, Com	DATE 06 Nov 20	TIME 10:06	ACFT HRS 5273.4		
FAULTS/REMARKS (402)PERFORM VISUAL INSPECTION IAW THE ENCLOSED AWR'S DATED: AWR1054r20 08Nov18, AWR1120r13 28Apr20, AWR1270r12 05Sep18, AWR1279r9 20May20, AWR1309r12 30Jul19, AWR1348r15 28Apr20, AWR1407r6 28May20, AWR2122r5 09Aug19, AWR1444r10 29May20, AWR1466r9 23Aug19, AWR1494r12 14Jan20, AWR1516r12 07Feb19, AWR1539r6 31Aug18, AWR1566r7 05Feb19, AWR1763r13 24Jun19, AWR1823r9 22Nov19, AWR1930r12 17Jan20, AWR1967r5 28May20, AWR2002r5 05Oct18,						ACTION Inspection Complete					
ACFT HRS 5273.4						WHEN DISC O	HOW REC G	MAL EFF 2			
DELAY						WUC 00			TI MANHOURS		




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 123					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A	DATE 05 Nov 20	NO 6	TIME 15:04	PID Generated, Cor		DATE 05 Nov 20	TIME 15:04	ACFT HRS		ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS PMD Due								ACTION COMPLETED									
																PID	CAT
								Barnes, J. F 0.1									
ACFT HRS 5273.4				WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —		SYS A	DATE 06 Nov 20	NO 1	TIME 00:00	PID Generated, Com		DATE 06 Jan 21	TIME 00:00	ACFT HRS 5274.5		ROUNDS		ACTION CODE		WUC 00	
FAULTS/REMARKS INSP A530 AIRCRAFT EQUIPMENT INVENTORY (DA FORM 2408-17) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 05 JAN 2021 REFERENCE: DA PAM 738-751								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON JAN 6 2021 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT									
																PID	CAT
ACFT HRS 5273.4				WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —		SYS E	DATE 06 Nov 20	NO 1	TIME 00:00	PID Generated, Com		DATE 13 Dec 20	TIME 00:00	ACFT HRS 5274.5		ROUNDS		ACTION CODE		WUC 00	
FAULTS/REMARKS INSP E331 UNDER WATER ACOUSTIC BEACON TEST AND CLEAN FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 12 DEC 2020 OR 5688.4 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23_P								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON DEC 13 2020 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT									
																PID	CAT
ACFT HRS 5273.4				WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A			3. DATE			4. PAGE 124																			
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION																							
STATUS X		SYS A	DATE 06 Nov 20	NO 2	TIME 18:30	PID Richards, Micha	DATE 06 Nov 20	TIME 18:31	ACFT HRS 5274.0																				
FAULTS/REMARKS (IN PROCESS) AIRCRAFT TRACK AND BALANCE REQUIRED DUE TO REPLACEMENT OF M/R BLADE						ACTION ADJUSTMENTS MADE																							
						<table border="1"> <thead> <tr> <th>PID</th> <th>CAT</th> <th>HRS</th> <th>PID</th> <th>CAT</th> <th>HRS</th> <th>PID</th> <th>CAT</th> <th>HRS</th> </tr> </thead> <tbody> <tr> <td>Richards, N</td> <td>F</td> <td>0.1</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	Richards, N	F	0.1						
PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS																					
Richards, N	F	0.1																											
ACFT HRS 5274		WHEN DISC O	HOW REC O	MAL EFF 1																									
DELAY			WUC 02			TIPID FAUST, JONATHAN			TI MANHOURS 0.1																				
STATUS —		SYS A	DATE 07 Nov 20	NO 1	TIME 08:07	PID Generated, Com	DATE 07 Nov 20	TIME 08:14	ACFT HRS 5274.0																				
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 07 NOV 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5284.4 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD						ACTION COMP																							
						<table border="1"> <thead> <tr> <th>PID</th> <th>CAT</th> <th>HRS</th> <th>PID</th> <th>CAT</th> <th>HRS</th> <th>PID</th> <th>CAT</th> <th>HRS</th> </tr> </thead> <tbody> <tr> <td>Richards, N</td> <td>F</td> <td>1.9</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	Richards, N	F	1.9						
PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS																					
Richards, N	F	1.9																											
ACFT HRS 5274		WHEN DISC O	HOW REC O	MAL EFF 1																									
DELAY			WUC 00			TIPID ,			TI MANHOURS																				
STATUS —		SYS A	DATE 07 Nov 20	NO 2	TIME 08:15	PID Generated, Com	DATE 07 Nov 20	TIME 08:16	ACFT HRS																				
FAULTS/REMARKS PMD Due						ACTION COMPLETED																							
						<table border="1"> <thead> <tr> <th>PID</th> <th>CAT</th> <th>HRS</th> <th>PID</th> <th>CAT</th> <th>HRS</th> <th>PID</th> <th>CAT</th> <th>HRS</th> </tr> </thead> <tbody> <tr> <td>Richards, N</td> <td>F</td> <td>1.9</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	Richards, N	F	1.9						
PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS																					
Richards, N	F	1.9																											
ACFT HRS 5274		WHEN DISC O	HOW REC O	MAL EFF 1																									
DELAY			WUC 00			TIPID ,			TI MANHOURS																				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 125					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A	DATE 09 Nov 20	NO 1	TIME 00:00	PID Generated, Cor		DATE 13 Nov 20	TIME 00:00	ACFT HRS 5274.5		ROUNDS		ACTION CODE		WUC 00	
FAULTS/REMARKS INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 12 NOV 2020 REFERENCE: TM 1-1520-237-PMD								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON NOV 13 2020 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT									
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1													
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —		SYS A	DATE 11 Nov 20	NO 1	TIME 00:00	PID Generated, Com		DATE 18 Nov 20	TIME 00:01	ACFT HRS 5274.5		ROUNDS		ACTION CODE		WUC 00	
FAULTS/REMARKS INSP A100 LH/RH ENGINE HISTORY RECORDER READINGS DUE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 17 NOV 2020 REFERENCE: DA PAM 738-751								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON NOV 18 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT									
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1													
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —		SYS E	DATE 11 Nov 20	NO 1	TIME 00:00	PID Generated, Com		DATE 16 Nov 20	TIME 10:14	ACFT HRS 5274.5		ROUNDS		ACTION CODE P		WUC 02	
FAULTS/REMARKS INSP E220 EMERGENCY LOCATOR TRANSMITTER SELF-TEST (AS REQUIRED) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5391.6 AIRCRAFT HOURS OR 17 NOV 2020 REFERENCE: AWR 1516 R12								ACTION COMP									
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1													
DELAY				WUC 00				TIPIID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 126			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —	 SYS E	DATE 11 Nov 20	NO 2	TIME 00:00	PID Generated, Cor			DATE 12 Nov 20	TIME 06:52	ACFT HRS 5274.5					
		ROUNDS	ACTION CODE B			WUC 19D01									
FAULTS/REMARKS INSP E050 ARC-220 RADIO SET BATTERY INSPECTION OR REPLACE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 17 NOV 2020 REFERENCE: TM 11-5821-357-12P								ACTION N/A REMOVED BATTERIES							
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS		
DELAY		WUC 00				TIPIID ,			TI MANHOURS						
STATUS —	 SYS A	DATE 12 Nov 20	NO 1	TIME 00:00	PID Generated, Com			DATE 16 Nov 20	TIME 10:14	ACFT HRS 5274.5					
		ROUNDS	ACTION CODE P			WUC 02									
FAULTS/REMARKS INSP A839 APU HOUR METER READING DUE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 17 NOV 2020 REFERENCE: SOP								ACTION COMP							
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS		
DELAY		WUC 00				TIPIID ,			TI MANHOURS						
STATUS —	 SYS A	DATE 12 Nov 20	NO 2	TIME 00:00	PID Generated, Com			DATE 01 Dec 20	TIME 00:00	ACFT HRS 5274.5					
		ROUNDS	ACTION CODE			WUC 00									
FAULTS/REMARKS INSP A160 90 DAY CORROSION INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 30 NOV 2020 REFERENCE: TM 1-1520-237-23&P								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON DEC 1 2020 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS		
DELAY		WUC 00				TIPIID ,			TI MANHOURS						




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 127							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		SYS A	DATE 12 Nov 20	NO 3	TIME 00:00	PID Generated, Cor		DATE 15 Nov 20	TIME 00:01	ACFT HRS 5274.5									
FAULTS/REMARKS INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 14 NOV 2020 REFERENCE: TM 1-1520-237-23&P								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON NOV 15 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT						ROUNDS		ACTION CODE		WUC 00	
ACFT HRS 5274.5								WHEN DISC O		HOW REC O		MAL EFF 1							
DELAY								WUC 00				TIPIID ,				TI MANHOURS			
STATUS X		SYS A	DATE 12 Nov 20	NO 4	TIME 09:08	PID LEWIS, BRADLEY		DATE 01 Dec 20	TIME 13:26	ACFT HRS 5274.5									
FAULTS/REMARKS #1 ENGINE SN# GE-E-763276C REQUIRES REMOVAL TO FACILITATE MAINTENANCE								ACTION REPLACED WITH SN# GE-E761061C						ROUNDS		ACTION CODE A		WUC 04A	
ACFT HRS 5274.5								WHEN DISC K		HOW REC G		MAL EFF 1							
DELAY								WUC 04				TIPIID Ziegler, Luke				TI MANHOURS 0.1			
STATUS X		SYS A	DATE 12 Nov 20	NO 5	TIME 10:00	PID LEWIS, BRADLEY		DATE 14 Nov 20	TIME 12:59	ACFT HRS 5274.5									
FAULTS/REMARKS #2 ENGINE SN# GE-E-964277 REQUIRES REMOVAL TO FACILITATE MAINTENANCE								ACTION replaced with Eng SN: GE-E-761098C						ROUNDS		ACTION CODE A		WUC 04	
ACFT HRS 5274.5								WHEN DISC K		HOW REC G		MAL EFF 1							
DELAY								WUC 04				TIPIID Ziegler, Luke				TI MANHOURS 0.1			
ACFT HRS 5274.5								WHEN DISC K		HOW REC G		MAL EFF 1							
DELAY								WUC 04				TIPIID Ziegler, Luke				TI MANHOURS 0.1			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402			2. MODEL UH-60A			3. DATE			4. PAGE 128			
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS —		SYS E	DATE 14 Nov 20	NO 1	TIME 00:01	PID Generated, Cor			DATE 16 Nov 20	TIME 06:17	ACFT HRS 5274.5	
FAULTS/REMARKS INSP E108 KY-58 PMCS/OPNL CHECK (STANDBY) FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 20 NOV 2020 REFERENCE: TM 11-5810-262-23						ACTION N/A, NO FILLS INSTALLED						
ACFT HRS 5274.5						WHEN DISC O	HOW REC O	MAL EFF 1	PID	CAT	HRS	
DELAY						WUC 00			TIPID ,	TI MANHOURS		
STATUS X		SYS A	DATE 14 Nov 20	NO 1	TIME 15:26	PID LEWIS, BRADLEY			DATE 20 Nov 20	TIME 16:36	ACFT HRS 5274.5	
FAULTS/REMARKS NO.1 ENGINE INBOARD MOUNTING STRUT UPPER BEARING WORN BEYOND LIMITS						ACTION REPLACED STRUT						
ACFT HRS 5274.5						WHEN DISC O	HOW REC K	MAL EFF 1	PID	CAT	HRS	
DELAY						WUC 04			TIPID Ziegler, Luke	TI MANHOURS 0.1		
STATUS X		SYS A	DATE 14 Nov 20	NO 2	TIME 15:39	PID LEWIS, BRADLEY			DATE 20 Nov 20	TIME 16:35	ACFT HRS 5274.5	
FAULTS/REMARKS NO.1 ENGINE OUTBOARD MOUNT FITTING BEARING WORN BEYOND LIMITS						ACTION REPLACED FITTING						
ACFT HRS 5274.5						WHEN DISC O	HOW REC K	MAL EFF 1	PID	CAT	HRS	
DELAY						WUC 04			TIPID TUTHEROW, MICHAEL	TI MANHOURS 0.1		
ACFT HRS 5274.5						WHEN DISC O	HOW REC K	MAL EFF 1	PID	CAT	HRS	
DELAY						WUC 04			TIPID TUTHEROW, MICHAEL	TI MANHOURS 0.1		




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 129				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —	 SYS A	DATE 15 Nov 20	NO 2	TIME 00:01	PID Generated, Cor			DATE 22 Nov 20	TIME 00:01	ACFT HRS 5274.5						
		ROUNDS	ACTION CODE			WUC 00										
FAULTS/REMARKS INSP A115 LUBE REQUIRMENTS FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 21 NOV 2020 OR 5310.6 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23&P								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON NOV 22 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT								
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —	 SYS A	DATE 15 Nov 20	NO 3	TIME 00:01	PID Generated, Com			DATE 22 Nov 20	TIME 00:01	ACFT HRS 5274.5						
		ROUNDS	ACTION CODE			WUC 00										
FAULTS/REMARKS INSP A092 30 DAY SLAB BATTERY INSPECTION (D8565/11-1) FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 21 NOV 2020 REFERENCE: TM 11-6140-203-23 P								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON NOV 22 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT								
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —	 SYS A	DATE 15 Nov 20	NO 4	TIME 00:01	PID Generated, Com			DATE 24 Nov 20	TIME 11:01	ACFT HRS 5274.5						
		ROUNDS	ACTION CODE P			WUC 09B01A										
FAULTS/REMARKS INSP A230 INSPECT BATTERY COMPARTMENT FOR CORROSION (SLAB) FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 09 DEC 2020 REFERENCE: MWO 1-1520-237-50-77								ACTION COMP								
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1				Moore, S.	F	0.2	Klein, J.	F	0.2			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 130							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		SYS A	DATE 15 Nov 20	NO 5	TIME 00:01	PID Generated, Cor		DATE 22 Nov 20	TIME 00:01	ACFT HRS 5274.5		ROUNDS		ACTION CODE		WUC 00			
FAULTS/REMARKS INSP A103 AIRCRAFT WASH DUE FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 21 NOV 2020 REFERENCE: TM 1-1500-344-23								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON NOV 22 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT											
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1				PID		CAT		HRS		PID		CAT		HRS	
DELAY				WUC 00				TIPIID ,				TI MANHOURS							
STATUS —		SYS A	DATE 17 Nov 20	NO 1	TIME 00:01	PID Generated, Com		DATE 24 Dec 20	TIME 00:01	ACFT HRS 5274.5		ROUNDS		ACTION CODE		WUC 00			
FAULTS/REMARKS INSP A496 CF3BR FIRE EXTINGUISHER WEIGHT TEST INSPECTION FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 23 DEC 2020 REFERENCE: TM 1-1520-237-23&P								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON DEC 24 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT											
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1				PID		CAT		HRS		PID		CAT		HRS	
DELAY				WUC 00				TIPIID ,				TI MANHOURS							
STATUS —		SYS H	DATE 18 Nov 20	NO 1	TIME 00:01	PID Generated, Com		DATE 25 Nov 20	TIME 00:01	ACFT HRS 5274.5		ROUNDS		ACTION CODE		WUC 00			
FAULTS/REMARKS INSP H810 CONDUCT HOIST OPERATIONAL CHECK IAW H-60-19-AMAM-01 ADDENDUM 1 (UPDATE) FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5313.6 AIRCRAFT HOURS OR 24 NOV 2020 REFERENCE: H-60-19-AMAM-01								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON NOV 25 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT											
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1				PID		CAT		HRS		PID		CAT		HRS	
DELAY				WUC 00				TIPIID ,				TI MANHOURS							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 131				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS X		SYS A	DATE 22 Nov 20	NO 2	TIME 00:01	PID Generated, Cor		DATE 24 Nov 20	TIME 10:58	ACFT HRS 5274.5						
FAULTS/REMARKS INSP A092 30 DAY SLAB BATTERY INSPECTION (D8565/11-1) FOR HCPT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 WAS DUE. STATUS UPGRADED TO X ON: 21 NOV 2020 REFERENCE: TM 11-6140-203-23 P								ACTION PASSED INSPECTION								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Moore, S.	F	0.2	Klein, J.	F	0.2			
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID TUTHEROW, MICHAEL				TI MANHOURS 0.1				
STATUS —		SYS A	DATE 23 Nov 20	NO 1	TIME 08:53	PID Generated, Com		DATE 27 Nov 20	TIME 08:06	ACFT HRS 5274.5						
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-AMAM-10 DESCRIPTION: COMPLY WITH H-60-20-AMAM-10, EXTERNAL/ INTERNAL HOIST AND PENDANT CONTROL DA FORM 2410 TRACKING, BY 30 NOV 20.. IS DUE: 30 NOV 2020 CALENDAR								ACTION COMP								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								BARBEE, A.	F	0.1						
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 00				TIPIID BARBEE, ANDREW				TI MANHOURS 0.1				
STATUS —		SYS A	DATE 24 Nov 20	NO 4	TIME 18:35	PID Moore, Sarah		DATE 24 Nov 20	TIME 18:37	ACFT HRS 5274.5						
FAULTS/REMARKS PERFORM OPERATIONAL CHECK OF THE HYDRAULIC SYSTEM (WP 0098 HYDRAULIC SYSTEM)								ACTION WRITE UP ENTERED IN ERROR								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Richards, N.	F	0.1						
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1												
DELAY				WUC 02				TIPIID ,				TI MANHOURS				

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 132			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —	E Closed	SYS A	DATE 04 Dec 20	NO 1	TIME 10:32	PID ELMORE, JOSEP		DATE 20 Apr 21	TIME 10:33	ACFT HRS 5274.5					
FAULTS/REMARKS LMTF REQ								ROUNDS	ACTION CODE A		WUC 00				
ACTION ENTERED IN ERROR															
ACFT HRS 5274.5		WHEN DISC G	HOW REC A	MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
STATUS X	L Closed	SYS A	DATE 10 Dec 20	NO 3	TIME 16:22	PID Phillips, Ethan		DATE 04 Jan 21	TIME 09:12	ACFT HRS 5274.5					
FAULTS/REMARKS ARC-186 R/T REMOVED FOR TROUBLESHOOTING ON AFCT 963								ROUNDS	ACTION CODE L		WUC 00				
ACTION REINSTALLED ARC-186 R/T															
ACFT HRS 5274.5		WHEN DISC G	HOW REC G	MAL EFF 1											
DELAY				WUC 00				TIPIID LLOYD, JUSTIN				TI MANHOURS 0.1			
STATUS —	Closed	SYS E	DATE 11 Dec 20	NO 1	TIME 00:00	PID Generated, Com		DATE 18 Dec 20	TIME 00:01	ACFT HRS 5274.5					
FAULTS/REMARKS INSP E220 EMERGENCY LOCATOR TRANSMITTER SELF-TEST (AS REQUIRED) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5399.5 AIRCRAFT HOURS OR 17 DEC 2020 REFERENCE: AWR 1516 R12								ROUNDS	ACTION CODE		WUC 00				
ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON DEC 18 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT															
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 133				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS E	DATE 11 Dec 20	NO 2	TIME 00:00	PID Generated, Cor		DATE 18 Dec 20	TIME 00:01	ACFT HRS 5274.5						
FAULTS/REMARKS INSP E050 ARC-220 RADIO SET BATTERY INSPECTION OR REPLACE FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 17 DEC 2020 REFERENCE: TM 11-5821-357-12P								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON DEC 18 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 5274.5								WHEN DISC	O	HOW REC	O	MAL EFF 1				
DELAY								WUC 00				TI MANHOURS				
STATUS —		SYS A	DATE 13 Dec 20	NO 1	TIME 00:00	PID Generated, Com		DATE 19 Dec 20	TIME 00:00	ACFT HRS 5274.5						
FAULTS/REMARKS INSP A839 APU HOUR METER READING DUE FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 18 DEC 2020 REFERENCE: SOP								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON DEC 19 2020 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 5274.5								WHEN DISC	O	HOW REC	O	MAL EFF 1				
DELAY								WUC 00				TI MANHOURS				
STATUS X		SYS E	DATE 13 Dec 20	NO 1	TIME 00:00	PID Generated, Com		DATE 18 Dec 20	TIME 12:44	ACFT HRS 5274.5						
FAULTS/REMARKS INSP E331 UNDER WATER ACOUSTIC BEACON TEST AND CLEAN FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 WAS DUE. STATUS UPGRADED TO X ON: 12 DEC 2020 OR 5688.4 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23_P								ACTION INSP OK								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 5274.5								WHEN DISC	O	HOW REC	O	MAL EFF 1				
DELAY								WUC 00				TI MANHOURS 0.1				
								TIPID LLOYD, JUSTIN								




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 134				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS E	DATE 14 Dec 20	NO 1	TIME 00:00	PID Generated, Cor		DATE 21 Dec 20	TIME 00:00	ACFT HRS 5274.5		ROUNDS		ACTION CODE		WUC 00
FAULTS/REMARKS INSP E108 KY-58 PMCS/OPNL CHECK (STANDBY) FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 20 DEC 2020 REFERENCE: TM 11-5810-262-23								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON DEC 21 2020 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT								
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 16 Dec 20	NO 1	TIME 00:01	PID Generated, Com		DATE 04 Jan 21	TIME 00:00	ACFT HRS 5274.5		ROUNDS		ACTION CODE		WUC 00
FAULTS/REMARKS INSP A177 90 DAY REVIEW/UPDATE OF 365-4 ENTRIES FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 03 JAN 2021 REFERENCE: AR 95-1								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON JAN 4 2021 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT								
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 17 Dec 20	NO 1	TIME 00:01	PID Generated, Com		DATE 28 Dec 20	TIME 00:00	ACFT HRS 5274.5		ROUNDS		ACTION CODE		WUC 00
FAULTS/REMARKS INSP A865 SENSITIVE ITEM INVENTORY FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 27 DEC 2020 REFERENCE: SOP								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON DEC 28 2020 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT								
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 00				TIPIID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 135				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS X		SYS A	DATE 18 Dec 20	NO 1	TIME 11:25	PID Phillips, Ethan		DATE 18 Dec 20	TIME 14:30	ACFT HRS 5274.5						
FAULTS/REMARKS IVHMU SN:00833 RMVD FOR CE ACFT 9026277, CE WYDDC0352001								ACTION REPLACED IVHMU WITH SN: 00475								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Phillips, E.	F	0.1						
ACFT HRS 5274.5		WHEN DISC K		HOW REC G		MAL EFF 1										
DELAY				WUC 00				TIPIID TUTHEROW, MICHAEL				TI MANHOURS 0.1				
STATUS X		SYS A	DATE 18 Dec 20	NO 2	TIME 13:38	PID Phillips, Ethan		DATE 18 Dec 20	TIME 14:26	ACFT HRS 5274.5						
FAULTS/REMARKS AFT L/H SCREW SECURING IVHMU NOT INSTALLED SUSPECTED BROEKN NUT PLATE.								ACTION entered in error								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								Phillips, E.	F	0.1						
ACFT HRS 5274.5		WHEN DISC K		HOW REC G		MAL EFF 1										
DELAY				WUC 02				TIPIID TUTHEROW, MICHAEL				TI MANHOURS 0.1				
STATUS —		SYS A	DATE 21 Dec 20	NO 1	TIME 00:00	PID Generated, Com		DATE 28 Dec 20	TIME 00:00	ACFT HRS 5274.5						
FAULTS/REMARKS INSP A092 30 DAY SLAB BATTERY INSPECTION (D8565/11-1) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 27 DEC 2020 REFERENCE: TM 11-6140-203-23 P								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON DEC 28 2020 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 5274.5		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPIID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 136			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS X		SYS A	DATE 21 Dec 20	NO 2	TIME 09:37	PID Chavis, Carlton		DATE 21 Dec 20	TIME 09:50	ACFT HRS 5274.5					
FAULTS/REMARKS IVHMUS PDU REMOVED FOR TROUBLESHOOTING ON AFCT 277							ROUNDS	ACTION CODE 6	WUC 19						
ACTION ENTERED IN ERROR															
ACFT HRS 5274.5		WHEN DISC K	HOW REC G	MAL EFF 2											
DELAY				WUC 08F01				TIPID Martin, Joel				TI MANHOURS 0.1			
STATUS X		SYS A	DATE 21 Dec 20	NO 3	TIME 09:51	PID Chavis, Carlton		DATE 21 Dec 20	TIME 14:39	ACFT HRS 5274.5					
FAULTS/REMARKS IVHMUS CDU REMOVED FOR TROUBLESHOOTING ON AFCT 277							ROUNDS	ACTION CODE L	WUC 08F01						
ACTION REINSTALLED															
ACFT HRS 5274.5		WHEN DISC K	HOW REC G	MAL EFF 2											
DELAY				WUC 08F01				TIPID Martin, Joel				TI MANHOURS 0.1			
STATUS X		SYS A	DATE 21 Dec 20	NO 4	TIME 14:40	PID Chavis, Carlton		DATE 21 Dec 20	TIME 14:52	ACFT HRS 5274.5					
FAULTS/REMARKS IVHMU REMOVED FOR TROUBLESHOOTING							ROUNDS	ACTION CODE L	WUC 00						
ACTION REINSTALLED															
ACFT HRS 5274.5		WHEN DISC K	HOW REC G	MAL EFF 2											
DELAY				WUC 08F01				TIPID Martin, Joel				TI MANHOURS 0.1			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A			3. DATE			4. PAGE 137		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS —	 SYS E	DATE 25 Dec 20	NO 1	TIME 00:01	PID Generated, Cor	DATE 31 Jan 21	TIME 00:01	ACFT HRS 5274.5				
FAULTS/REMARKS INSP E015 ASN 128D DOPPLER GPS BATTERY REPLACEMENT FOR HCPT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 30 JAN 2021 REFERENCE: MWO 1-1520-237-50-92						ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON JAN 31 2021 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT						
ACFT HRS 5274.5						WHEN DISC	O	HOW REC	O	MAL EFF 1		
DELAY						WUC 00			TI MANHOURS			
STATUS —	 SYS A	DATE 29 Dec 20	NO 1	TIME 00:00	PID Generated, Com	DATE 04 Feb 21	TIME 00:01	ACFT HRS 5274.5				
FAULTS/REMARKS INSP A502 INSPECT AND TEST GROUND RECEPTACLE IAW TM 1-1500-204-23 FOR HCPT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 03 FEB 2021 REFERENCE: TM 1-1520-237-23&P						ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON FEB 4 2021 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT						
ACFT HRS 5274.5						WHEN DISC	O	HOW REC	O	MAL EFF 1		
DELAY						WUC 00			TI MANHOURS			
STATUS —	 SYS E	DATE 29 Dec 20	NO 1	TIME 00:00	PID Generated, Com	DATE 04 Feb 21	TIME 00:01	ACFT HRS 5274.5				
FAULTS/REMARKS INSP E135 AN/ARC-201(V) SINGARS RADIO HUB BATT REPL FOR HCPT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 03 FEB 2021 REFERENCE: TM 11-5821-333-12						ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON FEB 4 2021 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT						
ACFT HRS 5274.5						WHEN DISC	O	HOW REC	O	MAL EFF 1		
DELAY						WUC 00			TI MANHOURS			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 138				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS E	DATE 30 Dec 20	NO 1	TIME 00:00	PID Generated, Com		DATE 18 Jan 21	TIME 00:00	ACFT HRS 5274.5		ROUNDS		ACTION CODE		WUC 00
FAULTS/REMARKS INSP E125 KY-58 PMCS/OPNL CHECK FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 17 JAN 2021 REFERENCE: TM 11-5810-262-23								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON JAN 18 2021 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT								
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS X		SYS A	DATE 30 Dec 20	NO 1	TIME 15:10	PID Ziegler, Luke		DATE 15 Mar 21	TIME 15:30	ACFT HRS 5274.5		ROUNDS		ACTION CODE A		WUC 15C01
FAULTS/REMARKS APU FUEL CONTROL ASSY FUEL PUMP S/N 2873-592 REMOVED FOR CE TO ACFT 8624511,CE # WYDDC0364001								ACTION REPLACED FUEL CONTROL ASSY								
ACFT HRS 5274.5		WHEN DISC K	HOW REC G	MAL EFF 1				Ziegler, L	F	2.0						
DELAY				WUC 15C				TIPIID Martin, Joel				TI MANHOURS 0.1				
STATUS —		SYS E	DATE 11 Jan 21	NO 1	TIME 00:01	PID Generated, Com		DATE 30 Jan 21	TIME 00:00	ACFT HRS 5274.5		ROUNDS		ACTION CODE		WUC 00
FAULTS/REMARKS INSP E040 APR-39 RADAR/LASER WARNING OPNL CHECK, 5841-01-236-8951 FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 29 JAN 2021 REFERENCE: TM 11-5841-294-12								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON JAN 30 2021 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT								
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 00				TIPIID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 139			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS A	DATE 20 Jan 21	NO 1	TIME 15:08	PID Generated, Cor		DATE 26 Jan 21	TIME 14:53	ACFT HRS 5274.5					
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-21-ASAM-02 DESCRIPTION: COMPLY WITH H-60-21-ASAM-02, BREEZE EASTERN HOIST PENDANT ASSEMBLY SHOULDER SCREW, BY 04 MAR 2021. IS DUE: 04 MAR 2021 CALENDAR								ACTION COMP							
ACFT HRS 5274.5								WHEN DISC	O	HOW REC	O	MAL EFF	1		
DELAY				WUC 00				TIPIID TUTHEROW, MICHAEL				TI MANHOURS 0.1			
STATUS —		SYS A	DATE 21 Jan 21	NO 1	TIME 00:01	PID Generated, Com		DATE 21 Feb 21	TIME 00:01	ACFT HRS 5274.5					
FAULTS/REMARKS INSP A534 FIRST AID KIT INSPECTION FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 22 MAR 2021 REFERENCE: TM 1-1500-204-23-1								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON FEB 21 2021 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
ACFT HRS 5274.5								WHEN DISC	O	HOW REC	O	MAL EFF	1		
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
STATUS X		SYS A	DATE 21 Jan 21	NO 3	TIME 10:45	PID Phillips, Ethan		DATE 21 Jan 21	TIME 10:57	ACFT HRS 5274.5					
FAULTS/REMARKS ASSY, PILOTS RELAY BRACKET SN:0190 RMVD FOR CE WITH AFCT 9126348. CE#WYDDCO021001								ACTION REPLACED WITH BAD PART FROM AFCT 348. SN:0247							
ACFT HRS 5274.5								WHEN DISC	K	HOW REC	G	MAL EFF	1		
DELAY				WUC 00				TIPIID LLOYD, JUSTIN				TI MANHOURS 0.1			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A			3. DATE			4. PAGE 140							
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION											
STATUS X		SYS A	DATE 26 Jan 21	NO 1	TIME 13:35	PID Rowe, Steven			DATE 26 Jan 21	TIME 14:53	ACFT HRS 5274.5						
FAULTS/REMARKS (IN-PROCESS) SAFETY MESSAGE NUMBER: H-60-21-ASAM-02 DESCRIPTION: COMPLY WITH H-60-21-ASAM-02, BREEZE EASTERN HOIST ASSEMBLY SHOULDER SCREW, BY 04 MAR 2021 FOR CONTROLLER, ACFT CAGE: 08484 PN: CP-1100-2 NSN: 1680015028652 SN: 1161A IS DUE: 04 MAR 2021 CALENDAR						ACTION COMP											
ACFT HRS 5274.5						WHEN DISC B	HOW REC G	MAL EFF 2	PID Rowe, S.	CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS
DELAY						WUC 02			TIPIID TUTHEROW, MICHAEL			TI MANHOURS 0.1					
STATUS X		SYS H	DATE 26 Jan 21	NO 1	TIME 15:33	PID TUTHEROW, MIK			DATE 26 Jan 21	TIME 15:35	ACFT HRS 5274.5						
FAULTS/REMARKS Hoist pendant thumb wheels sticks and does not roll smoothly						ACTION entered in error											
ACFT HRS 5274.5						WHEN DISC B	HOW REC K	MAL EFF 1	PID ANDERS, B	CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS
DELAY						WUC 14			TIPIID TUTHEROW, MICHAEL			TI MANHOURS 0.1					
STATUS —		SYS A	DATE 28 Jan 21	NO 1	TIME 00:00	PID Generated, Com			DATE 30 Mar 21	TIME 00:01	ACFT HRS 5274.5						
FAULTS/REMARKS INSP A550 REPLACE IVHMU AA LITHIUM BATTERY FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 29 MAR 2021 REFERENCE: AWR1346R25/AWR1823R6						ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON MAR 30 2021 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT											
ACFT HRS 5274.5						WHEN DISC O	HOW REC O	MAL EFF 1	PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY						WUC 00			TIPIID ,			TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 141			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS A	DATE 30 Jan 21	NO 1	TIME 00:00	PID Generated, Cor		DATE 01 Apr 21	TIME 00:01	ACFT HRS 5274.5					
FAULTS/REMARKS INSP A675 FLIGHT CONTROL RODS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 31 MAR 2021 REFERENCE: TM 1-1520-237-23&P								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON APR 1 2021 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
ACFT HRS 5274.5								WHEN DISC	O	HOW REC	O	MAL EFF 1			
DELAY								WUC 00				TI MANHOURS			
STATUS —		SYS A	DATE 30 Jan 21	NO 2	TIME 00:00	PID Generated, Com		DATE 01 Apr 21	TIME 00:01	ACFT HRS 5274.5					
FAULTS/REMARKS INSP A673 FUEL CELL CORROSION INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 31 MAR 2021 REFERENCE: TM 1-1520-237-23&P								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON APR 1 2021 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
ACFT HRS 5274.5								WHEN DISC	O	HOW REC	O	MAL EFF 1			
DELAY								WUC 00				TI MANHOURS			
STATUS —		SYS A	DATE 30 Jan 21	NO 3	TIME 00:00	PID Generated, Com		DATE 01 Apr 21	TIME 00:01	ACFT HRS 5274.5					
FAULTS/REMARKS INSP A665 REPLACE FUEL CELL O-RING SEAL PN MS29513-215 FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 31 MAR 2021 REFERENCE: H-60-14-AMAM-18								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON APR 1 2021 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
ACFT HRS 5274.5								WHEN DISC	O	HOW REC	O	MAL EFF 1			
DELAY								WUC 00				TI MANHOURS			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 142			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —	 SYS A	DATE 30 Jan 21	NO 4	TIME 00:00	PID Generated, Cor			DATE 01 Apr 21	TIME 00:01	ACFT HRS 5274.5					
		WHEN DISC O	HOW REC O	MAL EFF 1				ROUNDS	ACTION CODE	WUC 00					
FAULTS/REMARKS INSP A670 CABIN TUB INSPECTION FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 01 MAR 2021 REFERENCE: TM 1-1520-237-23&P								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON APR 1 2021 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
			PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS				
ACFT HRS 5274.5															
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS —	 SYS A	DATE 31 Jan 21	NO 1	TIME 00:01	PID Generated, Com			DATE 02 Apr 21	TIME 00:01	ACFT HRS 5274.5					
		WHEN DISC O	HOW REC O	MAL EFF 1				ROUNDS	ACTION CODE	WUC 00					
FAULTS/REMARKS INSP A532 COMPASS SWING / RMI FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 01 APR 2021 REFERENCE: TM 1-1500-204-23-4								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON APR 2 2021 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
			PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS				
ACFT HRS 5274.5															
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS —	 SYS A	DATE 05 Feb 21	NO 1	TIME 08:21	PID Generated, Com			DATE 05 Feb 21	TIME 08:24	ACFT HRS 5274.5					
		WHEN DISC O	HOW REC O	MAL EFF 1				ROUNDS	ACTION CODE T	WUC 02					
FAULTS/REMARKS SAFETY MESSAGE NUMBER: GEN-21-AMAM-04 DESCRIPTION: COMPLY WITH GEN-21-AMAM-04, AN/AAR 57 CMWS ECU, CMWS DCDU DA FORM 2410 TRACKING REQUIREMENTS BY 04 JUNE 2021.. IS DUE: 04 JUN 2021 CALENDAR								ACTION COMP							
			PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS				
ACFT HRS 5274.5															
DELAY				WUC 00				TIPID BARBEE, ANDREW				TI MANHOURS 0.1			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 143			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS E	DATE 09 Feb 21	NO 1	TIME 00:01	PID Generated, Cor		DATE 18 Mar 21	TIME 00:00	ACFT HRS 5274.5					
FAULTS/REMARKS INSP E155 KY-58 BATTERY REPLACEMENT FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 17 MAR 2021 REFERENCE: TM 11-5810-262-23								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON MAR 18 2021 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
ACFT HRS 5274.5				WHEN DISC O	HOW REC O	MAL EFF 1		TIPID ,		TI MANHOURS					
DELAY	WUC 00														
STATUS —		SYS A	DATE 10 Feb 21	NO 1	TIME 00:01	PID Generated, Com		DATE 19 Mar 21	TIME 00:00	ACFT HRS 5274.5					
FAULTS/REMARKS INSP A501 MAIN ROTOR BLADE SPAR PRESSURE CHECK FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 18 MAR 2021 REFERENCE: TM 1-1520-237-23P								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON MAR 19 2021 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
ACFT HRS 5274.5				WHEN DISC O	HOW REC O	MAL EFF 1		TIPID ,		TI MANHOURS					
DELAY	WUC 00														
STATUS —		SYS A	DATE 11 Feb 21	NO 1	TIME 10:46	PID Generated, Com		DATE 11 Feb 21	TIME 10:49	ACFT HRS 5274.5					
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-21-AMAM-02 DESCRIPTION: COMPLY WITH H-60-21-AMAM-02, EXTERNAL HOIST CABLE SET SCREW INSTALL, BY 10 AUG 21.. IS DUE: 10 AUG 2021 CALENDAR								ACTION COMP							
ACFT HRS 5274.5				WHEN DISC O	HOW REC O	MAL EFF 1		TIPID BARBEE, ANDREW		TI MANHOURS 0.1					
DELAY	WUC 00														

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 144							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		SYS A		DATE 25 Feb 21		NO 1		TIME 07:22		PID Generated, Cor		DATE 25 Feb 21		TIME 07:26		ACFT HRS 5274.5			
B Closed												ROUNDS		ACTION CODE T		WUC 02			
FAULTS/REMARKS SAFETY MESSAGE NUMBER: GEN-21-AMAM-05 DESCRIPTION: COMPLY WITH GEN-21-AMAM-05, AN/AVR-2B LASER DETECTION SYSTEM DA FORM 2410 TRACKING REQUIREMENT, BY 23 JUNE 2021.. IS DUE: 23 JUN 2021 CALENDAR										ACTION COMP									
ACFT HRS 5274.5		WHEN DISC O		HOW REC O		MAL EFF 1		PID BARBEE, A		CAT F		HRS 0.1		PID		CAT		HRS	
DELAY				WUC 00				TIPIID BARBEE, ANDREW				TI MANHOURS 0.1							
STATUS —		SYS E		DATE 04 Mar 21		NO 1		TIME 00:00		PID Generated, Com		DATE 04 May 21		TIME 00:00		ACFT HRS 5274.5			
C Closed												ROUNDS		ACTION CODE		WUC 00			
FAULTS/REMARKS INSP E320 EMERGENCY LOCATOR TRANSMITTER G-SWITCH (EBC-406HM) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 03 MAY 2021 REFERENCE: AWR 1516 R12										ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON MAY 4 2021 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT									
ACFT HRS 5274.5		WHEN DISC O		HOW REC O		MAL EFF 1		PID		CAT		HRS		PID		CAT		HRS	
DELAY				WUC 00				TIPIID ,				TI MANHOURS							
STATUS —		SYS A		DATE 11 Mar 21		NO 2		TIME 14:00		PID Generated, Com		DATE 01 May 21		TIME 00:00		ACFT HRS 5274.5			
C Closed												ROUNDS		ACTION CODE		WUC 00			
FAULTS/REMARKS INSP A642 CARGO HOOK CARTRIDGE REPLACEMENT DODIC MJ21 FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 30 APR 2021 REFERENCE: TB 9-1300-385										ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON MAY 1 2021 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT									
ACFT HRS 5274.5		WHEN DISC O		HOW REC O		MAL EFF 1		PID		CAT		HRS		PID		CAT		HRS	
DELAY				WUC 00				TIPIID ,				TI MANHOURS							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8524402				2. MODEL UH-60A				3. DATE				4. PAGE 145				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —	 SYS A	DATE 15 Mar 21	NO 1	TIME 00:01	PID Generated, Cor			DATE 09 Apr 21	TIME 00:00	ACFT HRS 5274.5						
		ROUNDS	ACTION CODE			WUC 00										
FAULTS/REMARKS INSP A230 INSPECT BATTERY COMPARTMENT FOR CORROSION (SLAB) FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 08 APR 2021 REFERENCE: MWO 1-1520-237-50-77								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON APR 9 2021 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT								
ACFT HRS 5274.5		WHEN DISC O	HOW REC O	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —	 SYS A	DATE 23 Apr 21	NO 1	TIME 10:23	PID Generated, Com			DATE 23 Apr 21	TIME 10:27	ACFT HRS 5274.5						
		ROUNDS	ACTION CODE T			WUC 02										
FAULTS/REMARKS COMPLY WITH H-60-21-AMAM-04, FAST ROPE INSERION/ EXTRACTION SYSTEM (FRIES), BEFORE NEXT USE, BUT NOT TO EXCEED 20 MAY 2021								ACTION COMP								
ACFT HRS 5274.5		WHEN DISC O	HOW REC G	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —	 SYS A	DATE 23 Apr 21	NO 2	TIME 10:27	PID Generated, Com			DATE 23 Apr 21	TIME 10:27	ACFT HRS 5274.5						
		ROUNDS	ACTION CODE T			WUC 02										
FAULTS/REMARKS COMPLY WITH H-60-21-AMAM-04, FAST ROPE INSERION/ EXTRACTION SYSTEM (FRIES), BEFORE NEXT USE, BUT NOT TO EXCEED 20 MAY 2021								ACTION COMP								
ACFT HRS 5274.5		WHEN DISC O	HOW REC G	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
ACFT HRS 5274.5		WHEN DISC O	HOW REC G	MAL EFF 1				PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY				WUC 00				TIPIID ,				TI MANHOURS				





DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD





For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. STATUS —		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 00:01	
		5. FAULT DATE 13 Apr 20		6. FAULT NUMBER 1			
7. FAULT INSP A117 TAIL GEARBOX OIL SAMPLE FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 12 JUN 2020 OR 5565.1 AIRCRAFT HOURS							
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH		
/	 RMVD TRGB COVER	REINSTALLED	FAUST, J. 3399191	F	0.1		
×	 RMVD CHIP DETECTOR	REINSTALLED	FAUST, J. 3399191	F	0.1		
—	 FOD CHECK REQ'D	COMP	FAUST, J. 3399191	F	0.1		
—	 TOOL INVENTORY REQ'D	COMP	FAUST, J. 3399191	F	0.1		

DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:01		
5. FAULT DATE 13 Apr 20		6. FAULT NUMBER 2			
7. FAULT INSP A116 INTERMEDIATE GEARBOX OIL SAMPLE FOR INTERMEDIATE GEARBOX CAGE: 78286 PN: 70357-06300-042 NSN: 1680010745152 SN: A005-01869 IS DUE. STATUS WILL UPGRADE TO X ON: 12 JUN 2020 OR 5563.6 AIRCRAFT HOURS					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
/ 	RMVD IGB COVER	REINSTALLED	FAUST, J. 3399191	F	0.1
× 	RMVD CHIP DETECTOR	REINSTALLED	FAUST, J. 3399191	F	0.1
— 	FOD CHECK REQ'D	COMP	FAUST, J. 3399191	F	0.1
— 	TOOL INVENTORY REQ'D	COMP	FAUST, J. 3399191	F	0.1














DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:01		
5. FAULT DATE 13 Apr 20		6. FAULT NUMBER 6			
7. FAULT INSP A538 FAT/OAT GAUGE INSPECTION/TEST FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 12 JUN 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
X	removed pilot and co-pilot fat gauges	reinstalled and tq to 30 in lbs.	Conversion,	F	0.5
—	toolbox inv req	completed	Conversion,	F	0.1
—	fod check req	completed	Conversion,	F	0.1

DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG








1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:00		
	5. FAULT DATE 30 Apr 20	6. FAULT NUMBER 1			
7. FAULT INSP A302 LUBRICATE MAIN LANDING GEAR WHEEL BEARINGS FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 29 JUN 2020 OR 5563.6 AIRCRAFT HOURS					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
× 	RMVD SFTY FROM AXLE	REPLACED R/H COTTER PIN	Conversion,	F	0.1
× 	RMVD HDWR SEC WHEEL TO AXLE	REPLACED TQ TO 540 IN LBS R/H	Conversion,	F	0.1
× 	RMVD OUTBOARD BEARING SEAL	REPLACED R/H	Conversion,	F	0.1
× 	RMVD OUTBOARD BEARING	REPLACED R/H	Conversion,	F	0.1
× 	RMVD WHEEL ASSEMBLY	REINST R/H	Conversion,	F	0.1
× 	RMVD INBOARD BEARING	REPLACED R/H	Conversion,	F	0.1
× 	RMVD INBOARD BEARING SEAL	REPLACED R/H	Conversion,	F	0.1
× 	DEFLATED TIRE TO 20PSI	INFLATED TO 140 PSI R/H	Conversion,	F	0.1
— 	FOD CK DUE	N/A	Conversion,	F	0.1
— 	TOOL INVENTORY DUE	N/A	Conversion,	F	0.1
× 	RMVD SFTY FROM AXLE	REPLACED L/H	Conversion,	F	0.1
× 	RMVD HDWR SEC WHEEL TO AXLE	REPLACED TQ TO 540 IN LBS L/H	Conversion,	F	0.1
× 	RMVD OUTBOARD BEARING SEAL	REPLACED L/H	Conversion,	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED













RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 00:00	
		5. FAULT DATE 30 Apr 20		6. FAULT NUMBER 1			
7. FAULT INSP A302 LUBRICATE MAIN LANDING GEAR WHEEL BEARINGS FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 29 JUN 2020 OR 5563.6 AIRCRAFT HOURS							
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH		
×	 RMVD OUTBOARD BEARING	REPLACED L/H	Conversion,	F	0.1		
×	 RMVD WHEEL ASSEMBLY	REINST L/H	Conversion,	F	0.1		
×	 RMVD INBOARD BEARING	REPLACED L/H	Conversion,	F	0.1		
×	 RMVD INBOARD BEARING SEAL	REPLACED	Conversion,	F	0.1		
×	 DEFLATED TIRE TO 20PSI	INFLATED TO 140 PSI L/H	Conversion,	F	0.1		
—	 FOD CK DUE	COMP	Conversion,	F	0.1		
—	 TOOL INVENTORY DUE	COMP	Conversion,	F	0.1		

DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:00		
5. FAULT DATE 30 Apr 20		6. FAULT NUMBER 2			
7. FAULT INSP A298 LUBRICATE TAIL WHEEL BEARINGS FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 29 JUN 2020 OR 5563.6 AIRCRAFT HOURS					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
X 	DEFLATED TAIL WHEEL TO 20PSI	INFLATED TO 125 PSI 2408-13-1 UPGRADED TO X SEE	Conversion,	F	0.1
X 	RMVD NUT FROM TAIL WHEEL AXLE	REPLACED TQ TO WP SPECIFICATIONS	Conversion,	F	0.1
X 	RMVD WASHER FROM TAIL WHEEL AXLE	REPLACED 2408-13-1 UPGRADED TO X SEE	Conversion,	F	0.1
X 	RMVD TAIL WHEEL AXLE FROM FORK	REINST 2408-13-1 UPGRADED TO X SEE	Conversion,	F	0.1
X 	RMVD SPACERS (2) FROM TAIL WHEEL	REINST 2408-13-1 UPGRADED TO X SEE	Conversion,	F	0.1
X 	RMVD BEARING SEALS (2) FROM TAIL WHEEL	REPLACED 2408-13-1 UPGRADED TO X SEE	Conversion,	F	0.1
X 	RMVD BEARINGS (2) FROM TAIL WHEEL	REPLACED 2408-13-1 UPGRADED TO X SEE	Conversion,	F	0.1
X 	RMVD TAIL LANDING GEAR WHEEL	REINST 2408-13-1 UPGRADED TO X SEE	Conversion,	F	0.1
— 	TAIL WHEEL BEARING INSP DUE	COMP 2408-13-1 UPGRADED TO X SEE	Conversion,	F	0.1
— 	TAIL WHEEL INSP DUE	COMP 2408-13-1 UPGRADED TO X SEE	Conversion,	F	0.1
— 	FOD CK DUE	COMP 2408-13-1 UPGRADED TO X SEE	Conversion,	F	0.1
— 	TOOL INVENTORY DUE	COMP 2408-13-1 UPGRADED TO X SEE	Conversion,	F	0.1

DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:00		
	5. FAULT DATE 01 May 20	6. FAULT NUMBER 1			
7. FAULT INSP A541 REPLACE DIGITAL CLOCK BATTERY FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 30 JUN 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	TOOL BOX INVENTORY DUE	COMP	Conversion,	F	0.1
—	FOD CHECK DUE	COMP	Conversion,	F	0.1
×	REMOVED SCREWS 4EA FROM PILOTS CLOCK	REINSTALLED	Conversion,	F	0.1
×	DISCONNECTED CONNECTOR FROM PILOTS CLOCK	RECONNECTED	Conversion,	F	0.1
×	REMOVED SCREW 1EA FROM PILOTS CLOCK COVER	REINSTALLED	Conversion,	F	0.1
×	REMOVED COVER FROM PILOTS CLOCK	REINSTALLED	Conversion,	F	0.1
×	REMOVED CLOCK FROM PILOTS INSTRUMENT PANEL	REINSTALLED	Conversion,	F	0.1
×	REMOVED BATTERY 2EA FROM PILOTS CLOCK	REPLACED	Conversion,	F	0.1
×	REMOVED SCREWS 4EA FROM CO-PILOTS CLOCK	REINSTALLED	Conversion,	F	0.1
×	DISCONNECTED CONNECTOR FROM CO-PILOTS CLOCK	RECONNECTED	Conversion,	F	0.1
×	REMOVED CO-PILOTS CLOCK FROM INSTRUMENT PANEL	REINSTALLED	Conversion,	F	0.1
×	REMOVED SCREW 1EA FROM CO-PILOTS CLOCK COVER	REINSTALLED	Conversion,	F	0.1
×	REMOVED COVER FROM CO-PILOTS CLOCK	REINSTALLED	Conversion,	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED














RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:00		
5. FAULT DATE 01 May 20		6. FAULT NUMBER 1			
7. FAULT INSP A541 REPLACE DIGITAL CLOCK BATTERY FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 30 JUN 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
X	REMOVED BATTERY 2EA FROM CO-PILOTS CLOCK	REPLACED	Conversion,	F	0.1














DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 00:01	
		5. FAULT DATE 16 May 20		6. FAULT NUMBER 1			
7. FAULT INSP A160 90 DAY CORROSION INSPECTION FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 03 JUN 2020							
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH		
—	 INSPECT AND PERFORM CORROSION PREVENTION ON COCKPIT EXTERIOR	COMP INSP OK	Conversion,	F	0.2		
—	 INSPECT COCKPIT INTERIOR	COMP INSP OK	Conversion,	F	0.2		
—	 INSPECT AND PERFORM CORROSION PREVENTION ON CABIN EXTERIOR	COMP INSP OK	Conversion,	F	0.2		
—	 INSPECT AND PERFORM CORROSION PREVENTION ON CABIN INTERIOR	COMP INSP OK	Conversion,	F	0.2		
/	 REMOVED SOUNDPROOFING	REINSTALLED	Conversion,	F	0.2		
—	 INSPECT AND PERFORM CORROSION PREVENTION ON TRANSITION --TAILCONE INTERIOR	COMP INSP OK	TWOMEY, D	F	0.2		
—	 INSPECT AND PERFORM CORROSION PREVENTION ON TAILCONE EXTERIOR	COMP INSP OK	TWOMEY, D	F	0.2		
—	 INSPECT AND PERFORM CORROSION PREVENTION ON TAIL PYLON	comp	DENNIS, T.	F	0.1		
/	 REMOVED I/G/B COVER	REINSTALLED	Conversion,	F	0.2		
/	 REMOVED T/R G/B COVER	REINSTALLED	DENNIS, T.	F	0.1		
—	 INSPECT AND PERFORM CORROSION PREVENTION ON M/R PYLON	comp	DENNIS, T.	F	0.4		
/	 OPENED TAIL ROTOR DRIVE SHAFT COVERS	CLOSED	DENNIS, T.	F	0.1		
×	 DISC FROMATION LIGHT CONN P402	RECONNECTED	DENNIS, T.	F	0.1		

DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG





1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:01		
	5. FAULT DATE 16 May 20	6. FAULT NUMBER 1			
7. FAULT INSP A160 90 DAY CORROSION INSPECTION FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 03 JUN 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
× 	REMOVED HDWR FROM REAR PYLON FAIRING	REINSTALLED	TWOMEY, D	F	0.3
× 	RMVD REAR PYLON FAIRING	REINSTALLED	DENNIS, T.	F	0.1
× 	REMOVED HDWR SEC APU PANEL TO ACFT	REINSTALLED	TWOMEY, D	F	0.4
× 	REMOVED HDWR SEC APU EXHAUST TO AIRFRAME	REPLACED TQED 53 IN LBS	DENNIS, T.	F	0.1
× 	REMOVED APU PANEL	REINSTALLED	DENNIS, T.	F	0.1
— 	INSPECT AND PERFORM CORROSION PREVENTION ON M/R SYSTEM	comp	DENNIS, T.	F	0.2
— 	INSPECT AND PERFORM CORROSION PREVENTION ON AFT M/R PYLON	COMP	DENNIS, T.	F	0.1
— 	INSPECT AND PERFORM CORROSION PREVENTION ON #1 ENGINE	comp	TWOMEY, D	F	0.1
— 	INSPECT AND PERFORM CORROSION PREVENTION ON #2 ENGINE	comp	TWOMEY, D	F	0.1
× 	DISC REAR PYLON IR LIGHT	RECONNECTED	DENNIS, T.	F	0.1
— 	INSPECT AND PERFORM CORROSION PREVENTION ON T/R PITCH BEAM	COMP	MONEY, D.	F	0.3
— 	TOOL BOX INVENTORY DUE	comp	DENNIS, T.	F	0.1
— 	FOD INSP DUE	comp	DENNIS, T.	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED






RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 00:01
	5. FAULT DATE 16 May 20		6. FAULT NUMBER 1		
7. FAULT INSP A160 90 DAY CORROSION INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 03 JUN 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	 INSPECT AND APPLY CPC TO LOWER STABILATOR ACTUATOR CLEVIS AND JAMNUT.	COMP	MONEY, D.	F	0.2
×	 RMVD HDWR SECURING R/H TAILCONE ACCESS PANEL	REINSTALLED	TWOMEY, D	F	0.2
×	 RMVD R/H TAILCONE ACCESS PANEL	REINSTALLED	TWOMEY, D	F	0.2
×	 removed rh fuel enclosure panel	reinstalled	DENNIS, T.	F	0.2

DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:00		
	5. FAULT DATE 25 May 20	6. FAULT NUMBER 1			
7. FAULT INSP A115 LUBE REQUIRMENTS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 31 MAY 2020 OR 5232.7 AIRCRAFT HOURS					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	 REMOVED R/H TAIL CONE ACCESS PANEL	REINSTALLED 2408-13-1 UPGRADED TO X SEE	Conversion,	F	0.1
×	 REMOVED R/H MLG STRUT PANEL	REINSTALLED 2408-13-1 UPGRADED TO X SEE	Conversion,	F	0.2
×	 REMOVED L/H MLG STRUT PANEL	REINSTALLED 2408-13-1 UPGRADED TO X SEE	Conversion,	F	0.2
—	 FOD CHECK REQ	COMP 2408-13-1 UPGRADED TO X SEE	Conversion,	F	0.1
—	 TOOLBOX INV REQ	COMP 2408-13-1 UPGRADED TO X SEE	Conversion,	F	0.1

DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG







1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:00		
	5. FAULT DATE 26 May 20	6. FAULT NUMBER 1			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 29 MAY 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	INSP AREA #1	comp	BROWN, L.	F	0.1
—	INSP AREA #2	comp	BROWN, L.	F	0.1
—	INSP AREA #3	comp	BROWN, L.	F	0.1
—	INSP AREA #4	comp	BROWN, L.	F	0.1
—	INSP AREA #5	comp	BROWN, L.	F	0.2
—	INSP AREA #6	comp	BROWN, L.	F	0.1
/	RMVD T/R G/B CVR	reinstalled	BROWN, L.	F	0.1
/	RMVD I/G/B CVR	reinstalled	BROWN, L.	F	0.1
—	INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)	N/A	Barnes, J.	F	0.1
—	INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)	N/A	Barnes, J.	F	0.1
—	**** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS	N/A	Barnes, J.	F	0.1
—	****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS	N/A	Barnes, J.	F	0.1
—	****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INPECT THE EXTERNAL/	N/A	Barnes, J.	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:00		
5. FAULT DATE 26 May 20		6. FAULT NUMBER 1			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 29 MAY 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	 ****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	N/A	Barnes, J.	F	0.1
—	 ****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	N/A	Barnes, J.	F	0.1
—	 TOOL BOX INVENTORY DUE	comp	BROWN, L.	F	0.1
—	 FOD INSP DUE	comp	BROWN, L.	F	0.1
/	 DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	comp	Barnes, J.	F	0.2
—	 COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	comp	BROWN, L.	F	0.1

DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS X	2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 00:01
	5. FAULT DATE 01 Jun 20		6. FAULT NUMBER 1		
7. FAULT INSP A115 LUBE REQUIRMENTS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 WAS DUE. STATUS UPGRADED TO X ON: 31 MAY 2020 OR 5232.7 AIRCRAFT HOURS					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
X	REMOVED R/H TAIL CONE ACCESS PANEL	REINSTALLED	Conversion,	F	0.1
X	REMOVED R/H MLG STRUT PANEL	REINSTALLED	Conversion,	F	0.2
X	REMOVED L/H MLG STRUT PANEL	REINSTALLED	Conversion,	F	0.2
—	FOD CHECK REQ	COMP	Conversion,	F	0.1
—	TOOLBOX INV REQ	COMP	Conversion,	F	0.1







DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 10:38	
		5. FAULT DATE 02 Jun 20		6. FAULT NUMBER 2			
7. FAULT PMD DUE							
8. STA	9. RELATED MAINTENANCE ACTIONS			10. ACTION	11. PID	12. CAT	13. MMH
—	INSP AREA #1			comp	Conversion,	F	0.2
—	INSP AREA #2			comp	Conversion,	F	0.2
—	INSP AREA #3			comp	DENNIS, T.	F	0.1
—	INSP AREA #4			comp	DENNIS, T.	F	0.1
—	INSP AREA #5			comp	MONEY, D.	F	0.1
—	INSP AREA #6			comp	DENNIS, T.	F	0.1
/	RMVD T/R G/B CVR			reinstalled	DENNIS, T.	F	0.1
/	RMVD I/G/B CVR			reinstalled	DENNIS, T.	F	0.1
—	INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)			n.a	DENNIS, T.	F	0.1
—	INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)			n.a	DENNIS, T.	F	0.1
—	**** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS			n.a	DENNIS, T.	F	0.1
—	****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS			n.a	DENNIS, T.	F	0.1
—	****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INPECT THE EXTERNAL/			n.a	DENNIS, T.	F	0.1





DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 10:38		
5. FAULT DATE 02 Jun 20		6. FAULT NUMBER 2			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	 ****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	n.a	DENNIS, T.	F	0.1
—	 ****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	n.a	DENNIS, T.	F	0.1
—	 TOOL BOX INVENTORY DUE	comp	DENNIS, T.	F	0.1
—	 FOD INSP DUE	comp	DENNIS, T.	F	0.1
/	 DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	comp	DENNIS, T.	F	0.1
—	 COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	comp	DENNIS, T.	F	0.1









DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 10:54	
		5. FAULT DATE 02 Jun 20		6. FAULT NUMBER 4			
7. FAULT (IN-PROCESS) R/H FLYSWATTER NUTPLATE REQUIRES REPLACEMENT							
8. STA	9. RELATED MAINTENANCE ACTIONS		10. ACTION	11. PID	12. CAT	13. MMH	
×		RMVD HDWR SECURING R/H FLYSWATTER TO ACFT	REPLACED	TWOMEY, D	F	0.2	
×		RMVD R/H FLYSWATTER FROM ACFT	REINSTALLED	TWOMEY, D	F	0.2	
—		TOOL BOX INVENTORY DUE	comp	Conversion,	F	0.2	
—		FOD CHECK DUE	comp	Conversion,	F	0.2	














DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS /		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 13:50	
		5. FAULT DATE 02 Jun 20		6. FAULT NUMBER 7			
7. FAULT R/H FLYSWATTER NUTPLATE REQUIRES REPLACEMENT							
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH		
×	 RMVD 2 EA RIVETS	REPLACED	VANG, C.	F	1.0		
×	 RMVD BROKEN NUTPLATE	REPLACED	VANG, C.	F	0.2		
—	 FOD CHECK REQ	COMP.	VANG, C.	F	0.2		
—	 TOOL INV CHECK REQ	COMP.	VANG, C.	F	0.2		
×	 RMVD HDWR SECURING FLYSWATTER TO ACFT	REPLACED	TWOMEY, D	F	0.2		
×	 RMVD R/H FLYSWATTER FROM ACFT	REINSTALLED	TWOMEY, D	F	0.2		
—	 TOOL BOX INVENTORY DUE	COMP	TWOMEY, D	F	0.1		
—	 FOD CHECK DUE	COMP	TWOMEY, D	F	0.1		

DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 07:11	
		5. FAULT DATE 05 Jun 20		6. FAULT NUMBER 2			
7. FAULT INSPECTION MANUALLY GENERATED ON 05 JUN 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 09 JUN 2020							
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH		
—	INSP AREA #1	comp	DUNCAN, J.	F	0.1		
—	INSP AREA #2	comp	DUNCAN, J.	F	0.1		
—	INSP AREA #3	comp	DUNCAN, J.	F	0.1		
—	INSP AREA #4	comp	DUNCAN, J.	F	0.1		
—	INSP AREA #5	comp	DUNCAN, J.	F	0.1		
—	INSP AREA #6	comp	DUNCAN, J.	F	0.1		
/	RMVD T/R G/B CVR	reinstalled	DUNCAN, J.	F	0.1		
/	RMVD I/G/B CVR	reinstalled	DUNCAN, J.	F	0.1		
—	INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)	na	DUNCAN, J.	F	0.1		
—	INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)	na	DUNCAN, J.	F	0.1		
—	**** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS	na	DUNCAN, J.	F	0.1		
—	****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS	na	DUNCAN, J.	F	0.1		
—	****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INPECT THE EXTERNAL/	na	DUNCAN, J.	F	0.1		














DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 07:11		
	5. FAULT DATE 05 Jun 20	6. FAULT NUMBER 2			
7. FAULT INSPECTION MANUALLY GENERATED ON 05 JUN 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 09 JUN 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	na	DUNCAN, J.	F	0.1
—	****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	na	DUNCAN, J.	F	0.1
—	TOOL BOX INVENTORY DUE	comp	DUNCAN, J.	F	0.1
—	FOD INSP DUE	comp	DUNCAN, J.	F	0.1
/	DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	comp	DUNCAN, J.	F	0.1
—	COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	comp	DUNCAN, J.	F	0.1







DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 00:01	
		5. FAULT DATE 09 Jun 20		6. FAULT NUMBER 1			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 12 JUN 2020							
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH		
—	 INSP AREA #1	COMP	Barnes, J.	F	0.1		
—	 INSP AREA #2	COMP	Barnes, J.	F	0.1		
—	 INSP AREA #3	COMP	Barnes, J.	F	0.1		
—	 INSP AREA #4	COMP	Barnes, J.	F	0.1		
—	 INSP AREA #5	COMP	BROWN, L.	F	0.1		
—	 INSP AREA #6	COMP	Barnes, J.	F	0.1		
/	 RMVD T/R G/B CVR	REINST	BROWN, L.	F	0.1		
/	 RMVD I/G/B CVR	REINST	BROWN, L.	F	0.1		
—	 INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)	N/A	Barnes, J.	F	0.1		
—	 INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)	N/A	Barnes, J.	F	0.1		
—	 **** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS	N/A	Barnes, J.	F	0.1		
—	 ****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS	N/A	Barnes, J.	F	0.1		
—	 ****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INPECT THE EXTERNAL/	N/A	Barnes, J.	F	0.1		

DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:01		
5. FAULT DATE 09 Jun 20		6. FAULT NUMBER 1			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 12 JUN 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	 ****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	N/A	Barnes, J.	F	0.1
—	 ****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	N/A	Barnes, J.	F	0.1
—	 TOOL BOX INVENTORY DUE	COMP	Barnes, J.	F	0.1
—	 FOD INSP DUE	COMP	Barnes, J.	F	0.1
/	 DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	COMP	Barnes, J.	F	0.1
—	 COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	COMP	Barnes, J.	F	0.1







DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 00:01	
		5. FAULT DATE 15 Jun 20		6. FAULT NUMBER 1			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 18 JUN 2020							
8. STA	9. RELATED MAINTENANCE ACTIONS			10. ACTION	11. PID	12. CAT	13. MMH
—	INSP AREA #1			COMP	TWOMEY, D	F	0.2
—	INSP AREA #2			COMP	Conversion,	F	0.2
—	INSP AREA #3			COMP	Conversion,	F	0.2
—	INSP AREA #4			COMP	Conversion,	F	0.2
—	INSP AREA #5			COMP	Conversion,	F	0.2
—	INSP AREA #6			COMP	TWOMEY, D	F	0.2
/	RMVD T/R G/B CVR			REINSTALLED	Conversion,	F	0.2
/	RMVD I/G/B CVR			REINSTALLED	Conversion,	F	0.2
—	INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)			NA	Conversion,	F	0.2
—	INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)			NA	Conversion,	F	0.2
—	**** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS			NA	Conversion,	F	0.2
—	****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS			NA	Conversion,	F	0.2
—	****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INPECT THE EXTERNAL/			NA	Conversion,	F	0.2




DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:01		
5. FAULT DATE 15 Jun 20		6. FAULT NUMBER 1			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 18 JUN 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	 ****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	NA	Conversion,	F	0.2
—	 ****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	NA	Conversion,	F	0.2
—	 TOOL BOX INVENTORY DUE	COMP	Conversion,	F	0.2
—	 FOD INSP DUE	COMP	Conversion,	F	0.2
/	 DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	COMP	Conversion,	F	0.2
—	 COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	COMP	Conversion,	F	0.2














DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE H	4. TIME 10:44		
5. FAULT DATE 15 Jun 20		6. FAULT NUMBER 1			
7. FAULT INSPECTION MANUALLY GENERATED ON 15 JUN 2020. INSP H810 CONDUCT HOIST OPERATIONAL CHECK IAW H-60-19-AMAM-01 ADDENDUM 1 (UPDATE) FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO Y ON F2421 AIRCRAFT HOURS ON 22 JUN 2020.					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
X 	RMVD METER COVER HDWR	REINSTALLED	TWOMEY, D	F	0.1
X 	RMVD METER COVER	REINSTALLED	TWOMEY, D	F	0.1
— 	TOOLBOX INVENTORY AND FOD CHECK REQ	COMP	TWOMEY, D	F	0.1

DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 07:18	
		5. FAULT DATE 19 Jun 20		6. FAULT NUMBER 2			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 22 JUN 2020							
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH		
—	INSP AREA #1	COMP	Conversion,	F	0.2		
—	INSP AREA #2	COMP	Conversion,	F	0.2		
—	INSP AREA #3	COMP	Conversion,	F	0.2		
—	INSP AREA #4	COMP	Conversion,	F	0.2		
—	INSP AREA #5	COMP	Conversion,	F	0.2		
—	INSP AREA #6	COMP	Conversion,	F	0.2		
/	RMVD T/R G/B CVR	REINSTALLED	Conversion,	F	0.2		
/	RMVD I/G/B CVR	REINSTALLED	Conversion,	F	0.2		
—	INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)	NA	Conversion,	F	0.2		
—	INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)	NA	Conversion,	F	0.2		
—	**** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS	NA	Conversion,	F	0.2		
—	****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS	NA	Conversion,	F	0.2		
—	****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INPECT THE EXTERNAL/	NA	Conversion,	F	0.2		














DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 07:18		
	5. FAULT DATE 19 Jun 20	6. FAULT NUMBER 2			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 22 JUN 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	NA	Conversion,	F	0.2
—	****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	NA	Conversion,	F	0.2
—	TOOL BOX INVENTORY DUE	COMP	Conversion,	F	0.2
—	FOD INSP DUE	COMP	Conversion,	F	0.2
/	DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	COMP	Conversion,	F	0.2
—	COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	COMP	Conversion,	F	0.2







DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 00:00	
		5. FAULT DATE 23 Jun 20		6. FAULT NUMBER 1			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 26 JUN 2020							
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH		
—	 INSP AREA #1	completed	Moore, S.	F	0.2		
—	 INSP AREA #2	completed	Moore, S.	F	0.2		
—	 INSP AREA #3	completed	Moore, S.	F	0.2		
—	 INSP AREA #4	completed	Moore, S.	F	0.2		
—	 INSP AREA #5	completed	Moore, S.	F	0.2		
—	 INSP AREA #6	completed	Conversion,	F	0.5		
/	 RMVD T/R G/B CVR	reinstalled	Moore, S.	F	0.1		
/	 RMVD I/G/B CVR	reinstalled	Conversion,	F	0.1		
—	 INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)	n/a	Moore, S.	F	0.1		
—	 INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)	n/a	Moore, S.	F	0.1		
—	 **** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS	n/a	Moore, S.	F	0.1		
—	 ****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS	n/a	Moore, S.	F	0.1		
—	 ****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INPECT THE EXTERNAL/	n/a	Moore, S.	F	0.1		







DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:00		
5. FAULT DATE 23 Jun 20		6. FAULT NUMBER 1			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 26 JUN 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	 ****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	n/a	Moore, S.	F	0.1
—	 ****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	n/a	Moore, S.	F	0.1
—	 TOOL BOX INVENTORY DUE	completed	Conversion,	F	0.1
—	 FOD INSP DUE	completed	Moore, S.	F	0.1
/	 DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	completed	Conversion,	F	0.2
—	 COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	completed	Moore, S.	F	0.1














DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 13:13		
5. FAULT DATE 24 Jun 20		6. FAULT NUMBER 3			
7. FAULT ROTOR INDICATION CHANGES RAPIDLY WITH LOW ROTOR AUDIO COMING ON BRIEFLY.					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	 DISC 6 ELEC CONNECTORS FROM HYDRO DECK JUNCTION BOX	CPCED AND RECONNECTED	Conversion,	F	0.1
×	 DISC ELEC CONNECTOR FROM NR SENSOR	CPCED, RECONNECTED	Conversion,	F	0.1
×	 DISC ELEC CONNECTOR AUDIO WARNING BOX	CPCED RECONNECTED	Conversion,	F	0.1
/	 RMVD SLIDEING MAIN ROTOR PYLON COVER	REINSTALLED	Conversion,	F	0.1
—	 TOOLBOX INV REQ	COMP	Conversion,	F	0.1
—	 FOD CHECK REQ	COMP	Conversion,	F	0.1







DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 07:11	
		5. FAULT DATE 25 Jun 20		6. FAULT NUMBER 2			
7. FAULT INSPECTION MANUALLY GENERATED ON 25 JUN 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 30 JUN 2020							
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH		
—	 INSP AREA #1	completed	Moore, S.	F	0.2		
—	 INSP AREA #2	completed	Moore, S.	F	0.2		
—	 INSP AREA #3	completed	Moore, S.	F	0.2		
—	 INSP AREA #4	completed	Moore, S.	F	0.3		
—	 INSP AREA #5	completed	Barnes, J.	F	0.2		
—	 INSP AREA #6	completed	Conversion,	F	0.3		
/	 RMVD T/R G/B CVR	reinstalled	Barnes, J.	F	0.2		
/	 RMVD I/G/B CVR	reinstalled	Barnes, J.	F	0.2		
—	 INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)	N/A	Barnes, J.	F	0.1		
—	 INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)	N/A	Barnes, J.	F	0.1		
—	 **** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS	N/A	Barnes, J.	F	0.1		
—	 ****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS	N/A	Barnes, J.	F	0.1		
—	 ****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INPECT THE EXTERNAL/	N/A	Barnes, J.	F	0.1		

DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 07:11		
	5. FAULT DATE 25 Jun 20	6. FAULT NUMBER 2			
7. FAULT INSPECTION MANUALLY GENERATED ON 25 JUN 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 30 JUN 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	 ****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	N/A	Barnes, J.	F	0.1
—	 ****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	N/A	Barnes, J.	F	0.1
—	 TOOL BOX INVENTORY DUE	completed	Barnes, J.	F	0.1
—	 FOD INSP DUE	completed	Barnes, J.	F	0.1
/	 DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	completed	Barnes, J.	F	0.1
—	 COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	completed	Conversion,	F	0.1













DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS /		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 16:47	
		5. FAULT DATE 25 Jun 20		6. FAULT NUMBER 6			
7. FAULT IVHUMMS CARD EJECT BUTTON BROKEN							
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH		
—	TOOL BOX INVERTORY REQ	COMP	Chavis, C.	F	0.2		
—	FOD CHECK REQ	COMP	Chavis, C.	F	0.2		
×	LOOSNED 4 FASTENERS FROM DTU	TIGHTENED	Chavis, C.	F	0.2		
×	DISCONNECTED P1344R FROM DTU	RECONNECTED	Chavis, C.	F	0.1		
×	REMOVED DTU FROM CENTER CONSOLE	REPLACED SN 10081872 WITH SN 18090587	Chavis, C.	F	0.2		







DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 16:51	
		5. FAULT DATE 25 Jun 20		6. FAULT NUMBER 8			
7. FAULT INSPECTION MANUALLY GENERATED ON 25 JUN 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 02 JUL 2020							
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH		
—	 INSP AREA #1	INSP OK	Conversion,	F	0.1		
—	 INSP AREA #2	INSP OK	Conversion,	F	0.1		
—	 INSP AREA #3	INSP OK	Conversion,	F	0.1		
—	 INSP AREA #4	INSP OK	Conversion,	F	0.1		
—	 INSP AREA #5	INSP OK	Conversion,	F	0.1		
—	 INSP AREA #6	INSP OK	Conversion,	F	0.1		
/	 RMVD T/R G/B CVR	REINSTALLED	Conversion,	F	0.1		
/	 RMVD I/G/B CVR	REINSTALLED	Conversion,	F	0.1		
—	 INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)	NA	Conversion,	F	0.1		
—	 INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)	NA	Conversion,	F	0.1		
—	 **** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS	NA	Conversion,	F	0.1		
—	 ****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS	NA	Conversion,	F	0.1		
—	 ****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INPECT THE EXTERNAL/	NA	Conversion,	F	0.1		






DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 16:51		
	5. FAULT DATE 25 Jun 20	6. FAULT NUMBER 8			
7. FAULT INSPECTION MANUALLY GENERATED ON 25 JUN 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 02 JUL 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	 ****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	NA	Conversion,	F	0.1
—	 ****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	NA	Conversion,	F	0.1
—	 TOOL BOX INVENTORY DUE	COMP	Conversion,	F	0.1
—	 FOD INSP DUE	COMP	Conversion,	F	0.1
/	 DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	COMP	Conversion,	F	0.1
—	 COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	COMP	Conversion,	F	0.1

DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 10:33		
5. FAULT DATE 26 Jun 20		6. FAULT NUMBER 2			
7. FAULT INSPECTION MANUALLY GENERATED ON 26 JUN 2020. INSP A115 LUBE REQUIRMENTS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5247.4 AIRCRAFT HOURS OR 04 JUL 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
× 	RMVD HDWR AND L/H UPPER STRUT PNL	REINSTALLED	Conversion,	F	0.1
× 	RMVD HDWR AND R/H UPPER STRUT PNL	REINSTALLED	SMITH, D.	F	0.1
× 	RMVD HDWR AND R/H TAIL CONE PNL	REINSTALLED	SMITH, D.	F	0.1
— 	FOD CHECK REQ	COMP	Conversion,	F	0.1
— 	TOOLBOX INV REQ	COMP	Conversion,	F	0.1







DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 00:00	
		5. FAULT DATE 29 Jun 20		6. FAULT NUMBER 1			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 02 JUL 2020							
8. STA	9. RELATED MAINTENANCE ACTIONS			10. ACTION	11. PID	12. CAT	13. MMH
—	INSP AREA #1			COMP	Conversion,	F	0.1
—	INSP AREA #2			COMP	Conversion,	F	0.1
—	INSP AREA #3			COMP	Conversion,	F	0.1
—	INSP AREA #4			COMP	Conversion,	F	0.1
—	INSP AREA #5			COMP	Conversion,	F	0.1
—	INSP AREA #6			COMP	Conversion,	F	0.1
/	RMVD T/R G/B CVR			REINST	Conversion,	F	0.1
/	RMVD I/G/B CVR			REINST	Conversion,	F	0.1
—	INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)			N/A	Conversion,	F	0.1
—	INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)			N/A	Conversion,	F	0.1
—	**** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS			N/A	Conversion,	F	0.1
—	****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS			N/A	Conversion,	F	0.1
—	****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INPECT THE EXTERNAL/			N/A	Conversion,	F	0.1













DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:00		
5. FAULT DATE 29 Jun 20		6. FAULT NUMBER 1			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 02 JUL 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	 ****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	N/A	Conversion,	F	0.1
—	 ****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	N/A	Conversion,	F	0.1
—	 TOOL BOX INVENTORY DUE	COMP	Conversion,	F	0.1
—	 FOD INSP DUE	COMP	Conversion,	F	0.1
/	 DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	COMPP	Conversion,	F	0.1
—	 COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	COMP	Conversion,	F	0.1














DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS X	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:01		
5. FAULT DATE 30 Jun 20		6. FAULT NUMBER 1			
7. FAULT INSP A298 LUBRICATE TAIL WHEEL BEARINGS FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 WAS DUE. STATUS UPGRADED TO X ON: 29 JUN 2020 OR 5563.6 AIRCRAFT HOURS					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
X	 DEFLATED TAIL WHEEL TO 20PSI	INFLATED TO 125 PSI	Conversion,	F	0.1
X	 RMVD NUT FROM TAIL WHEEL AXLE	REPLACED TQ TO WP SPECIFICATIONS	Conversion,	F	0.1
X	 RMVD WASHER FROM TAIL WHEEL AXLE	REPLACED	Conversion,	F	0.1
X	 RMVD TAIL WHEEL AXLE FROM FORK	REINST	Conversion,	F	0.1
X	 RMVD SPACERS (2) FROM TAIL WHEEL	REINST	Conversion,	F	0.1
X	 RMVD BEARING SEALS (2) FROM TAIL WHEEL	REPLACED	Conversion,	F	0.1
X	 RMVD BEARINGS (2) FROM TAIL WHEEL	REPLACED	Conversion,	F	0.1
X	 RMVD TAIL LANDING GEAR WHEEL	REINST	Conversion,	F	0.1
—	 TAIL WHEEL BEARING INSP DUE	COMP	Conversion,	F	0.1
—	 TAIL WHEEL INSP DUE	COMP	Conversion,	F	0.1
—	 FOD CK DUE	COMP	Conversion,	F	0.1
—	 TOOL INVENTORY DUE	COMP	Conversion,	F	0.1







DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 07:38	
		5. FAULT DATE 01 Jul 20		6. FAULT NUMBER 1			
7. FAULT PMD DUE							
8. STA	9. RELATED MAINTENANCE ACTIONS			10. ACTION	11. PID	12. CAT	13. MMH
—		INSP AREA #1		COMP	Conversion,	F	0.1
—		INSP AREA #2		COMP	Conversion,	F	0.1
—		INSP AREA #3		COMP	Conversion,	F	0.1
—		INSP AREA #4		COMP	Conversion,	F	0.1
—		INSP AREA #5		COMP	Conversion,	F	0.1
—		INSP AREA #6		COMP	Conversion,	F	0.1
/		RMVD T/R G/B CVR		REINST	Conversion,	F	0.1
/		RMVD I/G/B CVR		REINST	Conversion,	F	0.1
—		INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)		N/A	Conversion,	F	0.1
—		INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)		N/A	Conversion,	F	0.1
—		**** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS		N/A	Conversion,	F	0.1
—		****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS		N/A	Conversion,	F	0.1
—		****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INPECT THE EXTERNAL/		N/A	Conversion,	F	0.1














DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 07:38		
5. FAULT DATE 01 Jul 20		6. FAULT NUMBER 1			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	 ****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	N/A	Conversion,	F	0.1
—	 ****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	N/A	Conversion,	F	0.1
—	 TOOL BOX INVENTORY DUE	COMP	Conversion,	F	0.1
—	 FOD INSP DUE	COMP	Conversion,	F	0.1
/	 DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	COMP	Conversion,	F	0.1
—	 COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	COMP	Conversion,	F	0.1







DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 07:09	
		5. FAULT DATE 02 Jul 20		6. FAULT NUMBER 1			
7. FAULT INSPECTION MANUALLY GENERATED ON 02 JUL 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 08 JUL 2020							
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH		
—	INSP AREA #1	COMP	Conversion,	F	0.1		
—	INSP AREA #2	COMP	Conversion,	F	0.1		
—	INSP AREA #3	COMP	Conversion,	F	0.1		
—	INSP AREA #4	COMPP	Conversion,	F	0.1		
—	INSP AREA #5	COMP	Conversion,	F	0.1		
—	INSP AREA #6	COMP	Conversion,	F	0.1		
/	RMVD T/R G/B CVR	REINST	Conversion,	F	0.1		
/	RMVD I/G/B CVR	REINST	Conversion,	F	0.1		
—	INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)	N/A	Conversion,	F	0.1		
—	INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)	N/A	Conversion,	F	0.1		
—	**** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS	N/A	Conversion,	F	0.1		
—	****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS	N/A	Conversion,	F	0.1		
—	****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INSPECT THE EXTERNAL/	N/A	Conversion,	F	0.1		

DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 07:09		
	5. FAULT DATE 02 Jul 20	6. FAULT NUMBER 1			
7. FAULT INSPECTION MANUALLY GENERATED ON 02 JUL 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 08 JUL 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	 ****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	N/A	Conversion,	F	0.1
—	 ****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	N/A	Conversion,	F	0.1
—	 TOOL BOX INVENTORY DUE	COMP	Conversion,	F	0.1
—	 FOD INSP DUE	COMP	Conversion,	F	0.1
/	 DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	COMP	Conversion,	F	0.1
—	 COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	COMP	Conversion,	F	0.1

DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:01		
	5. FAULT DATE 06 Jul 20	6. FAULT NUMBER 1			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 09 JUL 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	INSP AREA #1	COMP	FAUST, J. 3399191	F	0.2
—	INSP AREA #2	COMP	FAUST, J. 3399191	F	0.2
—	INSP AREA #3	COMP	Conversion,	F	0.2
—	INSP AREA #4	COMP	Conversion,	F	0.2
—	INSP AREA #5	COMP	FAUST, J. 3399191	F	0.2
—	INSP AREA #6	COMP	Moore, S.	F	0.2
/	RMVD T/R G/B CVR	REINSTALLED	Conversion,	F	0.2
/	RMVD I/G/B CVR	REINSTALLED	FAUST, J. 3399191	F	0.2
—	INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)	NA	FAUST, J. 3399191	F	0.2
—	INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)	NA	Conversion,	F	0.2
—	**** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS	NA	Moore, S.	F	0.2
—	****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS	NA	FAUST, J. 3399191	F	0.2
—	****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INPECT THE EXTERNAL/	NA	Moore, S.	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:01		
5. FAULT DATE 06 Jul 20		6. FAULT NUMBER 1			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 09 JUL 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	NA	Conversion,	F	0.2
—	****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	NA	FAUST, J. 3399191	F	0.2
—	TOOL BOX INVENTORY DUE	COMP	Conversion,	F	0.2
—	FOD INSP DUE	COMP	Conversion,	F	0.2
/	DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	COMP	Conversion,	F	0.2
—	COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	COMP	Conversion,	F	0.2







DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:01		
5. FAULT DATE 13 Jul 20		6. FAULT NUMBER 2			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 16 JUL 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	INSP AREA #1	COMP	Moore, S.	F	0.1
—	INSP AREA #2	COMP	Moore, S.	F	0.1
—	INSP AREA #3	COMP	Moore, S.	F	0.1
—	INSP AREA #4	COMP	Moore, S.	F	0.1
—	INSP AREA #5	COMP	FAUST, J. 3399191	F	0.1
—	INSP AREA #6	COMP	Moore, S.	F	0.1
/	RMVD T/R G/B CVR	REINSTALLED	FAUST, J. 3399191	F	0.1
/	RMVD I/G/B CVR	REINSTALLED	FAUST, J. 3399191	F	0.1
—	INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)	N/A	Moore, S.	F	0.1
—	INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)	N/A	Moore, S.	F	0.1
—	**** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS	N/A	Moore, S.	F	0.1
—	****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS	N/A	Moore, S.	F	0.1
—	****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INPECT THE EXTERNAL/	N/A	Moore, S.	F	0.1














DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:01		
5. FAULT DATE 13 Jul 20		6. FAULT NUMBER 2			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 16 JUL 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	 ****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	N/A	Moore, S.	F	0.1
—	 ****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	N/A	Moore, S.	F	0.1
—	 TOOL BOX INVENTORY DUE	COMP	FAUST, J. 3399191	F	0.1
—	 FOD INSP DUE	COMP	FAUST, J. 3399191	F	0.1
/	 DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	COMP	Moore, S.	F	0.1
—	 COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	COMP	Moore, S.	F	0.1







DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 07:27	
		5. FAULT DATE 16 Jul 20		6. FAULT NUMBER 2			
7. FAULT PMD DUE							
8. STA	9. RELATED MAINTENANCE ACTIONS			10. ACTION	11. PID	12. CAT	13. MMH
—		INSP AREA #1		comp	Moore, S.	F	0.1
—		INSP AREA #2		comp	Moore, S.	F	0.1
—		INSP AREA #3		comp	FAUST, J. 3399191	F	0.1
—		INSP AREA #4		comp	FAUST, J. 3399191	F	0.1
—		INSP AREA #5		comp	Moore, S.	F	0.1
—		INSP AREA #6		comp	FAUST, J. 3399191	F	0.1
/		RMVD T/R G/B CVR		reinstalled	FAUST, J. 3399191	F	0.1
/		RMVD I/G/B CVR		reinstalled	FAUST, J. 3399191	F	0.1
—		INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)		n/a	Moore, S.	F	0.1
—		INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)		n/a	Moore, S.	F	0.1
—		**** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS		n/a	Moore, S.	F	0.1
—		****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS		n/a	Moore, S.	F	0.1
—		****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INSPECT THE EXTERNAL/		n/a	Moore, S.	F	0.1














DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 07:27		
5. FAULT DATE 16 Jul 20		6. FAULT NUMBER 2			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	 ****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	n/a	Moore, S.	F	0.1
—	 ****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	n/a	Moore, S.	F	0.1
—	 TOOL BOX INVENTORY DUE	comp	FAUST, J. 3399191	F	0.1
—	 FOD INSP DUE	comp	FAUST, J. 3399191	F	0.1
/	 DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	comp	Moore, S.	F	0.1
—	 COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	comp	Moore, S.	F	0.1










DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 22:19	
		5. FAULT DATE 16 Jul 20		6. FAULT NUMBER 5			
7. FAULT INSP A110 PMS 40 HOUR INSPECTION FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5240.6 AIRCRAFT HOURS							
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH		
×	 REMOVE L/H OR R/H TAIL CONE PANEL	reinstalled with L/H side with hdwr	TWOMEY, D	F	0.1		
×	 REMOVE FUEL CELL ENCLOSURE PANEL	reinstalled	TWOMEY, D	F	0.1		
×	 REMOVE APU FUEL CONTROL COVER	reinstalled	TWOMEY, D	F	0.1		
×	 REMOVE OIL COOLER ACCESS COVER	reinstalled with hdwr	TWOMEY, D	F	0.1		
×	 REMOVE ENGINE STARTER OIL CAPS	reinstalled	TWOMEY, D	F	0.1		
×	 REMOVE L/H MAIN LANDING GEAR UPPER STRUT PANELS	reinstalled	TWOMEY, D	F	0.1		
×	 REMOVE R/H MAIN LANDING GEAR UPPER STRUT PANELS	reinstalled	TWOMEY, D	F	0.1		
/	 REMOVE I/G/B COVER	reinstalled	DUNCAN, J.	F	0.1		
/	 REMOVE T/G/B COVER	reinstalled	DUNCAN, J.	F	0.1		
×	 OPEN PILOT'S AND CO-PILOT'S T/R BOOTS	closed	TWOMEY, D	F	0.1		
—	 STAB AMP COMP CHECK DUE	na	DUNCAN, J.	F	0.1		
—	 FOD INSP DUE	comp	DUNCAN, J.	F	0.1		
—	 TOOL BOX INVENTORY DUE	comp	DUNCAN, J.	F	0.1		














DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 22:19		
5. FAULT DATE 16 Jul 20		6. FAULT NUMBER 5			
7. FAULT INSP A110 PMS 40 HOUR INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5240.6 AIRCRAFT HOURS					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	 ATTACHED DIAL INDICATOR TO SWASHPLATE SCISSOR LINKS (RADIAL AND AXIAL)	Blk/red Spherical A: .15 R .01	TWOMEY, D	F	0.1
—	 BIFILAR WEIGHT INSP DUE	comp	TWOMEY, D	F	0.1
—	 DAMPER BEARING INSP DUE	comp	TWOMEY, D	F	0.1
—	 PC ROD BEARING INSP DUE	comp	DUNCAN, J.	F	0.1
—	 SWASHPLATE SCISSOR LINK INSP DUE	comp	DUNCAN, J.	F	0.1
×	 REMOVE R/H AND L/H STABILATOR ACESS COVERS (ROUND).	reinstalled with hdwr	TWOMEY, D	F	0.1
—	 INSP AND PAINT OF LEADING EDGE OF MR BLADES REQUIRED	na	DUNCAN, J.	F	0.1
—	 INSPECT M4 MOUNTS (IF INSTALLED) FOR DAMAGE AND AIRCRAFT STRUCTURAL DETERIORATION IAW	na	DUNCAN, J.	F	0.1
—	 INSPECT ICS BOX RELOCATION (IF INSTALLED) FOR DAMAGE AND AIRCRAFT STRUCTURAL	comp	DUNCAN, J.	F	0.1







DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 09:25	
		5. FAULT DATE 17 Jul 20		6. FAULT NUMBER 2			
7. FAULT PMD DUE							
8. STA	9. RELATED MAINTENANCE ACTIONS			10. ACTION	11. PID	12. CAT	13. MMH
—		INSP AREA #1		comp	Moore, S.	F	0.1
—		INSP AREA #2		comp	Moore, S.	F	0.1
—		INSP AREA #3		comp	Moore, S.	F	0.1
—		INSP AREA #4		comp	Moore, S.	F	0.1
—		INSP AREA #5		comp	Moore, S.	F	0.1
—		INSP AREA #6		comp	Moore, S.	F	0.1
/		RMVD T/R G/B CVR		reinstalled	Moore, S.	F	0.1
/		RMVD I/G/B CVR		reinstalled	Moore, S.	F	0.1
—		INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)		n/a	Moore, S.	F	0.1
—		INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)		n/a	Moore, S.	F	0.1
—		**** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS		n/a	Moore, S.	F	0.1
—		****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS		n/a	Moore, S.	F	0.1
—		****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INSPECT THE EXTERNAL/		n/a	Moore, S.	F	0.1














DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 09:25		
5. FAULT DATE 17 Jul 20		6. FAULT NUMBER 2			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	 ****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	n/a	Moore, S.	F	0.1
—	 ****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	n/a	Moore, S.	F	0.1
—	 TOOL BOX INVENTORY DUE	comp	Moore, S.	F	0.1
—	 FOD INSP DUE	comp	Moore, S.	F	0.1
/	 DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	comp	Moore, S.	F	0.1
—	 COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	comp	Moore, S.	F	0.1







DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 00:01	
		5. FAULT DATE 19 Jul 20		6. FAULT NUMBER 1			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 22 JUL 2020							
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH		
—	 INSP AREA #1	comp	DUNCAN, J.	F	0.1		
—	 INSP AREA #2	comp	DUNCAN, J.	F	0.1		
—	 INSP AREA #3	comp	DUNCAN, J.	F	0.1		
—	 INSP AREA #4	comp	DUNCAN, J.	F	0.1		
—	 INSP AREA #5	comp	DUNCAN, J.	F	0.1		
—	 INSP AREA #6	comp	DUNCAN, J.	F	0.1		
/	 RMVD T/R G/B CVR	reinstalled	DUNCAN, J.	F	0.1		
/	 RMVD I/G/B CVR	reinstalled	DUNCAN, J.	F	0.1		
—	 INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)	na	DUNCAN, J.	F	0.1		
—	 INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)	na	DUNCAN, J.	F	0.1		
—	 **** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS	na	DUNCAN, J.	F	0.1		
—	 ****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS	na	DUNCAN, J.	F	0.1		
—	 ****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INPECT THE EXTERNAL/	na	DUNCAN, J.	F	0.1		







DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:01		
5. FAULT DATE 19 Jul 20		6. FAULT NUMBER 1			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 22 JUL 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	 ****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	na	DUNCAN, J.	F	0.1
—	 ****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	na	DUNCAN, J.	F	0.1
—	 TOOL BOX INVENTORY DUE	comp	DUNCAN, J.	F	0.1
—	 FOD INSP DUE	comp	DUNCAN, J.	F	0.1
/	 DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	na	DUNCAN, J.	F	0.1
—	 COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	comp	DUNCAN, J.	F	0.1














DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS /	2. SERIAL NUMBER 8524402	3. SYSTEM CODE E	4. TIME 23:35		
5. FAULT DATE 21 Jul 20		6. FAULT NUMBER 3			
7. FAULT Number one needle was in the parked position for the entire flight with GPS on. I tried turning it off and turning it on again but the needle would not move.					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
X 	DISC 3EA CONNECTORS FROM DOPPLER/GPS CDU	RECONNECTED	Lyons, C.	F	0.1
X 	RMVD DOPPLER/GPS CDU SN: 2669B	REPLACED WITH SN:2903C	Lyons, C.	F	0.5
— 	AV1 TOOL INV AND FOD INSP REQ	COMPLETE	Lyons, C.	F	0.1
X 	RMVD 3EA HRDWR SECURING CO-PILOTS DISPLACEMENT GYRO	REINSTALLED	Lyons, C.	F	0.2
X 	RMVD 4EA HRDWR SECURING PILOTS AHRU	REINSTALLED	Lyons, C.	F	0.2
— 	MOC OF ATTITUDE INDICATING SET REQ DUE TO REPLACEMENT OF DOPPLER/GPS CDU	MOC OK	Lyons, C.	F	0.3

DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 11:09		
	5. FAULT DATE 23 Jul 20	6. FAULT NUMBER 2			
7. FAULT INSPECTION MANUALLY GENERATED ON 23 JUL 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 28 JUL 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	 INSP AREA #1	COMP	Moore, S.	F	0.1
—	 INSP AREA #2	COMP	Moore, S.	F	0.1
—	 INSP AREA #3	COMP	BROWN, L.	F	0.1
—	 INSP AREA #4	COMP	BROWN, L.	F	0.2
—	 INSP AREA #5	COMP	BROWN, L.	F	0.2
—	 INSP AREA #6	COMP	Moore, S.	F	0.2
/	 RMVD T/R G/B CVR	REINSTALLED	BROWN, L.	F	0.1
/	 RMVD I/G/B CVR	REINSTALLED	BROWN, L.	F	0.1
—	 INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)	N/A	BROWN, L.	F	0.1
—	 INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)	N/A	BROWN, L.	F	0.1
—	 **** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS	N/A	BROWN, L.	F	0.1
—	 ****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS	N/A	BROWN, L.	F	0.1
—	 ****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INSPECT THE EXTERNAL/	N/A	BROWN, L.	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED














RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 11:09		
	5. FAULT DATE 23 Jul 20	6. FAULT NUMBER 2			
7. FAULT INSPECTION MANUALLY GENERATED ON 23 JUL 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 28 JUL 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	N/A	BROWN, L.	F	0.1
—	****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	N/A	BROWN, L.	F	0.1
—	TOOL BOX INVENTORY DUE	COMP	BROWN, L.	F	0.1
—	FOD INSP DUE	COMP	BROWN, L.	F	0.1
/	DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	COMP	BROWN, L.	F	0.3
—	COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	COMP	BROWN, L.	F	0.1

DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG














1. STATUS /		2. SERIAL NUMBER 8524402		3. SYSTEM CODE E		4. TIME 11:18	
		5. FAULT DATE 24 Jul 20		6. FAULT NUMBER 1			
7. FAULT #1 NEEDLE DROPS OUT AFTER 8 MINS FOR DOPPLER/GPS							
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH		
×	 DISC 8 EA CONNECTORS FROM DOPPLER SDC	RECONNECTED	Lyons, C.	F	0.2		
×	 RMVD 4EA HRDWR SECURING DOPPLER SDC	REINSTALLED	Lyons, C.	F	0.3		
×	 RMVD DOPPLER SDC SN: 3043	REPLACED WITH SN:3523	Lyons, C.	F	0.3		
×	 DISC 3EA CONNECTORS FROM DOPPLER CDU	RECONNECTED	Lyons, C.	F	0.1		
×	 RMVD DOPPLER CDU	REPLACED WITH ORIGINAL CDU	Lyons, C.	F	0.2		
—	 AV1 TOOL INV AND FOD INSP REQ	COMPLETE	Lyons, C.	F	0.1		
×	 DISC 8EA CONNECTORS FROM DOPPLER SDC	RECONNECTED	Lyons, C.	F	0.1		
×	 DISC 3EA CONNECTORS FROM DOPPLER CDU	RECONNECTED	Lyons, C.	F	0.1		
×	 RMVD DOPPLER CDU	REPLACED	Lyons, C.	F	0.1		
—	 AV1 TOOL INV AND FOD INSP REQ	COMPLETE	Lyons, C.	F	0.1		
×	 DISC J2 J3 J4 J5 FROM DOPPLER SDC FOR TROUBLESHOOTING	RECONNECTED	Lyons, C.	F	1.0		
×	 DISC 3EA CONNECTORS FROM DOPPLER CDU	RECONNECTED	Lyons, C.	F	0.1		
×	 RMVD DOPPLER CDU SN: 2903C	REPLACED WITH CDU SN: 1938B	Lyons, C.	F	0.2		

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 00:00	
		5. FAULT DATE 27 Jul 20		6. FAULT NUMBER 1			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 30 JUL 2020							
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH		
—	 INSP AREA #1	completed	Barnes, J.	F	0.3		
—	 INSP AREA #2	completed	Barnes, J.	F	0.2		
—	 INSP AREA #3	completed	Barnes, J.	F	0.2		
—	 INSP AREA #4	completed	Barnes, J.	F	0.2		
—	 INSP AREA #5	completed	Barnes, J.	F	0.2		
—	 INSP AREA #6	completed	Barnes, J.	F	0.2		
/	 RMVD T/R G/B CVR	reinstalled	Barnes, J.	F	0.2		
/	 RMVD I/G/B CVR	reinstalled	Barnes, J.	F	0.2		
—	 INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)	n/a	Barnes, J.	F	0.1		
—	 INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)	n/a	Barnes, J.	F	0.1		
—	 **** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS	n/a	Barnes, J.	F	0.1		
—	 ****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS	n/a	Barnes, J.	F	0.1		
—	 ****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INPECT THE EXTERNAL/	n/a	Barnes, J.	F	0.1		







DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:00		
	5. FAULT DATE 27 Jul 20	6. FAULT NUMBER 1			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 30 JUL 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	n/a	Barnes, J.	F	0.1
—	****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	n/a	Barnes, J.	F	0.1
—	TOOL BOX INVENTORY DUE	completed	Barnes, J.	F	0.1
—	FOD INSP DUE	completed	Barnes, J.	F	0.1
/	DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	n/a; 7 day inspection	Barnes, J.	F	0.1
—	COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	comp	Barnes, J.	F	0.1














DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 16:00	
		5. FAULT DATE 28 Jul 20		6. FAULT NUMBER 3			
7. FAULT MULTIPLE WIRES ARE CHAFFED ON THE INTERIOR OF THE CO-PLT CIRCUIT BREAKER PANEL AND REQ REPAIR.							
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH		
×	 RMVD 4EA HRDWR SECURING CO-PILOTS UPPER BLOWER DUCT	REINSTALLED	OVERSTREET	F	0.2		
×	 RMVD CO-PILOTS UPPER BLOWER DUCT	REINSTALLED	OVERSTREET	F	0.1		
×	 LOWERED CO-PILOTS CB PANEL	RAISED	VANG, C.	F	0.1		
×	 REPAIR OF 3EA WIRES BEHIND CO-PILOTS CB PANEL REQ	COMPLETE	Lyons, C.	F	1.5		
—	 AV1 TOOL INV AND FOD INSP REQ	COMPLETE	OVERSTREET	F	0.1		
×	 RMVD 1EA ADEL CLAMP SECURING WIRE BUNDLE BEHIND CO-PILOTS CB PANEL	REINSTALLED	Lyons, C.	F	0.2		

DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:01		
	5. FAULT DATE 03 Aug 20	6. FAULT NUMBER 1			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 06 AUG 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	 INSP AREA #1	COMP	Barnes, J.	F	0.1
—	 INSP AREA #2	COMP	Barnes, J.	F	0.1
—	 INSP AREA #3	COMP	Barnes, J.	F	0.1
—	 INSP AREA #4	COMP	Moore, S.	F	0.1
—	 INSP AREA #5	COMP	Moore, S.	F	0.1
—	 INSP AREA #6	COMP	Barnes, J.	F	0.1
/	 RMVD T/R G/B CVR	REINST	Moore, S.	F	0.1
/	 RMVD I/G/B CVR	REINST	Moore, S.	F	0.1
—	 INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)	N/A	Barnes, J.	F	0.1
—	 INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)	N/A	Barnes, J.	F	0.1
—	 **** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS	N/A	Barnes, J.	F	0.1
—	 ****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS	N/A	Barnes, J.	F	0.1
—	 ****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INPECT THE EXTERNAL/	N/A	Barnes, J.	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:01		
	5. FAULT DATE 03 Aug 20	6. FAULT NUMBER 1			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 06 AUG 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	N/A	Barnes, J.	F	0.1
—	****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	N/A	Barnes, J.	F	0.1
—	TOOL BOX INVENTORY DUE	COMP	Barnes, J.	F	0.1
—	FOD INSP DUE	COMP	Barnes, J.	F	0.1
/	DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	COMP	Barnes, J.	F	0.1
—	COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	COMP	Barnes, J.	F	0.1

DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG







1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 11:14		
	5. FAULT DATE 07 Aug 20	6. FAULT NUMBER 2			
7. FAULT INSPECTION MANUALLY GENERATED ON 07 AUG 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 13 AUG 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	INSP AREA #1	INSP COMP	TWOMEY, D	F	0.2
—	INSP AREA #2	INSP COMP	TWOMEY, D	F	0.2
—	INSP AREA #3	INSP COMP	TWOMEY, D	F	0.2
—	INSP AREA #4	INSP COMP	Barnes, J.	F	0.2
—	INSP AREA #5	INSP COMP	Barnes, J.	F	0.2
—	INSP AREA #6	INSP COMP	REPASI, R.	F	0.2
/	RMVD T/R G/B CVR	REINSTALLED	Barnes, J.	F	0.2
/	RMVD I/G/B CVR	REINSTALLED	Barnes, J.	F	0.2
—	INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)	N/A	Barnes, J.	F	0.1
—	INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)	N/A	Barnes, J.	F	0.1
—	**** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS	N/A	Barnes, J.	F	0.1
—	****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS	N/A	Barnes, J.	F	0.1
—	****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INPECT THE EXTERNAL/	N/A	Barnes, J.	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED












RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 11:14		
5. FAULT DATE 07 Aug 20		6. FAULT NUMBER 2			
7. FAULT INSPECTION MANUALLY GENERATED ON 07 AUG 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 13 AUG 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	 ****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	N/A	Barnes, J.	F	0.1
—	 ****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	N/A	Barnes, J.	F	0.1
—	 TOOL BOX INVENTORY DUE	completed	Barnes, J.	F	0.1
—	 FOD INSP DUE	completed	Barnes, J.	F	0.1
/	 DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	completed	TWOMEY, D	F	0.1
—	 COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	completed	TWOMEY, D	F	0.1







DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 14:04	
		5. FAULT DATE 08 Aug 20		6. FAULT NUMBER 2			
7. FAULT INSPECTION MANUALLY GENERATED ON 08 AUG 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 14 AUG 2020							
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH		
—	INSP AREA #1	completed	Ragoonath,	F	0.2		
—	INSP AREA #2	completed	Ragoonath,	F	0.3		
—	INSP AREA #3	completed	Ragoonath,	F	0.3		
—	INSP AREA #4	completed	REPASI, R.	F	0.3		
—	INSP AREA #5	completed	AHLERS, R.	F	0.3		
—	INSP AREA #6	completed	TWOMEY, D	F	0.3		
/	RMVD T/R G/B CVR	reinstalled	AHLERS, R.	F	0.3		
/	RMVD I/G/B CVR	reinstalled	AHLERS, R.	F	0.3		
—	INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)	n/a	Ragoonath,	F	0.1		
—	INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)	n/a	Ragoonath,	F	0.1		
—	**** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS	n/a	Ragoonath,	F	0.1		
—	****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS	n/a	Ragoonath,	F	0.1		
—	****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INSPECT THE EXTERNAL/	n/a	Ragoonath,	F	0.1		














DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 14:04		
5. FAULT DATE 08 Aug 20		6. FAULT NUMBER 2			
7. FAULT INSPECTION MANUALLY GENERATED ON 08 AUG 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 14 AUG 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	 ****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	n/a	Ragoonath,	F	0.1
—	 ****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	n/a	Ragoonath,	F	0.1
—	 TOOL BOX INVENTORY DUE	completed	AHLERS, R.	F	0.1
—	 FOD INSP DUE	completed	AHLERS, R.	F	0.2
/	 DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	completed	TWOMEY, D	F	0.1
—	 COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	completed	Ragoonath,	F	0.1

DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG







1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 17:05		
	5. FAULT DATE 10 Aug 20	6. FAULT NUMBER 3			
7. FAULT INSPECTION MANUALLY GENERATED ON 10 AUG 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 15 AUG 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA #1	comp	REPASI, R.	F	0.1
— 	INSP AREA #2	comp	REPASI, R.	F	0.1
— 	INSP AREA #3	comp	REPASI, R.	F	0.1
— 	INSP AREA #4	comp	REPASI, R.	F	0.1
— 	INSP AREA #5	comp	Moore, S.	F	0.1
— 	INSP AREA #6	comp	Barnes, J.	F	0.1
/ 	RMVD T/R G/B CVR	reinstalled	Moore, S.	F	0.1
/ 	RMVD I/G/B CVR	reinstalled	Moore, S.	F	0.1
— 	INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)	n/a	Moore, S.	F	0.1
— 	INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)	n/a	Moore, S.	F	0.1
— 	**** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS	n/a	Moore, S.	F	0.1
— 	****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS	n/a	Moore, S.	F	0.1
— 	****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INSPECT THE EXTERNAL/	n/a	Moore, S.	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED






RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 17:05		
	5. FAULT DATE 10 Aug 20	6. FAULT NUMBER 3			
7. FAULT INSPECTION MANUALLY GENERATED ON 10 AUG 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 15 AUG 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	 ****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	n/a	Moore, S.	F	0.1
—	 ****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	n/a	Moore, S.	F	0.1
—	 TOOL BOX INVENTORY DUE	comp	Moore, S.	F	0.1
—	 FOD INSP DUE	comp	Moore, S.	F	0.1
/	 DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	comp	Barnes, J.	F	0.1
—	 COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	comp	Moore, S.	F	0.1

DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS /	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 14:23		
5. FAULT DATE 12 Aug 20		6. FAULT NUMBER 2			
7. FAULT While attempting a crossbleed start using the #1 ENG at fly, Ng stalled at 40% and TGT would have risen above limits but the start was aborted. unable to perform crossbleed start.					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
× 	DISCONNECTED ELECTRICAL CONNECTOR P434 FROM THE BLEED AIR SHUTOFF VALVE.	RECONNECTED	Rowe, S.	F	0.1
× 	REMOVED CLAMPS (2 EA) FROM BLEED AIR SHUTOFF VALVE.	REINSTALLED	Rowe, S.	F	0.1
× 	REMOVED ATTACHMENT HARDWARE (2 EA) FROM BLEED AIR SHUTOFF VALVE CLAMPS (2 EA).	REINSTALLED AND TORQUED TO 45 IN LBS	Rowe, S.	F	0.1
× 	REMOVED #1 ENGINE BLEED AIR SHUTOFF VALVE FROM AIRCRAFT.	REPLACED	Rowe, S.	F	0.1
— 	FOD CHECK AND TOOLBOX INVENTORY DUE	COMPLETE	Rowe, S.	F	0.1







DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 14:25	
		5. FAULT DATE 12 Aug 20		6. FAULT NUMBER 4			
7. FAULT PMD DUE							
8. STA	9. RELATED MAINTENANCE ACTIONS			10. ACTION	11. PID	12. CAT	13. MMH
—	INSP AREA #1			complete	Hilton, J.	F	0.2
—	INSP AREA #2			complete	Hilton, J.	F	0.2
—	INSP AREA #3			complete	Hilton, J.	F	0.2
—	INSP AREA #4			complete	Hilton, J.	F	0.2
—	INSP AREA #5			complete	AHLERS, R.	F	0.2
—	INSP AREA #6			complete	Hilton, J.	F	0.2
/	RMVD T/R G/B CVR			reinst	AHLERS, R.	F	0.2
/	RMVD I/G/B CVR			REINST	AHLERS, R.	F	0.2
—	INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)			NA	Hilton, J.	F	0.2
—	INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)			NA	Hilton, J.	F	0.2
—	**** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS			NA	Hilton, J.	F	0.1
—	****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS			NA	Hilton, J.	F	0.1
—	****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INPECT THE EXTERNAL/			NA	Hilton, J.	F	0.1

DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 14:25		
5. FAULT DATE 12 Aug 20		6. FAULT NUMBER 4			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	 ****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	NA	Hilton, J.	F	0.1
—	 ****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	NA	Hilton, J.	F	0.2
—	 TOOL BOX INVENTORY DUE	COMPLETE	AHLERS, R.	F	0.2
—	 FOD INSP DUE	COMPLETE	Hilton, J.	F	0.2
/	 DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	COMPLETE	Hilton, J.	F	0.2
—	 COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	COMPLETE	Hilton, J.	F	0.2

DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 16:13		
	5. FAULT DATE 13 Aug 20	6. FAULT NUMBER 5			
7. FAULT INSPECTION MANUALLY GENERATED ON 13 AUG 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 19 AUG 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	INSP AREA #1	completed	Wissmann, A	F	0.2
—	INSP AREA #2	completed	REPASI, R.	F	0.2
—	INSP AREA #3	completed	REPASI, R.	F	0.2
—	INSP AREA #4	completed	REPASI, R.	F	0.2
—	INSP AREA #5	completed	AHLERS, R.	F	0.2
—	INSP AREA #6	completed	Barnes, J.	F	0.2
/	RMVD T/R G/B CVR	reinstalled	AHLERS, R.	F	0.2
/	RMVD I/G/B CVR	reinstalled	AHLERS, R.	F	0.2
—	INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)	n/a	Ragoonath,	F	0.1
—	INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)	n/a	Ragoonath,	F	0.1
—	**** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS	n/a	Ragoonath,	F	0.1
—	****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS	n/a	Ragoonath,	F	0.1
—	****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INPECT THE EXTERNAL/	n/a	Ragoonath,	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED














RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 16:13		
	5. FAULT DATE 13 Aug 20	6. FAULT NUMBER 5			
7. FAULT INSPECTION MANUALLY GENERATED ON 13 AUG 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 19 AUG 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	n/a	Ragoonath,	F	0.1
—	****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	n/a	Ragoonath,	F	0.1
—	TOOL BOX INVENTORY DUE	completed	AHLERS, R.	F	0.1
—	FOD INSP DUE	completed	Barnes, J.	F	0.1
/	DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	comp	Moore, J.	F	0.1
—	COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	comp	Ragoonath,	F	1.0

DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:01		
5. FAULT DATE 14 Aug 20		6. FAULT NUMBER 1			
7. FAULT INSP A160 90 DAY CORROSION INSPECTION FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 01 SEP 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
/	 REMOVED SOUNDPROOFING	REINSTALLED	Rowe, S.	F	0.1
/	 REMOVED I/G/B COVER	REINSTALLED	BROWN, L.	F	0.1
/	 REMOVED T/R G/B COVER	REINSTALLED	BROWN, L.	F	0.1
X	 RMVD R/H OR L/H FUEL ENCLOSURE PANEL	REINST R/H	Richards, M.	F	0.1
/	 OPENED TAIL ROTOR DRIVE SHAFT COVERS	CLOSED	Rowe, S.	F	0.1
X	 RMVD HDWR FROM REAR M/R PYLON FAIRING	REINSTALLED	Richards, M.	F	0.1
X	 RMVD REAR M/R PYLON FAIRING	REINSTALLED	Richards, M.	F	0.1
X	 DISC REAR M/R PYLON IR LIGHT	RECONNECTED	Richards, M.	F	0.1
X	 DISC FORMATION LIGHT CONN P402	RECONNECTED	Richards, M.	F	0.1
X	 RMVD HDWR SEC APU PANEL TO ACFT	REINSTALLED	Richards, M.	F	0.1
X	 RMVD HDWR SEC APU EXHAUST DUCT TO AIRFRAME	REPLACED TQ TO 53 IN-LBS	Klein, J.	F	0.1
X	 RMVD APU PANEL	REINSTALLED	Richards, M.	F	0.1
—	 INSPECT AND PERFORM CORROSION PREVENTION ON COCKPIT EXTERIOR	COMP	Rowe, S.	F	0.1





DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 00:01	
		5. FAULT DATE 14 Aug 20		6. FAULT NUMBER 1			
7. FAULT INSP A160 90 DAY CORROSION INSPECTION FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 01 SEP 2020							
8. STA	9. RELATED MAINTENANCE ACTIONS			10. ACTION	11. PID	12. CAT	13. MMH
—	INSPECT AND PERFORM CORROSION PREVENTION ON COCKPIT INTERIOR			COMP	Rowe, S.	F	0.1
—	INSPECT AND PERFORM CORROSION PREVENTION ON CABIN EXTERIOR			COMP	Rowe, S.	F	0.1
—	INSPECT AND PERFORM CORROSION PREVENTION ON CABIN INTERIOR			COMP	Rowe, S.	F	0.1
—	INSPECT AND PERFORM CORROSION PREVENTION ON TRANSITION -- TAILCONE EXTERIOR			COMP	Rowe, S.	F	0.1
—	INSPECT AND PERFORM CORROSION PREVENTION ON TRANSITION --TAILCONE INTERIOR			COMP	Richards, M.	F	0.1
—	INSPECT AND PERFORM CORROSION PREVENTION ON TAIL PYLON			COMP	BROWN, L.	F	0.1
—	INSPECT AND PERFORM CORROSION PREVENTION ON T/R PITCH BEAM			COMP	Rowe, S.	F	0.1
—	INSPECT AND APPLY CPC TO LOWER STABILATOR ACTUATOR CLEVIS AND JAM NUT			COMP	Rowe, S.	F	0.1
—	INSPECT AND PERFORM CORROSION PREVENTION ON M/R PYLON			COMP	BROWN, L.	F	0.1
—	INSPECT AND PERFORM CORROSION PREVENTION ON AFT M/R PYLON			COMP	BROWN, L.	F	0.1
—	INSPECT AND PERFORM CORROSION PREVENTION ON M/R SYSTEM			COMP	BROWN, L.	F	0.1
—	INSPECT AND PERFORM CORROSION PREVENTION ON #1 ENGINE			COMP	BROWN, L.	F	0.1
—	INSPECT AND PERFORM CORROSION PREVENTION ON #2 ENGINE			COMP	Rowe, S.	F	0.1

DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:01		
	5. FAULT DATE 14 Aug 20	6. FAULT NUMBER 1			
7. FAULT INSP A160 90 DAY CORROSION INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 01 SEP 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	 FOD INSP DUE	COMP	Rowe, S.	F	0.1
—	 TOOL BOX INVENTORY DUE	COMP	Rowe, S.	F	0.1
×	 RMVD R/H L/H TAILCONE INSPECTION PANEL HDW	REINSTALLED	BROWN, L.	F	0.1
×	 RMVD R/H L/H TAILCONE INSPECTION PANEL	REINSTALLED	BROWN, L.	F	0.1









DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS /		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 09:40	
		5. FAULT DATE 14 Aug 20		6. FAULT NUMBER 2			
7. FAULT INSTALLATION OF CABIN TIE DOWN RINGS REQUIRED.							
8. STA	9. RELATED MAINTENANCE ACTIONS			10. ACTION	11. PID	12. CAT	13. MMH
×	LOWERED FWD HINGED SOUNDPROOFING PNL FOR FOM.			PUT SOUND PROOFING BACK UP	Moore, J.	F	0.2
×	RMVD BARREL NUTS AND RETAINERS 2 EA AT CABIN STA. 312.			REPLACED.	Smith, B.	F	0.4
—	FOD CHECK AND TOOL BOX INVENTORY REQUIRED.			COMP	Moore, J.	F	0.2

DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 00:01	
		5. FAULT DATE 17 Aug 20		6. FAULT NUMBER 3			
7. FAULT INSP A115 LUBE REQUIRMENTS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 23 AUG 2020 OR 5280.9 AIRCRAFT HOURS							
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH		
×	 Removed hdwr securing r/h tail cone access panel to acft	reinstalled	Ragoonath,	F	0.2		
×	 Removed r/h tail cone access panel from acft	reinstalled	Ragoonath,	F	0.2		
×	 Removed hdwr securing r/h mlg strut panel to acft	reinstalled	Barnes, J.	F	0.2		
×	 Removed r/h mlg strut panel from acft	reinstalled	Barnes, J.	F	0.2		
×	 Removed hdwr securing l/h mlg strut panel to acft	reinstalled	Ragoonath,	F	0.2		
×	 Removed l/h mlg strut panel from acft	reinstalled	Ragoonath,	F	0.2		
—	 toolbox inv req	completed	BROWN, L.	F	0.2		
—	 fod check req	completed	Ragoonath,	F	0.2		

DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG







1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:01		
	5. FAULT DATE 17 Aug 20	6. FAULT NUMBER 4			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 20 AUG 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	INSP AREA #1	completed	TWOMEY, D	F	0.3
—	INSP AREA #2	completed	TWOMEY, D	F	0.3
—	INSP AREA #3	completed	TWOMEY, D	F	0.3
—	INSP AREA #4	completed	Moore, J.	F	0.3
—	INSP AREA #5	completed	Moore, J.	F	0.3
—	INSP AREA #6	completed	Ragoonath,	F	0.3
/	RMVD T/R G/B CVR	reinstalled	Moore, J.	F	0.2
/	RMVD I/G/B CVR	reinstalled	Moore, J.	F	0.2
—	INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)	n/a	Ragoonath,	F	0.1
—	INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)	n/a	Ragoonath,	F	0.1
—	**** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS	N/A	Ragoonath,	F	0.1
—	****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS	n/a	Ragoonath,	F	0.1
—	****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INPECT THE EXTERNAL/	n/a	Ragoonath,	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED














RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:01		
5. FAULT DATE 17 Aug 20		6. FAULT NUMBER 4			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 20 AUG 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	 ****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	n/a	Ragoonath,	F	0.1
—	 ****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	n/a	Ragoonath,	F	0.1
—	 TOOL BOX INVENTORY DUE	completed	Moore, J.	F	0.2
—	 FOD INSP DUE	completed	Moore, J.	F	0.2
/	 DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	n/a; 7 day insp	Ragoonath,	F	0.1
—	 COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	comp	Ragoonath,	F	0.1














DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS /		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 14:57	
		5. FAULT DATE 18 Aug 20		6. FAULT NUMBER 4			
7. FAULT TAIL LANDING GEAR MAKES POPPING NOISE DURING AIRCRAFT TOWING. INSPECT TAIL LANDING GEAR AT NEXT 40 HOUR INSPECTION.							
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH		
/	 REMOVED SOUNDPROOFING	WRITE UP ENTERED IN ERROR	Richards, M.	F	0.1		
/	 REMOVED I/G/B COVER	WRITE UP ENTERED IN ERROR	Richards, M.	F	0.1		
/	 REMOVED T/R G/B COVER	WRITE UP ENTERED IN ERROR	Richards, M.	F	0.1		
X	 RMVD R/H OR L/H FUEL ENCLOSURE PANEL	WRITE UP ENTERED IN ERROR	Richards, M.	F	0.1		
/	 OPENED TAIL ROTOR DRIVE SHAFT COVERS	WRITE UP ENTERED IN ERROR	Richards, M.	F	0.1		
X	 RMVD HDWR FROM REAR M/R PYLON FAIRING	WRITE UP ENTERED IN ERROR	Richards, M.	F	0.1		
X	 RMVD REAR M/R PYLON FAIRING	WRITE UP ENTERED IN ERROR	Richards, M.	F	0.1		
X	 DISC REAR M/R PYLON IR LIGHT	WRITE UP ENTERED IN ERROR	Richards, M.	F	0.1		
X	 DISC FORMATION LIGHT CONN P402	WRITE UP ENTERED IN ERROR	Richards, M.	F	0.1		
X	 RMVD HDWR SEC APU PANEL TO ACFT	WRITE UP ENTERED IN ERROR	Richards, M.	F	0.1		
X	 RMVD HDWR SEC APU EXHAUST DUCT TO AIRFRAME	WRITE UP ENTERED IN ERROR	Richards, M.	F	0.1		
X	 RMVD APU PANEL	WRITE UP ENTERED IN ERROR	Richards, M.	F	0.1		
—	 INSPECT AND PERFORM CORROSION PREVENTION ON COCKPIT EXTERIOR	WRITE UP ENTERED IN ERROR	Richards, M.	F	0.1		






DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS /		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 14:57	
		5. FAULT DATE 18 Aug 20		6. FAULT NUMBER 4			
7. FAULT TAIL LANDING GEAR MAKES POPPING NOISE DURING AIRCRAFT TOWING. INSPECT TAIL LANDING GEAR AT NEXT 40 HOUR INSPECTION.							
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH		
—	INSPECT AND PERFORM CORROSOIN PREVENTION ON COCKPIT INTERIOR	WRITE UP ENTERED IN ERROR	Richards, M.	F	0.1		
—	INSPECT AND PERFORM CORROSION PREVENTION ON CABIN EXTERIOR	WRITE UP ENTERED IN ERROR	Richards, M.	F	0.1		
—	INSPECT AND PERFORM CORROSION PREVENTION ON CABIN INTERIOR	WRITE UP ENTERED IN ERROR	Richards, M.	F	0.1		
—	INSPECT AND PERFORM CORROSION PREVENTION ON TRANSITION -- TAILCONE EXTERIOR	WRITE UP ENTERED IN ERROR	Richards, M.	F	0.1		
—	INSPECT AND PERFORM CORROSION PREVENTION ON TRANSITION --TAILCONE INTERIOR	WRITE UP ENTERED IN ERROR	Richards, M.	F	0.1		
—	INSPECT AND PERFORM CORROSION PREVENTION ON TAIL PYLON	WRITE UP ENTERED IN ERROR	Richards, M.	F	0.1		
—	INSPECT AND PERFORM CORROSION PREVENTION ON T/R PITCH BEAM	WRITE UP ENTERED IN ERROR	Richards, M.	F	0.1		
—	INSPECT AND APPLY CPC TO LOWER STABILATOR ACTUATOR CLEVIS AND JAM NUT	WRITE UP ENTERED IN ERROR	Richards, M.	F	0.1		
—	INSPECT AND PERFORM CORROSION PREVENTION ON M/R PYLON	WRITE UP ENTERED IN ERROR	Richards, M.	F	0.1		
—	INSPECT AND PERFORM CORROSION PREVENTION ON AFT M/R PYLON	WRITE UP ENTERED IN ERROR	Richards, M.	F	0.1		
—	INSPECT AND PERFORM CORROSION PREVENTION ON M/R SYSTEM	WRITE UP ENTERED IN ERROR	Richards, M.	F	0.1		
—	INSPECT AND PERFORM CORROSION PREVENTION ON #1 ENGINE	WRITE UP ENTERED IN ERROR	Richards, M.	F	0.1		
—	INSPECT AND PERFORM CORROSION PREVENTION ON #2 ENGINE	WRITE UP ENTERED IN ERROR	Richards, M.	F	0.1		

DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS /		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 14:57	
		5. FAULT DATE 18 Aug 20		6. FAULT NUMBER 4			
7. FAULT TAIL LANDING GEAR MAKES POPPING NOISE DURING AIRCRAFT TOWING. INSPECT TAIL LANDING GEAR AT NEXT 40 HOUR INSPECTION.							
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH		
—	FOD INSP DUE	WRITE UP ENTERED IN ERROR	Richards, M.	F	0.1		
—	TOOL BOX INVENTORY DUE	WRITE UP ENTERED IN ERROR	Richards, M.	F	0.1		
×	RMVD R/H TAIL LANDING GEAR FAIRING	REINSTALLED	Rowe, S.	F	0.1		
×	RMVD R/H TAIL LANDING GEAR FAIRING HDWR	REINSTALLED	Rowe, S.	F	0.1		
—	TOOLBOX INVENTORY AND FOD CHECK DUE	COMP	Rowe, S.	F	0.1		

DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×		2. SERIAL NUMBER 8524402	3. SYSTEM CODE A		4. TIME 10:56
		5. FAULT DATE 25 Aug 20	6. FAULT NUMBER 3		
7. FAULT T/L/G YOKE TEFLON WASHER DISBONDED					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	REMOVED TAIL WHEEL FORK FROM AIRCRAFT.	REINSTALLED	Rowe, S.	F	0.1
×	REMOVED INSULATION SLEEVING FROM YOKE.	REINSTALLED	Rowe, S.	F	0.1
×	REMOVED LOCK RING FROM YOKE	REINSTALLED	Rowe, S.	F	0.1
×	REMOVED TEFLON WASHER	REPLACED UPPER AND LOWER TEFLON WASHER	Rowe, S.	F	0.1
—	FOD CHECK AND TOOL BOX INVENTORY	COMP	Rowe, S.	F	0.1







DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS X	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:00		
5. FAULT DATE 26 Aug 20		6. FAULT NUMBER 1			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 WAS DUE. STATUS UPGRADED TO X ON: 25 AUG 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	INSP AREA #1	INSP OK	Rowe, S.	F	0.1
—	INSP AREA #2	INSP OK	Rowe, S.	F	0.1
—	INSP AREA #3	INSP OK	Rowe, S.	F	0.1
—	INSP AREA #4	INSP OK	Rowe, S.	F	0.1
—	INSP AREA #5	INSP OK	Rowe, S.	F	0.1
—	INSP AREA #6	INSP OK	Rowe, S.	F	0.1
/	RMVD T/R G/B CVR	REINSTALLED	Rowe, S.	F	0.1
/	RMVD I/G/B CVR	REINSTALLED	Rowe, S.	F	0.1
—	INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)	NA	Rowe, S.	F	0.1
—	INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)	NA	Rowe, S.	F	0.1
—	**** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS	NA	Rowe, S.	F	0.1
—	****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS	NA	Rowe, S.	F	0.1
—	****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INPECT THE EXTERNAL/	NA	Rowe, S.	F	0.1

DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS X	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:00		
5. FAULT DATE 26 Aug 20		6. FAULT NUMBER 1			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 WAS DUE. STATUS UPGRADED TO X ON: 25 AUG 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	 ****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	NA	Rowe, S.	F	0.1
—	 ****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	NA	Rowe, S.	F	0.1
—	 TOOL BOX INVENTORY DUE	COMP	Rowe, S.	F	0.1
—	 FOD INSP DUE	COMP	Rowe, S.	F	0.1
/	 DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	COMP	Rowe, S.	F	0.1
—	 COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	COMP	Rowe, S.	F	0.1

DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 15:43		
	5. FAULT DATE 28 Aug 20	6. FAULT NUMBER 3			
7. FAULT INSPECTION MANUALLY GENERATED ON 28 AUG 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 01 SEP 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	INSP AREA #1	COMP	Hilton, J.	F	0.1
—	INSP AREA #2	COMP	Hilton, J.	F	0.1
—	INSP AREA #3	COMP	Hilton, J.	F	0.1
—	INSP AREA #4	COMP	Hilton, J.	F	0.1
—	INSP AREA #5	COMP	Hilton, J.	F	0.1
—	INSP AREA #6	COMP	Ragoonath,	F	0.1
/	RMVD T/R G/B CVR	REINST	Hilton, J.	F	0.1
/	RMVD I/G/B CVR	REINST	Hilton, J.	F	0.1
—	INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)	N/A	Hilton, J.	F	0.1
—	INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)	N/A	Hilton, J.	F	0.1
—	**** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS	N/A	Hilton, J.	F	0.1
—	****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS	N/A	Ragoonath,	F	0.1
—	****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INPECT THE EXTERNAL/	N/A	Ragoonath,	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED






RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 15:43		
	5. FAULT DATE 28 Aug 20	6. FAULT NUMBER 3			
7. FAULT INSPECTION MANUALLY GENERATED ON 28 AUG 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 01 SEP 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	N/A	Ragoonath,	F	0.1
—	****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	N/A	Ragoonath,	F	0.1
—	TOOL BOX INVENTORY DUE	COMP	Hilton, J.	F	0.1
—	FOD INSP DUE	COMP	Hilton, J.	F	0.1
/	DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	COMP	Ragoonath,	F	0.1
—	COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	COMP	Hilton, J.	F	0.1














DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS /		2. SERIAL NUMBER 8524402		3. SYSTEM CODE E		4. TIME 10:06	
		5. FAULT DATE 31 Aug 20		6. FAULT NUMBER 1			
7. FAULT Uniform radio has loud squeal when turned on. It did not go away during the flight.							
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH		
—	 FOD CHECK REQ	COMP	Chavis, C.	F	0.2		
—	 TOOL BOX INVENTORY REQ	COMP	Chavis, C.	F	0.2		
×	 LOOSENED 8 FASTENERS FROM UHF CONTROL HEAD	TIGHTENED	Chavis, C.	F	0.2		
×	 DISCONNECTED 3 CONNECTORS FROM UHF CONTROL HEAD	RECONNECTED	Chavis, C.	F	0.2		
×	 REMOVED UHF CONTROL HEAD FROM CENTER CONSOLE	REPLACED	Chavis, C.	F	0.2		







DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 08:47	
		5. FAULT DATE 04 Sep 20		6. FAULT NUMBER 1			
7. FAULT PMD DUE							
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH		
—	 INSP AREA #1	INSP COMP	Ryan, W.	F	0.2		
—	 INSP AREA #2	INSP COMP	Ryan, W.	F	0.2		
—	 INSP AREA #3	INSP COMP	Ryan, W.	F	0.2		
—	 INSP AREA #4	INSP COMP	Ryan, W.	F	0.2		
—	 INSP AREA #5	INSP COMP	Ryan, W.	F	0.2		
—	 INSP AREA #6	INSP OK	Ryan, W.	F	0.2		
/	 RMVD T/R G/B CVR	REINSTALLED	Ryan, W.	F	0.2		
/	 RMVD I/G/B CVR	REINSTALLED	Ryan, W.	F	0.2		
—	 INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)	N/A	Ryan, W.	F	0.1		
—	 INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)	N/A	Ryan, W.	F	0.1		
—	 **** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS	N/A	Ryan, W.	F	0.1		
—	 ****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS	N/A	Ryan, W.	F	0.1		
—	 ****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INSPECT THE EXTERNAL/	N/A	Ryan, W.	F	0.1		

DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 08:47		
5. FAULT DATE 04 Sep 20		6. FAULT NUMBER 1			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	 ****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	N/A	Ryan, W.	F	0.1
—	 ****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	N/A	Ryan, W.	F	0.1
—	 TOOL BOX INVENTORY DUE	TOOL BOX INVENT COMP	Ryan, W.	F	0.2
—	 FOD INSP DUE	FOD INSP COMP	Ryan, W.	F	0.2
/	 DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	COMP	Ryan, W.	F	0.2
—	 COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	COMP	Ryan, W.	F	0.2

DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG







1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:00		
	5. FAULT DATE 08 Sep 20	6. FAULT NUMBER 1			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 11 SEP 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	INSP AREA #1	comp	FAUST, J. 3399191	F	0.1
—	INSP AREA #2	comp	FAUST, J. 3399191	F	0.1
—	INSP AREA #3	comp	FAUST, J. 3399191	F	0.1
—	INSP AREA #4	comp	FAUST, J. 3399191	F	0.1
—	INSP AREA #5	comp	FAUST, J. 3399191	F	0.1
—	INSP AREA #6	comp	FAUST, J. 3399191	F	0.1
/	RMVD T/R G/B CVR	reinstalled	FAUST, J. 3399191	F	0.1
/	RMVD I/G/B CVR	reinstalled	FAUST, J. 3399191	F	0.1
—	INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)	na	FAUST, J. 3399191	F	0.1
—	INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)	na	FAUST, J. 3399191	F	0.1
—	**** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS	comp	FAUST, J. 3399191	F	0.1
—	****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS	na	FAUST, J. 3399191	F	0.1
—	****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INPECT THE EXTERNAL/	na	FAUST, J. 3399191	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED




RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:00		
5. FAULT DATE 08 Sep 20		6. FAULT NUMBER 1			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 11 SEP 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	 ****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	na	FAUST, J. 3399191	F	0.1
—	 ****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	na	FAUST, J. 3399191	F	0.1
—	 TOOL BOX INVENTORY DUE	comp	FAUST, J. 3399191	F	0.1
—	 FOD INSP DUE	comp	FAUST, J. 3399191	F	0.1
/	 DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	comp	FAUST, J. 3399191	F	0.1
—	 COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	comp	FAUST, J. 3399191	F	0.1





DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE H	4. TIME 00:01		
5. FAULT DATE 14 Sep 20		6. FAULT NUMBER 1			
7. FAULT INSP H810 CONDUCT HOIST OPERATIONAL CHECK IAW H-60-19-AMAM-01 ADDENDUM 1 (UPDATE) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5297.4 AIRCRAFT HOURS OR 20 SEP 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
X 	rmvd hour meter cover	reinstalled	TWOMEY, D	F	0.1
— 	fod check req'd	comp	TWOMEY, D	F	0.1
— 	tool inventory req'd	comp	FAUST, J. 3399191	F	0.1





DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 11:15		
5. FAULT DATE 14 Sep 20		6. FAULT NUMBER 2			
7. FAULT ELT FAILS SELF TEST INSP					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	 RMVD HDWR SECURING BACK PLATE	REINSTALLED	Phillips, E.	F	0.1
—	 FOD CHECK REQ	COMP	Phillips, E.	F	0.1
—	 TOOLBOX INV REQ	COMP	Phillips, E.	F	0.1
—	 MOC OF ELT REQ DUE TO BATT AND ANT REPLACMENT	MOC OK	Phillips, E.	F	0.1










DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:00		
	5. FAULT DATE 16 Sep 20	6. FAULT NUMBER 3			
7. FAULT INSP A115 LUBE REQUIRMENTS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 22 SEP 2020 OR 5297.4 AIRCRAFT HOURS					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	 TOOLBOX INVENTORY AND FOD CHECK REQ	COMP	TWOMEY, D	F	0.1
×	 RMVD R/H TAILCONE ACCESS PANEL	REINSTALLED	BROWN, L.	F	0.2
×	 RMVD L/H M/L/G STRUT PANEL AND HDWR	REINSTALLED	Klein, J.	F	0.2
×	 RMVD R/H M/L/G STRUT PANEL AND HDWR	REINSTALLED	TWOMEY, D	F	0.2














DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 10:35	
		5. FAULT DATE 16 Sep 20		6. FAULT NUMBER 4			
7. FAULT NO 1 ENGINE WILL NOT START. FUEL MIST SEEN COMMING FROM EXHAUST BUT NO SPARK							
8. STA	9. RELATED MAINTENANCE ACTIONS		10. ACTION		11. PID	12. CAT	13. MMH
×		DISCONNECTED OUTBOARD IGNITION LEAD FROM IGNITER PLUG	RECONNECTED. TQ 15° WRENCH ARC FROM HAND TIGHT		LEWIS, B.	F	0.2
×		DISCONNECTED INBOARD IGNITION LEAD FROM IGNITION EXCITER	RECONNECTED		LEWIS, B.	F	0.2
×		DISCONNECTED OUTBOARD IGNITION LEAD FROM IGNITION EXCITER	RECONNECTED		LEWIS, B.	F	0.2
×		DISCONNECTED INBOARD IGNITION LEAD FROM IGNITION EXCITER	RECONNECTED. TQ 15° WRENCH ARC FROM HAND TIGHT		LEWIS, B.	F	0.2
×		DISCONNECTED YELLOW CABLE FROM IGNITION EXCITER	RECONNECTED		LEWIS, B.	F	0.2
×		LOOSENED 3 EA CAPTIVE BOLTS ON IGNITION EXCITER	TQ 20 INLBS		LEWIS, B.	F	0.3
×		RMVD IGNITION EXCITER ASSY	REPLACED WITH SN# UNJG3443		LEWIS, B.	F	0.3
—		TOOLBOX INVENTORY AND FOD CHECK DUE	COMP		Ziegler, L.	F	0.2
×		Rmvd 2 ea Igniter plugs from #2 engine	REPLACED. TQ 150 INLBS		Ziegler, L.	F	0.2







DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS X	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:00		
5. FAULT DATE 18 Sep 20		6. FAULT NUMBER 2			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 WAS DUE. STATUS UPGRADED TO X ON: 17 SEP 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA #1	INSP COMP	Moore, S.	F	0.2
— 	INSP AREA #2	INSP COMP	Moore, S.	F	0.2
— 	INSP AREA #3	INSP COMP	TWOMEY, D	F	0.2
— 	INSP AREA #4	INSP COMP	TWOMEY, D	F	0.2
— 	INSP AREA #5	INSP COMP	TWOMEY, D	F	0.2
— 	INSP AREA #6	INSP COMP	Moore, S.	F	0.2
/ 	RMVD T/R G/B CVR	REINSTALLED	TWOMEY, D	F	0.2
/ 	RMVD I/G/B CVR	REINSTALLED	TWOMEY, D	F	0.2
— 	INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)	N/A	TWOMEY, D	F	0.1
— 	INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)	N/A	TWOMEY, D	F	0.1
— 	**** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS	N/A	TWOMEY, D	F	0.1
— 	****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS	N/A	TWOMEY, D	F	0.1
— 	****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INPECT THE EXTERNAL/	N/A	TWOMEY, D	F	0.1

DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS X	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:00		
5. FAULT DATE 18 Sep 20		6. FAULT NUMBER 2			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 WAS DUE. STATUS UPGRADED TO X ON: 17 SEP 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	 ****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	N/A	TWOMEY, D	F	0.1
—	 ****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	N/A	TWOMEY, D	F	0.1
—	 TOOL BOX INVENTORY DUE	comp	TWOMEY, D	F	0.1
—	 FOD INSP DUE	comp	TWOMEY, D	F	0.1
/	 DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	completed	TWOMEY, D	F	0.2
—	 COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	completed	TWOMEY, D	F	0.1







DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS X	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:01		
5. FAULT DATE 25 Sep 20		6. FAULT NUMBER 1			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 WAS DUE. STATUS UPGRADED TO X ON: 24 SEP 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	INSP AREA #1	completed	Ragoonath,	F	0.3
—	INSP AREA #2	completed	Hilton, J.	F	0.3
—	INSP AREA #3	completed	Hilton, J.	F	0.3
—	INSP AREA #4	completed	Ragoonath,	F	0.3
—	INSP AREA #5	completed	Ragoonath,	F	0.3
—	INSP AREA #6	completed	Hilton, J.	F	0.3
/	RMVD T/R G/B CVR	reinstalled	Ragoonath,	F	0.3
/	RMVD I/G/B CVR	reinstalled	Ragoonath,	F	0.3
—	INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)	n/a	Ragoonath,	F	0.1
—	INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)	n/a	Ragoonath,	F	0.1
—	**** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS	n/a	Ragoonath,	F	0.1
—	****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS	n/a	Ragoonath,	F	0.1
—	****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INPECT THE EXTERNAL/	n/a	Ragoonath,	F	0.1














DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS X	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:01		
5. FAULT DATE 25 Sep 20		6. FAULT NUMBER 1			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 WAS DUE. STATUS UPGRADED TO X ON: 24 SEP 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	 ****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	n/a	Ragoonath,	F	0.1
—	 ****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	n/a	Ragoonath,	F	0.1
—	 TOOL BOX INVENTORY DUE	completed	Ragoonath,	F	0.2
—	 FOD INSP DUE	completed	Hilton, J.	F	0.2
/	 DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	completed	Ragoonath,	F	0.1
—	 COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	completed	Ragoonath,	F	0.1

DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG







1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:01		
	5. FAULT DATE 28 Sep 20	6. FAULT NUMBER 1			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 01 OCT 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	 INSP AREA #1	COMP	Klein, J.	F	0.1
—	 INSP AREA #2	COMP	Klein, J.	F	0.1
—	 INSP AREA #3	COMP	Klein, J.	F	0.1
—	 INSP AREA #4	COMP	FAUST, J. 3399191	F	0.1
—	 INSP AREA #5	COMP	FAUST, J. 3399191	F	0.1
—	 INSP AREA #6	COMP	Klein, J.	F	0.1
/	 RMVD T/R G/B CVR	REINSTALLED	FAUST, J. 3399191	F	0.1
/	 RMVD I/G/B CVR	REINSTALLED	FAUST, J. 3399191	F	0.1
—	 INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)	N/A	Klein, J.	F	0.1
—	 INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)	N/A	Klein, J.	F	0.1
—	 **** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS	N/A	Klein, J.	F	0.1
—	 ****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS	N/A	Klein, J.	F	0.1
—	 ****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INPECT THE EXTERNAL/	N/A	Klein, J.	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED














RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:01		
	5. FAULT DATE 28 Sep 20	6. FAULT NUMBER 1			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 01 OCT 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	 ****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	N/A	Klein, J.	F	0.1
—	 ****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	N/A	Klein, J.	F	0.1
—	 TOOL BOX INVENTORY DUE	COMP	Klein, J.	F	0.1
—	 FOD INSP DUE	COMP	Klein, J.	F	0.1
/	 DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	COMP	Klein, J.	F	0.1
—	 COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	COMP	Klein, J.	F	0.1







DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 00:01	
		5. FAULT DATE 05 Oct 20		6. FAULT NUMBER 1			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 08 OCT 2020							
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH		
—	 INSP AREA #1	INSPECTION COMPLETE	Plemons, P.	F	0.3		
—	 INSP AREA #2	INSPECTION COMPLETED	Plemons, P.	F	0.8		
—	 INSP AREA #3	INSPECTION COMPLETE	Plemons, P.	F	0.2		
—	 INSP AREA #4	INSPECTION COMPLETE	Plemons, P.	F	1.3		
—	 INSP AREA #5	INSPECTION COMPETE	Plemons, P.	F	1.0		
—	 INSP AREA #6	INSPECTION COMPLETED	Plemons, P.	F	1.8		
/	 RMVD T/R G/B CVR	REINSTALLED	Plemons, P.	F	0.1		
/	 RMVD I/G/B CVR	REINSTALLED	Plemons, P.	F	0.2		
—	 INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)	N/A	Plemons, P.	F	0.1		
—	 INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)	N/A	Plemons, P.	F	0.1		
—	 **** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS	N/A	Plemons, P.	F	0.1		
—	 ****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS	N/A	Plemons, P.	F	0.1		
—	 ****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INPECT THE EXTERNAL/	N/A	Plemons, P.	F	0.1		














DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:01		
5. FAULT DATE 05 Oct 20		6. FAULT NUMBER 1			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 08 OCT 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	 ****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	N/A	Plemons, P.	F	0.1
—	 ****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	N/A	Plemons, P.	F	0.1
—	 TOOL BOX INVENTORY DUE	TOOLBOX INSPECTION COMPLETED	Plemons, P.	F	0.1
—	 FOD INSP DUE	FOD INSPECTION COMPLETE	Plemons, P.	F	0.1
/	 DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	N/A	Plemons, P.	F	0.1
—	 COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	N/A	Plemons, P.	F	0.1

DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG







1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:00		
	5. FAULT DATE 12 Oct 20	6. FAULT NUMBER 2			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 15 OCT 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA #1	COMP	Moore, S.	F	0.2
— 	INSP AREA #2	COMP	Moore, S.	F	0.2
— 	INSP AREA #3	COMP	Moore, S.	F	0.2
— 	INSP AREA #4	COMP	TWOMEY, D	F	0.2
— 	INSP AREA #5	COMP	TWOMEY, D	F	0.2
— 	INSP AREA #6	COMP	Moore, S.	F	0.3
/ 	RMVD T/R G/B CVR	REINSTALLED	TWOMEY, D	F	0.1
/ 	RMVD I/G/B CVR	REINSTALLED	TWOMEY, D	F	0.1
— 	INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)	N/A	Moore, S.	F	0.1
— 	INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)	N/A	Moore, S.	F	0.1
— 	**** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS	N/A	Moore, S.	F	0.1
— 	****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS	N/A	Moore, S.	F	0.1
— 	****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INPECT THE EXTERNAL/	N/A	Moore, S.	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED






RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:00		
5. FAULT DATE 12 Oct 20		6. FAULT NUMBER 2			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 15 OCT 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	 ****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	N/A	Moore, S.	F	0.1
—	 ****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	COMP	Moore, S.	F	0.1
—	 TOOL BOX INVENTORY DUE	COMP	TWOMEY, D	F	0.1
—	 FOD INSP DUE	COMP	Moore, S.	F	0.1
/	 DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	N/A	Moore, S.	F	0.1
—	 COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	COMP	Moore, S.	F	0.1






DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 00:00
	5. FAULT DATE 16 Oct 20		6. FAULT NUMBER 1		
7. FAULT INSP A115 LUBE REQUIRMENTS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 22 OCT 2020 OR 5303.4 AIRCRAFT HOURS					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	 REMOVED R/H REAR STRUT PANEL	REINSTALLED	Klein, J.	F	0.2
×	 REMOVED R/H UPPER STRUT PANEL	REINSTALLED	Moore, S.	F	0.2
×	 REMOVED L/H UPPER STRUT PANEL	REINSTALLED	Klein, J.	F	0.2
—	 TOOLBOX INVENTORY REQ	COMP	Klein, J.	F	0.1
—	 FOD CHECK REQ	COMP	Moore, S.	F	0.1














DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×		2. SERIAL NUMBER 8524402		3. SYSTEM CODE E		4. TIME 14:25	
		5. FAULT DATE 17 Oct 20		6. FAULT NUMBER 1			
7. FAULT SLAB BATTERY REQ REPLACEMENT DUE TO LOW VOLTAGE							
8. STA	9. RELATED MAINTENANCE ACTIONS		10. ACTION	11. PID	12. CAT	13. MMH	
×		RMVD BREAKAWAY SAFETY	REPLACED	AHLERS, R.	F	0.3	
×		LOOSEMED WINGNUTS	TIGHTENED	AHLERS, R.	F	0.3	
×		RMVD SLAB BATTERY FROM ACFT	REPLACED	AHLERS, R.	F	0.3	
×		DISCONNECTED HOOKUP FROM SLAB BATTERY	RECONNECTED	AHLERS, R.	F	0.3	
—		TOOLBOX INVENTORY AND FOD CHECK REQ	COMP	Barnes, J.	F	0.2	







DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:00		
5. FAULT DATE 19 Oct 20		6. FAULT NUMBER 1			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 22 OCT 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA #1	INSP CMPLT	Plemons, P.	F	0.1
— 	INSP AREA #2	INSP CMPLT	Plemons, P.	F	0.1
— 	INSP AREA #3	INSP CMPLT	Plemons, P.	F	0.1
— 	INSP AREA #4	INSP CMPLT	Plemons, P.	F	0.1
— 	INSP AREA #5	INSP CMPLT	Plemons, P.	F	0.1
— 	INSP AREA #6	INSP CMPLT	Plemons, P.	F	0.1
/ 	RMVD T/R G/B CVR	REINSTALLED	TWOMEY, D	F	0.1
/ 	RMVD I/G/B CVR	REINSTALLED	TWOMEY, D	F	0.1
— 	INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)	N/A	Plemons, P.	F	0.1
— 	INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)	N/A	Plemons, P.	F	0.1
— 	**** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS	N/A	Plemons, P.	F	0.1
— 	****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS	N/A	Plemons, P.	F	0.1
— 	****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INPECT THE EXTERNAL/	N/A	Plemons, P.	F	0.1









DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:00		
5. FAULT DATE 19 Oct 20		6. FAULT NUMBER 1			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 22 OCT 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	 ****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	N/A	Plemons, P.	F	0.1
—	 ****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	N/A	Plemons, P.	F	0.1
—	 TOOL BOX INVENTORY DUE	COMPLETED	TWOMEY, D	F	0.1
—	 FOD INSP DUE	INSP COMPLETE	TWOMEY, D	F	0.1
/	 DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	COMPLETE	Plemons, P.	F	0.1
—	 COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	comp	TWOMEY, D	F	0.2

DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×	2. SERIAL NUMBER 8524402	3. SYSTEM CODE H	4. TIME 20:15		
5. FAULT DATE 20 Oct 20		6. FAULT NUMBER 1			
7. FAULT HOIST BUMPER CRUSHED AND REQUIRES REPLACEMENT					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	 rmvd cotter pins from sets screws in bushing guide nut	replaced	Plemons, P.	F	0.2
×	 rmvd set screws (2ea) from bushing guide nut	reinstalled	Plemons, P.	F	0.2
×	 rmvd hook assy from bushing guide nut	reinstalled	Plemons, P.	F	0.2
×	 rmvd retaining ring and terminal halves from bushing guide nut	reinstalled	Plemons, P.	F	0.2
×	 rmvd bushing guide nut from cable	reinstalled	Plemons, P.	F	0.2
×	 rmvd crush bumper from cable	replaced	Plemons, P.	F	0.2
×	 rmvd spring pin from hook nut	replaced	Plemons, P.	F	0.2
—	 toolbox inventory and fod check req	comp	TWOMEY, D	F	0.2

DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×	2. SERIAL NUMBER 8524402	3. SYSTEM CODE H	4. TIME 00:01		
5. FAULT DATE 21 Oct 20		6. FAULT NUMBER 1			
7. FAULT INSP H810 CONDUCT HOIST OPERATIONAL CHECK IAW H-60-19-AMAM-01 ADDENDUM 1 (UPDATE) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 WAS DUE. STATUS UPGRADED TO X ON: 5303.4 AIRCRAFT HOURS OR 20 OCT 2020					
8. STA ×	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	rmvd hour meter cover and hdwr	REINSTALLED	Plemons, P.	F	0.2
—	toolbox inventory and fod check req	COMP	Bowman, K.	F	0.1

DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 16:36		
5. FAULT DATE 22 Oct 20		6. FAULT NUMBER 3			
7. FAULT BLUE M/R BLADE NICKEL ERROSION STRIP DEBONDED					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	DISCONNECTED BLADE DE-ICE CANNON PLUG FROM M/R BLADE A007-13205	RECONNECTED TO BLADE A007-17311	Klein, J.	F	0.1
×	DISCONNECTED ANTI FLAP CAM SPRINGS ON M/R BLADE A007-13205	RECONNECTED TO BLADE A007-17311	Klein, J.	F	0.1
×	RMVD COTTER PINS 2EA FROM M/R BLADE A007-13205 BLADE PINS	REPLACED	Klein, J.	F	0.1
×	RMVD BLADE PINS 2EA FROM M/R BLADE A007-13205	REINSTALLED	Klein, J.	F	0.1
×	RMVD M/R BLADE A007-13205 FROM AIRFRAME	REPLACED WITH M/R BLADE A007-17311	Rowe, S.	F	0.1
—	FOD CHECK AND TOOLBOX INVENTORY DUE	COMP	Rowe, S.	F	0.1
×	RMVD SAFETY FROM BLUE M/R BLADE OUTER HEX NUT ON NITROGEN SERVICING VALVE	REPLACED	Klein, J.	F	0.1
×	LOOSEMED BLUE M/R BLADE OUTER HEX NUT ON BLADE NITROGEN SERVICING VALVE	TIGHTENED TQ TO 70 IN-LBS	Klein, J.	F	0.1
×	RMVD SAFETY 2EA FROM UPPER AND LOWER BLUE M/R PCR JAM NUTS	REPLACED	Klein, J.	F	0.1
×	LOOSEMED BLUE M/R BLADE UPPER AND LOWER PCR JAM NUTS	TIGHTENED TQ TO 700 IN-LBS	Klein, J.	F	0.1

DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 11:12		
5. FAULT DATE 23 Oct 20		6. FAULT NUMBER 3			
7. FAULT IVHMS NOSE CAMARA REQUIRES INSTALLATION					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	NOSE PLATE REQUIRES REMOVAL	INSTALLED NOSE ADAPTOR PLATE	Klein, J.	F	0.1
×	IVHMS CAMARA ELECTRICAL CONNECTOR REQUIRES INSTALLATION	CONNECTED	Klein, J.	F	0.1
×	IVHMS CAMARA REQUIRES INSTALLATION	INSTALLED NOSE CAMARA	Klein, J.	F	0.1
×	IVHMS CAMARA ATTACHMNET HDWR REQUIRES INSTALLATION	INSTALLED	Klein, J.	F	0.1
×	IVHMS CAMARA ATTACHMENT HDWR REQUIRES LOCK WIRE	INSTALLED	Klein, J.	F	0.1
—	TOOLBOX INVENTORY AND FOD CHECK REQUIRED	COMP	Klein, J.	F	0.1

DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:01		
5. FAULT DATE 26 Oct 20		6. FAULT NUMBER 1			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 29 OCT 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	INSP AREA #1	COMP	Richards, M.	F	0.1
—	INSP AREA #2	COMP	Richards, M.	F	0.1
—	INSP AREA #3	COMP	Richards, M.	F	0.1
—	INSP AREA #4	COMP	Richards, M.	F	0.1
—	INSP AREA #5	COMP	Richards, M.	F	0.1
—	INSP AREA #6	COMP	Richards, M.	F	0.1
/	RMVD T/R G/B CVR	REINST	Richards, M.	F	0.1
/	RMVD I/G/B CVR	REINST	Richards, M.	F	0.1
—	INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)	N/A	Richards, M.	F	0.1
—	INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)	N/A	Richards, M.	F	0.1
—	**** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS	N/A	Richards, M.	F	0.1
—	****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS	N/A	Richards, M.	F	0.1
—	****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INPECT THE EXTERNAL/	N/A	Richards, M.	F	0.1









DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:01		
5. FAULT DATE 26 Oct 20		6. FAULT NUMBER 1			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 29 OCT 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	N/A	Richards, M.	F	0.1
—	****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	N/A	Richards, M.	F	0.1
—	TOOL BOX INVENTORY DUE	COMP	Richards, M.	F	0.1
—	FOD INSP DUE	COMP	Richards, M.	F	0.1
/	DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	COMP	Richards, M.	F	0.1
—	COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	COMP	Richards, M.	F	0.1





DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 10:14	
		5. FAULT DATE 28 Oct 20		6. FAULT NUMBER 2			
7. FAULT MAIN TRANSMISION OIL TEMP INDICATING 122DEG C ON GROUND.							
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH		
×	 RMVD MR DRIP PAN	ENTERED IN ERROR	Phillips, E.	F	0.1		
×	 RMVD HDWR SECURING MR TRANSMISION SUMP CHIP DETECTOR	REINSTALLED TQ TO 110IN LBS	Phillips, E.	F	0.1		
×	 RMVD MR TRANSMISION SUMP CHIP DETECTOR	REPLACED	Phillips, E.	F	0.1		
×	 CLOSED OFF MR TRANSMISION SUMP CHIP DETECTOR FLOW	OPENED	Phillips, E.	F	0.1		
×	 DISC MR TRANSMISION SUMP CHIP DETECTOR ELEC CONNECTOR	RECONNECTED	Phillips, E.	F	0.1		
×	 RMVD PACKING FROM MR TRANSMISION SUMP CHIP DETECTOR	REPLACED	Phillips, E.	F	0.1		
—	 PREFORM CHIP INSP PER WP0835	INSP COMP, SERVICABILTY CHECK REQ	TWOMEY, D	F	0.1		
—	 FOD CHECK AND TOOLBOX INV REQ	COMP	Phillips, E.	F	0.1		










DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS /		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 13:24	
		5. FAULT DATE 28 Oct 20		6. FAULT NUMBER 3			
7. FAULT INSERT THAT SECURES AFT SIDE OF MR DRIP PAN BROKEN. LOCATION MARKED ON AIRFRAME							
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION		11. PID	12. CAT	13. MMH	
×	 rmvd 2 ea rivets	REPLACED		VANG, C.	F	0.5	
×	 RMVD BROKEN NUTPLATE	REPLACED		VANG, C.	F	0.2	
—	 TOOL INV CHECK REQ	COMP.		VANG, C.	F	0.2	
—	 FOD CHECK REQ	COMP.		VANG, C.	F	0.2	

DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 16:03	
		5. FAULT DATE 28 Oct 20		6. FAULT NUMBER 7			
7. FAULT MAIN TRANSMISSION SERVICEABILITY CHECK REQ'D							
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH		
/	 RMVD XMSN DRIP PAN AND HDWR	reinst	Richards, M.	F	0.1		
—	 TOOLBOX INVENTORY AND FOD CHECK REQ	comp	Richards, M.	F	0.1		
×	 turned off flow for main mod sump chip detector	truned flow on	Richards, M.	F	0.1		
×	 rmvd main mod sump chip detector att hdw	reinst tq to 110 in lbs	Richards, M.	F	0.1		
×	 rmvd main mod sump chip detector	reinst	Richards, M.	F	0.1		
×	 rmvd main mod sump chip detector screen	reinst	Richards, M.	F	0.1		
×	 rmvd main mod sump chip detector packing	replaced	Richards, M.	F	0.1		
—	 fod check due	comp	Richards, M.	F	0.1		
—	 tool box inventory required	comp	Richards, M.	F	0.1		







DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:00		
5. FAULT DATE 01 Nov 20		6. FAULT NUMBER 1			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 04 NOV 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	INSP AREA #1	COMP	Richards, M.	F	0.1
—	INSP AREA #2	COMP	Richards, M.	F	0.1
—	INSP AREA #3	COMP	Richards, M.	F	0.1
—	INSP AREA #4	COMP	Richards, M.	F	0.1
—	INSP AREA #5	COMP	Richards, M.	F	0.1
—	INSP AREA #6	COMP	Richards, M.	F	0.1
/	RMVD T/R G/B CVR	REINST	Richards, M.	F	0.1
/	RMVD I/G/B CVR	REINST	Richards, M.	F	0.1
—	INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)	N/A	Richards, M.	F	0.1
—	INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)	N/A	Richards, M.	F	0.1
—	**** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS	N/A	Richards, M.	F	0.1
—	****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS	N/A	Richards, M.	F	0.1
—	****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INPECT THE EXTERNAL/	N/A	Richards, M.	F	0.1










DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:00		
	5. FAULT DATE 01 Nov 20	6. FAULT NUMBER 1			
7. FAULT INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 04 NOV 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	 ****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	N/A	Richards, M.	F	0.1
—	 ****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	N/A	Richards, M.	F	0.1
—	 TOOL BOX INVENTORY DUE	COMP	Richards, M.	F	0.1
—	 FOD INSP DUE	COMP	Richards, M.	F	0.1
/	 DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	COMP	Richards, M.	F	0.1
—	 COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	COMP	Richards, M.	F	0.1





DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 15:49		
5. FAULT DATE 02 Nov 20		6. FAULT NUMBER 2			
7. FAULT CRACK FOUND IN RED MAIN ROTOR BLADE S/N A007-07344, CRACK FOUND IN STA 246, 11.25 IN FROM TRAIING EDGE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	 RMVD COTTER PINS FROM RED MAIN ROTOR BLADE BLADE PINS (2 EA)	REPLACED (2 EA)	Richards, M.	F	0.1
×	 DISCONNECTED RED MAIN ROTOR BLADE DE-ICE CANNON PLUG	RE CONNECTED	Richards, M.	F	0.1
×	 DISCONNECTED ANTI-FLAP SPRING	RECONNECTED	Richards, M.	F	0.1
×	 RMVD RED MAIN ROTOR BLADE BLADE PINS (2 EA)	REPLACED PINS SN 36942, SN23626 WITH SN 08712, SN	Richards, M.	F	0.1
×	 RMVD RED MAIN ROTOR BLADE S/N A007-07344	REPLACED WITH SN A007-14214	Richards, M.	F	0.1
—	 FOD CHECK DUE	COMP	Richards, M.	F	0.1
—	 TOOL BOX INVENTORY REQUIRED	COMP	Richards, M.	F	0.1
×	 RMVD SAFETY FROM RED M/R PCR UPPER AND LOWER	REPLACED	Richards, M.	F	0.1
×	 LOOSEND JAMNUTS UPPER AN LOWER ON RED M/R PCR	TIGHTEND TQ TO 750 IN LBS	Richards, M.	F	0.1






DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 13:38		
5. FAULT DATE 03 Nov 20		6. FAULT NUMBER 2			
7. FAULT M/R BLADE SPAR PRESSURE CHECK REQUIRED ON BLADE S/N A007-14214					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
× 	RMVD SAFETY FROM SERVICE SHRADER VALVE	REPLACED	Richards, M.	F	0.1
× 	LOOSEND SHRADER VALVE	TIGHTEND TQ TO 70 IN LBS	Richards, M.	F	0.1
— 	FOD CHECK DUE	COMP	Richards, M.	F	0.1
— 	TOOL BOX INVENTORY REQUIRED	COMP	Richards, M.	F	0.1














DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 11:33	
		5. FAULT DATE 05 Nov 20		6. FAULT NUMBER 2			
7. FAULT RPMR INDICATION ISSUE. LOW ROTOR RPM AUDIO SOUNDS MULTIPLE TIMES DURING FLIGHT WITHOUT ACTUAL LOSS OF ROTOR RPM.							
8. STA	9. RELATED MAINTENANCE ACTIONS			10. ACTION	11. PID	12. CAT	13. MMH
×		RMVD HDWR SECURING NO2 SDC		REINSTALLED	Lyons, C.	F	0.2
×		DISC 3 ELEC CONNETORS FROM NO2 SDC		RECONNECTED	Lyons, C.	F	0.1
—		MOC OF IDS REQ DUE TO REPLACMENT OF NO2 SDC		COMPLETE, MOC OK	Lyons, C.	F	0.1
—		FOD CHECK AND TOOLBOX INV REQ		COMPLETE	Lyons, C.	F	0.1
×		RMVD SDC SN: UNK		REPLACED WITH SN: 06481	Phillips, E.	F	0.1

DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 14:27		
	5. FAULT DATE 05 Nov 20	6. FAULT NUMBER 4			
7. FAULT INSPECTION MANUALLY GENERATED ON 05 NOV 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 11 NOV 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	 INSP AREA #1	COMP	Barnes, J.	F	0.2
—	 INSP AREA #2	COMP	Barnes, J.	F	0.2
—	 INSP AREA #3	COMP	Barnes, J.	F	0.2
—	 INSP AREA #4	COMP	Barnes, J.	F	0.2
—	 INSP AREA #5	COMP	Klein, J.	F	0.3
—	 INSP AREA #6	COMP	Barnes, J.	F	0.3
/	 RMVD T/R G/B CVR	REINST	Klein, J.	F	0.2
/	 RMVD I/G/B CVR	REINST	SORRENTINO	F	0.2
—	 INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)	N/A	Barnes, J.	F	0.1
—	 INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)	N/A	Barnes, J.	F	0.1
—	 **** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS	N/A	Barnes, J.	F	0.1
—	 ****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS	N/A	Barnes, J.	F	0.1
—	 ****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INSPECT THE EXTERNAL/	N/A	Barnes, J.	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED














RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 14:27		
	5. FAULT DATE 05 Nov 20	6. FAULT NUMBER 4			
7. FAULT INSPECTION MANUALLY GENERATED ON 05 NOV 2020. INSP A804 TM 1-1520-237-PMD FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 11 NOV 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	N/A	Barnes, J.	F	0.1
—	****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	N/A	Barnes, J.	F	0.1
—	TOOL BOX INVENTORY DUE	COMP	Barnes, J.	F	0.1
—	FOD INSP DUE	COMP	Barnes, J.	F	0.1
/	DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	COMP	Barnes, J.	F	0.1
—	COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	COMP	Barnes, J.	F	0.1







DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 08:07		
5. FAULT DATE 07 Nov 20		6. FAULT NUMBER 1			
7. FAULT INSPECTION MANUALLY GENERATED ON 07 NOV 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5284.4 AIRCRAFT HOURS					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	 INSP AREA #1	COMP	Richards, M.	F	0.1
—	 INSP AREA #2	COMP	Richards, M.	F	0.1
—	 INSP AREA #3	COMP	Richards, M.	F	0.1
—	 INSP AREA #4	COMP	Richards, M.	F	0.1
—	 INSP AREA #5	COMP	Richards, M.	F	0.1
—	 INSP AREA #6	COMP	Richards, M.	F	0.1
/	 RMVD T/R G/B CVR	REINST	Richards, M.	F	0.1
/	 RMVD I/G/B CVR	REINST	Richards, M.	F	0.1
—	 INSP IAFTS TANK AND COMPONENTS AS REQUIRED BY TM HM-026-200G-23&P-A (IF INSTALLED)	N/A	Richards, M.	F	0.1
—	 INSP FRIES BAR INSTALLATION IAW TM 1-1520-701-13&P (IF INSTALLED)	N/A	Richards, M.	F	0.1
—	 **** ACFT 277,278,279,347,348,660,663**** PERFORM VISUAL INSP OF ARN-89 COMPONENTS	N/A	Richards, M.	F	0.1
—	 ****ACFT 963**** PERFORM VISUAL INSP OF ARN-149 COMPONENTS	N/A	Richards, M.	F	0.1
—	 ****ACFT 660 AND 347 ONLY**** USING A 10x MAGNIFIER INPECT THE EXTERNAL/	N/A	Richards, M.	F	0.1














DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 08:07		
5. FAULT DATE 07 Nov 20		6. FAULT NUMBER 1			
7. FAULT INSPECTION MANUALLY GENERATED ON 07 NOV 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 5284.4 AIRCRAFT HOURS					
8. STA —	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	 ****ACFT 277 AND 279 ONLY**** DAIL VISUAL INSP DUE FOR EXT HOIST CABIN	N/A	Richards, M.	F	0.1
—	 ****ACFT 845 ONLY**** VISUALLY INSPECT RH STATION 308 HORIZONTAL	N/A	Richards, M.	F	0.1
—	 TOOL BOX INVENTORY DUE	COMP	Richards, M.	F	0.1
—	 FOD INSP DUE	COMP	Richards, M.	F	0.1
/	 DOWNLOAD AND REVIEW OF IVHMS REQUIRED. REFORMAT AND REINSTALLATION OF CARD	COMP	Richards, M.	F	0.1
—	 COMGEN PRIOR TO FLIGHT MME FOR NEXT MISSION DAY	COMP	Richards, M.	F	0.1

DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG














1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:00		
	5. FAULT DATE 12 Nov 20	6. FAULT NUMBER 2			
7. FAULT INSP A160 90 DAY CORROSION INSPECTION FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 30 NOV 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
/	 REMOVED SOUNDPROOFING	REINSTALLED 2408-13-1 UPGRADED TO X SEE	Moore, S.	F	0.3
/	 REMOVED I/G/B COVER	REINSTALLED 2408-13-1 UPGRADED TO X SEE	Klein, J.	F	0.2
/	 REMOVED T/R G/B COVER	REINSTALLED 2408-13-1 UPGRADED TO X SEE	Klein, J.	F	0.2
X	 RMVD R/H OR L/H FUEL ENCLOSURE PANEL	REINSTALLED R/H PANEL 2408-13-1 UPGRADED TO X SEE	Klein, J.	F	0.3
/	 OPENED TAIL ROTOR DRIVE SHAFT COVERS	CLOSED 2408-13-1 UPGRADED TO X SEE	Klein, J.	F	0.1
X	 RMVD HDWR FROM REAR M/R PYLON FAIRING	REINSTALLED 2408-13-1 UPGRADED TO X SEE	Moore, S.	F	0.4
X	 RMVD REAR M/R PYLON FAIRING	REINSTALLED 2408-13-1 UPGRADED TO X SEE	Moore, S.	F	0.2
X	 DISC REAR M/R PYLON IR LIGHT	REINSTALLED 2408-13-1 UPGRADED TO X SEE	Klein, J.	F	0.1
X	 DISC FORMATION LIGHT CONN P402	REINSTALLED 2408-13-1 UPGRADED TO X SEE	Klein, J.	F	0.1
X	 RMVD HDWR SEC APU PANEL TO ACFT	REINSTALLED 2408-13-1 UPGRADED TO X SEE	Moore, S.	F	0.3
X	 RMVD HDWR SEC APU EXHAUST DUCT TO AIRFRAME	REPLACED TQ TO 50 IN/LB 2408-13-1 UPGRADED TO X SEE	Klein, J.	F	0.2
X	 RMVD APU PANEL	REINSTALLED 2408-13-1 UPGRADED TO X SEE	Klein, J.	F	0.1
—	 INSPECT AND PERFORM CORROSION PREVENTION ON COCKPIT EXTERIOR	COMP 2408-13-1 UPGRADED TO X SEE	Moore, S.	F	0.3

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:00		
5. FAULT DATE 12 Nov 20		6. FAULT NUMBER 2			
7. FAULT INSP A160 90 DAY CORROSION INSPECTION FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 30 NOV 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSPECT AND PERFORM CORROSION PREVENTION ON COCKPIT INTERIOR	COMP 2408-13-1 UPGRADED TO X SEE	Moore, S.	F	0.3
— 	INSPECT AND PERFORM CORROSION PREVENTION ON CABIN EXTERIOR	COMP 2408-13-1 UPGRADED TO X SEE	Moore, S.	F	0.2
— 	INSPECT AND PERFORM CORROSION PREVENTION ON CABIN INTERIOR	COMP 2408-13-1 UPGRADED TO X SEE	Moore, S.	F	0.4
— 	INSPECT AND PERFORM CORROSION PREVENTION ON TRANSITION -- TAILCONE EXTERIOR	COMP 2408-13-1 UPGRADED TO X SEE	Moore, S.	F	0.3
— 	INSPECT AND PERFORM CORROSION PREVENTION ON TRANSITION --TAILCONE INTERIOR	COMP 2408-13-1 UPGRADED TO X SEE	Klein, J.	F	0.3
— 	INSPECT AND PERFORM CORROSION PREVENTION ON TAIL PYLON	COMP 2408-13-1 UPGRADED TO X SEE	Klein, J.	F	0.3
— 	INSPECT AND PERFORM CORROSION PREVENTION ON T/R PITCH BEAM	COMP 2408-13-1 UPGRADED TO X SEE	Klein, J.	F	0.1
— 	INSPECT AND APPLY CPC TO LOWER STABILATOR ACTUATOR CLEVIS AND JAM NUT	COMP 2408-13-1 UPGRADED TO X SEE	Moore, S.	F	0.1
— 	INSPECT AND PERFORM CORROSION PREVENTION ON M/R PYLON	2408-13-1 UPGRADED TO X SEE FAULT ON NOV 24 2020 8:31AM.			
— 	INSPECT AND PERFORM CORROSION PREVENTION ON AFT M/R PYLON	COMP 2408-13-1 UPGRADED TO X SEE	Klein, J.	F	0.3
— 	INSPECT AND PERFORM CORROSION PREVENTION ON M/R SYSTEM	2408-13-1 UPGRADED TO X SEE FAULT ON NOV 24 2020 8:31AM.			
— 	INSPECT AND PERFORM CORROSION PREVENTION ON #1 ENGINE	N/A 2408-13-1 UPGRADED TO X SEE	Moore, S.	F	0.1
— 	INSPECT AND PERFORM CORROSION PREVENTION ON #2 ENGINE	2408-13-1 UPGRADED TO X SEE FAULT ON NOV 24 2020 8:31AM.			














DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 00:00		
5. FAULT DATE 12 Nov 20		6. FAULT NUMBER 2			
7. FAULT INSP A160 90 DAY CORROSION INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8524402 IS DUE. STATUS WILL UPGRADE TO X ON: 30 NOV 2020					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	FOD INSP DUE	2408-13-1 UPGRADED TO X SEE FAULT ON NOV 24 2020 8:31AM.			
—	TOOL BOX INVENTORY DUE	2408-13-1 UPGRADED TO X SEE FAULT ON NOV 24 2020 8:31AM.			

DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS ×	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 09:08		
	5. FAULT DATE 12 Nov 20	6. FAULT NUMBER 4			
7. FAULT #1 ENGINE SN# GE-E-763276C REQUIRES REMOVAL TO FACILITATE MAINTENANCE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	 DISC #1 ENGINE FUEL HOSE AT ELBOW	RECONNECTED. TQ 500 INLBS	LEWIS, B.	F	0.2
×	 DISC #1 ENGINE COMBUSTION DRAIN HOSE FROM ELBOW ON REAR ENGINE DECK	RECONNECTED. TQ 150 INLBS	LEWIS, B.	F	0.2
×	 DISC #1 ENGINE MANIFOLD COMMON DRAIN HOSE FROM ELBOW ON REAR ENGINE DECK	RECONNECTED. TQ 250 INLBS	LEWIS, B.	F	0.2
×	 RMVD CLAMP SEC COMMON DRAIN TO ENGINE COMPARTMENT SHIELD	REINSTALLED	LEWIS, B.	F	0.2
×	 RMVD CLAMP SEC SWIRL FRAME DRAIN TO AIRFRAME	Reinstalled	LEWIS, B.	F	0.1
×	 DISC P815 FROM FIREWALL RECEPTACLE	RECONNECTED	LEWIS, B.	F	0.2
×	 DISC P825 FROM FIREWALL RECEPTACLE	RECONNECTED	LEWIS, B.	F	0.2
×	 DISC POWER AVAILABLE SPINDLE FROM HMU	RECONNECTED	LEWIS, B.	F	0.2
×	 DISC LOAD DEMAND SPINDLE FROM HMU	RECONNECTED	LEWIS, B.	F	0.2
×	 RMVD CLAMPS SEC STARTER AIR TUBE TO FIREWALL	REINSTALLED. TQ 45 INLBS	LEWIS, B.	F	0.2
×	 RMVD CLAMP SEC STARTER AIR TUBE TO STARTER	REINSTALLED. TQ 45 INLBS	LEWIS, B.	F	0.2
×	 RMVD STARTER AIR TUBE	REINSTALLED	LEWIS, B.	F	0.2
×	 RMVD CLAMP SEC BLEED AIR TUBE TO FIREWALL	REINSTALLED. TQ 45 INLBS	LEWIS, B.	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 09:08		
	5. FAULT DATE 12 Nov 20	6. FAULT NUMBER 4			
7. FAULT #1 ENGINE SN# GE-E-763276C REQUIRES REMOVAL TO FACILITATE MAINTENANCE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	 RMVD CLAMP SEC IPS DUCT TO BLOWER	REINSTALLED. TQ 70 INLBS	LEWIS, B.	F	0.2
×	 RMVD IPS DUCT	REINSTALLED	LEWIS, B.	F	0.2
×	 DISC CLAMP FROM DESWIRL DUCT	RECONNECTED. TQ 40 INLBS	LEWIS, B.	F	0.2
×	 INSTALLED LIFT SLING	RMVD	LEWIS, B.	F	0.2
×	 RMVD HDWR SEC HSS TO INPUT MODULE FLANGE	TRPLACED. TQ 140 INLBS	LEWIS, B.	F	0.2
×	 RMVD HDWR SEC FWD SUPPORT TUBE TO INPUT MODULE FLANGE	REPLACED. TQ 190 INLBS	LEWIS, B.	F	0.2
×	 RMVD SFTY FROM INBOARD MOUNT STRUT HDWR	REPLACED	LEWIS, B.	F	0.2
×	 RMVD INBOARD MOUNT STRUT HDWR	REPLACED. TQ 181 INLBS	LEWIS, B.	F	0.2
×	 RMVD SFTY FROM OUTBOARD MOUNT STRUT HDWR	REPLACED	LEWIS, B.	F	0.2
×	 RMVD OUTBOARD MOUNT STRUT HDWR	REPLACED. TQ 181 INLBS	LEWIS, B.	F	0.2
×	 RMVD SFTY FROM CENTER MOUNT HDWR	REPLACED	LEWIS, B.	F	0.2
×	 RMVD CENTER MOUNT HDWR	REPLACED. TQ IAW 1-1520-237-23&P	LEWIS, B.	F	0.2
×	 RMVD #1 ENGINE	REPLACED WITH SN# GE-E761061C	LEWIS, B.	F	5.0

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED








RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 09:08		
5. FAULT DATE 12 Nov 20		6. FAULT NUMBER 4			
7. FAULT #1 ENGINE SN# GE-E-763276C REQUIRES REMOVAL TO FACILITATE MAINTENANCE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	INPUT PINION AXIAL PLAY INSP DUE	COMP	LEWIS, B.	F	0.2
—	HSS INSP DUE	COMP	LEWIS, B.	F	0.2
—	INPUT MODULE FLANGE INSP DUE	COMP	LEWIS, B.	F	0.2
—	#1 GIMBAL INSP DUE	COMP	LEWIS, B.	F	0.2
—	FOD CK DUE	COMP	LEWIS, B.	F	0.2
—	TOOL INVENTORY DUE	COMP	LEWIS, B.	F	0.2
×	RMVD HMU LINK BOLT FROM HMU ACTUATING LINK	REPLACED. TQ 50 INLBS	Gravel, G.	F	0.2
×	RMVD T2 SENSOR FROM HOLSTER	REINSTALLED	Gravel, G.	F	0.2
×	DISCONNECTED P3 TUBE FROM HMU AND AGM	RECONNECTED. TQ 60° WRENCH ARC	Gravel, G.	F	0.2
×	DISCONNECTED GEARBOX-TO-HMU HOSE FROM HMU AND AGB	RECONNECTED. TQ 60° WRENCH ARC	Gravel, G.	F	0.2
×	DISCONNECTED YELLOW CABLE FROM HMU	RECONNECTED	Gravel, G.	F	0.2
×	LOOSENED HMU MOUNTING CLAMP LOCKNUT	TQ 60 ° WRENCH ARC	Gravel, G.	F	0.2
×	LOOSENED HMU MOUNTING CLAMP COUPLING BOLT	TQ 35 INLBS	Gravel, G.	F	0.2

DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 09:08		
	5. FAULT DATE 12 Nov 20	6. FAULT NUMBER 4			
7. FAULT #1 ENGINE SN# GE-E-763276C REQUIRES REMOVAL TO FACILITATE MAINTENANCE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	 RMVD HMU SN#WYG91212	REPLACED WITH SN#17788707	Gravel, G.	F	0.2
×	 RMVD 4 EA PACKINGS FROM HMU	REPLACED	Gravel, G.	F	0.2
×	 DISCONNECTED 3 EA CANNON PLUGS DROM DEC	RECONNECTED	Gravel, G.	F	0.2
×	 LOOSENED 2 EA MOUNTING BOLTS ON DEC	TIGHTENED	Gravel, G.	F	0.2
×	 LOOSENED CAPTIVE BOLT ON DEC	TQ 50 INLBS	Gravel, G.	F	0.2
×	 RMVD DEC SN#17USG3439	REPLACED WITH DEC SN#EMDU7862	Gravel, G.	F	0.2
×	 RMVD SCROLL SEAL FROM DEC	REINSTALLED	Gravel, G.	F	0.2














DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 10:00		
5. FAULT DATE 12 Nov 20		6. FAULT NUMBER 5			
7. FAULT #2 ENGINE SN# GE-E-964277 REQUIRES REMOVAL TO FACILITATE MAINTENANCE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	DISC #2 ENGINE FUEL HOSE AT ELBOW	reconnected Tq 500 inlbs	Ortiz, J.	F	0.1
×	DISC #2 ENGINE COMBUSTION DRAIN HOSE FROM ELBOW ON REAR ENGINE DECK	reconnected tq 190 inlbs	Ortiz, J.	F	0.1
×	DISC #2 ENGINE MANIFOLD COMMON DRAIN HOSE FROM ELBOW ON REAR ENGINE DECK	reconnected tq 280 inlbs	Ortiz, J.	F	0.1
×	RMVD CLAMP SEC COMMON DRAIN TO ENGINE COMPARTMENT SHIELD	reinstalled	Ortiz, J.	F	0.1
×	DISC P814 FROM FIREWALL RECEPTACLE	reconnected	Ortiz, J.	F	0.1
×	DISC P824 FROM FIREWALL RECEPTACLE	reconnected	Ortiz, J.	F	0.1
×	DISC POWER AVAILABLE SPINDLE FROM HMU	reinstalled	Ortiz, J.	F	0.1
×	DISC LOAD DEMAND SPINDLE FROM HMU	reconnected	Ortiz, J.	F	0.1
×	RMVD CLAMPS SEC STARTER AIR TUBE TO FIREWALL	reinstalled tq 45 inlbs	Ortiz, J.	F	0.1
×	RMVD CLAMP SEC STARTER AIR TUBE TO STARTER	reinstalled tq 45 inlbs	Ortiz, J.	F	0.1
×	RMVD STARTER AIR TUBE	reinstalled	Ortiz, J.	F	0.1
×	RMVD HDWR SEC L/D AND P/A CABLES TO IPS DUCT	reinstalled	Ortiz, J.	F	0.1
×	RMVD CLAMP SEC IPS DUCT TO IPS BLOWER	reinstalled tq 70 inlbs	Ortiz, J.	F	0.1

DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 10:00		
5. FAULT DATE 12 Nov 20		6. FAULT NUMBER 5			
7. FAULT #2 ENGINE SN# GE-E-964277 REQUIRES REMOVAL TO FACILITATE MAINTENANCE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	 RMVD IPS DUCT	reinstalled	Ortiz, J.	F	0.1
×	 DISC CLAMP AT DESWIRL DUCT	reinstalled tq 40 inlbs	Ortiz, J.	F	0.1
×	 INSTALLED LIFT SLING	removed	Ortiz, J.	F	0.1
×	 RMVD HDWR SEC HSS TO INPUT MODULE FLANGE	reinstalled tq 140 inlbs	Ortiz, J.	F	0.1
×	 RMVD HDWR SEC FWD SUPPORT TUBE TO INPUT MODULE FLANGE	reinstalled tq 194 inlbs	Ortiz, J.	F	1.0
×	 RMVD SFTY FROM INBOARD MOUNT STRUT HDWR	replaced	Ortiz, J.	F	0.1
×	 RMVD INBOARD MOUNT STRUT HDWR	reinstalled tq 181-199 inlbs	Ortiz, J.	F	0.1
×	 RMVD SFTY FROM OUTBOARD MOUNT STRUT HDWR	replaced	Ortiz, J.	F	0.1
×	 RMVD OUTBOARD MOUNT STRUT HDWR	reinstalled tq 181-199 inlbs	Ortiz, J.	F	0.1
×	 RMVD SFTY FROM CENTER MOUNT HDWR	replaced	Ortiz, J.	F	0.1
×	 RMVD CENTER MOUNT HDWR	reinstalled tightened so the washers don't move back off and	Ortiz, J.	F	0.1
×	 RMVD #2 ENGINE	replaced	Ortiz, J.	F	0.1
—	 INPUT PINION AXIAL PLAY INSP DUE	inspected ok	Ortiz, J.	F	0.1







DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 10:00		
5. FAULT DATE 12 Nov 20		6. FAULT NUMBER 5			
7. FAULT #2 ENGINE SN# GE-E-964277 REQUIRES REMOVAL TO FACILITATE MAINTENANCE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	HSS INSP DUE	inspected ok	Ortiz, J.	F	0.1
—	INPUT MODULE FLANGE INSP DUE	inspected ok	Ortiz, J.	F	0.1
—	#2 GIMBAL INSP DUE	inspected ok	Ortiz, J.	F	0.1
—	FOD CK DUE	complete	Ortiz, J.	F	0.1
—	TOOL INVENTORY DUE	complete	Ortiz, J.	F	0.1
×	Disconnected electrical connector (yellow cable) from hmu	reconnected	Ortiz, J.	F	0.1
×	Disconnected P3 tube from HMU	reconnected tq 60 degrees w/a	Ortiz, J.	F	0.1
×	Disconnected gearbox-to-HMU hose assembly from HMU	reconnected tq 60 degrees W/A	Ortiz, J.	F	0.5
×	removed t2 sensor from holster	reinstalled	Ortiz, J.	F	0.2
×	removed hardware from hmu link	reinstalled tq 45 inlbs	Ortiz, J.	F	0.1
×	loosned nut on hmu clamp	tightened tq 60 degrees W/A	Ortiz, J.	F	0.1
×	loosened clamp coupling bolt on hmu	tightened tq 35 inlbs	Ortiz, J.	F	0.5
×	removed HMU SN: 17576305	entered in error	Ortiz, J.	F	0.1














DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 15:26		
5. FAULT DATE 14 Nov 20		6. FAULT NUMBER 1			
7. FAULT NO.1 ENGINE INBOARD MOUNTING STRUT UPPER BEARING WORN BEYOND LIMITS					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	 RMVD 1 EA COTTER PIN FROM INBOARD MOUNT STRUTS	REPLACED	LEWIS, B.	F	0.2
×	 RMVD MOUNTING HDWR CONNECTING INBOARD MOUNT STRUTS	REPLACED. TQ 181 INLBS	LEWIS, B.	F	0.2
×	 RMVD COTTER PIN FROM INBOARD OUTER MOUNT STRUT	REPLACED	LEWIS, B.	F	0.2
×	 RMVD INBOARD OUTER MOUNT STRUT MOUNTING HDWR	REPLACED. TQ 181 INLBS	LEWIS, B.	F	0.2
×	 RMVD INBOARD OUTER MOUNT STRUT	REPLACED W/ SN: TE11075-00271	LEWIS, B.	F	0.2
—	 TOOLBOX INVENTORY AND FOD CHECK DUE	COMP	LEWIS, B.	F	0.2

DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 15:39		
	5. FAULT DATE 14 Nov 20	6. FAULT NUMBER 2			
7. FAULT NO.1 ENGINE OUTBOARD MOUNT FITTING BEARING WORN BEYOND LIMITS					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	 RMVD COTTER PIN FROM OUTBOARD ENGINE MOUNTING STRUT	REPLACED	LEWIS, B.	F	0.2
×	 RMVD OUTBOARD ENGINE MOUNTING STRUT MOUNTING HDWR	REPLACED. TQ 181 INLBS	LEWIS, B.	F	0.2
×	 RMVD OUTBOARD ENGINE MOUNTING STRUT	REINSTALLED	LEWIS, B.	F	0.2
×	 RMVD NO.1 UPPER DOOR STOP MOUNTING HARDWARE	REINSTALLED	LEWIS, B.	F	0.2
×	 RMVD NO.1 UPPER DOOR STOP	REINSTALLED	LEWIS, B.	F	0.2
×	 RMVD NO.1 LOWER DOOR STOP MOUNTING HARDWARE	REINSTALLED	LEWIS, B.	F	0.2
×	 RMVD NO.1 LOWER DOOR STOP	REINSTALLED	LEWIS, B.	F	0.3
/	 RMVD NO.1 DOOR	REINSTALLED	LEWIS, B.	F	0.2
/	 LOWERED AFT CABIN SOUND PROOFING	RAISED	LEWIS, B.	F	0.2
×	 RMVD NO.1 SIDE AFT SOUND PROOFING PANEL MOUNTING HARDWARE	REINSTALLED	LEWIS, B.	F	0.2
×	 RMVD NO.1 SIDE AFT SOUND PROOFING PANEL	REINSTALLED	LEWIS, B.	F	0.2
/	 RMVD SEALANT FROM MOUNT FITTING	SEALED	LEWIS, B.	F	0.2
×	 RMVD 4 EA MOUNTING BOLTS FROM MOUNT FITTING	REINSTALLED. TQ 130 INLBS	LEWIS, B.	F	1.0

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED




RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 15:39		
5. FAULT DATE 14 Nov 20		6. FAULT NUMBER 2			
7. FAULT NO.1 ENGINE OUTBOARD MOUNT FITTING BEARING WORN BEYOND LIMITS					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	RMVD 2 EA MOUNTING SCREWS FROM MOUNT FITTING	REPLACED. TQ 115 INLBS	LEWIS, B.	F	1.0
×	RMVD MOUNT FITTING	REPLACED	LEWIS, B.	F	1.0
×	RMVD OUTBOARD SHIMS FROM MOUNT FITTING	REPLACED	LEWIS, B.	F	0.2
×	RMVD 2 EA RADIUS BLOCKS FROM MOUNT FITTING	REINSTALLED	LEWIS, B.	F	0.2
—	TOOLBOX INVENTORY AND FOD CHECK DUE	COMP	LEWIS, B.	F	0.2





DA FORM 2408-13-2-SG, OCT 97
DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 16:22		
5. FAULT DATE 10 Dec 20		6. FAULT NUMBER 3			
7. FAULT ARC-186 R/T REMOVED FOR TROUBLESHOOTING ON AFCT 963					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	 DISC 3 ELEC CONNECTORS FROM R/T	RECONNECTED	Phillips, E.	F	0.1
×	 RMVD ARC-186 R/T	REINSTLLED	Phillips, E.	F	0.1
—	 FOD CHECK AND TOOLBOX INV REQ	COMP	Phillips, E.	F	0.1

DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 11:25	
		5. FAULT DATE 18 Dec 20		6. FAULT NUMBER 1			
7. FAULT IVHMU SN:00833 RMVD FOR CE ACFT 9026277, CE WYDDC0352001							
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH		
×	 DISC 4 ELEC CONNECTORS FROM IVHMU	RECONNECTED	Phillips, E.	F	0.1		
×	 RMVD HDWR SECURING IVHMU	REINSTALLED 3 SCREWS AND WASHERS	Phillips, E.	F	0.1		
×	 RMVD IVHMU SN: 00833	REPLACED WITH SN: 00475	Phillips, E.	F	0.1		
—	 TOOL BOX INV AND FOD CHECK REQ	COMP	Phillips, E.	F	0.1		














DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×		2. SERIAL NUMBER 8524402		3. SYSTEM CODE A		4. TIME 14:40	
		5. FAULT DATE 21 Dec 20		6. FAULT NUMBER 4			
7. FAULT IVHMU REMOVED FOR TROUBLESHOOTING							
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH		
—	TOOL BOX INVENTORY AND FOD CHECK REQ	COMP	Coley, L.	F	0.1		
×	DISCONNECTED 4 CONNECTORS FROM IVHMU	RECONNECTED	Coley, L.	F	0.2		
×	REMOVED HDWR FROM IVHMU	REINSTALLED	Coley, L.	F	0.1		
×	REMOVED IVHMU FROM ACFT	REINSTALLED	Coley, L.	F	0.2		

DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×	2. SERIAL NUMBER 8524402	3. SYSTEM CODE A	4. TIME 15:10		
	5. FAULT DATE 30 Dec 20	6. FAULT NUMBER 1			
7. FAULT APU FUEL CONTROL ASSY FUEL PUMP S/N 2873-592 REMOVED FOR CE TO ACFT 8624511,CE # WYDDC0364001					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	 RMVD 2 EA SCREWS SEC APU FUEL PUMP TO FUEL ACU	REINSTALLED TQ 25 IN LBS	LEWIS, B.	F	0.2
×	 FUEL CONTROL ASSY REQUIRES 3 EA PACKINGS	PACKINGS INSTALLED	LEWIS, B.	F	0.1
×	 RMVD 2 EA BOLTS SEC APU FUEL CONTROL ASSY	REINSTALLED TQ 60 IN LBS	Ziegler, L.	F	0.5
×	 RMVD APU FUEL CONTROL ACU S/N 10-81-54	INSTALLED ACU S/N 6430-0162	Ziegler, L.	F	1.0
×	 RMVD APU FUEL CONTROL FUEL PUMP S/N 2873-592	INSTALLED S/N 543	Ziegler, L.	F	1.0
×	 RMVD APU FUEL CONTROL TUBE ASSY FROM MAIN FUEL SOLENOID VALVE AND FUEL CONTROL	INSTALLED 80 IN LBS	Ziegler, L.	F	0.5
×	 RMVD APU FUEL CONTROL TUBE ASSY FROM START FUEL SOLENOID VALVE AND FUEL CONTROL	INSTALLED 90 IN LBS	Ziegler, L.	F	0.1
×	 RMVD APU FUEL CONTROL TUBE ASSY FROM MAX FUEL SOLENOID VALVE AND FUEL CONTROL	INSTALLED TQ 90 IN LBS	Ziegler, L.	F	0.2
×	 RMVD APU FUEL INLET FILTER TUBE ASSY	INSTALLED 80 IN LBS	Ziegler, L.	F	0.2
×	 RMVD GASKET FROM APU FUEL CONTROL	REPLACED	Ziegler, L.	F	0.2
×	 RMVD TUBE ASSY FROM FUEL CONTROL AND FUEL CONTROL COVER BULKHEAD FITTING	INSTALLED TQ 135 IN LBS	Ziegler, L.	F	1.0
—	 TOOLBOX INVENTORY REQ'D	COMPLETE	Ziegler, L.	F	0.1
—	 FOD CHECK DUE	COMPLETE	Ziegler, L.	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

