



Mechanical IR Cut Filter



Main Features:

- * 1/2.9" SONY CMOS Sensor
- * 3MP f3.6mm Board Lens
- * 15~20 meters effective IR distance
- * Support 2D DNR (Digital Noise Reduction)
- * AHD/ HD CVI /HD TVI/ CVBS Output
Selectable from Toggle Switch
- * Water Resistance:IP66

Specification:

Model	AHD-7220-3XW
Image Sensor	1/2.9" 2MP SONY EXmor CMOS
Video System	NTSC/PAL
Effective Pixels	1958(H) x 1105(V)
Minimum Illumination	Color : 0.1Lux@(F1.2 · AGC ON) ; B&W : 0.01Lux@(F1.2 · AGC ON)
Synchronization	Internal synchronization
Video Output	AHD / TVI / CVI : (1080P@25fps, 1080P@30fps) Analog : (1280x576 , 1280x480) 1.0Vp-p Composite Video Output, 75 Ohm ; BNC Connector
S/N Ratio	41dB(AGC OFF)
Dynamic Noise Reduction	2D DNR
Electronic Shutter	Auto
Day&Night	Auto
White Balance	Auto
Automatic Gain Control	Auto
IR LED	5Φ x 24pcs Leds
Lens	f3.6mm
IR Distance	15~20M
Power Supply	DC12V±10%
Power Consumption	< 4.5W
Weight	350g
Water Resistance	IP66
Storage Temperature	-20°C~60°C
Operation Temp & Humidity	-10°C ~50°C · Humidity 90% or less (non-condensing)

Dimensions:

