

# YOUR EASY ORDERING GUIDE

## 1. Select Your Material

### Standard Material Types

- 
**Flat Tubular:** Sturdy polyester for a simple, professional look and feel.
- 
**Optiweave:** Made of polyester, this lanyard is great for silk screen imprinting.
- 
**Microweave:** Excellent print quality at a great price.
- 
**Ultraweave:** This satin-like material offers a superior base for imprinting.
- 
**Econoweave:** Thin, ribbon-like polyester material. Most economical choice.
- 
**Woven:** A polyester material in which the design is woven into the fabric.

### Specialty Material Types

- 
**Bamboo:** Comprised of rayon fibers that are made from bamboo. Very soft to the touch.
- 
**Organic Cotton:** Made with 100% organic cotton which is grown without the use of harmful chemicals or pesticides.
- 
**Anti-Microbial:** Polyester material which contains nanoparticles that prevent the growth of germs. Perfect for healthcare and food service.
- 
**Recycled P.E.T:** Made from 100% post-consumer waste.

## 2. Select Your Imprint Method

### Standard Imprinting Methods

- 
**Silk Screen:** The most economical imprinting method. You can silk screen on almost every material with the exception of Woven. Allows up to a 3 color imprint.
- 
**Dye-Sublimation:** Color is dyed into the white fabric. Ideal for intricate designs due to endless color options and fine detail. For best results, choose Smooth Polyester fabric.
- 
**Woven:** The classic lanyard look! Each design is woven into the fabric, while the tight weave allows for a crisp, clean imprint. Choose up to 12 thread colors shown on page 8.

Note: products are not shown to scale.



## 3. Select Your Width

### Width Options

There are several different width options, depending on which material you chose. The most popular width is 5/8".

1/4"	3/8"	1/2"	5/8"	3/4"	1"
------	------	------	------	------	----

### Materials & Available Widths:

- Flat Tubular: 5/8"
- Optiweave: 5/8"
- Microweave: 3/8", 1/2", 5/8", 3/4" & 1"
- Ultraweave: 3/8", 1/2", 5/8", 3/4" & 1"
- Econoweave: 3/8", 5/8", 3/4" & 1"
- Woven: 5/8", 3/4" & 1"
- Flat Woven: 3/8"
- Round Woven: 1/4"
- Bamboo: 3/8", 5/8", 3/4" & 1"
- Organic Cotton: 5/8", 3/4" & 1"
- Anti-Microbial: 3/8" & 5/8"
- Recycled: 3/8", 5/8", 3/4" & 1"

## 4. Select Your Attachment



**Attachment Options:** An attachment is the component at the end of a lanyard that holds an ID card, keys or other items. Examples of our attachments can be seen to the left.

**Breakaway:** A breakaway is meant to release under certain pressure.\* See other styles shown on page 9.

\*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.


## Econoweave Lanyards

These economical lanyards are perfect for large events and tight budgets. Made from thin, ribbon-like polyester material. Available in limited material colors and attachments. Printing limitations may apply. **MOQ: 100.**



PERFECT FOR EVENTS

ATTACHMENT SECURED WITH SEWN ON FINISHING OPTION.

Econoweave Lanyard Specifications	
Width	Dimensions
3/8"	3/8" (10mm) wide x 36" (914mm) long (total length)
5/8"	5/8" (16mm) wide x 36" (914mm) long (total length)
Available 10 business days after proof approval. PMS color match is not exact. Colors may vary.	
Shipping Weight: 2 lb. per 100 pieces (3/8") / 3 lb. per 100 pieces (5/8").	
 <b>WARNING</b> This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>	

*\*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.*

## Adjustable Lanyard Rack

Sturdy metal rack is ideal for smaller meetings and trade shows. Holds over 100 lanyards. Has an area on top to add a custom sign or message. **MOQ: 1.**

Adjustable Lanyard Rack Specifications	
Item #	Dimensions
9000-1000	Total Height: 26.77" (680mm) Round Base: 9.84" (250mm) edge-to-edge, 0.12" (3mm) thick Round Tube Pole: 5/8" (15mm) width x 24" (610mm) height Spindle: 0.16" (4mm) diameter wire hooks, 14" (350mm) wide Sign: 0.034" (1mm) thick channel, 0.31" (8mm) inside dimension, 5.91" (150mm) long x 3" (75mm) high
Shipping Weight: 0.50 lb. per 1 stand	

## ECONOWEAVE LANYARDS

### MATERIAL COLORS

- BLACK
- ROYAL PMS 294
- NAVY PMS 289
- GREEN PMS 348
- RED PMS 200
- WHITE
- ORANGE PMS 151
- RED PMS 200
- WHITE
- YELLOW PMS 115
- PURPLE PMS 268
- TEAL PMS 316
- MAROON PMS 195
- FOREST PMS 5535



PMS Color Match

### ATTACHMENT OPTIONS



Split Ring



NPS Swivel Hook



NPS Swivel Bulldog Clip



BREAKAWAY\* AVAILABLE

1-color, 1- or 2-sided imprint. Continuous printing only. Note: White material can only be 1-sided.



9000-1000

HEIGHT IS ADJUSTABLE TO ACCOMMODATE DIFFERENT LANYARD LENGTHS

Note: products are not shown to scale.

# CUSTOM LANYARDS • SILK SCREEN



- 3/8" Lanyard with Narrow Plastic Hook
  - 5/8" Glitter Ink Lanyard with NPS Swivel Hook
  - 5/8" Lanyard with SlimReel System
  - 3/4" Reflective Lanyard with DTACH Buckle and Bulldog Clip
  - 5/8" 2Tone Lanyard with NPS Split Ring
  - 5/8" Lanyard with RBLU/WHIT Material Color and NPS Swivel Hook
  - 3/4" Lanyard with Badge Reel Combo
  - 3/4" Glitter Tape Lanyard with NPS Split Ring and Clear Vinyl Strap Clip
  - 5/8" Event Lanyard with Two NPS Swivel Hooks
  - 1" Lanyard with DTACH Buckle and Lanyard Extension
- Limited material colors available.*

## Custom Silk Screen Lanyards

Silk screen lanyards offer quality, no-frills customization. Print a line of text, a name or a basic logo for a professional result. Lanyards have a total length of 36". **MOQ: 100.**

### Silk Screen Lanyard Specifications

Width	Imprint Area	Shipping Weight
3/8"	1/4" x continuous	2 lb. per 100 pieces
5/8"	1/2" x continuous	3 lb. per 100 pieces
3/4"	5/8" x continuous	4 lb. per 100 pieces
1"	7/8" x continuous	5 lb. per 100 pieces

### Silk Screen Printing Specifications

Flat Tubular, Optiweave, Microweave, Ultraweave	
Width	Maximum CONTINUOUS Print Area
3/8"	18 1/2" x 1/4" (470 x 6mm)
5/8"	18 1/2" x 1/2" (470 x 13mm)
3/4"	18 1/2" x 1/4" (470 x 6mm)
1"	18 1/2" x 11/16" (470 x 17mm)
Width	Maximum POSITIONAL Print Area
3/8"	13" x 1/4" (330 x 6mm)
5/8"	13" x 1/2" (330 x 13mm)
3/4"	13" x 5/8" (330 x 16mm)
1"	13" x 11/16" (330 x 17mm)
Production time is 10 business days after proof approval. PMS color match is not exact. Colors may vary.	
<b>WARNING</b> This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>	

### Silk Screen Lanyard Available Sizes

Available Material	3/8"	5/8"	3/4"	1"
2Tone Lanyard	X	X	X	X
Anti-Microbial Breakaway Lanyard	X	X	X	X
Bamboo Lanyard	X	X	X	
Event Open-Ended Lanyard	X	X	X	X
Flat Microweave Lanyard with Badge Reel Combo	X	X	X	X
Glitter Ink Lanyard	X	X	X	X
Glitter Tape Lanyard			X	
Lanyard with NPS Swivel Hook and Clear Plastic Bead	X			
Lanyard with DTACH Option	X	X	X	X
Organic Cotton Lanyard		X	X	
Recycled P.E.T. Lanyard	X	X	X	
Reflective Lanyard		X	X	
White Border Lanyard	X	X	X	X

### MATERIAL & IMPRINT COLORS

BLACK C	WHITE	COOL GRAY 7C	REFLEX BLUE C
115C	151C	186C	187C
195C	200C	211C	268C
282C	289C	292C	294C
316C	321C	348C	375C
801C	802C	814C	1235C
5535C	SILVER GLITTER	PMS BLACK C AND WHITE	PMS 186 AND WHITE
PMS Color Match	PMS REFLEX BLUE & WHITE	PMS 115 AND WHITE	PMS 268 AND WHITE

Note: products are not shown to scale.

**SEE PAGE 9 FOR ATTACHMENT AND FINISHING OPTIONS.**



3/8" Lanyard with Black Ox Swivel Bulldog Clip

5/8" Lanyard with NPS Trigger Snap Hook

3/4" Lanyard with Badge Reel Combo

3/4" Lanyard with Wide Plastic Hook

3/4" Lanyard with NPS Swivel Hook

3/4" Event Lanyard with Two NPS Swivel Hooks

1" Lanyard with NPS Split Ring

5/8" SlimReel System Shown with Label on Reel

5/8" Lanyard with Printable Attachment with Bulldog Clip

### Custom Dye-Sublimated Lanyards

Dye-Sublimated lanyards are printed using PANTONE® color match. This process ensures that the artwork provided will match the printed lanyard, meet branding guidelines and keep color consistency with repeat orders. Please provide PMS colors for artwork when placing an order. A full-color, digital proof will be provided. **MOQ: 100.**

Dye-Sub Printing Specifications	
<i>Ultraweave lanyards garner the best results.</i>	
<b>Width</b>	<b>Maximum CONTINUOUS Print Area</b> (CMYK printing. Pantone color match available.)
3/8"	17" x 1/4" (432 x 6mm)
5/8"	17" x 1/2" (432 x 13mm)
3/4"	17" x 5/8" (432 x 16mm)
1"	17" x 11/16" (432 x 17mm)
<b>Width</b>	<b>Maximum POSITIONAL Print Area</b> (CMYK printing. Pantone color match available.)
3/8"	13" x 1/4" (330 x 6mm)
5/8"	13" x 1/2" (330 x 13mm)
3/4"	13" x 5/8" (330 x 16mm)
1"	13" x 11/16" (330 x 17mm)
Production time is 10 business days after proof approval. PMS color match is not exact. Colors may vary.	
<b>WARNING</b> This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>	

Note: products are not shown to scale.  
Neon and metallic colors are not available on dye-sublimated lanyards.

Dye-Sub Lanyard Specifications					
Width	Imprint Area	Dimensions (W x L)	Shipping Weight	Available Widths	
				Flat Ultraweave Lanyard	Event Lanyard
3/8"	Continuous Edge-to-Edge	3/8" x 36" (total length)	2 lb. per 100 pieces	X	X
5/8"	Continuous Edge-to-Edge	5/8" x 36" (total length)	3 lb. per 100 pieces	X	X
3/4"	Continuous Edge-to-Edge	3/4" x 36" (total length)	4 lb. per 100 pieces	X	X
1"	Continuous Edge-to-Edge	1" x 36" (total length)	5 lb. per 100 pieces	X	X

**MATERIAL & IMPRINT COLORS**

**PMS Color Match**  
PMS color match is not exact. Colors may vary.

*\*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.*

**SEE PAGE 9 FOR ATTACHMENT AND FINISHING OPTIONS.**



**2TONE LANYARDS**  
 FEATURE TWO DIFFERENT FABRIC COLORS JOINED BY A BREAKAWAY

- 1/4" Round Lanyard with NPS Swivel Clip
- 3/8" Lanyard with NPS Swivel Bulldog Clip
- 5/8" Lanyard with NPS Lobster Claw Swivel Hook
- 5/8" SlimReel System Shown with Label on Reel
- 3/4" Lanyard with NPS Trigger Snap Hook
- 3/4" Lanyard with NPS Split Ring
- 1" Lanyard with Narrow Plastic Hook
- 1" Lanyard with NPS Swivel Hook
- 5/8" 2Tone Lanyard with NPS Lobster Claw Swivel Hook

Note: products are not shown to scale.

### Custom Woven Lanyards

Great quality with that classic lanyard look! Imprints are woven into the fabric rather than embroidered to prevent wearing or fading. Long-lasting and perfect for text-only imprints. **MOQ: 100.**

Woven Lanyard Specifications			
Lanyard Width	Imprint Area	Dimensions (W x L)	Shipping Weight
1/4"	1/4" x continuous	1/4" x 36" (total length)	2 lb. per 100 pieces
3/8"	1/4" x continuous	3/8" x 36" (total length)	2 lb. per 100 pieces
5/8"	1/2" x continuous	5/8" x 36" (total length)	3 lb. per 100 pieces
3/4"	5/8" x continuous	3/4" x 36" (total length)	4 lb. per 100 pieces
1"	7/8" x continuous	1" x 36" (total length)	5 lb. per 100 pieces

Production time is 10 business days after proof approval.  
 PMS color match is not exact. Colors may vary. 3/8" width is text only.

**⚠️ WARNING** This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



CLOSE-UP OF A ROUND WOVEN LANYARD



TUBULAR LANYARD WITH SOLID COLOR BACK



REVERSE WEAVE ON BACK

MATERIAL & IMPRINT COLORS

BLACK C	WHITE	YELLOW 115C	ORANGE 151C	MAROON 195C	RED 200C
PURPLE 268C	NAVY 289C	ROYAL 294C	TEAL 316C	GREEN 348C	FOREST 5535C

PMS Color Match

SEE PAGE 9 FOR ATTACHMENT AND FINISHING OPTIONS.

# CUSTOM LANYARDS • ATTACHMENT & FINISHING OPTIONS

- NPS Swivel Hook †
- NPS Swivel Bulldog Clip †
- NPS Split Ring †
- NPS Bulldog Clip with Small Ring †
- Black Ox Swivel Hook †
- Black Ox Swivel Bulldog Clip †
- Black Ox Split Ring †
- NPS Bulldog Clip with Large Opening † (5/8", 3/4" & 1" only)
- NPS Large Non-Swivel J-Hook † (5/8", 3/4" & 1" only)
- Narrow Plastic Hook (Also available in white)
- Wide Plastic Hook (Also available in white)
- NPS Trigger Snap Swivel Hook †
- NPS Lobster Claw †
- NPS Bottle Opener † (3/4" & 1" only)
- Card Clamp™ †
- Matching "No-Flip" Plastic Hook (More colors available, 3/8" flat or 1/4" round Silk Screen and Woven Lanyards only)
- "No-Flip" Plastic Hook (3/8" flat or 1/4" round Dye-Sub Lanyards only)
- NPS Split Ring with J-Hook †
- NPS Split Ring with Swivel Bulldog Clip †
- NPS Split Ring with Swivel Hook †
- NPS Split Ring with Clear Vinyl Strap Clip †

- Black-Coated Swivel Hook (5/8" & 3/4" lanyards only)
- Black-Coated Swivel Bulldog Clip (5/8" & 3/4" lanyards only)
- Black-Coated Trigger Hook (5/8" & 3/4" lanyards only)
- Black-Coated Split Ring (5/8" & 3/4" lanyards only)
- Black Clip with Hook † (3/8" lanyards only)
- DTACH Clip with Strap † (3/8" lanyards only)
- DTACH Buckle with Lanyard Extension
- Black/Chrome DTACH Buckle with Lanyard Extension (Engraving available on buckle)
- DTACH Buckle † (Call for more options)
- Black Secure Slider
- White Secure Slider
- Cord Lock
- NPS Lanyard Tag † (Add engraving or custom label)
- Standard Breakaway\*
- Optional Sewn-On Breakaway\*
- Hook and Loop Breakaway\*

- Printable Attachment with Swivel Hook †
- Printable Attachment with Bulldog Clip †
- Printable Attachment with Split Ring †
- Printable Attachment with Plastic Swivel Hook
- Badge Reel with Strap † (3/8" lanyards only)

**NON-MAGNETIC BADGE REEL COLOR OPTIONS**

BLK	RBLU	RED	WHITE
-----	------	-----	-------

- Lanyard Badge Reel † (Customization on badge reel is available)
- SlimReel™ System (3/8" & 5/8" lanyards only, customization on badge reel is available)

**BADGE REEL AND SlimReel™ COLOR OPTIONS**

BLK	RBLU PMS 294	NBLU PMS 289	RED PMS 200	MAR PMS 195
WHT	ORG PMS 151	GRN PMS 348	YLW PMS 115	

**BEAD, CRIMP, OR SEWN FINISHING OPTIONS**

NPS CRIMP †	BLACK OX CRIMP †	BLACK COATED CRIMP <sup>§</sup>	5/8" & 3/4" lanyards only
SEWN	PLASTIC SILVER BEAD**	PLASTIC CLEAR BEAD**	**3/8" lanyards only

**⚠ † WARNING** This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

*\*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.*


Note: products are not shown to scale.

**SEE PAGES 6-8 FOR LANYARD MATERIAL & IMPRINT OPTIONS.**

## SlimReel™ System

The SlimReel System is a unique combination of a lanyard and a badge reel with an added bonus- the two components can be separated for individual use.

Think of it as a three-in-one solution: use it as a lanyard, as a badge reel, or as both at once! The SlimReel's innovative plastic clip makes it easy to attach an ID card or badge holder, while the clip's design helps ensure that the attachment faces front at all times. **MOQ: 100.**



CLIP ON LANYARD IS AVAILABLE IN 3/8" & 5/8" WIDTHS



2138-8001  
3/8" stock lanyard shown without a label on reel. Reel cord is shown extended and attached to an ID card.

TWIST-FREE!



2138-8106  
5/8" stock lanyard shown with a custom label on reel. Shown without reel cord extended.

### SlimReel - STOCK

MATERIAL COLORS



REEL CAN BE REMOVED AND USED WITHOUT A LANYARD.

Note: products are not shown to scale.

### SlimReel System - Stock Lanyard Specifications

Stock lanyards with color-matched clip-on SlimReel & breakaway.\*

Item #	Color	Reel Cord Length	Reel Size (W x H)	Label on Reel	Label Size (W x H)	Lanyard Dimensions	Shipping Weight
<b>3/8" Lanyards</b>							
2138-8001	Black	28"	1 1/4" x 1 11/16"	Multi-color flat or dome label	13/16" x 1"	3/8"W x 36"L	4.4 lb. per 100 pieces
2138-8002	Royal Blue (PMS 294)						
2138-8006	Red (PMS 200C)						
2138-8008	White						
<b>5/8" Lanyards</b>							
2138-8101	Black	28"	1 1/4" x 1 11/16"	Multi-color flat or dome label	13/16" x 1"	5/8"W x 36"L	6 lb. per 100 pieces
2138-8102	Royal Blue (PMS 294)						
2138-8106	Red (PMS 200C)						
2138-8108	White						

**WARNING** This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

\*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

## SEE PAGE 11 FOR LANYARD CUSTOMIZATION

**BOTH THE LANYARD AND BADGE REEL CAN BE CUSTOMIZED!**

**EVENT HOLDERS SEE PAGE 58**



5/8" custom dye-sub lanyard shown with label on reel. Reel cord is shown extended and attached to an ID badge and event holder.

**Custom SlimReel™ System**

Add a logo or text to a silkscreen, dye-sub, or woven lanyard, and add graphics to the reel with either a dome or flat label. **MOQ: 100.**



3/8" custom woven lanyard shown with label on reel. Shown without reel cord extended.



3/8" custom silk screen lanyard shown with label and dome on reel. Shown without reel cord extended.

**SLIMREEL SYSTEM AND BREAKAWAY CAN BE COLOR MATCHED**

**SlimReel System - Custom Lanyard Specifications**

Custom lanyards with color-matched clip-on SlimReel & breakaway.\*

Color	Reel Cord Length	Reel Size (W x H)	Label on Reel	Lanyard Dimensions	Lanyard Imprint Area	Shipping Weight
<b>3/8" Lanyards</b>						
Black	28"	1 1/4" x 1 11/16"	Multi-color flat or dome label  Label size: 13/16" x 1"	3/8"W x 36"L	<b>Silk Screen:</b> 1/4" x continuous  <b>Dye-Sub:</b> Continuous Edge-to-Edge  <b>Woven:</b> 1/4" x continuous	4.4 lb. per 100 pieces
Royal Blue (PMS 294)						
Red (PMS 200C)						
White						
Yellow (PMS 115)						
Orange (PMS 151)						
Maroon (PMS 195)						
Navy Blue (PMS 289)						
Green (PMS 348)						
<b>5/8" Lanyards</b>						
Black	28"	1 1/4" x 1 11/16"	Multi-color flat or dome label  Label size: 13/16" x 1"	5/8"W x 36"L	<b>Silk Screen:</b> 1/2" x continuous  <b>Dye-Sub:</b> Continuous Edge-to-Edge  <b>Woven:</b> 1/2" x continuous	6 lb. per 100 pieces
Royal Blue (PMS 294)						
Red (PMS 200C)						
White						
Yellow (PMS 115)						
Orange (PMS 151)						
Maroon (PMS 195)						
Navy Blue (PMS 289)						
Green (PMS 348)						

**⚠ WARNING** This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

\*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.


**SlimReel - SILK SCREEN IMPRINT COLORS**



**MATERIAL COLORS**



**SlimReel - WOVEN MATERIAL & THREAD COLORS**



**SlimReel Lanyard - DYE-SUB MATERIAL & IMPRINT COLORS**



Note: products are not shown to scale.





Camera-ready artwork must be provided—true vector files .ai and .eps accepted.  
*If artwork doesn't meet these requirements a delay in processing will incur.*



Orders must be in by 2:30pm EST and final proof approval received from customer by 5pm EST.



Existing customers' credit must be in good standing.



Production time is 4 business days.



Shipping time is 2-3 days based on clearing customs.

**SILK SCREEN**  
HIGH-QUALITY  
NO FRILLS  
CUSTOMIZATION



### MATERIAL & IMPRINT COLORS

BLACK PMS 151	WHITE PMS 115	YELLOW PMS 115
ORANGE PMS 151	MAROON PMS 195	RED PMS 200
PURPLE PMS 268	NAVY PMS 289	ROYAL PMS 294
TEAL PMS 316	GREEN PMS 348	FOREST PMS 5535



Any PMS color match for imprint colors

Continuous imprint only.

## RUSH LANYARD SERVICE

### STANDARD ATTACHMENT OPTIONS

- NPS Swivel Hook
- NPS Swivel Bulldog Clip
- NPS Split Ring
- NPS Bulldog Clip with Small Ring
- NPS Bulldog Clip with Large Opening
- Black Narrow Plastic Hook
- Black Wide Plastic Hook
- NPS Trigger Snap Swivel Hook

### ADDITIONAL ATTACHMENT OPTIONS

- NPS Split Ring with Clear Vinyl Strap Clip
- Black Standard Safety Breakaway

### FINISHING OPTIONS



Crimp

Sewn

Note: products are not shown to scale.

**DYE-SUB**  
DISPLAYS  
SUPERB DETAIL  
AND COLOR!



### MATERIAL & IMPRINT COLORS



Any PMS color

DYE-SUB LANYARDS FEATURE COLORFUL EDGE-TO-EDGE PRINTING!




### Rush Lanyard Service Specifications

Item #	3/8" Lanyards
SS-38-EX	Silk Screen Flat Ribbed Polyester
SSEVNT-38-EX	Silk Screen Event
DS-38-EX	Dye-Sub Flat Smooth Polyester
DSEVNT-38-EX	Dye-Sub Event
Item #	5/8" Lanyards
SS-58-EX	Silk Screen Flat Ribbed Polyester
SSEVNT-58-EX	Silk Screen Event
DS-58-EX	Dye-Sub Flat Smooth Polyester
DSEVNT-58-EX	Dye-Sub Event
Item #	3/4" Lanyards
SS-34-EX	Silk Screen Flat Ribbed Polyester
SSEVNT-34-EX	Silk Screen Event
DS-34-EX	Dye-Sub Flat Smooth Polyester
DSEVNT-34-EX	Dye-Sub Event
Item #	1" Lanyards
SS-1-EX	Silk Screen Flat Ribbed Polyester
SSEVNT-1-EX	Silk Screen Event
DS-1-EX	Dye-Sub Flat Smooth Polyester
DSEVNT-1-EX	Dye-Sub Event
Additional Information	
Imprint Area (Silk Screen):	3/8" - 1/4" x continuous; 5/8" - 1/2" x continuous; 3/4" - 5/8" x continuous; 1" - 7/8" x continuous
Imprint Area (Dye-Sub):	Continuous edge-to-edge
Dimensions:	3/8", 5/8", 3/4" or 1" wide x 36" long (total length)
Shipping Weight per 100 Pieces:	3/8" - 2 lb.; 5/8" - 3 lb.; 3/4" - 4 lb.; 1" - 5 lb.

\*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

### 3/8" Non-Breakaway Optiweave Lanyards

This 3/8" (10mm) Optiweave polyester lanyard is functional yet light and comfortable. **MOQ: 100.**


3/8" Non-Breakaway Optiweave Lanyard Specifications		
NPS Swivel Hook	NPS Bulldog Clip	NPS Split Ring
End Attachment & Item #		
NF-9S-____	NF-9C-____	NF-9R-____
Dimensions: 3/8" wide x 36" long (total length)		
Shipping Weight: 2.2 lb. per 100 pieces.		
 WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>		

FOR ITEM NUMBERS ENDING IN \_\_\_\_, SUBSTITUTE THE COLOR ABBREVIATIONS SHOWN IN THE COLOR CHART.

### 3/8" Breakaway Optiweave Lanyards

3/8" (10mm) Optiweave lanyard made of polyester material. Designed for comfort. Only available with breakaway. **MOQ: 100.**


MATCHING BREAKAWAY INCLUDED\*

3/8" Breakaway Optiweave Lanyard Specifications						
"No-Flip" Wide Plastic Hook	NPS Swivel Hook	NPS Bulldog Clip	NPS Split Ring	Card Clamp	Badge Reel with Strap	Badge Reel with Card Clamp
End Attachment & Item #						
BL-34H-____	BL-34S-____	BL-34C-____	BL-34R-____*	BL-34K6-____*	BL-545-____*	BL-545K6-____*
Dimensions: 3/8" wide x 36" long (total length)						
*BL-34K6 is only available in navy blue and black; BL-545 and BL-545K6 are only available in royal blue and black. White is not available for BL-34R, 34K6, 545, or 545K6. Shipping Weight: 2.2 lb. per 100 pieces.						
 WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>						

FOR ITEM NUMBERS ENDING IN \_\_\_\_, SUBSTITUTE THE COLOR ABBREVIATIONS SHOWN IN THE COLOR CHART.

### 3/4" Flat Lanyards with Swivel Hook

Flat polyester lanyard is light and comfortable. Non-breakaway style with swivel hook attachment. **MOQ: 100.**


3/4" Flat Lanyard with Swivel Hook Specifications		
Color	Item #	Dimensions
Black	NFW-9S-BLK	3/4" wide x 36" long (total length)
Navy Blue	NFW-9S-NBLU	
Royal Blue	NFW-9S-RBLU	
Red	NFW-9S-RED	
Shipping Weight: 4 lb. per 100 pieces.		
 WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>		

\*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.



#### NON-BREAKAWAY OPTIWEAVE LANYARDS

MATERIAL COLOR OPTIONS




ATTACHMENT OPTIONS



#### BREAKAWAY OPTIWEAVE LANYARDS

MATERIAL COLOR OPTIONS



ATTACHMENT OPTIONS



#### FLAT LANYARDS WITH SWIVEL HOOK

MATERIAL COLOR OPTIONS



ATTACHMENT OPTION



Note: products are not shown to scale.

# STOCK LANYARDS • 1/8" ROUND BRAIDED / TUB-O-LANYARDS


## SOLID ROUND BRAIDED LANYARDS

### MATERIAL COLOR OPTIONS



## METALLIC ROUND BRAIDED LANYARDS

### MATERIAL COLOR OPTIONS



### BREAKAWAY AVAILABLE\*

White, orange and yellow lanyards come with white breakaways. All others are black.



\*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

## TUB-O-LANYARDS

### ATTACHMENTS




Bulldog Clip



Swivel Hook

### COLORS



Note: products are not shown to scale.

## 1/8" Round Braided Lanyards

1/8" (3mm) round braided polypropylene material with crimp and choice of attachment. Solid colors are available in both breakaway and non-breakaway styles. **MOQ: 100.**

2135-302\_



2135-30\_

### 1/8" Round Braided Lanyard Specifications

Color	End Attachment & Item #		
<b>1/8" Non-Breakaway (Solid Material Color)</b>			
Black	2135-3001 or NL-7S-BLK	2135-3251 or NL-7C-BLK	2135-3101 or NL-7R-BLK
Royal Blue	2135-3002 or NL-7S-RBLU	2135-3252 or NL-7C-RBLU	2135-3102 or NL-7R-RBLU
Navy Blue	2135-3003 or NL-7S-NBLU	2135-3253 or NL-7C-NBLU	2135-3103 or NL-7R-NBLU
Green	2135-3004 or NL-7S-GRN	2135-3254 or NL-7C-GRN	2135-3104 or NL-7R-GRN
Orange	2135-3005	2135-3255	2135-3105
Red	2135-3006 or NL-7S-RED	2135-3256 or NL-7C-RED	2135-3106 or NL-7R-RED
White	2135-3008 or NL-7S-WHT	2135-3258 or NL-7C-WHT	2135-3108 or NL-7R-WHT
Yellow	2135-3009	2135-3259	2135-3109
Purple	2135-3013	2135-3263	2135-3113
Forest	2135-3014	2135-3264	2135-3114
Teal	2135-3016	2135-3266	2135-3116
Maroon	2135-3017	2135-3267	2135-3117
<b>1/8" Non-Breakaway (Metallic Material Color)</b>			
Black	2135-3021	N/A	N/A
Royal Blue	2135-3022	N/A	N/A
Navy Blue	2135-3023	N/A	N/A
Red	2135-3026	N/A	N/A
Purple	2135-3029	N/A	N/A

### 1/8" Round Braided Lanyard Specifications

Color	End Attachment & Item #		
<b>1/8" Breakaway (Solid Material Color)</b>			
Black	2137-2001	2137-2011	2137-2021
Royal Blue	2137-2002	2137-2012	2137-2022
Navy Blue	2137-2003	2137-2013	2137-2023
Green	2137-2004	2137-2014	2137-2024
Orange	2137-2005	2137-2015	2137-2025
Red	2137-2006	2137-2016	2137-2026
Maroon	2137-2007	2137-2017	2137-2027
White	2137-2008	2137-2018	2137-2028
Yellow	2137-2009	2137-2019	2137-2029
Purple	2137-2010	2137-2020	2137-2030
<b>Dimensions:</b>	1/8" wide x 36" long (total length)		
<b>Orders placed before 1pm ET ship SAME DAY!</b>			
<b>Shipping Weight: 2 lb. per 100 pieces.</b>			
<b>WARNING</b> This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>			

## Tub-O-Lanyards

Tub-O-Lanyards offers 1/8" round non-breakaway lanyards with crimp and swivel hook or bulldog clip end fitting in a fun and convenient container. Receive multiple colors of the product, giving employees a wider variety of options when deciding how to wear and display their ID badge.

### Tub-O-Lanyards Specifications

Item #	Each Tub Contains 50 Lanyards in the following End Fittings, Quantities and Colors:
LANS50	25 Swivel Hooks: 10 Black, 5 Royal, 5 Navy, 5 Red 25 Bulldog Clips: 10 Black, 5 Royal, 5 Navy, 5 Red
<b>Orders placed before 1pm ET ship SAME DAY!</b>	
<b>WARNING</b> This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>	



LANS50

## 3/8" Flat Tubular Lanyards

Flat tubular polypropylene material with choice of attachment.

Breakaway or non-breakaway.

**MOQ: 100.**



## 5/8" Microweave Lanyards

Microweave material with choice of attachment.

Breakaway or non-breakaway.

**MOQ: 100.**



### 3/8" Flat Tubular Lanyard Specifications

	Narrow Plastic No-Twist Hook	Wide Plastic No-Twist Hook	NPS Swivel Hook	NPS Split Ring	NPS Bulldog Clip
Color	End Attachment & Item #				
<b>3/8" Non-Breakaway</b>					
Black	N/A	N/A	2135-3501	2135-3651	2135-3551
Royal Blue	N/A	N/A	2135-3502	2135-3652	2135-3552
Navy	N/A	N/A	2135-3503	2135-3653	2135-3553
Red	N/A	N/A	2135-3506	2135-3656	2135-3556
White	N/A	N/A	2135-3508	2135-3658	2135-3558
Yellow	N/A	N/A	2135-3509	2135-3659	2135-3559
Green	N/A	N/A	2135-3504	2135-3654	2135-3554
Purple	N/A	N/A	2135-3513	2135-3663	2135-3563
Forest	N/A	N/A	2135-3514	2135-3664	2135-3564
Teal	N/A	N/A	2135-3516	2135-3666	2135-3566
Orange	N/A	N/A	2135-3505	2135-3655	2135-3555
Maroon	N/A	N/A	2135-3517	2135-3667	2135-3567
<b>3/8" Breakaway</b>					
Black	2137-4035	2137-4744	2137-5001	2137-3651	2137-6001
Royal Blue	2137-4040	2137-4745	2137-5002	2137-3652	2137-6002
Navy	2137-4080	2137-4746	2137-5003	2137-3653	2137-6003
Red	2137-4110	2137-4747	2137-5006	2137-3656	2137-6006
White	2137-4125	2137-4741	2137-5008	2137-3658	2137-6008
Yellow	2137-4130	2137-4742	2137-5009	2137-3659	2137-6009
Green	2137-4060	2137-4748	2137-5004	2137-3654	2137-6004
Purple	2137-4095	2137-4749	2137-5013	2137-3663	2137-6013
Forest	2137-4014	2137-4750	2137-5014	2137-3664	2137-6014
Teal	2137-4120*	2137-4751	2137-5018	2137-3666	2137-6018
Orange	2137-4085*	2137-4743	2137-5005	2137-3655	2137-6005
Maroon	2137-4135	2137-4752	2137-5035	2137-3667	2137-6035
<b>Dimensions:</b>	3/8" wide x 36" long (cut length)				
<b>Orders placed before 1pm ET ship SAME DAY!</b>					
Shipping Weight: 2 lb. per 100 pieces (non-breakaway) / 2.2 lb. per 100 pieces (breakaway).					
<b>WARNING</b> This product can expose you to nickel, which is known in the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>					

### 5/8" Microweave Lanyard Specifications

	Narrow Plastic No-Twist Hook	Wide Plastic No-Twist Hook	NPS Swivel Hook	NPS Split Ring	NPS Bulldog Clip
Color	End Attachment & Item #				
<b>5/8" Non-Breakaway</b>					
Black	N/A	N/A	2136-3501	2136-3651	2136-3551
Royal Blue	N/A	N/A	2136-3502	2136-3652	2136-3552
Navy	N/A	N/A	2136-3503	2136-3653	2136-3553
Red	N/A	N/A	2136-3506	2136-3656	2136-3556
White	N/A	N/A	2136-3508	2136-3658	2136-3558
Yellow	N/A	N/A	2136-3509	2136-3659	2136-3559
Green	N/A	N/A	2136-3504	2136-3654	2136-3554
Purple	N/A	N/A	2136-3513	2136-3663	2136-3563
Forest	N/A	N/A	2136-3514	2136-3664	2136-3564
Teal	N/A	N/A	2136-3516	2136-3666	2136-3566
Orange	N/A	N/A	2136-3505	2136-3655	2136-3555
Maroon	N/A	N/A	2136-3517	2136-3667	2136-3567
<b>5/8" Breakaway</b>					
Black	2138-4035*	2138-4780	2138-5001	2138-3651	2138-6001
Royal Blue	2138-4040*	2138-4781	2138-5002	2138-3652	2138-6002
Navy	2138-4080*	2138-4782	2138-5003	2138-3653	2138-6003
Red	2138-4110*	2138-4783	2138-5006	2138-3656	2138-6006
White	2138-4125*	2138-4777	2138-5008	2138-3658	2138-6008
Yellow	2138-4130*	2138-4778	2138-5009	2138-3659	2138-6009
Green	2138-4060*	2138-4784	2138-5004	2138-3654	2138-6004
Purple	2138-4095*	2138-4785	2138-5013	2138-3663	2138-6013
Forest	2138-4014*	2138-4786	2138-5014	2138-3664	2138-6014
Teal	2138-4120*	2138-4787	2138-5018	2138-3666	2138-6018
Orange	2138-4085*	2138-4779	2138-5005	2138-3655	2138-6005
Maroon	2138-4135*	2138-4788	2138-5035	2138-3667	2138-6035
<b>Dimensions:</b>	5/8" wide x 36" long (cut length)				
<b>Orders placed before 1pm ET ship SAME DAY!</b>					
Shipping Weight: 2.7 lb. per 100 pieces (non-breakaway) / 2.9 lb. per 100 pieces (breakaway).					
<b>WARNING</b> This product can expose you to nickel, which is known in the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>					

White, yellow and orange lanyards come with white components; all others come with black.

Breakaway lanyards come with both a Universal Slide Adapter and choice of end fitting (not including Narrow and Wide Plastic Hooks).

\*Minimum order quantity: 1,000. Lead time applies.

**BREAKAWAY AVAILABLE\***



**UNIVERSAL SLIDE ADAPTER**

Included on Breakaway lanyards with choice of end fitting (not including Narrow and Wide Plastic Hooks)



**CUSTOMIZING AVAILABLE**

SEE PAGES 4-9 FOR CUSTOM LANYARDS

\*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

Note: products are not shown to scale.



**CUSTOMIZING AVAILABLE**  
ON SLIDERS AND BADGE REELS

## ROUND NO-FLIP LANYARDS

### MATERIAL COLOR OPTIONS



### ATTACHMENT OPTION



Matching "No-Flip" Plastic Hook

## 1/4" Round No-Flip Lanyards

High-quality, round neck cord with breakaway.\* Guaranteed to keep ID facing forward. Includes 3/4" customizable slider and "No-Flip" color-matched plastic hook. **MOQ: 100.**

### 1/4" Round No-Flip Lanyard Specifications

Color	Item #	Dimensions	Slider Diameter
Black	FF-34H-BLK	1/4" wide x 36" long (total length)	3/4"
Navy Blue	FF-34H-NBLU		
Red	FF-34H-RED		

**Orders placed before 1pm ET ship SAME DAY!** Lanyards with customized sliders ship 5-7 business days after proof approval. Shipping Weight: 3.4 lb. per 100 pieces.



This product can expose you to Antimony Oxide, which is known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



FF-34H-RED

## LANYARD BADGE REEL COMBO

### MATERIAL COLOR OPTIONS



### ATTACHMENT OPTION



Badge Reel with Clear Vinyl Strap

## 5/8" Lanyard Badge Reel Combo

Plastic round slotted reel with clear vinyl strap connected to a breakaway\* lanyard. **MOQ: 100.**

### 5/8" Lanyard Badge Reel Combo Specifications

Color	Item #	Breakaway Color	Lanyard Dimensions	Reel Dimensions
Black	2138-7001	Black	5/8" wide x 36" long (total length)	1 1/4" (34" cord length)
Navy Blue	2138-7003	Black		
Royal Blue	2138-7004	Black		
Orange	2138-7005	White		
Red	2138-7006	Black		
Green	2138-7007	Black		
White	2138-7008	White		
Yellow	2138-7009	White		
Maroon	2138-7010	Black		

**Orders placed before 1pm ET ship SAME DAY!** Lanyards with customized badge reels ship 5-7 business days after proof approval. Shipping Weight: 2.9 lb. per 100 pieces.



WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



2138-7010

**DOMESTIC PRINTING AVAILABLE!**

CAN BE PRINTED POSITIONALLY.

## ROUND DTACH LANYARDS

### MATERIAL COLOR OPTIONS



### ATTACHMENT OPTIONS



DTach Split Ring



DTach Plastic Swivel Snap Hook



DTach Bulldog Clip



DTach Swivel Hook

## 1/4" Round DTACH Lanyards

Slider is perfect for imprinting your logo! 1/4" (6mm) OptiBraid polypropylene round material with DTACH attachments and your choice of round or diamond slider. Only available with breakaway.\* **MOQ: 100.**

### 1/4" Round DTACH Lanyard Specifications

Color	Swivel Hook DTACH	Plastic Swivel Snap Hook DTACH	Bulldog Clip DTACH	Split Ring DTACH
	End Attachment & Item #			
<b>1/4" OptiBraid DTACH Lanyards with Breakaway &amp; Round Slider</b>				
Black	2135-4573	2135-4581	2135-4589	2135-4613
Royal Blue	2135-4574	2135-4582	2135-4590	2135-4614
Navy Blue	2135-4575	2135-4583	2135-4591	2135-4615
Red	2135-4576	2135-4584	2135-4592	2135-4616

### 1/4" OptiBraid DTACH Lanyards with Breakaway & Diamond Slider

Black	2135-4501	2135-4509	2135-4517	2135-4541
Royal Blue	2135-4502	2135-4510	2135-4518	2135-4542
Navy Blue	2135-4503	2135-4511	2135-4519	2135-4543
Red	2135-4504	2135-4512	2135-4520	2135-4544

**Dimensions:** 1/4" wide x 36" long (total length)

**Orders placed before 1pm ET ship SAME DAY!** Lanyards with customized sliders ship 5-7 business days after proof approval. Shipping Weight: 5.7 lb. per 100 pieces.



WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



2135-4583

**SLIDER OPTIONS**



Round



Diamond

Imprint area on slider: 3/4"

Note: products are not shown to scale.


\*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

### 5/8" Polyester DTACH Breakaway Lanyards

Our flat, 5/8" wide, polyester lanyard features a trigger snap swivel hook attachment and black DTACH buckle. This sleek, detachable lanyard is only available with breakaway.\* **MOQ: 100.**

5/8" Polyester DTACH Breakaway Lanyard Specifications		
Color	Item #	Dimensions
Black	2138-3621	5/8" wide x 36" long (total length)
Royal Blue	2138-3622	
Green	2138-3624	
Navy Blue	2138-3623	
White	2138-3628	
Red	2138-3626	

**Orders placed before 1pm ET ship SAME DAY!**  
Shipping Weight: 3 lb. per 100 pieces.

 WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)




**DOMESTIC PRINTING AVAILABLE!**  
CAN BE PRINTED POSITIONALLY.

2138-3628

#### 5/8" POLYESTER DTACH BREAKAWAY LANYARDS

MATERIAL COLOR OPTIONS



ATTACHMENT OPTION




DTACH Trigger Snap


### 3/8" Adjustable Breakaway Lanyards

Adjusts from 24" to 44" in length! 3/8" Microweave material with slide adjuster and breakaway.\* Wide "no-twist" plastic hook keeps your ID from turning. **MOQ: 100.**

3/8" Adjustable Breakaway Lanyard Specifications		
Color	Item #	Dimensions
Black	2137-2037	3/8" wide x 24-44" long (adjustable)
Royal Blue	2137-2038	
Green	2137-2034	
Navy Blue	2137-2033	
White	2137-2036	
Red	2137-2039	
Orange	2137-2035	
Pink	2137-2040	
Purple	2137-2041	

**Orders placed before 1pm ET ship SAME DAY!**  
Shipping Weight: 2 lb. per 100 pieces.


 This product can expose you to Antimony Oxide, which is known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)




2127-2040

#### 3/8" ADJUSTABLE BREAKAWAY LANYARDS

MATERIAL COLOR OPTIONS



ATTACHMENT OPTION



Wide Plastic Hook




WHITE, ORANGE AND PINK LANYARDS COME WITH WHITE BREAKAWAYS AND ADJUSTERS. ALL OTHERS ARE BLACK.

### 5/8" Flat Tubular DTACH Breakaway Lanyards

Keep your ID or keys at your fingertips! 5/8" (16mm) tubular polyester with DTACH attachments. Only available with breakaway.\* **MOQ: 100.**

5/8" Flat Tubular DTACH Breakaway Lanyard Specifications				
	DTACH Swivel Hook	DTACH Plastic Snap Hook	DTACH Bulldog Clip	DTACH Split Ring
Color	End Attachment & Item #			
Black	2135-4645	2135-4653	2135-4661	2135-4685
Royal	2135-4646	2135-4654	2135-4662	2135-4686
Navy	2135-4647	2135-4655	2135-4663	2135-4687
Red	2135-4648	2135-4656	2135-4664	2135-4688
Dimensions:	5/8" wide x 36" long (total length)			

**Orders placed before 1pm ET ship SAME DAY!**  
Shipping Weight: 4 lb. per 100 pieces.

 This product can expose you to Antimony Oxide, which is known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



**DOMESTIC PRINTING AVAILABLE!**  
CAN BE PRINTED POSITIONALLY.

2135-4662

#### FLAT TUBULAR DTACH BREAKAWAY LANYARDS

MATERIAL COLOR OPTIONS



ATTACHMENT OPTIONS



DTACH Swivel Hook



DTACH Plastic Swivel Snap Hook



DTACH Bulldog Clip



DTACH Split Ring

**DTACH Attachments**  
Buckle detaches to allow for easy access.

\*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

Note: products are not shown to scale.


**3/8" OPEN-ENDED LANYARDS**

ATTACHMENT OPTION



Two Bulldog Clips

MATERIAL COLOR OPTIONS




**3/8" OPEN-ENDED LANYARDS**

ATTACHMENT OPTION



Two SlimClips

MATERIAL COLOR OPTIONS



**1/8" OPEN-ENDED LANYARDS**

ATTACHMENT OPTIONS



Two NPS Hooks

Two NPS Bulldog Clips

MATERIAL COLOR OPTIONS




**3-BREAKAWAY LANYARDS**

ATTACHMENT OPTION



Wide Plastic Hook

MATERIAL COLOR OPTIONS



**3/8" Open-Ended Event Lanyards**

Our open-ended polyester lanyards are perfect for conventions and events. Called "open-ended" because there is no full loop, these lanyards feature metal bulldog clips to make attaching a credential easy. **MOQ: 100.**

**3/8" Open-Ended Lanyard Specifications**

Item #	Color	Dimensions
2140-5301	Black	3/8" wide x 36" long (total length)
2140-5302	Royal Blue	
2140-5303	Navy	
2140-5304	Green	
2140-5306	Red	
2140-5308	White	

Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 2.2 lb. per 100 pieces.

WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



2140-5302

**3/8" Open-Ended Lanyard with SlimClips**


Designed for events and conventions, this open-ended lanyard features all plastic SlimClips as the end fittings. These end fittings make the lanyard perfect for carrying vinyl badge holders with slots on either side. The open-ended lanyard will keep a credential facing forward. **MOQ: 100.**

**Open-Ended Lanyard with SlimClips Specifications**

Item #	Color	Dimensions
2140-5401	Black	3/8" wide x 36" long (total length)
2140-5402	Royal Blue	
2140-5403	Navy Blue	
2140-5406	Red	
2140-5408	White	

Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 1.8 lb. (per 100 pieces)

WARNING This product can expose you to Antimony Oxide, which is known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



2140-5403

**1/8" Open-Ended Event Lanyards**

Our 1/8" round polypropylene lanyards with two NPS hooks are perfect for conventions and other events. **MOQ: 100.**

**1/8" Open-Ended Event Lanyard Specifications**

Item #	Color	Attachment	Dimensions
2140-5801	Black	NPS Hooks	1/8" wide x 36" long (total length)
2140-5802	Royal Blue	NPS Hooks	
2140-6001	Black	NPS Bulldog Clips	
2140-6002	Royal Blue	NPS Bulldog Clips	

Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 2 lb. per 100 pieces.

This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



2140-5801

**3/8" 3-Breakaway Lanyards**

The 3-Breakaway Lanyard is meant to release in 3 areas under certain pressure.\* It contains no metal and is ideal for high-risk atmospheres such as mental health and correctional facilities. **MOQ: 100.**

**3/8" 3-Breakaway Lanyard Specifications**

Item #	Color	Dimensions
2137-3001	Black	3/8" wide x 36" long (total length)
2137-3002	Royal Blue	
2137-3006	Red	

Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 2.5 lb. per 100 pieces.

This product can expose you to Antimony Oxide, which is known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



2137-3006

\*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

## Bamboo Lanyards

Fast-growing bamboo is one of Earth's most sustainable resources. These are comprised of rayon fibers made from bamboo. Only available with breakaway.\* **MOQ: 100, unless otherwise noted.**

## 100% Recycled P.E.T. Lanyards

These lanyards are made from 100% recycled post-consumer waste. Recycled plastic means less petroleum – a finite commodity – is consumed. Only available with breakaway.\* **MOQ: 100, unless otherwise noted.**

**DOMESTIC PRINTING AVAILABLE!**  
CAN BE PRINTED POSITIONALLY.



2137-2046

**DOMESTIC PRINTING AVAILABLE!**  
CAN BE PRINTED POSITIONALLY.



2137-2065

Bamboo Lanyard Specifications		
Color	Item #	Dimensions
Black	2137-2045	3/8" wide x 36" long (total length)
Navy Blue	2137-2046	
Forest Green	2137-2047	
Red	2137-2048	
Purple	2137-2049	
Off White	2137-2050	5/8" wide x 36" long (total length)
Black	2137-2051	
Navy Blue	2137-2052	
Forest Green	2137-2053	
Red	2137-2054*	
Purple	2137-2055*	
Off White	2137-2056*	

**Orders placed before 1pm ET ship SAME DAY!**  
Shipping Weight: 2 lb. (3/8") / 3 lb. (5/8") per 100 pieces.

WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

\*Minimum order quantity: 1,000, lead time applies.

Recycled P.E.T. Lanyard Specifications		
Color	Item #	Dimensions
Black	2137-2057	3/8" wide x 36" long (total length)
Navy Blue	2137-2058	
Forest Green	2137-2059	
Red	2137-2060	
Purple	2137-2061	
Off White	2137-2062	5/8" wide x 36" long (total length)
Black	2137-2063	
Navy Blue	2137-2064	
Forest Green	2137-2065	
Red	2137-2066*	
Purple	2137-2067*	
Off White	2137-2068*	

**Orders placed before 1pm ET ship SAME DAY!**  
Shipping Weight: 2 lb. (3/8") / 3 lb. (5/8") per 100 pieces.

WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

\*Minimum order quantity: 1,000, lead time applies.

## 5/8" Anti-Microbial Lanyards

Material contains nanoparticle-coated fibers that inhibit the growth of germs and kill odor-causing bacteria. Ideal for food service, healthcare and other industries that need to have clean environments. Only available with breakaway.\* **MOQ: 100.**

**DOMESTIC PRINTING AVAILABLE!**  
CAN BE PRINTED POSITIONALLY.



2136-3407

5/8" Anti-Microbial Lanyard Specifications		
Color	Item #	Dimensions
Black	2136-3405	5/8" wide x 36" long (total length)
Royal Blue	2136-3406	
Red	2136-3407	
Green	2136-3404	
Navy Blue	2136-3403	
White	2136-3408	


**Orders placed before 1pm ET ship SAME DAY!** Shipping Weight: 3 lb. per 100 pieces.

This product can expose you to Antimony Oxide, which is known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

\*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

### BAMBOO LANYARDS

#### MATERIAL COLOR OPTIONS



#### ATTACHMENT OPTION

Wide Plastic Hook



### 100% P.E.T. RECYCLED PLASTIC LANYARDS

#### MATERIAL COLOR OPTIONS



#### ATTACHMENT OPTION

Wide Plastic Hook




**MADE FROM 100% RECYCLED POST-CONSUMER WASTE!**



**ALL LANYARDS ON THIS PAGE CAN BE CUSTOMIZED**  
SEE PAGES 4-9

### 5/8" ANTI-MICROBIAL BREAKAWAY LANYARDS

#### MATERIAL COLOR OPTIONS



#### ATTACHMENT OPTION

Wide Plastic Hook




**IDEAL FOR FOOD SERVICE AND HEALTHCARE!**


Note: products are not shown to scale.



**POLKA DOT LANYARDS**  
MATERIAL COLOR OPTIONS



BLUE GREEN



PINK PURPLE


ATTACHMENT OPTION



NPS Trigger  
Hook & Split Ring

**Polka Dot Lanyards**


Add a fun splash of color to your card-carrying solution with our new polka dot lanyards. The two end fittings allow you to easily carry more than one item. Only available with breakaway.\* **MOQ: 10.**

Polka Dot Lanyard Specifications		
Item #	Color	Dimensions
2138-7283	Blue	5/8" wide x 36" long (total length)
2138-7284	Green	
2138-7288	Pink	
2138-7289	Purple	
<b>Orders placed before 1pm ET ship SAME DAY!</b>		
Shipping Weight: 4 lb. per 100 pieces.		
 WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>		




2138-72XX

**FASHION LANYARDS**  
MATERIAL COLOR OPTIONS



BLACK MONACO BLUE



EMERALD GREEN NECTARINE


ATTACHMENT OPTION



NPS Trigger  
Hook & Split Ring

**Fashion Lanyards**

Zigzag pattern fashion lanyards with NPS trigger hook and split ring. The two end fittings allow you to easily carry more than one item. Only available with breakaway.\* **MOQ: 10.**

Fashion Lanyard Specifications		
Item #	Color	Dimensions
2138-6281	Black	5/8" wide x 36" long (total length)
2138-6283	Monaco Blue	
2138-6284	Emerald Green	
2138-6285	Nectarine	
<b>Orders placed before 1pm ET ship SAME DAY!</b>		
Shipping Weight: 4 lb. per 100 pieces.		
 WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>		




2138-6285


**FEATURES TWO  
END FITTINGS!**



**RHINESTONE LANYARDS**  
MATERIAL COLOR OPTIONS



RHN-CLR CLEAR RHN-BLK BLACK



RHN-BLU BLUE RHN-RED RED


ATTACHMENT OPTION



Oval Shaped Metal Hook

**Rhinestone Lanyards**

Add some bling to your lanyard! Our new stock rhinestone lanyards are available in multiple colors and come with an oval shaped metal hook. **MOQ: 10.**

Rhinestone Lanyard Specifications		
Item #	Color	Dimensions
RHN-CLR	Clear	3/8" wide x 36" long (total length)
RHN-BLU	Royal Blue	
RHN-RED	Red	
RHN-BLK	Black	
<b>Orders placed before 1pm ET ship SAME DAY!</b>		
Shipping Weight: 0.5 lb. per 10 pieces.		
 This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>		




RHN-RED

\*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

Note: products are not shown to scale.

## Paint Splatter Lanyards

These polyester lanyards feature a "paint splatter" pattern dye-sublimated into the fabric. The splashes and colors help make this lanyard stand out, drawing attention to the attached credential. A nickel-plated steel swivel hook end fitting makes it easy to attach a slotted ID card or badge holder. Only available with breakaway.\* **MOQ: 100.**


Paint Splatter Lanyard Specifications		
Item #	Color	Dimensions
2138-5270	Pre-printed Paint Splatter Lanyard	3/4" wide x 36" long (total length)
<b>Orders placed before 1pm ET ship SAME DAY!</b>		
Shipping Weight: 2 lb. per 100 pieces.		
 WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>		



2138-5270

### PAINT SPLATTER LANYARDS

MATERIAL COLOR OPTION

Paint Splatter 

ATTACHMENT OPTION




NPS Swivel Hook



**BLACK BREAKAWAY\* INCLUDED!**

## Rainbow Lanyards

This pre-printed lanyard is perfect for those seeking a fun, colorful solution without the desire to purchase custom lanyards. Made of our soft, silky material, this 3/4" lanyard features a dye-sublimated rainbow pattern guaranteed to stand out. Each lanyard features a white breakaway and a sewn-on swivel hook end fitting for easy card carrying. **MOQ: 100.**


Rainbow Lanyard Specifications		
Item #	Description	Dimensions
2138-5260	Pre-printed Rainbow Lanyard	3/4" wide x 36" long (total length)
<b>Orders placed before 1pm ET ship SAME DAY!</b>		
Shipping Weight: 2 lb. per 100 pieces.		
 WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>		



2138-5260

### RAINBOW LANYARDS

MATERIAL COLOR OPTION

Rainbow 

ATTACHMENT OPTION




NPS Swivel Hook



**WHITE BREAKAWAY\* INCLUDED!**

## Neon Lanyards

These neon lanyards are a fun, eye-catching, card-carrying accessory perfect for use in office buildings, schools or at conventions. Our neon lanyards are made of Microweave and feature a white breakaway tab. A swivel hook end fitting makes it easy to attach your ID badge or badge holder. **MOQ: 100.**

Neon Lanyard Specifications		
Item #	Color	Dimensions
2138-5043	Neon Blue	5/8" wide x 36" long (total length)
2138-5044	Neon Green	
2138-5045	Neon Purple	
2138-5048	Neon Yellow	
2138-5049	Neon Orange	
2138-5050	Neon Pink	
<b>Orders placed before 1pm ET ship SAME DAY!</b>		
Shipping Weight: 2.2 lb. per 100 pieces.		
 WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>		



2138-50\_

### NEON LANYARDS


MATERIAL COLOR OPTIONS

 <b>801C</b>	 <b>802C</b>	 <b>804C</b>
NEON BLUE (43)	NEON GREEN (44)	NEON ORANGE (49)
 <b>806C</b>	 <b>809C</b>	 <b>814C</b>
NEON PINK (50)	NEON YELLOW (48)	NEON PURPLE (45)

ATTACHMENT OPTION



NPS Swivel Hook



**WHITE BREAKAWAY\* INCLUDED!**

\*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

Note: products are not shown to scale.

**PRE-PRINTED LANYARDS**

MATERIAL  
COLOR OPTIONS

**VISITOR**

Red VISITOR

**CONTRACTOR**

Blue CONTRACTOR

**STAFF**

Black STAFF

**EVENT STAFF**

Orange EVENT STAFF

**VOLUNTEER**

Purple VOLUNTEER

ATTACHMENT OPTION



NPS Swivel Hook

**REFLECTIVE LANYARDS**

MATERIAL  
COLOR OPTIONS



ATTACHMENT OPTION



NPS Swivel Hook



2135-2526 - Reflects



2135-2511 - Reflects & Glows

**5/8" Pre-Printed Lanyards**

When you need to identify staff quickly, our dye-sublimated, breakaway style lanyards do the job with swivel hooks to hold slotted ID cards in place. These Ultraweave lanyards come pre-printed with various identifying titles. **MOQ: 100.**

**IDENTIFY  
STAFF  
QUICKLY!**

5/8" Pre-Printed Lanyard Specifications			
Item #	Description	Color	Dimensions
2138-5220	White "VISITOR" Letters	Red	5/8" wide x 36" long (total length)
2138-5215	White "CONTRACTOR" Letters	Blue	
2138-5210	White "STAFF" Letters	Black	
2138-5200	Blue "EVENT STAFF" Letters	Orange	
2138-5230	White "VOLUNTEER" Letters	Purple	

**Orders placed before 1pm ET ship SAME DAY!**  
Shipping Weight: 2.2 lb. per 100 pieces.

**WARNING** This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



2138-5210

2138-5215

2138-5220

**5/8" Reflective Lanyards**

These reflective lanyards feature Ultraweave material and a reflective strip overlay with standard white or luminescent silk screen printed "SAFETY FIRST." Swivel hook end attachment and breakaway.\* **MOQ: 100.**

5/8" Reflective Lanyard Specifications			
Item #	Description	Color	Dimensions
<b>Reflective Lanyard with Standard Printing</b>			
2135-2525	White Letters on Reflective Material	Black	5/8" wide x 36" long (total length)
2135-2526		Red	
2135-2527		Royal Blue	
2135-2529		Orange	
<b>Reflective Lanyard with Luminescent Printing</b>			
2135-2510	Luminescent Letters on Reflective Material	Black	5/8" wide x 36" long (total length)
2135-2511		Red	

**Orders placed before 1pm ET ship SAME DAY!**  
Shipping Weight: 4.2 lb. per 100 pieces.

**WARNING** This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



**PERFECT  
FOR  
OUTDOOR  
USE!**

2135-2511

\*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.


Note: products are not shown to scale.

### 3/8" Pre-Printed Awareness Ribbon Lanyards

Microweave material with awareness ribbon imprint and swivel hook. Available in non-breakaway only. **MOQ: 100.**

3/8" Pre-Printed Awareness Ribbon Lanyards		
Item #	Color	Dimensions
2138-5288 or AWR-345-PNK	Pink Ribbon on Pink Lanyard	3/8" wide x 36" long (total length)
2138-5290 or AWR-345-PUR	Purple Ribbon on Purple Lanyard	


**Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 2 lb. per 100 pieces.**

 **WARNING** This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



#### PRE-PRINTED AWARENESS RIBBON LANYARDS

##### MATERIAL COLOR OPTIONS

- Pink Ribbon on Pink Lanyard 
- Purple Ribbon on Purple Lanyard 

##### ATTACHMENT OPTION

- NPS Swivel Hook 

### 5/8" Satin-Like Pre-Printed Pink Awareness Ribbon Lanyards

This lanyard features smooth, satin-like fabric and a dye-sublimated awareness ribbon imprint. It comes with a swivel hook attachment and a white breakaway.\* **MOQ: 100.**

5/8" Satin-Like Pre-Printed Pink Awareness Ribbon Lanyards		
Item #	Color	Dimensions
2138-5286	Pink Ribbon on Pink Lanyard	5/8" wide x 36" long (total length)


**Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 3 lb. per 100 pieces.**

 **WARNING** This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



#### SATIN-LIKE PRE-PRINTED PINK AWARENESS RIBBON LANYARDS

##### MATERIAL COLOR OPTIONS

- Pink Ribbon on Pink Lanyard 

##### ATTACHMENT OPTION

- NPS Swivel Hook 


White breakaway included.

### Anti-Bullying Lanyards

Our polyester, anti-bullying lanyard is perfect for students, faculty and other education personnel. This breakaway\* lanyard is pre-printed with a positive message that reads, "Prevent Bullying - Take a Stand - Lend a Hand." **MOQ: 100.**

Anti-Bullying Lanyard Specifications		
Item #	Color	Dimensions
2138-5240	Orange with White Imprint	5/8" wide x 36" long (total length)


**Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 3 lb. per 100 pieces.**

 **WARNING** This product can expose you to Antimony Oxide, which is known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



#### ANTI-BULLYING LANYARDS

##### MATERIAL COLOR OPTIONS

- Orange with White Imprint 

##### ATTACHMENT OPTION

- White Plastic Hook 


White breakaway included.

### 3/4" Autism Puzzle Lanyards

Support finding the missing piece in the search to cure autism! This soft lanyard features a dye-sublimated awareness imprint, swivel hook and black breakaway.\* **MOQ: 100.**

3/4" Autism Puzzle Lanyard Specifications		
Item #	Color	Dimensions
2138-5281	Pink, Blue & Navy	3/4" wide x 36" long (total length)
2138-5282	Red, Yellow, Blue & Navy	



**Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 2 lb. per 100 pieces.**

 **WARNING** This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



#### AUTISM PUZZLE LANYARDS

##### MATERIAL COLOR OPTIONS

- Pink / Blue / Navy 
- Red / Yellow / Blue / Navy 

##### ATTACHMENT OPTION

- NPS Swivel Hook 

Black breakaway included.


\*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

Note: products are not shown to scale.


# CUSTOM EYEWEAR HOLDERS

## CUSTOM OPTIWEAVE LANYARD / EYEWEAR HOLDERS

### MATERIAL COLOR OPTIONS



### IMPRINT COLOR OPTIONS



IT'S TWO PRODUCTS IN ONE!

## Custom Optiweave Lanyard / Eyewear Holders

Transform your neck lanyard into an eyewear holder. Made of 5/8" Optiweave material with "O" ring attachment.

**Minimum order quantity: 500 lanyards.**



Badge holder sold separately.

EWL-RING



Glasses sold separately.



## CONVERTS FROM A LANYARD TO AN EYEWEAR HOLDER!


### Custom Optiweave Lanyard / Eyewear Holder Specifications

Item #	Dimensions
EWL-RING	5/8" (16mm) x 36" (914mm) Total Length


Production time is 15 business days after proof approval. PMS color match is not exact. Colors may vary. Shipping Weight: 15 lb. per 500 pieces.

## CUSTOM OPTIWEAVE EYEWEAR HOLDERS

### MATERIAL COLOR OPTIONS



### IMPRINT COLOR OPTIONS



## Custom Optiweave Eyewear Holders

Made of 5/8" Optiweave material with surgical tube ends that fit the majority of frame sizes. Wooden bead adjusts for secure fit.

**Minimum order quantity: 500 eyewear holders.**



EWL-BEAD



ADJUSTABLE BEAD

### Custom Optiweave Eyewear Holder Specifications

Item #	Dimensions
EWL-BEAD	5/8" (16mm) x 36" (914mm) Total Length

Production time is 15 business days after proof approval. PMS color match is not exact. Colors may vary. Shipping Weight: 15 lb. per 500 pieces.

## Secure Closure Dye-Sub Wristbands

*A fully-customizable secure wristband for any event*

**Secure** – Once the locking slider is adjusted to the wrist size it cannot be removed unless the material is cut. This prevents transferring the wristband from one attendee to another, keeping event-goers in their designated places.

**Customizable** – The wristband’s dye-sublimated material allows for full customization with four-color graphics, text and logos. Showcase your brand with vibrant color and clarity.

**Comfortable** – Lightweight and soft, the secure closure wristband is comfortable to wear all day and won’t get in the way.

Secure Closure Dye-Sub Wristband Specifications				
Width	Length	Finishing Option	Print Position	MOQ
5/8"	14"	High Security Closure (white or black)	<ul style="list-style-type: none"> <li>• Continuous</li> <li>• Front and back must be the same</li> </ul>	100
Shipping Weight: 0.7 lb. per 100 pieces.				

**IMPRINT AND MATERIAL COLORS:**



**WRISTBAND CANNOT BE REMOVED UNLESS THE MATERIAL IS CUT**



WB-58 Wristband



WW-38 Adjustable Wrist Lanyard Keychain



WK-38 Wrist Lanyard Keychain

## Custom Printed Wrist Lanyards

Choose either a Wrist Lanyard Keychain, an Adjustable Wrist Lanyard Keychain or a Wristband. These lanyards are perfect for camps, concerts and events.

Custom Printed Wrist Lanyard Specifications				
Item #	Width	Length(s)	Description	MOQ
<b>Adjustable Wrist Lanyard Keychain</b>				
WW-38	3/8"	16"	Adjustable Wrist Lanyard Keychain	100
<b>Wrist Lanyard Keychain</b>				
WK-38	3/8"	15"	Wrist Lanyard Keychain	100
WK-58	5/8"	15"		
WK-34	3/4"	15"		
<b>Wristband with Breakaway*</b>				
WB-38	3/8"	7 1/4", 7 7/8" or 8 7/8"	Wristband	100
WB-58	5/8"	7 1/4", 7 7/8" or 8 7/8"		
WB-34	3/4"	7 1/4", 7 7/8" or 8 7/8"		
Ships 10 business days after proof approval. Shipping Weight: 3/8" - 2 lb.; 5/8" - 3 lb.; 3/4" - 4 lb. per 100 pieces.				
<b>WARNING</b> This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>				

\*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

### WRIST LANYARDS

#### MATERIAL COLOR OPTIONS\*

<b>BLACK</b> PMS 348	<b>ROYAL</b> PMS 294	<b>NAVY</b> PMS 289
<b>GREEN</b> PMS 348	<b>ORANGE</b> PMS 151	<b>RED</b> PMS 200
<b>WHITE</b>	<b>YELLOW</b> PMS 115	<b>PURPLE</b> PMS 268
<b>TEAL</b> PMS 316	<b>MAROON</b> PMS 195	<b>FOREST</b> PMS 5535

#### IMPRINT COLOR OPTIONS

<b>BLACK</b>	<b>ROYAL</b> PMS 294	<b>NAVY</b> PMS 289
<b>GREEN</b> PMS 348	<b>ORANGE</b> PMS 151	<b>RED</b> PMS 200
<b>WHITE</b>	<b>YELLOW</b> PMS 115	<b>PURPLE</b> PMS 268
<b>TEAL</b> PMS 316	<b>MAROON</b> PMS 195	<b>FOREST</b> PMS 5535

1+ colors, 1-sided imprint

\*Wrist lanyards are available in the following materials (each material has different color options, inquire within).

- Bamboo Ribbed
- Recycled PET Ribbed
- Antimicrobial Ribbed
- Organic Cotton Ribbed
- Reflective Tape

Note: products are not shown to scale.

## Bulldog Clips

MOQ/Inner Pack: See chart below.



### Bulldog Clip Specifications

Item #	Description	Shank Dimension	MOQ
5705-3500	NPS embossed 'U' thumb-grip clip with overlapping jaw	1 3/16" (30mm)	100
5705-3505	NPS embossed 'U' bulldog clip	1 3/8" (35mm)	5,000
5705-3540	NPS embossed 'U' clip with steel shank and overlapping jaw	1 1/16" (27mm)	100
5705-3541	Black oxide steel embossed 'U' clip with steel shank and overlapping jaw	1 1/16" (27mm)	5,000
5705-3542	NPS oval hole embossed 'U'	1 1/16" (27mm)	5,000
5705-3543	Black oxide oval hole embossed 'U'	1 1/16" (27mm)	5,000
5705-3545	NPS Brady Clothing-Friendly clip	Patented 1 1/16" (27mm)	100
5705-3560	NPS shank clip with an overlapping jaw	1 3/16" (30mm)	5,000
5705-3575	Nickel-plated steel 'U' thumb-grip clip with overlapping jaws	1/8" (3mm) diameter with 11mm small ring	500
5705-3576	NPS 2-hole clip featuring large circular opening with an outside diameter of 11/16" (18mm) and an inner opening of 7/16" (11mm)	3/8" (10mm) 5/8" (16mm) 3/4" (19mm)	100

Shipping Weight: 0.30 lb. per 100 pieces (5705-3500, 5705-3540, 5705-3542 and 5705-3545); 30 lb. per 5,000 pieces (5705-3505, 5705-3541, 5705-3543); 35 lb. per 5,000 pieces (5705-3560)

**WARNING** This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## Swivel Bulldog Clips

MOQ/Inner Pack: 100



### Swivel Bulldog Clip Specifications

Item #	Description	Lanyard Width / Diameter
5705-3580	Nickel-Plated Steel 'U' Thumb-Grip Clip with Small Swivel	1/8" (3mm) dia. 1/4" (6mm) dia. 3/8" (10mm)
5705-3585	Nickel-Plated Steel 'U' Thumb-Grip Clip with Large Swivel	5/8" (16mm) 3/4" (19mm) 1" (25mm)

Shipping Weight: 3.5 lb. per 100 pieces (5705-3575)  
0.6 lb. per 100 pieces (5705-3576)  
1.4 lb. per 100 pieces (5705-3580 & 3585)

**WARNING** This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

Note: products are not shown to scale.



## Lanyard Hooks

MOQ/Inner Pack: 1,000 (100 for 6920-2400 only).



### Lanyard Hook Specifications

Item #	Description	Dimensions	Lanyard Width / Diameter
<b>Hook Only (Non-Swivel)</b>			
6920-2350	Nickel Plated Steel & Textured Thumb Grip	1 1/4" (32mm)	-
6920-2400	Nickel Plated Steel	1 3/4" (44mm)	5/8" (16mm) 3/4" (19mm) 1" (25mm)
<b>Swivel Hooks with Swivel Attachment and Textured Thumb Grip</b>			
6920-2300 or SW-1	Nickel Plated Steel	1 1/4" (32mm)	1/8" (3mm) dia. 1/4" (6mm) dia. 3/8" (10mm)
6920-2305	Nickel Plated Steel	1 7/16" (36.5mm)	5/8" (16mm)
6905-M-289	Nickel Plated Steel	1 7/16" (36.5mm)	3/4" (19mm) 1" (25mm)
6920-2301	Black Oxide	1 1/4" (32mm)	1/8" (3mm) dia. 1/4" (6mm) dia. 3/8" (10mm)

Shipping Weight: 10 lb. per 1,000 pieces (6920-2350)  
15 lb. per 1,000 pieces (6920-2305)  
16 lb. per 1,000 pieces (6905-M-289)  
1 lb. per 100 pieces (6920-2301)  
1.1 lb. per 100 pieces (6920-2300 or SW-1)  
1.7 lb. per 100 pieces (6920-2400)

**WARNING** This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## Lobster Claw Swivel Hook

MOQ/Inner Pack: 2,500.



6905-M-520

### Lobster Claw Swivel Hook Specifications

Item #	Description	Dimensions
6905-M-520	Nickel Plated Steel	3/4" (19mm)
Shipping Weight: 40 lb. per 2,500 pieces		
WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>		

## No-Twist Plastic Lanyard Hooks

MOQ/Inner Pack: See chart below.



6920-2470

6920-2471

6920-2479

6920-2481

5710-1160

5710-1161

5710-1166

5710-1167

6905-P-125

### No-Twist Plastic Lanyard Hook Specifications

Item #	Color	Lanyard Width / Diameter	MOQ
<b>Narrow Hooks</b>			
6920-2470	White	3/8" (10mm)	5,000
6920-2474	Black	3/8" (10mm)	
6920-2471	White	5/8" (16mm)	
6920-2472	White	3/4" (19mm)	2,500
6920-2473	White	1" (25mm)	
6920-2478	Black	5/8" (16mm)	
6920-2479	Black	3/4" (19mm)	
6920-2481	Black	1" (25mm)	
<b>Wide Hooks</b>			
5710-1160	White	3/8" (10mm)	5,000
5710-1161	White	5/8" (16mm)	
5710-1162	White	3/4" (19mm)	
5710-1163	White	1" (25mm)	
5710-1164	Black	3/8" (10mm)	
5710-1165	Black	5/8" (16mm)	
5710-1166	Black	3/4" (19mm)	
5710-1167	Black	1" (25mm)	
6905-P-125	Black	1/8" (3mm) round 1/4" (6mm) round	
Shipping Weight: 7.5 lb. per 2,500 pieces (6920-2478, -2479, -2481, -2471, -2472, -2473) 15 lb. per 5,000 pieces (6920-2474, -2470) 20 lb. per 5,000 pieces (All Wide Hooks)			

## Trigger Snap Swivel Hooks

MOQ/Inner Pack: 500 (1,000 for 6920-2360 only).



6920-2370

6905-M-415

6920-2360

### Nickel-Plated Trigger Snap Swivel Hook Specifications

Item #	Description	Dimensions	Lanyard Width / Diameter
6920-2370	Nickel Plated Steel	1/8" (3mm)	1/8" (3mm) 1/4" (6mm) 3/8" (10mm)
6905-M-415	Nickel Plated Steel	19/32" (15mm)	5/8" (16mm)
6920-2360	Nickel Plated Steel	3/4" (19mm)	3/4" (19mm)
Shipping Weight: 6.5 lb. per 500 pieces (6920-2370 only) 7.5 lb. per 500 pieces (6905-M-415) 17 lb. per 1,000 pieces (6920-2360)			
WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>			

## Non Heat-Treated Steel Split Rings with Round Edge

MOQ/Inner Pack: 100 (SKR-1)

1,000 (6920-1000 & 6920-1025).



6920-1000  
or SKR-1

### Non Heat-Treated Steel Split Ring Specifications

Item #	Description	Dimensions
6920-1000 or SKR-1	Nickel-Plated Steel	1" (25mm)
6920-1025	Nickel-Plated Steel	1 1/16" (28mm)
Shipping Weight: 0.5 lb. per 100 pieces (SKR-1) 5 lb. per 1,000 pieces (6920-1000) 9 lb. per 10,000 pieces (6920-1025)		
WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>		

## Heat-Treated Steel Split Rings

MOQ/Inner Pack: 1,000.



6920-0095

6920-1050

6920-1010

### Heat-Treated Steel Split Ring Specifications

Item #	Description	Dimensions
6920-0095	Nickel-Plated Steel	15/16" (24mm)
6920-1050	Nickel-Plated Steel	1 1/4" (32mm)
6920-1010	Black-Oxidized Steel	1 1/8" (28mm)
Shipping Weight: 8 lb. per 1,000 pieces (6920-1050 and 6920-1010) 5 lb. per 1,000 pieces (6920-0095)		
WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>		

Note: products are not shown to scale.



## Frosted Plastic Key Tag Tab Connector

Plastic key tag tab connector allows you to quickly and easily attach a key ring. **MOQ: 100.**



5735-6000

### Frosted Plastic Key Tag Tab Connector Specifications

Item #	Dimensions
5735-6000 or KTB-1	5/8" (16mm)
Shipping Weight: 0.1 lb. per 100 pieces	

## Non-Magnetic Badge Reel with Plastic Clip

Made without ferrous metals, this reel is unaffected by magnets, making them perfect for use around MRI machines or other powerful magnets. Both the plastic clip end-fitting and plastic clamp closure are color-matched to the badge reel for a sleek look.

**Reel Size:** 1 1/4" (32mm)

**Cord Length:** 24" (588mm)

**Label Size:** 4/5" (20mm)



2120-9001

Swivel Clip Shown Open

### Non-Magnetic Badge Reel with Plastic Clip Specifications

Item #	Description	Color
2120-900_	Plastic Swivel Clip	Black (1), Royal Blue (2), Red (6), White (8)
Custom-printed reels available 5-8 days after proof approval. MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.75 lb. per 25 pieces.		

## LANYARD BADGE REELS

REEL COLOR OPTIONS

BLK

MOQ: 25

ADDITIONAL COLOR OPTIONS

RBLU  
PMS 294

NBLU  
PMS 289

RED

WHT

ORG  
PMS 151

GRN  
PMS 348

YLW  
PMS 115

MAR  
PMS 195

MOQ: 1,000

Lead time applies.

## Lanyard Badge Reels

MOQ: See sidebar below.



2120-7501

Back

### Lanyard Badge Reel with Clear Vinyl Strap Specifications

Item #	Color	Dimensions
2120-7501	Black	1 1/4" (32mm)
Shipping Weight: 0.58 lb. per 25 reels		



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

Note: products are not shown to scale.

## DTACH™ Black Female Attachments

MOQ/Inner Pack: See chart below.



### DTACH™ Black Female Attachment Specifications

Item #	Description	Dimensions	MOQ
6920-1702	Combo Loop	5/8" (16mm)	1,000
6920-1703	Combo Loop	3/4" (19mm)	
6920-1704	Combo Loop	1" (25mm)	
6920-1783	NPS Swivel Hook	5/8" (16mm)	100
6920-1784	NPS Swivel Hook	3/4" (19mm)	1,000
6920-1785	NPS Swivel Hook	1" (25mm)	
6920-1763	Split Ring	5/8" (16mm)	
6920-1764	Split Ring	3/4" (19mm)	2,000
6920-1723	Plastic Swivel Hook	5/8" (16mm)	1,000
6920-1724	Plastic Swivel Hook	3/4" (19mm)	
6920-1725	Plastic Swivel Hook	1" (25mm)	
6920-1743	Bull Dog Clip	5/8" (16mm)	
6920-1744	Bull Dog Clip	3/4" (19mm)	
6920-1745	Bull Dog Clip	1" (25mm)	10,000
6920-1705	Black Gripper 30®	5/8" (16mm)	
6920-1706	Black Gripper 30®	3/4" (19mm)	
6920-1707	Black Gripper 30®	1" (25mm)	
6920-1823	Trigger Hook	5/8" (16mm)	
6920-1824	Trigger Hook	3/4" (19mm)	
6920-1825	Trigger Hook	1" (25mm)	
6920-2022	Black Pen Holder	5/8" (16mm)	10,000
6920-2023	Black Pen Holder	3/4" (19mm)	
6920-2024	Black Pen Holder	1" (25mm)	
6920-2026	Cell Phone Holder	5/8" (16mm)	
6920-2027	Cell Phone Holder	3/4" (19mm)	
6920-2028	Cell Phone Holder	1" (25mm)	
9500-0014*	Lanyard Extension	3/8" (10mm)	
9500-0010	Lanyard Extension	5/8" (16mm)	10,000
9500-0012	Lanyard Extension	3/4" (19mm)	
9500-0016	Lanyard Extension	1" (25mm)	

Shipping Weight: 20 lb. per 1,000 pieces / 1.6 lb. per 100 pieces (6920-1783 only)



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

Note: Black available only. All are swivel except for cell phone cord.

\* 3/8" (10mm) lanyard requires lanyard extension.

## Breakaway\* for Flat Lanyards

MOQ/Inner Pack: See chart below.



6920-2191



6920-2192

Breakaway for Flat Lanyard Specifications		
Item #	Lanyard Width/Diameter	MOQ
<b>Black Breakaway*</b>		
6920-2191	3/8" (10mm)	1,000
6920-2193	5/8" (16mm)	
6920-2207	3/4" (19mm)	
6920-2209	1" (25mm)	3,000
<b>White Breakaway*</b>		
6920-2192	3/8" (10mm)	20,000
6920-2194	5/8" (16mm)	15,000
6920-2206	3/4" (19mm)	5,000
6920-2208	1" (25mm)	3,000
Shipping Weight: 2 lb. per 1,000 Pieces (6920-2191); 3 lb. per 1,000 pieces (6920-2193) 5 lb. per 1,000 pieces (6920-2207); 6 lb. per 3,000 pieces (6920-2209) 40 lb. per 20,000 pieces (6920-2191); 45 lb. per 15,000 (6920-2194) 25 lb. per 5,000 (6920-2206); 24 lb. per 3,000 (6920-2208)		

Note: Every 200 pieces will make 100 lanyards. Sold individually, not as a pair.

## Breakaway\* for Round Lanyards

MOQ/Inner Pack: 5,000.



6920-2215



6920-2216

Breakaway For Round Lanyard Specifications		
Item #	Color	Lanyard Width/Diameter
6920-2215	Black	1/4" (16mm)
6920-2216	White	1/4" (16mm)
<b>Orders placed before 1pm ET ship SAME DAY!</b> Shipping Weight: 20 lb. per 5,000 pieces.		

Note: Every 200 pieces will make 200 lanyards. Sold in pairs.

\*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.



6920-2150

## Round "O" Ring

MOQ/Inner Pack: 10,000.

Round "O" Ring Specifications		
Item #	Color	Dimensions
6920-2150	Black	3/4" (19mm)
Shipping Weight: 50 lb. per 10,000 pieces.		

## Diamond or Round Sliders


MOQ/Inner Pack: 5,000.



2135-4011N



6920-2476



Diamond or Round Slider Specifications		
Item #	Description	Imprint Area
2135-4011N	Diamond	7/8" x 3/4" (22mm x 19mm)
6920-2476	Round	3/4" (19mm)
Shipping Weight: 45 lb. per 5,000 pieces; 1 lb. per 100 pieces (6920-2477 or LS-3 only).		

Note: Sliders available for OptiBraid only.

## Cord Lock

MOQ/Inner Pack: 100.



2135-4001

Adjustable Neck Cord Lock Specifications			
Item #	Description	Color	Dimensions
2135-4001	Spring-Loaded Sliding Adjuster for Round / Flat Lanyard (3/8" material only)	Black	7/10" (17.5mm)
Shipping Weight: 0.6 lb. per 100 pieces.			

## Crimp and Bead Finishing Options

MOQ/Inner Pack: See chart below.



6920-6002



6920-6021



2135-4000

Crimp and Bead Finishing Option Specifications		
Item #	Diameter	MOQ
<b>Nickel-Plated Steel Crimp</b>		
6920-6002	1/8" (3mm) and 3/8" (10mm)	3,000
6920-6020	1/4" (6mm), 5/8" (16mm), 3/4" (19mm)	10,000
6920-6004	1" (25mm)	10,000
<b>Black Oxide Crimp</b>		
6920-6003	1/8" (3mm) and 3/8" (10mm)	25,000
6920-6021	1/4" (6mm), 5/8" (16mm), 3/4" (19mm)	10,000
<b>Silver Plastic Bead</b>		
2135-4000	3/16" (5mm)	2,000
6905-M-588	5/6" (8mm)	10,000
Shipping Weight: 6 lb. per 3,000 pieces (6920-6002) 50 lb. per 25,000 pieces (6920-6003) 30 lb. per 10,000 pieces (6920-6020, -6004, -6021) 2 lb. per 2,000 pieces (2135-4000) 20 lb. per 10,000 pieces (6905-M-588).		
WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>		

Note: products are not shown to scale.

# COMPONENTS

## Pressure-Sensitive Clips

Clip with ribbed thumb-grip and pressure-sensitive pad. **MOQ: 100.**



### Pressure-Sensitive Clip Specifications

Item #	Description
<b>Nickel-Plated - Clip Size: 1" (25.5mm) Pad Size: 3/4 x 3/4" (19mm x 19mm)</b>	
5735-2000 or 505-AD	1-Hole Ribbed-Face, 3/16" (5mm) Hole Diameter
5735-2100	Embossed "U" Bulldog Clip
5735-2050	1-Hole with Ribbed-Face, 3/16" (5mm) Hole Diameter, 1 1/2" (38mm) Safety Pin Length
<b>Plastic - Clip Size: 1 1/16" (27mm) Pad Size: 15/16 x 1/2" (24mm x 12.5mm)</b>	
5735-3008	White Plastic, Ribbed-Face

**Orders placed before 1pm ET ship SAME DAY!**

Shipping Weight: 1 lb. per 100 pieces / 2.5 lb. per 500 pieces (5735-3008 only).

**WARNING** This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## Pressure-Sensitive Nickel-Plated Steel Pins

Bar pins with pressure-sensitive plastic ABS base, locking safety catch, tabbed release paper and high-bond adhesive pads.

**MOQ: 500 (100 for 5735-2150 only).**



### Pressure-Sensitive Nickel-Plated Steel Pin Specifications

Item #	Pin Size	Pad Dimensions
5730-2620	1" (25mm)	1 1/8 x 1/4" (28.5mm x 6.5mm)
5735-1100	1 1/2" (38mm)	1 5/8 x 1/4" (41mm x 6.5mm)
5735-2155	1" (25mm)	3/4 x 3/4" (19mm x 19mm)

**Orders placed before 1pm ET ship SAME DAY!**


Shipping Weight: 2.5 lb. per 500 pieces (5730-2620 & 5735-1100)  
0.6 lb. per 100 pieces (5735-2150).

**WARNING** This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## Pressure-Sensitive Plastic Pins

White, all-plastic safety pins with rectangular, pressure-sensitive, polystyrene base, tabbed release paper and high-bond adhesive pads.

**MOQ: 100 (1000 for 6920-3655 only).**



### Pressure-Sensitive Plastic Pin Specifications

Item #	Pin Size	Pad Dimensions
6920-3605	1 1/4" (32mm)	1 1/4 x 1/4" (32mm x 6.5mm)
6920-3655	1 1/2" (38mm)	1 1/2 x 1/4" (38mm x 6.5mm)
6920-3657	1 1/2" (38mm)	1 1/2 x 1/4" (38mm x 6.5mm)

**Orders placed before 1pm ET ship SAME DAY!**

Shipping Weight: 0.2 lb. per 100 pieces (6920-3605 & 6920-3657)  
3 lb. per 1000 pieces (6920-3655).


**WARNING** This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

Note: products are not shown to scale.

## Sheet of 50 Adhesive-Backed Pins

An easy way to display your ID even if you don't have a pocket or lapel. Adhesive-backed pins adhere securely to the back of any badge. Allows for quick assembly. Saves money on labor costs! Each sheet contains 50 pins.

**MOQ: 20 Sheets.**



### Sheet of 50 Adhesive-Backed Pin Specifications

Item #	Pad Dimensions	Pin Size
6920-3860	1 1/2 x 1/4" (38mm x 6.5mm)	1 1/2" (38mm)

**Orders placed before 1pm ET ship SAME DAY!**

Shipping Weight: 2 lb. per 20 sheets.

**WARNING** This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## MAGNAPOWER™ Magnetic Badge Findings

With pressure-sensitive foam pad and peel-away liner.

**Min Qty/Inner Pack: 50.**



### Magnetic Badge Finding Specifications

Item #	Description	Mounting Plate Dimensions	Weight
5730-3015	MAGNAMINI™ - 2 round, rare-earth magnets encased in plastic with 1 zinc-plated steel plate	1 1/4 x 3/8" (32mm x 10mm)	0.3 oz
5730-3030	MAGNADISC™ - 1 zinc-plated, steel-encased disc with 1 round, rare-earth magnet and 1 steel disc	11/16" (18mm)	0.4 oz
5730-3000 or MG-5	MAGNABADGE™ - 1 nickel-plated steel plate with 2 round, rare-earth magnets and 1 zinc-plated steel plate	1 3/4 x 1/2" (45mm x 13mm)	0.5 oz
5730-3010 or MG-7	MAGNALITE™ - 2 round, rare-earth magnets encased in plastic with 1 zinc-plated steel plate	1 3/4 x 1/2" (45mm x 13mm)	0.4 oz
5730-3040	MAGNATRIO™ - 3 round, rare-earth magnets encased in plastic with 1 zinc-plated steel plate	1 3/4 x 1/2" (45mm x 13mm)	0.5 oz
5730-3060	MAGNAUNI™ - 2 rare-earth magnets in plastic housing with 1 zinc-plated steel plate	1 3/4 x 1/2" (45mm x 13mm)	0.4 oz

**Orders placed before 1pm ET ship SAME DAY!**

Shipping Weight: 1.3 lb. per 50 pieces.

**WARNING** This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

Note: Any person wearing a pacemaker should consult a physician before wearing magnet attachments.

## Nickel-Free Steel Ball Chain with Connector




2125-2010

### Nickel-Free Steel Ball Chain with Connector Specifications

Item #	Length	Bead Size	Min Qty/Inner Pack
2125-2010	36" (762mm)	No.3 (2.3mm)	100

Orders placed before 1pm ET ship SAME DAY!  
Shipping Weight: 1.8 lb. per 100 pieces.

## Nickel-Plated Steel Ball Chain with Connector



2125-1500

### Nickel-Plated Steel Ball Chain with Connector Specifications


Item #	Length	Bead Size	Min Qty/Inner Pack
2125-1000	24" (610mm)	No.3 (2.3mm)	100
2125-1500 or NC-30	30" (762mm)	No.3 (2.3mm)	
2125-2000 or NC-36	36" (914mm)	No.3 (2.3mm)	

Orders placed before 1pm ET ship SAME DAY!  
Shipping Weight: 2 lb. per 100 pieces.



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to [www.P66Warnings.ca.gov](http://www.P66Warnings.ca.gov)

## Brass-Plated Steel Ball Chain with Connector



2125-1550

### Brass-Plated Steel Ball Chain with Connector Specifications

Item #	Length	Bead Size	Min Qty/Inner Pack
2125-1550	30" (762mm)	No.3 (2.3mm)	100

Orders placed before 1pm ET ship SAME DAY!  
Shipping Weight: 1.8 lb. per 100 pieces



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to [www.P66Warnings.ca.gov](http://www.P66Warnings.ca.gov)

## Colored Elastic Neck Cords With Nickel-Plated Barbed Ends



2140-1540

### Colored Elastic Neck Cords w/ Nickel-Plated Barbed Ends Specifications

Item #	Color	Length	Min Qty/Inner Pack
2140-1500 or EB-1W-WHT	White	30" (762mm)	100
2140-1520	Gray	30" (762mm)	
2140-1530 or EB-1S-SVR	Silver	30" (762mm)	
2140-1540 or EB-1X-BLK	Black	30" (762mm)	
2140-1525	Blue	30" (762mm)	1,000

Orders placed before 1pm ET ship SAME DAY!  
Shipping Weight: 0.3 lb. per 100 pieces.

## Neck Chain Strap ID Adapter



2140-1000  
(Chain Not Included)

### Neck Chain Strap ID Adapter Specifications

Item #	Description	Strap Size	Min Qty/Inner Pack
2140-1000 or 505-NC	Clear Flexible Vinyl Strap or Neck Chain Adapter	3 3/8" (86mm)	100

Orders placed before 1pm ET ship SAME DAY!  
Shipping Weight: 0.6 lb. per 100 pieces.

## Plastic Ball Chain with Nickel-Plated Connector



2130-1008



2130-4002

### Plastic Ball Chain with Nickel-Plated Connector Specifications

Item #	Color	Length	Bead Size	Min Qty/Inner Pack
2130-1008 or NCP-30	White	30" (762mm)	2.5mm	100
2130-1508 or NCP-36	White	36" (914mm)	2.5mm	
2130-4000 or NMPL-36-CLR	Clear	38" (965mm)	4mm	
2130-4001 or NMPL-36-BLK	Black	38" (965mm)	4mm	
2130-4002 or NMPL-36-RBLU	R. Blue	38" (965mm)	4mm	
2130-4008 or NMPL-36-WHT	White	38" (965mm)	4mm	

Orders placed before 1pm ET ship SAME DAY!  
Shipping Weight: 0.4 lb. per 100 pieces (2130-1008 or NCP-30)  
0.5 lb. per 100 pieces (2130-1508 or NCP-36)  
1.3 lb. per 500 pieces (2130-400\_ or NMPL-36-\_\_\_\_).



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to [www.P66Warnings.ca.gov](http://www.P66Warnings.ca.gov)

## Vinyl Neck Straps



2135-0050



2135-2000

### Vinyl Neck Straps Specifications

Item #	Description	Length	Min Qty/Inner Pack
<b>Frosted Vinyl</b>			
2135-0050 or BS-4	Snap Closure	27" (686mm)	100
2135-0100 or BS-5	Snap Closure	37" (940mm)	
<b>Tubular Clear Vinyl</b>			
2135-2000 or NT-36	Plastic Rod Connector	36" (914mm)	100
NT-30	Plastic Rod Connector	30" (762mm)	

Orders placed before 1pm ET ship SAME DAY!  
Shipping Weight: 1.2 lb. per 100 pieces (2135-0050 & 2135-0100)  
1.3 lb. per 100 pieces (2135-2000 & NT-30).



WARNING This product can expose you to chemicals, including Diisononly Phathate, is known in the State of California to cause cancer as well as Bi (2-ethylhexyl) phthalate, which is known in the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

# STRAP CLIPS

## NPS Clips with Reinforced Vinyl Straps



2120-1000

2120-1010

### NPS Clips with Reinforced Vinyl Strap Specifications

Item #	Strap Size	MOQ
<b>Suspender Clip with Reinforced Opaque White Vinyl Strap</b>		
2120-1000	2 3/4" (70mm)	100
<b>2-Hole Clip with Reinforced Opaque White Vinyl Strap</b>		
2120-1010	2 3/4" (70mm)	500
<b>Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 1.4 lb. per 100 pieces.</b>		
WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>		

## 2-Hole Clips with Clear Vinyl Straps



2105-3100

2105-3250

2105-1310

2105-1991, 2105-1993 or 505-A, 2105-2000


2105-2011

2105-1985 or 505-SD

### 2-Hole Strap Clips with Clear Vinyl Strap Specifications

Item #	Description	Strap Size	MOQ
2105-1991	Two-Hole Clip	2 3/4" (70mm)	25
2105-1993 or 505-A	Two-Hole Clip	2 3/4" (70mm)	100
2105-2000	Two-Hole Clip	2 3/4" (70mm)	500
2105-2011 or 505-SDN	Clip w/ "Narrow Middle" for Swipe Cards	2 3/4" (70mm)	100
2105-3100 or 505-SDL	NPS Smooth-Face Clip	3 1/2" (89mm)	100
2105-3250 or 505-SDL5	NPS Smooth-Face Clip w/ Long Strap	5 3/4" (146mm)	100
2105-1310	Stainless Steel Clip with Nickel-Plated Brass Snaps	2 3/4" (70mm)	500
2105-1985 or 505-SD	NPS Clip w/ Larger 7/16" Snap	2 3/4" (70mm)	100
<b>Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 1 lb. per 100 pieces.</b>			
WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>			

## 1-Hole Clips with Clear Vinyl Straps



2105-2100

2105-2230


2105-2550

### 1-Hole Clips with Clear Vinyl Strap Specifications

Item #	Description	Strap Size	MOQ
2105-2100	1-Hole NPS Ribbed Face	2 3/4" (70mm)	100
2105-2230	1-Hole NPS Curved Smooth-Face Clip	2 3/4" (70mm)	500
2105-2550	1-Hole NPS Smooth-Face Clip	2 3/4" (70mm)	100
<b>Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 0.9 lb. per 100 pieces.</b>			
WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>			

Note: products are not shown to scale.

## 2-Hole Clips with Colored Vinyl Straps



2105-2006

2105-2009

### 2-Hole Clips with Colored Vinyl Strap Specifications

Item #	Available Colors	Strap Size	MOQ
<b>2-Hole, Smooth-Face, Nickel-Plated Steel Clip with Colored Vinyl Strap</b>			
2105-200_	BLK - Black (1), RBLU - Blue (2), GRN - Green (4),	2 3/4" (70mm)	100
or 505-SDC-___	RED - Red (6), WHT - White (8), YLW - Yellow (9)		
<b>Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 1 lb. per 100 pieces.</b>			
WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>			

AVAILABLE COLORS BLK RBLU GRN RED WHT YLW

## Embossed "U" Bulldog Clip with Clear Vinyl Strap



2105-3200

### Embossed "U" Bulldog Clip with Clear Vinyl Strap Specifications

Item #	Description	Strap Size	MOQ
2105-3200	NPS "U" Bulldog Clip with Clear Strap	2 3/4" (70mm)	500
<b>Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 0.9 lb. per 100 pieces.</b>			
WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>			

## Embossed "U" Bulldog Clip with Clear Vinyl Strap and Permanent Snap



2105-3205

### Embossed "U" Bulldog Clip with Strap & Permanent Snap Specifications

Item #	Description	Strap Size	MOQ
2105-3205 or 505-PS	NPS "U" Bulldog Clip with Clear Vinyl Strap and Permanent Snap	2 3/4" (70mm)	50
<b>Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 0.45 lb. per 50 pieces.</b>			
WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>			

## Knurled Thumb-Grip Clip with Clear Vinyl Strap



2105-3000

### Thumb Grip Strap Clip with Clear Vinyl Strap Specifications

Item #	Description	Strap Size	MOQ
2105-3000	NPS Knurled Thumb-Grip Clip	2 3/4" (70mm)	100
<b>Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 1.1 lb. per 100 pieces.</b>			
WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>			

## 2-Hole Clip with DOP-Free Vinyl Strap



2105-2045

### 2-Hole Clip with DOP-Free Vinyl Strap Specifications

Item #	Strap Size	MOQ
2105-2045	2 3/4" (70mm)	100
<b>Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 1.1 lb. per 100 pieces.</b>		
WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>		

## Colored All-Plastic Strap Clip



2115-2002

2115-2005

### Colored All-Plastic Strap Clip Specifications

Item #	Available Colors	Strap Size	MOQ
<b>Colored Plastic, Knurled Thumb-Grip, 2-Hole Clip with Delrin Strap</b>			
2115-200_	Black (1), Blue (2), Green (4), Orange (5), Red (6), White (8), Yellow (9)	3 1/8" (80mm)	100

**Orders placed before 1pm ET ship SAME DAY!** Shipping Weight: 0.7 lb. per 100 pieces.

AVAILABLE COLORS **BLK** **RBLU** **GRN** **ORG** **RED** **WHT** **YLW**  
2386C 348C 164C 2348C 136C

## 1-Hole NPS Ribbed-Face Clip with Clear Mylar Strap



2110-1213


### 1-Hole NPS Ribbed-Face Clip with Clear Mylar Strap Specifications

Item #	Strap Size	MOQ
2110-1213	3 1/2" (89mm)	100

**Orders placed before 1pm ET ship SAME DAY!** Shipping Weight: 1 lb. per 100 pieces.

**WARNING** This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## 2-Hole NPS Clip with Mylar Strap



2110-1100

2110-1150

### 2-Hole Clip with Mylar Strap Specifications

Item #	Strap Size	MOQ
2110-1100	2 3/4" (70mm)	100
2110-1150	4" (102mm)	100

**Orders placed before 1pm ET ship SAME DAY!** Shipping Weight: 1 lb. per 100 pieces.

**WARNING** This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## Clear 1-Hole Vinyl Strap



Shown attached to lanyard



2120-1250

### Clear 1-Hole Vinyl Strap Specifications

Item #	Description	Strap Size	MOQ
2120-1250	Clear 1-Hole Vinyl Strap w/ 3 Metal & 1 Brass Part	2 3/4" (70mm)	100

**Orders placed before 1pm ET ship SAME DAY!** Shipping Weight: 1.6 lb. per 100 pieces.

**WARNING** This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## Reusable Plastic Clips



5710-1108

08075

08080

### Reusable Plastic Clip Specifications

Item #	Description	Size	MOQ
5710-1108 or 505-P	Uni-Clip - one piece, white clip with ribbed thumb-grip.	1 5/8" (41mm)	100
08075	Plastic swivel clip features a "button" design that slides through the slot so badges stay straighter.	1 1/2" (38mm)	500
08080	Plastic card clip slides through the slotted portion of a badge, back of the clip can then be attached to a visitor's shirt.	1 3/4" (44mm)	500

**Orders placed before 1pm ET ship SAME DAY!**

Shipping Weight: 0.5 lb. per 100 pieces (5710-1108), 2 lb. per 500 pieces (08075), 2.5 lb. per 500 pieces (08080)

## Clear Vinyl Strap with Brady Clothing-Friendly™ Clip



2105-2093

### Clear Vinyl Strap with NPS Brady Clothing-Friendly Clip Specifications

Item #	Strap Size	MOQ
2105-2093	2 3/4" (70mm)	100

**Orders placed before 1pm ET ship SAME DAY!** Shipping Weight: 1 lb. per 100 pieces.

**WARNING** This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## Thumb-Grip Clip with Clear Mylar Strap



2110-1255

### Thumb-Grip Clip with Mylar Strap Specifications

Item #	Description	Strap Size	MOQ
2110-1255	Nickel-Plated Steel, Knurled Thumb-Grip Clip with Mylar Strap	2 3/4" (70mm)	100

**Orders placed before 1pm ET ship SAME DAY!** Shipping Weight: 1.1 lb. per 100 pieces.

**WARNING** This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## 2-Hole Smooth-Face Clip with Double Straps for Multiple ID Cards



2105-3050

### 2-Hole Clip with Double Strap Specifications

Item #	Strap Sizes	MOQ
2105-3050	2 3/4" (70mm); 5 7/8" (149mm)	100

**Orders placed before 1pm ET ship SAME DAY!** Shipping Weight: 1.4 lb. per 100 pieces.

**WARNING** This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

Note: products are not shown to scale.



**TRU**COLOR printing allows for **FULL-COLOR CUSTOMIZATION** right on the badge reel for a **MORE PROFESSIONAL LOOK**, bringing custom logos, graphics and text to life!

**HIGH QUALITY** - TRU**COLOR** printing allows custom graphics, logos and text to be printed directly on a select group of badge reels.

**VIVID COLOR** - Rather than a 1- or 2-color print process or labels, TRU**COLOR** digital printing is able to incorporate hundreds of colors for true full-color graphics and text.

**LONG-LASTING** - TRU**COLOR** printing is applied directly to the product surface for a durable and long-lasting solution.



704-CB-WHT

905-I-BLK

2120-8002

2120-3002



**VARIABLE PRINTING** on badge reels is a custom label service that allows you to **CHANGE TEXT** on your badge reel orders **FROM ONE PRINTED PIECE** to the **NEXT**.

**VARIABLE** - While your logo or artwork stays the same, you now have the option to have parts of the custom text be variable from one reel to another.

**PERSONALIZED** - Print years of service, names, company divisions, or company titles to badge reel labels to create a personalized and unique accessory.

For best results choose badge reels that support a 1-inch label or larger.



*Note: products are not shown to scale.*

## “Value Line” Most Economical Badge Reel

Round plastic pull reel with slide-type belt clip and clear vinyl strap or Card Clamp™. Cord has a nylon core with a polyester wrap for added durability.

Reel Diameter: 1 1/4" (32mm)

Cord Length: 34" (864mm)


Label Size: 3/4" (19mm)



Belt Clip



Spring Clip



Card Clamp™

2120-3036

### “Value Line” Most Economical Badge Reel Specifications

Item #	Description	Available Colors
2120-303_ or 525-I-____	Belt Clip / Clear Vinyl Strap	Black - BLK (1), Blue - BLU (2), Green (4), Red - RED (6), White - WHT (8), Yellow (9), Orange - ORG
2120-360_ or 525-TR-____	Belt Clip / Clear Vinyl Strap	Trans. Clear - CLR (0), Trans. Royal Blue - RBLU (2), Trans. Green - GRN (4), Trans. Orange - ORG (5), Trans. Red - RED (6), Trans. Yellow - YLW (9), Trans. Purple - PURP (13)
525-IK6-____	Belt Clip / Card Clamp	Black (BLK), Royal Blue (RBLU)
2120-470_	Spring Clip / Clear Vinyl Strap	Chrome (0), Black (1), Blue (2), Red (6), White (8)

Custom-printed reels ship 5-8 days after proof approval. MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.625 lb. per 25 pieces (2120-303\_ and 2120-360\_). 0.85 lb. per 25 pieces (525-IK6-\_\_\_\_ and 525-ISR-\_\_\_\_).



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## “Value Line” Most Economical Neon Badge Reel

This reel is the same as our “Value Line” Most Economical Badge Reel but comes in five fun, bright neon colors! Cord has a nylon core with a polyester wrap for added durability.

Reel Diameter: 1 1/4" (32mm)

Cord Length: 34" (864mm)

Label Size: 3/4" (19mm)



Belt Clip

2120-3081

### “Value Line” Most Economical Neon Badge Reel Specifications

Item #	Description	Available Colors
2120-308_	Belt Clip	Neon Pink (1), Neon Blue (2), Neon Yellow (3), Neon Green (4), Neon Orange (5)

Custom-printed reels ship 5-8 days after proof approval. MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.625 lb. per 25 pieces.



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## Round Plastic Swivel Back Badge Reel

Round plastic pull reel with clear vinyl strap and nylon cord.

Metal clip on back swivels to allow for easy wear. Cord has a nylon core with a polyester wrap for added durability.

Reel Diameter: 1 1/4" (32mm)

Cord Length: 34" (864mm)

Label Size: 3/4" (19mm)



Swivel Clip



Card Clamp™

529-TR-RBLU

### Round Plastic Swivel Back Badge Reel

Item #	Description	Available Colors
2120-760_ or 529-I-____	Swivel Clip	Black - BLK (1), Royal Blue - RBLU (2), White - WHT (8), Red - RED (6), Dark Gray - DKGRY
529-TR-____	Swivel Clip	Trans. Clear (CLR), Trans. Green (GRN), Trans. Orange (ORG), Trans. Royal Blue (RBLU), Trans. Red (RED)
529-IK6-____	Swivel Clip & Card Clamp	Black (BLK), Royal Blue (RBLU)

Custom printed reels available 5-8 days after proof approval. MOQ: 25. Shipping Weight: 0.85 lb. per 25 pieces.



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



## Economy Reel with Split Ring

Round plastic badge reel with slide-type belt clip and nickel-plated steel split ring. The slide clip on the back allows for easy attachment to belts or jackets, and it features a key ring to hold both ID cards and keys all in one place, for ultimate organization. Cord has a nylon core with a polyester wrap for added durability.

Reel Diameter: 1 1/4" (32mm)

Cord Length: 34" (864mm)

Label Size: 3/4" (19mm)



Belt Clip

525-ISR-BLK

### Economy Reel with Split Ring Specifications

Item #	Description	Available Colors
525-ISR-____	Belt Clip / Split Ring	Black (BLK), Royal Blue (RBLU)

Custom-printed reels ship 5-8 days after proof approval. MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.85 lb. per 25 pieces.



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

#### SOLID COLORS



#### TRANSLUCENT COLORS



#### NEON COLORS



NOTE: For item numbers ending in \_\_\_\_ substitute the color abbreviations or numbers shown in the color chart.

Note: products are not shown to scale.





## Square Plastic Badge Reel

Square plastic, clip-on badge reel featuring a spring clip, clear vinyl strap and nylon cord. Provides easy access for swiping or scanning cards.

**Reel Diameter:**  
1 1/4" (32mm)

**Cord Length:**  
30" (762mm)

**Label Size:**  
3/4" (19mm)



2120-3822



Belt Clip



Spring Clip

### Square Plastic Badge Reel Specifications

Item #	Description	Available Colors
2120-382_	Belt Clip, Reinforced Vinyl Strap	Black (1), Blue (2)
2120-3862	Belt Clip, Clear Vinyl Strap	Translucent Royal Blue
2120-57_	Spring Clip, Clear Vinyl Strap	Black (01), Trans. Royal Blue (12)

Custom-printed reels ship 5-8 days after proof approval.  
MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.675 lb. per 25 pieces.

**WARNING** This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## Logo Reel

Extra-large imprinting surface on this round, solid-colored plastic, badge reel with slide-type belt clip and clear vinyl strap.

Cord has a nylon core with a polyester wrap for added durability.

**Reel Diameter:**  
1 3/8" (35mm)

**Cord Length:**  
36" (915mm)

**Label Size:**  
1 1/4" (32mm)



2124-3032



Available in Chrome or Gold!



Slide-Type Belt Clip



### Logo Reel Specifications

Item #	Description	Available Colors
2124-303_	Belt Clip	Black (1), Royal Blue (2), White (8)
2124-302_	Belt Clip	Chrome (8), Gold (9)

Custom-printed reels ship 5-8 days after proof approval.  
MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.9 lb. per 25 pieces.

**WARNING** This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## Rectangle Badge Reel

The larger imprint area is perfect for displaying logos and custom graphics. The rectangular shape attracts more attention than standard round reels. Cord has a nylon core with a polyester wrap for added durability.

**Reel Size:** 1 3/4" x 1 1/4"  
(44mm x 32mm)

**Cord Length:** 34" (864mm)

**Label Size:** 1 1/2" x 1"  
(38mm x 25mm)



2120-3906



Swivel Clip

### Rectangle Badge Reel Specifications

Item #	Description	Available Colors
2120-390_	Swivel Clip	Chrome (0), Black (1), Royal Blue (2), Red (6), White (8)

Custom-printed reels ship 5-8 days after proof approval.  
MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.8 lb. per 25 pieces.

**WARNING** This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## MaxLabel™ Badge Reel

Same features as the round plastic reel with a larger, 1" imprint area.

**Reel Diameter:** 1 1/4" (32mm)

**Cord Length:** 34" (864mm)

**Label Size:** 1" (25mm)




905-I-RBLU



Belt Clip



Swivel Clip



Card Clamp™

### MaxLabel™ Badge Reel Specifications

Item #	Description	Available Colors
905-I-___	Belt Clip	Black (BLK), R. Blue (RBLU), White (WHT)
909-I-___	Swivel Clip	Black (BLK), R. Blue (RBLU), White (WHT)
905-TR-RBLU	Belt Clip	Translucent Royal Blue (RBLU)
909-TR-RBLU	Swivel Clip	Translucent Royal Blue (RBLU)
905-IK6-BLK	Belt Clip / Card Clamp	Black

Custom-printed reels ship 5-8 days after proof approval.  
MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.75 lb. per 25 pieces.

**WARNING** This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

#### SOLID COLORS



#### TRANSLUCENT COLORS



Note: products are not shown to scale.

NOTE: For item numbers ending in \_\_\_\_, substitute the color abbreviations or numbers shown in the color chart.

### Heart-Shaped Badge Reel

Motivate others by expressing passion, encouragement and inspiration! Comes with a clear vinyl strap and swivel back.

Cord has a nylon core with a polyester wrap for added durability.


Reel Diameter: 1 1/4" (32mm)

Cord Length: 34" (864mm)


Label Size: 1 7/16" x 1 3/8" (34mm x 35mm)



2120-7638  
Shown with Domed EKG Label



580-TR-RED



Swivel Clip



#### Heart-Shaped Badge Reel Specifications

Item #	Description	Available Colors
2120-761_	Swivel Clip	White (8), Pink (7)
580-TR-RED	Swivel Clip	Translucent Red
2120-76_	EKG Label / Swivel Clip	White (38), Translucent Red (36)

Custom-printed reels ship 5-8 days after proof approval.  
MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.85 lb. per 25 pieces

**WARNING** This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

### Non-Magnetic Badge Reel with Plastic Clip

NEW!

NON-FERROUS, PERFECT FOR MRI ROOM USE

Made without ferrous metals, this reel is unaffected by magnets, making them perfect for use around MRI machines or other powerful magnets. Both the plastic clip end-fitting and plastic clamp closure are color-matched to the badge reel for a sleek look. A plastic clip end fitting makes it easy to slide on a slotted ID card or badge holder.

Reel Size: 1 1/4" (32mm)

Cord Length: 24" (588mm)

Label Size: 4/5" (20mm)



2120-9006



Plastic Swivel Clip



Swivel Clip Shown Open



#### Non-Magnetic Badge Reel with Plastic Clip Specifications

Item #	Description	Color
2120-9001	Plastic Swivel Clip	Black
2120-9002		Royal Blue
2120-9006		Red
2120-9008		White

Custom-printed reels available 5-8 days after proof approval.  
MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.75 lb. per 25 pieces.

### Twist-Free B•Reel™

The B•Reel is the most secure and twist-free reel today. It has a modern shape with new colors and two different clip options- giving you more versatility when wearing it. Features clear vinyl strap for easy attachment to any ID badge.

Reel Size: 1 5/16" (33mm)

Cord Length: 28" (711mm)

Label Size: 1 3/16" x 1" (30mm x 25mm)




2120-8008

PERFECT FOR HEALTHCARE



Swivel Belt Clip



Swivel Clip with Teeth

**CORD EXTRACTS FROM FRONT OF REEL AND CAUSES LESS FRICTION ON THE CORD, EXTENDING THE LIFE OF THE REEL!**



#### Twist-Free B•Reel™ Specifications

Item #	Description	Available Colors
2120-78_	Clip with Teeth	Black (01), Metallic Blue (02), White (08), Metallic Gray (10)
2120-80_	Belt Clip	Black (01), Metallic Blue (02), White (08), Metallic Gray (10)

Custom-printed reels available 5-8 days after proof approval.  
MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.75 lb. per 25 pieces.

**WARNING** This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



2120-8010

B•REEL KEEPS BADGE FACING FORWARD

BADGE BUDDIES PAGE 71



NOTE: For item numbers ending in \_ \_ \_ \_ , substitute the color abbreviations or numbers shown in the color chart.

Note: products are not shown to scale.

## Premier Carabiner Badge Reel

Our carabiner-style reel with chrome outer frame and clear vinyl strap is both fashionable and versatile.

**Reel Diameter:**  
1 1/4" (32mm)

**Cord Length:**  
30" (762mm)

**Imprint Size:**  
1" H x 1" W  
(28.5mm x 25mm)



2120-7021



2120-7121  
Belt Clip on Back

Premier Carabiner Badge Reel Specifications		
Item #	Description	Available Colors
2120-702_	Carabiner	Black (1)
2120-705_	Carabiner	Trans. Clear (0), Trans. Black (1), Trans. Royal Blue (2), Trans. Red (6)
2120-71_	Carabiner with Belt Clip on Backside	Black (21), White (28), Trans. Blue (52), Trans. Red (56)

Custom-printed reels ship 5-8 days after proof approval.  
MOQ: 25 (blank) / 100 (custom). Shipping Weight: 1.15 lb. per 25 pieces.

## Heavy-Duty Ski/Sports Reel


Specially designed zipper attachment reduces risk of losing annual ski pass.

Features customizable hard plastic case, reinforced ring and heavy-duty nylon cord.

**Reel Diameter:**  
1 1/2" (38mm)

**Cord Length:**  
24" (609mm)

**Label Size:**  
1 1/4" (32mm)



750-1

CUSTOMIZE BOTH SIDES!\*



Backside



Nylon Cord

Heavy-Duty Ski/Sports Reel Specifications		
Item #	Description	Available Colors
750-1 or 2120-4101	Zipper Attachment	Black

Custom-printed reels ship 5-8 days after proof approval.  
Additional lead time applies for customization on both sides.  
MOQ: 25 (blank) / 100 (custom). Shipping Weight: 1.15 lb. per 25 pieces.

## Twist-Free Carabiner Reel

Chrome outer frame. Pressure release latch attaches easily to belt loop or purse strap. Twist-free feature keeps ID facing forward. Optional belt clip on back.

**Reel Diameter:** 1 1/4" (32mm)

**Cord Length:** 36" (915mm)

**Label Size:** 1 1/16" (28mm)



704-TR-RBLU

704-CB-WHT

CUSTOMIZE BOTH SIDES!\*



Customization on Back (Carabiner only)  
\*Available on 704-TR and 704-CB



Belt Clip on Back (Carabiner and Belt Clip)

Twist-Free Carabiner Reel Specifications		
Item #	Description	Available Colors
704-CB-____	Carabiner Only	Black (BLK), Green (GRN), Royal Blue (RBLU), Red (RED), Pink (PNK), White (WHT)
704-TR-____	Carabiner Only	Trans. Purple (PURP), Trans. Red (RED), Trans. Green (GRN), Trans. Royal Blue (RBLU)
704-CLP-____	Carabiner and Belt Clip	Black (BLK), Royal Blue (RBLU), Red (RED), White (WHT)

Custom-printed reels ship 5-8 days after proof approval (one-sided printing).  
Additional lead time applies for customization on both sides.  
MOQ: 25 (blank) / 100 (custom). Shipping Weight: 1.4 lb. per 25 pieces.

### SOLID COLORS



### TRANSLUCENT COLORS



Note: products are not shown to scale.

NOTE: For item numbers ending in \_\_\_\_\_, substitute the color abbreviations or numbers shown in the color chart.

## Pro-Reel

Get two attachments in one with our carabiner-style reel! It features a chrome outer frame and slide-type belt clip (optional). The no-twist U-shaped bullet helps to keep your ID facing forward.

**Reel Diameter:**  
1 1/4" (32mm)

**Cord Length:**  
34" (864mm)

**Imprint Size:**  
7/8" (22mm)



Pro-Reel Specifications		
Item #	Description	Available Colors
2120-7062	Carabiner with Belt Clip	Translucent Blue
2120-702_	Carabiner with Belt Clip	Black (7), Red (8)
2120-7060	Carabiner Only	Translucent Blue
2120-702_	Carabiner Only	Black (5), Red (6)

Custom-printed reels ship 5-8 days after proof approval.  
MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.775 lb. per 25 pieces.

**WARNING** This product can expose you to chemicals, including Nickel, which are known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## Premium Badge Reel

Large 1" imprint area. Twist-free design keeps ID visible at all times. Cord has a nylon core with a polyester wrap for added durability. Card Clamp™ holds to a pull strength of 10 lb. for standard .030"-thick ID cards (works with thinner cards too).

**Reel Diameter:** 1 1/2" (38mm)

**Cord Length:** 34" (864mm)

**Label Size:** 1" (25mm)



Premium Badge Reel Specifications		
Item #	Description	Available Colors
<b>Clear Vinyl Strap</b>		
605-I-____	Belt Clip	Black (BLK), Royal Blue (RBLU), Red (RED), White (WHT), Dark Gray (DKGRY)
609-I-____	Swivel Clip	Black (BLK), Royal (RBLU), White (WHT)
605-TR-____	Belt Clip	Trans. Green (GRN), Trans. R. Blue (RBLU), Trans. Red (RED)
609-TR-____	Swivel Clip	Trans. Royal Blue (RBLU), Trans. Red (RED)
<b>Card Clamp™ End Fitting</b>		
609-IK6-BLK	Swivel Clip	Black

Custom-printed reels available 5-8 days after proof approval.  
MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.675 lb. per 25 pieces.

**WARNING** This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## Mini-Bak® Badge Reel

Made in the USA! The Mini-Bak® reel is available with heavy-duty spring or twist-free option.

**Reel Diameter:**  
1" (25mm)

**Cord Length:**  
36" (915mm)

**Label Size:**  
1" (25mm)



Mini-Bak® Badge Reel Specifications		
Item #	Description	Available Colors
<b>Classic Mini-Bak®</b>		
505-MB-____	Slide Clip	Royal Blue (RBLU), Black (BLK), Dark Gray (DKGRY), White (WHT)
509-MB-____	Swivel Clip	Royal Blue (RBLU), Black (BLK)
<b>Twist-Free Mini-Bak®</b>		
505-MF-____	Slide Clip	Royal Blue (RBLU), Black (BLK), Red (RED), White (WHT)
509-MF-____	Swivel Clip	Royal Blue (RBLU), Black (BLK)

Custom-printed reels ship 5-8 days after proof approval.  
MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.725 lb. per 25 pieces.



NOTE: For item numbers ending in \_\_\_\_ substitute the color abbreviations or numbers shown in the color chart.

Note: products are not shown to scale.

## Reinforced Strap Badge Reel

Add durability to your solid-color plastic reel with a reinforced vinyl strap. Comes with choice of slide-type belt clip or spring clip.

**Reel Diameter:**  
1 1/4" (32mm)

**Cord Length:**  
34" (864mm)

**Label Size:**  
3/4" (19mm)



Reinforced Strap Badge Reel Specifications		
Item #	Description	Available Colors
2120-300_	Belt Clip	Black (1), Blue (2), Green (4), Red (6), White (8)
2120-475_	Spring Clip	Black (1), Blue (2)
Custom-printed reels ship 5-8 days after proof approval. Digital printing is not available on 2120-475 1 or 2120-4752. MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.625 lb. per 25 pieces.		
<b>WARNING</b> This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>		

## Badge Reel with Silver Sticker and Reinforced Vinyl Strap

A modern round, plastic badge reel with silver sticker.

Features slide-type belt clip and reinforced vinyl strap.

**Reel Diameter:**  
1 1/4" (32mm)

**Cord Length:**  
34" (864mm)

**Label Size:**  
3/4" (19mm)



Reinforced Strap Badge Reel with Silver Sticker Specifications		
Item #	Description	Available Colors
2120-310_	Belt Clip	Black (1), Blue (2), Green (4), Red (6), White (8)
Orders placed before 1pm ET ship SAME DAY! MOQ: 25 Pieces. Shipping Weight: 0.625 lb. per 25 pieces.		
<b>WARNING</b> This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>		

## Small Metal Case Badge Reel

A classic chrome finish makes this an appealing, eye-catching badge reel. Durable metal casing will stand up to long-term use.

A swivel-hook end fitting makes it easy to attach a slotted ID badge, while a bulldog clip attachment secures the reel to the wearer.

**Reel Diameter:**  
1" (26mm)

**Cord Length:**  
15" (381 mm)



**DURABLE METAL CASING**

Small Metal Case Badge Reel Specifications		
Item #	Description	Available Colors
2120-3400 or 480-I	Swivel-Hook End Fitting and Bulldog Clip Attachment	Chrome Finish
Orders placed before 1pm ET ship SAME DAY! MOQ: 25 Pieces. Shipping Weight: 0.85 lb. per 25 pieces.		

## Tub-O-Reels

Standard badge reels in a fun and convenient container. Reels feature clear vinyl strap and slide-type belt clip.

Includes multiple colors, giving employees a variety of options when deciding how to wear and display their ID badges.

**Reel Diameter:** 1 1/4" (32mm)

**Cord Length:** 34" (864mm)

**Container:** 8 1/4" L x 5 1/8" W x 8 3/16" H



**DO YOU NEED A TUB-O-LANYARDS? SEE PAGE 14!**



Tub-O-Reels Specifications		
Item #	Description	Colors (Includes 10 of each)
REELS100	Belt Clip	Black, Royal Blue, Red, Yellow, Green, Trans. Royal Blue, Trans. Orange, Trans. Purple, Trans. Clear, Trans. Red.
Orders placed before 1pm ET ship SAME DAY! MOQ: 1 tub. Shipping Weight: 2.94 lb. per 1 tub.		
<b>WARNING</b> This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>		



Note: products are not shown to scale.

NOTE: For item numbers ending in \_\_\_\_, substitute the color abbreviations or numbers shown in the color chart.



## Keybak® Badge Reels

**SecureIt™** - All-weather, all-purpose reel, featuring a rugged and sturdy carabiner that can secure to almost anything. Holds flashlights, GPS and small hand tools. 48" Kevlar® cord and 8 oz. retraction force.

**Reel Diameter:** 2" (51mm)

**Cord Length:** 48" (1220mm)

**Super48™** - Hold more keys with our exclusive quick-draw extension. Tough KEVLAR® Cord extends to 48" (4 feet of reach)! 8 -10 oz. retraction force. Holds up to 25 keys.

**Reel Diameter:** 2 3/16" (56mm)

**Cord Length:** 48" (1220mm)

### Proudly made in the USA!

- Guaranteed quality and reliability
- Backed by a Lifetime Service Policy



BR-488-BLK



BR-48-BLK




### KeyBak® Badge Reels Specifications

Item #	Description	Color
BR-48-BLK (Super48™)	Belt Clip	Black
BR-488-BLK (SecureIt™)	Carabiner with Key Ring	Black

**Orders placed before 1pm ET ship SAME DAY!** MOQ: 1.  
Shipping Weight: 0.22 lb. per 1 piece (BR-48-BLK) / 0.18 lb. per 1 piece (BR-488-BLK).



Belt Clip



1. Locks to carry weight
2. Unlock to extend
3. Extends 48"

## Round Plastic Twist-Free Badge Reel

Round plastic, solid-color reel with swivel clip or slide-type belt clip and clear vinyl strap.

"No-twist" bullet prevents ID from twisting. Cord has a nylon core with a polyester wrap for added durability.

**Reel Diameter:**  
1 1/4" (32mm)

**Cord Length:**  
34" (864mm)

**Label Size:**  
3/4" (19mm)



2120-3051



Slide-Type  
Belt Clip



Swivel Clip



### Round Plastic Twist-Free Badge Reel Specifications

Item #	Description	Available Colors
2120-764_	Swivel Clip	Black (0), N. Blue (1), R. Blue (2), Red (4), Trans. R. Blue (6)
2120-305_	Belt Clip	Black (0), N. Blue (1), R. Blue (2), White (3), Red (7)

Custom-printed reels ship 5-8 days after proof approval.  
MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.575 lb. per 25 pieces.

**WARNING** This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## Heavy-Duty Clip-On Badge Reel


Chrome or black/chrome combo heavy-duty reels with slide-type belt clip.

**Reel Diameter:** 1 1/2" (38mm)

**Cord Length:**  
24" (588mm)- 505-HD-CRM,  
2120-3310, 2120-3300, 2120-3305

18" (457mm)- 2120-3325,  
2120-3375

**Label Size:** 1 1/2" (38mm)



2120-3310



Black / Chrome  
Reel



Belt Clip

### Heavy-Duty Clip-On Badge Reel Specifications

Item #	Description	Available Colors
<b>Clear Vinyl Strap</b>		
505-HD-CRM	Nylon Cord	Chrome (CRM)
505-HD-BLK/CRM or 2120-3310	Nylon Cord	Black/Chrome (BLK/CRM)
<b>Reinforced Vinyl Strap</b>		
2120-3325	Chain Cord, Key Ring	Black/Chrome (BLK/CRM)
2120-3300	Nylon Cord	Black/Chrome (BLK/CRM)
2120-3305	Steel Cord	Black/Chrome (BLK/CRM)
2120-3375	Chain Cord	Black/Chrome (BLK/CRM)

Custom-printed reels ship 5-8 days after proof approval.  
MOQ: 25 (blank) / 100 (custom). Shipping Weight: 2.325 lb. per 25 pieces.

### SOLID COLORS



### TRANSLUCENT COLORS



NOTE: For item numbers ending in \_ \_ \_ \_ , substitute the color abbreviations or numbers shown in the color chart.

Note: products are not shown to scale.

**“Awareness”  
Twist-Free  
Carabiner Reel**

Features the twist-free chrome carabiner for easy attachment, with the “awareness” ribbon design.


**Reel Diameter:**  
1 3/8" (35mm)

**Cord Length:**  
36" (915mm)

**Label Size:**  
1 1/16" (28mm)



704-CB-PNKRIB



Backside

“Awareness” Twist-Free Carabiner Reel Specifications		
Item #	Description	Color
704-CB-PNKRIB	Chrome Carabiner	Pink
<b>Orders placed before 1pm ET ship SAME DAY!</b> MOQ: 25 pieces. Shipping Weight: 1.4 lb. per 25 pieces.		

**“Awareness”  
Twist-Free  
Badge Reel**

Twist-free design keeps ID visible at all times. Large imprint of “awareness” ribbon design. Cord has a nylon core with a polyester wrap for added durability.

**Reel Diameter:**  
1 1/2" (38mm)

**Cord Length:**  
34" (864mm)

**Label Size:**  
1" (25mm)



605-L\_WHT-PNKRIB



Belt Clip

“Awareness” Twist-Free Badge Reel Specifications		
Item #	Description	Color
605-L_WHT-PNKRIB	Belt Clip	White
<b>Orders placed before 1pm ET ship SAME DAY!</b> MOQ: 25 Pieces. Shipping Weight: 0.68 lb. per 25 pieces.		

**Heart-Shaped  
Badge Reel**

Show your care with this heart-shaped reel with swivel clip and clear vinyl strap.


**Reel Diameter:**  
1 1/4" (32mm)

**Cord Length:**  
34" (864mm)


**Label Size:**  
1 7/16" x 1 3/8"  
(34mm x 35 mm)



2120-7630



Swivel Clip

Heart Reel with Dome Label Specifications		
Item #	Description	Color
2120-7630 or 580-AWR-PNK	Swivel Clip	Pink
<b>Orders placed before 1pm ET ship SAME DAY!</b> MOQ: 25 Pieces. Shipping Weight: 0.88 lb. per 25 pieces.		
 <b>WARNING</b> This product can expose you to Nickel, which is known in the State of California to cause cancer as well as Bisphenol A (BPA), which is known in the State of California to cause birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>		

**Autism  
Awareness  
Badge Reel**

The new autism awareness badge reel is a great way to show your support. The reel features a multicolored puzzle design and comes with a clear vinyl strap and a lanyard loop attachment.

**Reel Diameter:**  
1 3/8" (35mm)

**Cord Length:**  
36" (915mm)




2124-3050

**LOOP  
ALLOWS EASY  
ATTACHMENT  
TO THE END OF  
A LANYARD.**



Belt Clip

Autism Awareness Badge Reel Specifications		
Item #	Description	Color
2124-3050	Belt Clip	Multicolored Puzzle
<b>Orders placed before 1pm ET ship SAME DAY!</b> MOQ: 25 Pieces. Shipping Weight: 0.9 lb. per 25 pieces.		
 <b>WARNING</b> This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>		

**SHOW YOUR SUPPORT  
BY WEARING PINK!**



**AUTISM PUZZLE  
LANYARD  
SEE PAGE 23**



Note: products are not shown to scale.