Welcome,

Terri Johnson

tpaws@embarqmail.com

<u>Dogs</u>	
<u>Orders</u>	
<u>Settings</u>	



Demographic Information

Call Name	Gidgit	DOB
Registered Name		Registration Number
Breed	Poodle	Tattoo
Sex	F	Microchip
Owner	Terri Johnson	Laboratory #
		Report Date

These tests were developed and performed by Paw Print Genetics®, Spc

Explanation of Results

Normal	A 'Normal' result means that your dog does not have the mutation that causes the a
Carrier	A 'Carrier' result indicates that your dog has inherited one copy of the mutation that Your dog may not be clinically affected by this mutation because two copies of the r
Carrier / At-Risk	A 'Carrier / At-Risk' result indicates that your dog inherited one copy of the mutatio disease. Based on the mode of genetic inheritance for this particular disease, inherit disease. Dogs with one copy of the mutation may have a milder phenotype as comp
At-Risk / Affected	An 'At-Risk / Affected' result indicates that your dog inherited one or two copies of genetic disease. Based on the mode of genetic inheritance for this particular disease may result in the disease.
No Result	'No Result' indicates that we were unable to obtain a genotype for your dog for this your dog is a carrier or at-risk for this disease. There are a variety of reasons why a s Unique variations in the genetic code of some individuals may exist and cause certa with a specific test. In addition, suboptimal sampling of the dog's cheek cells could a inadequate cell counts, bacterial and fungal growth, or the presence of other test in results has been determined by Paw Print Genetics. Dogs with at least 90% of the t reportable. If your dog has an unacceptable level of tests with no results, you will be
	Please review our <u>testing terms and disclaimers</u> regarding your re-

Breed Profile

Disease Name	Genotype
Degenerative Myelopathy	WT/WT
Degenerative Myelopathy (Bernese Mountain Dog Variant) Degenerative Myelopathy (Common Variant)	0 0
Ehlers-Danlos Syndrome	WT/WT
Ehlers-Danlos Syndrome (Variant 1) Ehlers-Danlos Syndrome (Variant 2)	0 0
<u>GM2 Gangliosidosis</u> <u>Poodle Type</u>	WT/WT
Hereditary Cataracts	WT/WT
Intervertebral Disc Disease Risk Factor and Chondrodystrophy CDDY with IVDD	WT/WT
Multidrug Resistance 1	WT/WT
Neonatal Encephalopathy with Seizures	WT/WT
Osteochondrodysplasia	WT/WT
Progressive Retinal Atrophy, Progressive Rod-Cone Degeneration prcd	WT/WT
Progressive Retinal Atrophy, Rod-Cone Dysplasia 4	WT/WT
Von Willebrand Disease I	WT/WT

WT:

Coat Colors & Traits

Trait Name G	
A Locus a, Agouti	a/a
A ^s Locus A Saddle Tan	A ^s /A ^s

B locus (Brown) - b ⁴ B locus (Brown) - b ⁴ B locus (Brown) - b ⁴ BR/BRCharles Construction of the second seco	B Locus Brown	B/B
Chandradysalasia cd/cd Chandradysalasia cd/cd Curlocus Cu ^C /Cu ^C Curlocus D/D Dilate D/D Dilates 0 Dilates 0 Dilates 0 Dilates 0 Dilates 0 Pilates 0 Sciences N/N Sciences Sciences Sciences Sciences Sciences Sciences Sciences	B Locus (Brown) - b ^c B Locus (Brown) - b ^d	0 0
CDPA Cu ^C /Cu ^C Cu Locus D/D Dilute D/D Dilute 0 Dicos (Dilute) - d ¹ 0 Dicos (Dilute) - d ² 0 E Locus E/e Yellow/Red E/e E ¹ Locus N/N E ² Locus N/N E ¹ Locus N/N I Locus Information (Seat Dane Type)	Brachycephaly	BR/BR
Curty Hair D/D Dilocus D/D Dilocus (Dilute) - d ¹ 0 Dilocus (Dilute) - d ² 0 Elocus F/e Yellow/Ked F/e Eficus N/N Grizzle, Afrihan Hound Type N/N F ¹ Locus N/N Eficus N/N Grizzle, Afrihan Hound Type N/N F ¹ Locus N/N Eficus N/N Grizzle, Afrihan Hound Type N/N F ¹ Locus N/N Sable. Cocker Spaniel Type N/N Harleculin, Great Dane Type h/h H Locus hr/hr Eficus N/N Liccus Intensity Intensity I/i Liccus K ⁰ /R ⁰ Liccus K ⁰ /R ⁰ Liccus (Long Hair/Fluffy) - Lh ¹ 2 Liccus (Long Hair/Fluffy) - Lh ² 0 Liccus (Long Hair/Fluffy) - Lh ² 0 Milocus (Long Hair/Fluffy) - Lh ² 0 Milocus (Long Hair/Fluffy) - Lh ² 0 Milocus (Long Hair/Fluffy) - Lh ² 0 Silocus (Long Hair/Fluffy) - Lh ² 1		cd/cd
Diacus (Dilute) - q ¹ 0 Diacus (Dilute) - q ² 0 Elocus E ^r e Stallow/Red E ^r e E ¹ Locus N/N E ² Locus N/N Harlesuin Great Dane Type h/h Harlesuin I Locus I Locus F/F Locus K ¹ /R ³ Locus Locus Locus Locus Locus Locus Locus Locus Locus Locus Locus<		Cu ^C /Cu ^C
D Locus (Dilute) - d ² 0 ELCOUS Yellow/Red E/e Ff-Cous Grizzle, Afghan Hound Type N/N F ¹ Locus Sable, Cocker Spaniel Type N/N F ² Locus Melanistic Mask N/N F ² Locus Sable, Cocker Spaniel Type N/N F ² Locus Melanistic Mask N/N F ² Locus Sable, Cocker Spaniel Type N/N F ² Locus Melanistic Mask N/N Hocus Melanistic Mask N/N I Locus Intensity In/h I Locus Locus Locus (Long Hair/Fluffy) - Lh ¹ Locus (Long Hair/Fluffy) - Lh ¹ Locus (Long Hair/Fluffy) - Lh ² 0 2 0 Morele Merle m/m Polydactyly pd/pd Shocus s ³ /s ⁶		D/D
Yellow/Red N/N E ^A Locus N/N E ^B Locus N/N E ^B Locus N/N E ^B Locus N/N E ^B Locus N/N Halanistic Mask N/N HLocus N/N Harlequin, Great Dane Type h/h Hreauin, Great Dane Type h/h Hclous hr/hr ILocus F/F ILocus F/F Intensity I ^A I Locus K ^B /K ^B Intensity I ^A I Locus K ^B /K ^B I Locus K ^B /K ^B I Locus I		
Yellow/Red N/N E ^A Locus N/N E ^B Locus N/N E ^B Locus N/N E ^B Locus N/N E ^B Locus N/N Halanistic Mask N/N HLocus N/N Harlequin, Great Dane Type h/h Hreauin, Great Dane Type h/h Hclous hr/hr ILocus F/F ILocus F/F Intensity I ^A I Locus K ^B /K ^B Intensity I ^A I Locus K ^B /K ^B I Locus K ^B /K ^B I Locus I		
Grizzle. Afghan Hound Type N/N E ^A Locus N/N E ^B Locus N/N Melanistic Mask N/N H Locus h/h Harlequin, Great Dane Type h/h H Locus h/h Harlequin, Great Dane Type h/h H Locus h/h Hous h/h Hous h/h I Locus for the sec fragment of the sec frag		E/e
Sable, Cocker Spaniel Type N/N	E ^g <u>Locus</u> Grizzle, Afghan Hound Type	N/N
Melanistic Mask h/h H Locus h/h Hr Locus hr/hr FOXI3 Hairless Gene Test, Mexican Hairless, Peruvian Hairless and Chinese Crested Type hr/hr Locus l/i Intensity l/i IC Locus F/F Improper Coat/Furnishings F/F KLocus Lh/Lh Locus (Long Hair/Fluffy) - Lh ¹ 2 L Locus (Long Hair/Fluffy) - Lh ² 0 M Locus (Long Hair/Fluffy) - Lh ² pd/pd Melanistic Mask pd/pd	<u>E^h Locus</u> Sable, Cocker Spaniel Type	N/N
Harlequin, Great Dane Type hr/hr Hr Locus hr/hr FOXI3 Hairless Gene Test, Mexican Hairless, Peruvian Hairless and Chinese Crested Type hr/hr Llocus I/i Intensity I/i IC Locus Improper Coat/Furnishings F/F K Locus Dominant Black K ^B /K ^B L Locus (Long Hair/Fluffy) - Lh ¹ 2 L Locus (Long Hair/Fluffy) - Lh ² 0 M Locus (Long Hair/Fluffy) - Lh ² 0 M Locus Merie m/m Polydactyly pd/pd S Locus s ^P /s ^P	<u>E^m Locus</u> <u>Melanistic Mask</u>	N/N
FOXI3 Hairless Gene Test, Mexican Hairless, Peruvian Hairless and I/i LLocus I/i Intensity F/F Improper Coat/Furnishings F/F K Locus K ^B /K ^B Dominant Black Lh/Lh L Locus (Long Hair/Fluffy) - Lh ¹ 2 L Locus (Long Hair/Fluffy) - Lh ¹ 2 L Locus (Long Hair/Fluffy) - Lh ² 0 M Locus Merele m/m Polvdactvly pd/pd S Locus s ^P /s ^P		h/h
Intensity F/F Improper Coat/Furnishings F/F K Locus Dominant Black K ^B /K ^B L Locus Long Hair/Fluffy Lh/Lh L Locus (Long Hair/Fluffy) - Lh ¹ L Locus (Long Hair/Fluffy) - Lh ² 2 0 M Locus Merle m/m Polvdactv/ly pd/pd S Locus s ^p /s ^p	FOXI3 Hairless Gene Test, Mexican Hairless, Peruvian Hairless and	hr/hr
Improper Coat/Furnishings K Locus K ^B /K ^B Dominant Black Lh/Lh Llocus Lh/Lh L Locus (Long Hair/Fluffy) - Lh ¹ 2 L Locus (Long Hair/Fluffy) - Lh ² 0 M Locus m/m Polydactyly pd/pd S Locus s ^p /s ^p		l/i
Dominant Black Lh/Lh L Locus Long Hair/Fluffy Lh/Lh L Locus (Long Hair/Fluffy) - Lh ¹ 2 L Locus (Long Hair/Fluffy) - Lh ² 0 M Locus Merle m/m Polvdactvly pd/pd S Locus s ^p /s ^p		F/F
Long Hair/Fluffy 2 L Locus (Long Hair/Fluffy) - Lh ¹ 2 L Locus (Long Hair/Fluffy) - Lh ² 0 M Locus m/m Merle pd/pd S Locus s ^p /s ^p	<u>K Locus</u> Dominant Black	K ^B /K ^B
L Locus (Long Hair/Fluffy) - Lh ² 0 M Locus Merle m/m Polydactyly pd/pd S Locus s ^p /s ^p		Lh/Lh
L Locus (Long Hair/Fluffy) - Lh ² 0 M Locus Merle m/m Polydactyly pd/pd S Locus s ^p /s ^p		
M Locus m/m Merle pd/pd S Locus s ^p /s ^p		
Merle pd/pd Polydactyly pd/pd S Locus s ^p /s ^p	L Locus (Long Hair/Fluffy) - Lh ²	0
S Locus s ^p /s ^p		m/m
S Locus White Spotting, Parti, or Piebald	Polydactyly	pd/pd
	<u>S Locus</u> White Spotting, Parti, or Piebald	s ^p /s ^p

SD Locus Shedding	SD/SD
Sex Determination	X/X
TLocus	t/t WT:

Determinants of coat colors and traits are complex. Many of these variants are known and many of the genes sc addition, not all the genetic factors that contribute to a dog's coat color and traits are known. Because of the co colors and traits reported in your Canine HealthCheck results may vary from your dog's actual appearance. Indiv genome, not tested in this genetic screen, may also affect the final coat color or traits seen in your dog.

Diseases

Disease Name	Genotype
Acral Mutilation Syndrome	WT/WT
Acute Respiratory Distress Syndrome	WT/WT
Adult Paroxysmal Dyskinesia	WT/WT
Alaskan Husky Encephalopathy	WT/WT
Alaskan Malamute Polyneuropathy	WT/WT
Amelogenesis Imperfecta	WT/WT
Benign Familial Juvenile Epilepsy	WT/WT
Canine Multiple System Degeneration Chinese Crested Type	WT/WT
Canine Multiple System Degeneration Kerry Blue Terrier Type	WT/WT
Canine Scott Syndrome	WT/WT
Catalase Deficiency	WT/WT
Centronuclear Myopathy	WT/WT
Cerebellar Ataxia Finnish Hound Type	WT/WT
Cerebellar Cortical Degeneration	WT/WT
Cerebellar Degeneration	WT/WT
Chondrodysplasia Karelian Bear Dog and Norwegian Elkhound Type	WT/WT
<u>Cleft Palate and Syndactyly</u> Nova Scotia Duck Tolling Retriever Type	WT/WT
Coagulation Factor VII Deficiency	WT/WT
Collie Eye Anomaly	WT/WT
Complement 3 Deficiency	WT/WT
Cone Degeneration	WT/WT

<u>Cone Degeneration</u> German Shepherd Dog Type	WT/WT
Cone Degeneration German Shorthaired Pointer Type	WT/WT
Cone Degeneration Labrador Retriever Type	WT/WT
Congenital Hypothyroidism with Goiter Terrier Type	WT/WT
Congenital Methemoglobinemia	WT/WT
Congenital Myasthenic Syndrome Jack Russell Terrier Type	WT/WT
Congenital Myasthenic Syndrome Labrador Retriever Type	WT/WT
Congenital Myasthenic Syndrome Old Danish Pointer Type	WT/WT
Congenital Stationary Night Blindness	WT/WT
Craniomandibular Osteopathy	WT/WT
Cyclic Neutropenia	WT/WT
<u>Cystinuria</u> <u>Australian Cattle Dog Type</u>	WT/WT
<u>Cystinuria</u> Labrador Retriever Type	WT/WT
<u>Cystinuria</u> Miniature Pinscher Type	WT/WT
Cystinuria Newfoundland Type	WT/WT
<u>Cystinuria Type 3</u> Bulldog Type Risk Factor, Variant 3	WT/WT
<u>Cystinuria Type 3</u> Bulldog Type Risk Factor, Variants 1 and 2	WT/WT
Cystinuria Type 3 (Bulldog Type Risk Factor, Variant 1)	0
Cystinuria Type 3 (Bulldog Type Risk Factor, Variant 2)	0
Dandy-Walker-Like Malformation	No Result
Degenerative Myelopathy	WT/WT
Degenerative Myelopathy (Bernese Mountain Dog Variant) Degenerative Myelopathy (Common Variant)	0
Degenerative Myelopathy Early-Onset Risk Modifier Pembroke Welsh Corgi Type	WT/WT
Dental Hypomineralization	
	WT/WT

Dilated Cardiomyopathy	
Doberman Pinscher Type Risk Factor, Variant 2	WT/WT
Dilated Cardiomyopathy Schnauzer Type	WT/WT
Dry Eye Curly Coat Syndrome	WT/WT
Dystrophic Epidermolysis Bullosa	WT/WT
Early Retinal Degeneration	WT/WT
Ectodermal Dysplasia Chesapeake Bay Retriever Type	WT/WT
Ectodermal Dysplasia, X-Linked Dachshund Type	No Result
Ectodermal Dysplasia, X-Linked Shepherd Type	WT/WT
Ehlers-Danlos Syndrome	WT/WT
Ehlers-Danlos Syndrome (Variant 1)	0
Ehlers-Danlos Syndrome (Variant 2)	0
Elliptocytosis	WT/WT
Epidermolytic Hyperkeratosis	WT/WT
Episodic Falling Syndrome	WT/WT
Exercise-Induced Collapse	WT/WT
Factor XI Deficiency	WT/WT
Familial Nephropathy Cocker Spaniel Type	WT/WT
Familial Nephropathy English Springer Spaniel Type	WT/WT
Fucosidosis	WT/WT
Gallbladder Mucoceles	WT/WT
<u>Glanzmann's Thrombasthenia</u> <u>Great Pyrenees Type</u>	WT/WT
Glanzmann's Thrombasthenia Otterhound Type	WT/WT
Glaucoma Border Collie Type	WT/WT
Globoid Cell Leukodystrophy Irish Setter Type	WT/WT
<u>Globoid Cell Leukodystrophy</u> <u>Terrier Type</u>	WT/WT
<u>Glycogen Storage Disease la</u>	WT/WT

Glycogen Storage Disease Illa	WT/WT
<u>Glycogen Storage Disease VII</u> <u>Wachtelhund Type</u>	WT/WT
Glycogen Storage Disease VII, PFK Deficiency	WT/WT
GM1 Gangliosidosis Alaskan Husky Type	WT/WT
<u>GM1 Gangliosidosis</u> <u>Portuguese Water Dog Type</u>	WT/WT
<u>GM1 Gangliosidosis</u> <u>Shiba Inu Type</u>	WT/WT
<u>GM2 Gangliosidosis</u> Japanese Chin Type	WT/WT
GM2 Gangliosidosis Poodle Type	WT/WT
Greyhound Polyneuropathy	WT/WT
Hemophilia A Boxer Type	WT/WT
Hemophilia A German Shepherd Dog, Type 1	WT/WT
Hemophilia A German Shepherd Dog, Type 2	WT/WT
Hemophilia B Cairn Terrier Type	WT/WT
Hemophilia B Lhasa Apso Type	WT/WT
Hemophilia B Rhodesian Ridgeback Type	WT/WT
Hereditary Cataracts	WT/WT
Hereditary Cataracts Australian Shepherd Type	WT/WT
Hereditary Footpad Hyperkeratosis Irish Terrier and Kromfohrländer Type	WT/WT
Hereditary Nasal Parakeratosis	WT/WT
Hereditary Nasal Parakeratosis Greyhound Type	WT/WT
<u>Hereditary Nephritis</u> <u>Samoyed Type</u>	WT/WT
Hyperuricosuria	WT/WT
Hypomyelination Weimaraner Type	WT/WT
Ichthyosis American Bulldog Type	WT/WT
<u>Ichthyosis</u> <u>Golden Retriever Type 1</u>	WT/WT

<u>Ichthyosis</u> <u>Great Dane Type</u>	WT/WT
Inherited Myopathy of Great Danes	WT/WT
Intervertebral Disc Disease Risk Factor and Chondrodystrophy CDDY with IVDD	WT/WT
Intestinal Cobalamin Malabsorption Beagle Type	WT/WT
Intestinal Cobalamin Malabsorption Border Collie Type	WT/WT
Juvenile Laryngeal Paralysis and Polyneuropathy	WT/WT
Juvenile Myoclonic Epilepsy Rhodesian Ridgeback Type	WT/WT
L-2-Hydroxyglutaric Aciduria Staffordshire Bull Terrier Type	WT/WT
Lagotto Storage Disorder	WT/WT
Late Onset Ataxia	WT/WT
Lethal Acrodermatitis	WT/WT
Leukocyte Adhesion Deficiency, Type I	WT/WT
Leukocyte Adhesion Deficiency, Type III	WT/WT
Ligneous Membranitis	WT/WT
Lundehund Syndrome	WT/WT
Macular Corneal Dystrophy Labrador Retriever Type	WT/WT
May-Hegglin Anomaly	WT/WT
Mucopolysaccharidosis I	WT/WT
Mucopolysaccharidosis IIIA Dachshund Type	WT/WT
Mucopolysaccharidosis IIIA New Zealand Huntaway Type	WT/WT
Mucopolysaccharidosis VII Shepherd Type	WT/WT
Multidrug Resistance 1	WT/WT
Multifocal Retinopathy 1	WT/WT
Multifocal Retinopathy 2	WT/WT
Multifocal Retinopathy 3	WT/WT
Muscular Dystrophy Golden Retriever Type	WT/WT
Musladin-Lueke Syndrome	WT/WT
Myostatin Deficiency Whippet and Longhaired Whippet Type	WT/WT

<u>Myotonia Congenita</u> Australian Cattle Dog Type	
<u>Myotonia Congenita</u> <u>Schnauzer Type</u>	WT/WT
Myotubular Myopathy 1	WT/WT
Myotubular Myopathy 1 Rottweiler Type	WT/WT
Narcolepsy Dachshund Type	WT/WT
<u>Narcolepsy</u> Doberman Pinscher Type	WT/WT
<u>Narcolepsy</u> Labrador Retriever Type	WT/WT
Neonatal Cerebellar Cortical Degeneration	No Result
Neonatal Encephalopathy with Seizures	WT/WT
<u>Neuroaxonal Dystrophy</u> <u>Rottweiler Type</u>	WT/WT
<u>Neuroaxonal Dystrophy</u> <u>Spanish Water Dog Type</u>	WT/WT
Neuronal Ceroid Lipofuscinosis Tibetan Terrier Type	WT/WT
Neuronal Ceroid Lipofuscinosis 1	WT/WT
<u>Neuronal Ceroid Lipofuscinosis 1</u> <u>Cane Corso Type</u>	WT/WT
Neuronal Ceroid Lipofuscinosis 10	WT/WT
Neuronal Ceroid Lipofuscinosis 12	WT/WT
Neuronal Ceroid Lipofuscinosis 2	WT/WT
Neuronal Ceroid Lipofuscinosis 4A	WT/WT
Neuronal Ceroid Lipofuscinosis 5 Australian Cattle Dog/Border Collie Type	WT/WT
<u>Neuronal Ceroid Lipofuscinosis 5</u> Golden Retriever Type	WT/WT
Neuronal Ceroid Lipofuscinosis 6	WT/WT
Neuronal Ceroid Lipofuscinosis 7	WT/WT
Neuronal Ceroid Lipofuscinosis 8 Australian Shepherd Type	WT/WT
<u>Neuronal Ceroid Lipofuscinosis 8</u> <u>Setter Type</u>	WT/WT
Oculocutaneous Albinism	WT/WT
Oculocutaneous Albinism Small Breed Type	WT/WT
Osteochondrodysplasia	WT/WT

<u>Osteogenesis Imperfecta</u> <u>Beagle Type</u>	WT/WT
Osteogenesis Imperfecta Dachshund Type	No Result
Osteogenesis Imperfecta Golden Retriever Type	WT/WT
P2RY12 Receptor Platelet Disorder	WT/WT
Pembroke Welsh Corgi Duchenne Muscular Dystrophy	WT/WT
Persistent Müllerian Duct Syndrome	WT/WT
Polyneuropathy Leonberger and Saint Bernard Type	WT/WT
Polyneuropathy Leonberger Type 2	WT/WT
Polyneuropathy with Ocular Abnormalities and Neuronal Vacuolation	WT/WT
Pompe Disease	WT/WT
Prekallikrein Deficiency	WT/WT
Primary Ciliary Dyskinesia	WT/WT
Primary Hyperoxaluria	WT/WT
Primary Lens Luxation	WT/WT
Primary Open Angle Glaucoma	WT/WT
Primary Open Angle Glaucoma Basset Fauve de Bretagne Type	WT/WT
Primary Open Angle Glaucoma Basset Hound Type	WT/WT
Primary Open Angle Glaucoma Norwegian Elkhound Type	WT/WT
Primary Open Angle Glaucoma and Primary Lens Luxation Shar Pei Type	WT/WT
<u>Progressive Retinal Atrophy</u> Basenji Type	WT/WT
Progressive Retinal Atrophy Bullmastiff/Mastiff Type	WT/WT
Progressive Retinal Atrophy Giant Schnauzer Type	WT/WT
Progressive Retinal Atrophy Irish Setter Type	WT/WT
Progressive Retinal Atrophy Shetland Sheepdog Type	No Result
Progressive Retinal Atrophy Sloughi Type	WT/WT
Progressive Retinal Atrophy, Cone-Rod Dystrophy	WT/WT
Progressive Retinal Atrophy, Cone-Rod Dystrophy 1	WT/WT

Progressive Retinal Atrophy, Cone-Rod Dystrophy 2	WT/WT
Progressive Retinal Atrophy, Cone-Rod Dystrophy 4 crd4/cord1	WT/WT
Progressive Retinal Atrophy, Generalized	WT/WT
Progressive Retinal Atrophy, Golden Retriever 1	WT/WT
Progressive Retinal Atrophy, Golden Retriever 2	WT/WT
Progressive Retinal Atrophy, PRA1 Papillon Type	WT/WT
Progressive Retinal Atrophy, PRA3 Tibetan Terrier and Spaniel Type	WT/WT
Progressive Retinal Atrophy, Progressive Rod-Cone Degeneration prcd	WT/WT
Progressive Retinal Atrophy, Rod-Cone Dysplasia 3	WT/WT
Progressive Retinal Atrophy, Rod-Cone Dysplasia 4	WT/WT
Progressive Retinal Atrophy, X-Linked 1	WT/WT
Protein Losing Nephropathy	WT/WT, WT/WT
Protein Losing Nephropathy (Variant 1) Protein Losing Nephropathy (Variant 2)	0 0
Pyruvate Dehydrogenase Deficiency	WT/WT
Pyruvate Kinase Deficiency Basenii Type	WT/WT
Pyruvate Kinase Deficiency Beagle Type	WT/WT
Pyruvate Kinase Deficiency	WT/WT WT/WT
Pyruvate Kinase Deficiency Beagle Type Pyruvate Kinase Deficiency	
Pyruvate Kinase Deficiency Beagle Type Pyruvate Kinase Deficiency Labrador Retriever Type Pyruvate Kinase Deficiency	WT/WT
Pyruvate Kinase Deficiency Beagle Type Pyruvate Kinase Deficiency Labrador Retriever Type Pyruvate Kinase Deficiency Pug Type Pyruvate Kinase Deficiency Pyruvate Kinase Deficiency Pug Type	WT/WT WT/WT
Pyruvate Kinase Deficiency Beagle Type Pyruvate Kinase Deficiency Labrador Retriever Type Pyruvate Kinase Deficiency Pug Type Pyruvate Kinase Deficiency Pyruvate Kinase Deficiency Pug Type Pyruvate Kinase Deficiency Pug Type	WT/WT WT/WT WT/WT
Pyruvate Kinase Deficiency Beagle Type Pyruvate Kinase Deficiency Labrador Retriever Type Pyruvate Kinase Deficiency Pug Type Pyruvate Kinase Deficiency Pug Type Recurrent Inflammatory Pulmonary Disease	WT/WT WT/WT WT/WT WT/WT
Pyruvate Kinase Deficiency Beagle Type Pyruvate Kinase Deficiency Labrador Retriever Type Pyruvate Kinase Deficiency Pug Type Pyruvate Kinase Deficiency Pug Type Recurrent Inflammatory Pulmonary Disease Renal Cystadenocarcinoma and Nodular Dermatofibrosis	WT/WT WT/WT WT/WT WT/WT WT/WT
Pyruvate Kinase Deficiency Beagle Type Pyruvate Kinase Deficiency Labrador Retriever Type Pyruvate Kinase Deficiency Pug Type Pyruvate Kinase Deficiency Terrier Type Recurrent Inflammatory Pulmonary Disease Renal Cystadenocarcinoma and Nodular Dermatofibrosis Retinal Dysplasia/Oculoskeletal Dysplasia 1	WT/WT WT/WT WT/WT WT/WT WT/WT
Pyruvate Kinase Deficiency Beagle Type Pyruvate Kinase Deficiency Labrador Retriever Type Pyruvate Kinase Deficiency Pug Type Pyruvate Kinase Deficiency Pyruvate Kinase Deficiency Period Recurrent Inflammatory Pulmonary Disease Renal Cystadenocarcinoma and Nodular Dermatofibrosis Retinal Dysplasia/Oculoskeletal Dysplasia 1 Retinal Dysplasia/Oculoskeletal Dysplasia 2 Sensory Neuropathy	WT/WT WT/WT WT/WT WT/WT WT/WT WT/WT
Pyruvate Kinase Deficiency Beagle Type Pyruvate Kinase Deficiency Labrador Retriever Type Pyruvate Kinase Deficiency Pug Type Pyruvate Kinase Deficiency Pug Type Pyruvate Kinase Deficiency Terrier Type Recurrent Inflammatory Pulmonary Disease Retinal Dysplasia/Oculoskeletal Dysplasia 1 Retinal Dysplasia/Oculoskeletal Dysplasia 2 Sensory Neuropathy Border Collie Type	WT/WT WT/WT WT/WT WT/WT WT/WT WT/WT WT/WT WT/WT WT/WT

Severe Combined Immunodeficiency Disease, X-Linked Basset Hound Type	WT/WT
Severe Combined Immunodeficiency Disease, X-Linked Corgi Type	WT/WT
Shar-Pei Autoinflammatory Disease	WT/WT
Skeletal Dysplasia 2	WT/WT
Spinal Dysraphism	WT/WT
Spinocerebellar Ataxia	WT/WT
Spondylocostal Dysostosis	WT/WT
Stargardt Disease	WT/WT
Startle Disease	WT/WT
<u>Thrombopathia</u> American Eskimo Dog Type	WT/WT
<u>Thrombopathia</u> Basset Hound Type	WT/WT
Thrombopathia Newfoundland Type	WT/WT
Trapped Neutrophil Syndrome	WT/WT
<u>Urolithiasis</u> Native American Indian Dog <u>Type</u>	No Result
Van Den Ende-Gupta Syndrome	WT/WT
Von Willebrand Disease I	WT/WT
Von Willebrand Disease II	WT/WT
<u>Von Willebrand Disease III</u> <u>Kooikerhondje Type</u>	WT/WT
<u>Von Willebrand Disease III</u> <u>Scottish Terrier Type</u>	WT/WT
Von Willebrand Disease III Shetland Sheepdog Type	WT/WT

WT:

Jhan C Salla

Blake C Ballif, PhD Laboratory & Scientific Director

Canine HealthCheck is a product of Paw Print Genetics. This test was developed and its performance determined by Paw Print Genetics®. This labora Because all tests are preformed are DNA-base, rare genomic variations may interfere with the performance of some tests producing false results. If yc further evaluation.

rought to you by	Testing	Resources	Connect W
Paw Print Genetics	<u>Activate A Kit</u> <u>Order Testing</u> <u>Our Company</u>	<u>Contact Us</u> <u>Terms and Disclaimers</u> <u>Terms of Use</u>	f y
division of Genetic Veterinary Sciences, Inc.	<u>FAQ</u>	Privacy Policy	For Marketin you can reac <u>marketing@r</u>

concern you, should be confirmed using a diagnostic test. Diagnostic testing is available from Paw Print Genetics® and in many cases, can be performed us Canine HealthCheck.

The Canine HealthCheck is not a breed identification test