





FENS 7600

76 mm / 3 mm

Fens 7601

Frame Profile


Weight : 1530 g/m



Fens 7602

Sash Profile


Weight : 1880 g/m



Fens 7603

Mullion Profile


Weight : 1780 g/m



Fens 7611

False Mullion Profile


Weight : 1420 g/m



Fens 7605


Large Frame Profile

Weight : 1620 g/m



Fens 7609


Frame with Cornice Profile Weight : 1760 g/m



Fens 7606


In-Turn Door Sash Profile


Weight : 2320 g/m



Fens 7613

Out-Turn Door Sash Profile Weight : 2320 g/m






Fens 7608

Double Glazing Bead for 24 mm Weight : 300 g/m



Fens 7607



Double Glazing Bead for 28 mm Weight : 275 g/m





Fens 7617

Single Glazing Bead Weight : 415 g/m


Frame - Sash Cross-Section




Frame - Sash Cross-Section





Fixed Mullion Cross-Section




False Mullion Cross-Section



Aluminium Threshold



Reinforcement Profile




- 7600
- 7601
- 7602
- 7603
- 7609




Thickness	Weight	Ix	Iy
1.20 mm	800 g/m	1.08 cm ⁴	1.25 cm ⁴
1.50 mm	1000 g/m	1.31 cm ⁴	1.54 cm ⁴
2.00 mm	1335 g/m	1.65 cm ⁴	2.00 cm ⁴

- 7600
- 7601
- 7602
- 7603
- 7609




Thickness	Weight	Ix	Iy
1.20 mm	1007 g/m	1.16 cm ⁴	2.02 cm ⁴
1.50 mm	1258 g/m	1.40 cm ⁴	2.46 cm ⁴
2.00 mm	1680 g/m	1.76 cm ⁴	3.13 cm ⁴

- 7600
- 7606
- 7613




Thickness	Weight	Ix	Iy
1.20 mm	1454 g/m	3.48 cm ⁴	5.67 cm ⁴
1.50 mm	1833 g/m	4.25 cm ⁴	6.96 cm ⁴
2.00 mm	2440 g/m	5.45 cm ⁴	8.98 cm ⁴

- 7600
- 7606
- 7613




Thickness	Weight	Ix	Iy
1.20 mm	1150 g/m	3.20 cm ⁴	3.38 cm ⁴
1.50 mm	1450 g/m	3.91 cm ⁴	4.19 cm ⁴
2.00 mm	1930 g/m	5.03 cm ⁴	5.48 cm ⁴

Reinforcement Profile



7600


7605



Thickness	Weight	Ix	Iy
1.20 mm	1136 g/m	2.43 cm ⁴	2.04 cm ⁴
1.50 mm	1423 g/m	2.96 cm ⁴	2.48 cm ⁴
2.00 mm	1893 g/m	3.78 cm ⁴	3.16 cm ⁴

7600


7605



Thickness	Weight	Ix	Iy
1.20 mm	870 g/m	1.36 cm ⁴	1.85 cm ⁴
1.50 mm	1090 g/m	1.68 cm ⁴	2.26 cm ⁴
2.00 mm	1450 g/m	2.19 cm ⁴	2.89 cm ⁴

7600

7611



Thickness	Weight	Ix	Iy
1.20 mm	475 g/m	0.04 cm ⁴	1.30 cm ⁴
1.50 mm	583 g/m	0.05 cm ⁴	1.60 cm ⁴
2.00 mm	770 g/m	0.06 cm ⁴	2.04 cm ⁴

7600

7611



Thickness	Weight	Ix	Iy
1.20 mm	785 g/m	0.15 cm ⁴	1.78 cm ⁴
1.50 mm	972 g/m	0.17 cm ⁴	2.17 cm ⁴
2.00 mm	1275 g/m	0.20 cm ⁴	2.75 cm ⁴