

Fortinet Product Quick Guide



Fortinet Security Fabric

BROAD

visibility of the entire digital attack surface to better manage risk

INTEGRATED

solution that reduces the complexity of supporting multiple point products

AUTOMATED

workflows to increase speed of operations and response





FortiGate Cloud SECURITY/NETWORK OPERATING CENTER · FortiGate Mgmt., Log **FortiDeceptor FortiSOAR** Analysis and Retention **FortiAnalyzer FortiNAC FortiSandBox FortiWLC** · Bulk Provisioning Honeypot **SOAR** IoC Service **Central Log & IoT Access** Wireless Azure File Analysis report Control Controller S FortiSandbox Cloud FortiMail Cloud ORACLE' Client Mgmt. **SIEM** Cloud Infrastructure Central **User Access** Wireless **FortiWeb Cloud** Network System Device Mgmt. Mgmt. Manager **Tester FortiAP Cloud** C→ Alibaba Cloud FortiSwitch Cloud FortiToken Cloud FortiVoice Cloud **FortiClient FortiAuthenticator FortiTester FortiWLM FortiSIEM FortiManager Public Cloud EMS** Instances **FortiPresence** FTNT Hosted L7 D/DOS Mail Sec. Mail Servers **FortiCASB** Services Mitigator **Gateway FortiCWP** Remote Security **VPN** Gateway **Endpoint** 2 Factor Fortilsolator FortiProxy **OTP Token** Security Internet **FortiMail FortiDDoS FortiGate Secure Web Browser FortiToken** Gateway **Isolation** LAN **FortiClient MOBILE USERS FortiEDR** DATA CENTER **Access** VMWare Switch Surveillance **IP PBX Point** Site-to-· Citrix Xen **FortiExtender** 3G/4G site VPN Virtual PAC (Asy) · MS Hyper-V **Appliances** WAN KVM Nutanix AHV Forti\$witch **FortiAP FortiRecorder FortiVoice** Secure WiFi Web App. Load Access **Firewall** Balancer 9 **FortiWiFi** -(OD): N



REMOTE OFFICE



Web Servers

FortiCamera

FortiFone

FortiWeb

FortiADC

Content

- FortiGate/FortiWiFi
- FortiAnalyzer
- FortiManager
- FortiSIEM
- FortiAuthenticator
- FortiAP
- FortiSwitch
- FortiNAC
- FortiSandbox
- FortiClient
- FortiMail
- FortiWeb

- FortiADC
- FortiCASB
- FortiDDoS
- FortiDeceptor
- FortiEDR
- Fortilsolator
- FortiProxy
- FortiRecorder & FortiCamera
- FortiSOAR (coming soon)
- FortiTester
- FortiToken
- FortiVoice & FortiFone
- FortiWLC
- FortiWLM





FortiGate/FortiWiFi




Fortinet Security Processor Evolution





FortiGate Product Range





FortiGate Entry Level Series - Overview



Feature-rich Security Appliances For Small/Home Offices & Small Branch Offices



FG- 80E/80F Series

FG/FWF- 60E/60F Series

FG/FWF- 40F Series

FG/FWF- 30E/50E Series



NGFW



Secure SD-WAN



950 Mbps – 10 Gbps
Firewall throughput



200 Mbps - 1 Gbps

NGFW Throughput



300 Mbps – 1.4 Gbps

IPS Throughput



150 Mbps - 900 Mbps

Threat Protection Throughput



GE RJ45 | GE RJ45 PoE/+ | GE SFP

Variants: WiFi | In-built 3G4G | In-built DSL | Ruggedized



FortiGate Entry Level Series: Comparison

| | FG-30E | FG-40F | FG-50E | FG-60E | FG-60F | FG-80E | FG-80F |
|---------------------------------------|-------------|----------------|-------------|----------------|------------------|--|------------------|
| Firewall (1518/512/64 byte UDP) | 950 Mbps | 5 / 5 / 5 Gbps | 2.5 Gbps | 3 / 3 / 3 Gbps | 10 / 10 / 6 Gbps | 4 /4 /4 Gbps | 10 / 10 / 7 Gbps |
| Concurrent Sessions | 900,000 | 700,000 | 1.8 Mil | 1.3 Mil | 700,000 | 1.3 Mil | 1.5 Mil |
| New Sessions/Sec | 15,000 | 35,000 | 21,000 | 30,000 | 35,000 | 30,000 | 45,000 |
| IPSec VPN | 75 Mbps | 4.4 Gbps | 90 Mbps | 2 Gbps | 6.5 Gbps | 2.5 Gbps | 6.5 Gbps |
| IPS (Ent. Mix) | 300 Mbps | 1 Gbps | 350 Mbps | 400 Mbps | 1.4 Gbps | 450 Mbps | 1.4 Gbps |
| NGFW (Ent. Mix) | 200 Mbps | 800 Mbps | 220 Mbps | 250 Mbps | 1 Gbps | 360 Mbps | 1 Gbps |
| Threat Protection (Ent. Mix) | 150Mbps | 600 Mbps | 160 Mbps | 180 Mbps | 700 Mbps | 250 Mbps | 900 Mbps |
| Interfaces | 5 x GE RJ45 | 5 x GE RJ45 | 7 x GE RJ45 | 10 x GE RJ45 | 10 x GE RJ45 | 14 x GE RJ45 2x Shared Media Pairs | 10 x GE RJ45 |
| Storage | - | - | 32 GB (51E) | 128 GB (61E) | 128 GB (61F) | 128 GB (81E) | 128 GB (81F) |
| Variants | WiFi, 3G4G | WiFi, 3G4G | WiFi | WiFi, PoE | WiFi | PoE | Bypass |




FortiGate Entry Level Series: Comparison

| | FWF30E | FWF40F | FWF50E | FWF60/61E | FWF60/61F |
|-------------------------------------|----------|---------------|----------|------------|---------------|
| Thick AP | • | • | • | • | • |
| Wireless Controller | • | • | • | • | • |
| # of WiFi radios | 1 | 1 | 1 | 1 | 1 |
| Supported Std | a/b/g/n | a/b/g/n/ac W2 | a/b/g/n | a/b/g/n/ac | a/b/g/n/ac W2 |
| 802.11n | 2x2 MIMO | 3x3 MIMO | 2x2 MIMO | 2x2 MIMO | 3x3 MIMO |
| Max wireless association rate total | 300 Mbps | 1,300 Mbps | 300 Mbps | 867 Mbps | 1,300 Mbps |
| SSID's (incl. reserved) | 8 | 8 | 8 | 8 | 8 |
| Max AP (Total/ Tunnel) | 2/2 | 16 / 8 | 10 / 5 | 30 / 10 | 64 / 32 |



FortiGate/FortiWiFi 30E





- 1 x GE RJ45 WAN Port
- 2 4 x GE RJ45 Ports
 - WiFi Variant: 802.11a/b/g/n







950 Mbps

Firewall throughput

15,000 0.9 Million
New Sessions/Sec Concurrent Sessions



125 Mbps
SSL Inspection Throughput



300 Mbps
IPS Throughput



200 Mbps
NGFW Throughput



150 Mbps
Threat Protection Throughput




Small Business / Remote Office







FortiGate 30E-3G4G





4 x GE RJ45 Ports







950 Mbps

Firewall throughput

15,000 0.9 Million
New Sessions/Sec Concurrent Sessions



125 Mbps
SSL Inspection Throughput



300 Mbps
IPS Throughput



200 Mbps
NGFW Throughput



150 Mbps

Threat Protection Throughput



Small Business / Remote Office








FortiGate/FortiWiFi 40F





- 1 x GE RJ45 WAN Port
- 1 x GE RJ45 FortiLink Port
- 3 x GE RJ45 Ports
- WiFi Variant: 802.11a/b/g/n/ac W2









5 Gbps Firewall throughput

35,000

700,000 New Sessions/Sec Concurrent Sessions



310 Mbps SSL Inspection Throughput



1 Gbps **IPS** Throughput



800 Mbps NGFW Throughput



600 Mbps Threat Protection Throughput



Small Business / Remote Office








FortiGate/FortiWiFi 40F-3G4G





- 1 x GE RJ45 WAN Port
- 2 1 x GE RJ45 FortiLink Port
- 3 x GE RJ45 Ports
- 4 WiFi Variant: 802.11a/b/g/n/ac W2











5 Gbps

35,000

New Sessions/Sec



Firewall throughput

700,000Concurrent Sessions

310 Mbps
SSL Inspection Throughput



1 Gbps
IPS Throughput



800 Mbps
NGFW Throughput



600 Mbps
Threat Protection Throughput




Small Business / Remote Office








FortiGate/FortiWiFi 50E





- 1 2 x GE RJ45 WAN Ports
- 2 5 x GE RJ45 Ports
- WiFi Variant: 802.11a/b/g/n








2.5 GbpsFirewall throughput

21,000

1.8 Million
Concurrent Sessions





150 Mbps
SSL Inspection Throughput



350 Mbps
IPS Throughput



220 MbpsNGFW Throughput



160 Mbps
Threat Protection Throughput




Small Business / Remote Office








FortiGate/FortiWiFi 51E





- 2 x GE RJ45 WAN Ports
- 5 x GE RJ45 Ports
- WiFi Variant: 802.11a/b/g/n









2.5 Gbps

21,000

New Sessions/Sec



Firewall throughput

1.8 Million

Concurrent Sessions

150 Mbps SSL Inspection Throughput



350 Mbps IPS Throughput



220 Mbps

NGFW Throughput



160 Mbps

Threat Protection Throughput



Small Business / Remote Office








FortiGate/FortiWiFi 60E





- 1) 2 x GE RJ45 WAN Ports
- 2 1 x GE RJ45 DMZ Port
- 3 7 x GE RJ45 Ports
- 4 WiFi Variant: 802.11a/b/g/n/ac









3 Gbps
Firewall throughput

30,000 New Sessions/Sec

000 1.3 Million

ons/Sec Concurrent Sessions



135 Mbps
SSL Inspection Throughput



400 Mbps

IPS Throughput



250 Mbps

NGFW Throughput



200 Mbps

Threat Protection Throughput



Small Business / Remote Office








FortiGate/FortiWiFi 61E





- 1 2 x GE RJ45 WAN Ports
- 2 1 x GE RJ45 DMZ Port
- 3 7 x GE RJ45 Ports
- 4 WiFi Variant: 802.11a/b/g/n/ac











3 Gbps
Firewall throughput

30,000 New Sessions/Sec



1.3 Million

Concurrent Sessions

135 Mbps
SSL Inspection Throughput



400 Mbps

IPS Throughput



250 Mbps

NGFW Throughput



200 Mbps

Threat Protection Throughput



Small Business / Remote Office








FortiGate 60E-POE







2 x GE RJ45 WAN Ports













3 Gbps Firewall throughput

30,000 New Sessions/Sec



1.3 Million

Concurrent Sessions

135 Mbps SSL Inspection Throughput



400 Mbps

IPS Throughput



250 Mbps

NGFW Throughput



200 Mbps

Threat Protection Throughput




Small Business / Remote Office








FortiGate/FortiWiFi 60E-DSL/J





- 1 2 x GE RJ45 WAN/DMZ Ports
- 2 7 x GE RJ45 Ports
- 3 1 x GE RJ11 DSL Ports









3 Gbps
Firewall throughput

30,000 New Sessions/Sec 1.3 Million

Concurrent Sessions



135 Mbps
SSL Inspection Throughput



400 Mbps

IPS Throughput



250 Mbps

NGFW Throughput



200 Mbps

Threat Protection Throughput




Small Business / Remote Office








FortiGate/FortiWiFi 60/61F





- 1) 2 x GE RJ45 WAN Ports
- 2 1 x GE RJ45 DMZ Port
- 3 7 x GE RJ45 Ports











10 GbpsFirewall throughput

35,000 New Sessions/Sec 700,000 Concurrent Sessions



630 MbpsSSL Inspection Throughput



1.4 Gbps
IPS Throughput



1. Gbps
NGFW Throughput



700 MbpsThreat Protection Throughput




Small Business / Remote Office








FortiGate 80E/81E





- 1) 2 x GE RJ45 DMZ/HA Port
- 2 12 x GE RJ45 Ports
- 3 2x Shared Media interface Pairs









4 Gbps
Firewall throughput

30,000 New Sessions/Sec



1.3 Million

Concurrent Sessions

135 Mbps
SSL Inspection Throughput



450 Mbps

IPS Throughput



360 Mbps

NGFW Throughput



250 Mbps

Threat Protection Throughput




Small Business / Remote Office








FortiGate 80E/81E-POE





- 1 2 x GE RJ45 DMZ/HA Port
- 2 12 x GE RJ45 PoE/+ Ports
- 3 2x Shared Media interface Pairs











4 Gbps
Firewall throughput

30,000 New Sessions/Sec

1

135 Mbps
SSL Inspection Throughput

1.3 Million

Concurrent Sessions



450 Mbps

IPS Throughput



360 Mbps
NGFW Throughput



250 Mbps

Threat Protection Throughput




Small Business / Remote Office







FortiGate 80/81F



- 1 8 x GE RJ45 Ports
- 2x Shared Media interface Pairs









10 GbpsFirewall throughput

45,000 New Sessions/Sec



1.5 Million

Concurrent Sessions

715 Mbps
SSL Inspection Throughput



1.4 Gbps
IPS Throughput



1 Gbps
NGFW Throughput



900 Mbps

Threat Protection Throughput




Small Business / Remote Office







FortiGate 80F-Bypass





2x Shared Media interface Pairs

* WAN1 and Port1 are default configured as 1x bypass GE RJ45 port pair







10 Gbps Firewall throughput

45,000

New Sessions/Sec



1.5 Million

Concurrent Sessions

715 Mbps SSL Inspection Throughput



1.4 Gbps

IPS Throughput



1 Gbps

NGFW Throughput



900 Mbps

Threat Protection Throughput



Small Business / Remote Office








FortiGate Rugged Series: Comparison

| | FGR-30D | FG-35D | FGR-60D | FGR-60F | FGR-90D |
|------------------------------|--------------------------------------|-------------------------|--|--|--|
| Firewall (1518 UDP) | 900 Mbps | 550 Mbps | 1.5 Gbps | 6 Gbps | 2 Gbps |
| Concurrent Sessions | 750,000 | 750,000 | 500,000 | 600,000 | 2.5 Million |
| New Sessions/Sec | 5,000 | 5,000 | 4,000 | 19,000 | 20,000 |
| IPSec VPN | 45 Mbps | 45 Mbps | 1 Gbps | 3.5 Gbps | 84 Mbps |
| IPS (Ent. Mix) | 230 Mbps | 230 Mbps | 95 Mbps | 950 Mbps | 350 Mbps |
| NGFW (Ent. Mix) | 45 Mbps | 65 Mbps | 40 Mbps | 550 Mbps | 370 Mbps |
| Threat Protection (Ent. Mix) | 16 Mbps | 16 Mbps | 23 Mbps | 500 Mbps | 280 Mbps |
| Interfaces | 4x GE RJ45 ports, 2x GE SFP slots | 3x GE RJ45 Switch ports | 4 x GE RJ45 Switch ports, 2 x Shared Media pairs | 4 x GE RJ45 Switch ports, 2 x Shared Media pairs (can be configured with 1 RJ45 Bypass pair) | 3x GE RJ45 ports, 1x GE RJ45 bypass pair, 2x SFP slots |
| Storage | - | - | - | - | - |
| Others | - | IP67 | - | - | - |



FortiGate Rugged-30D





- 1 4x GE RJ45 Ports
- 2x GE SFP Slots
- 3 2x DB9 Serial Port







900 Mbps

Firewall throughput

750,000

Concurrent Sessions

5,000

New Sessions/Sec



180 Mbps

IPS Throughput



45 Mbps

NGFW Throughput



16 Mbps

Threat Protection Throughput



Small Business / Remote Office







FortiGate Rugged-35D



1 3x GE RJ45 Ports







550 Mbps

Firewall throughput

750,000

Concurrent Sessions

5,000

New Sessions/Sec



210 Mbps

IPS Throughput



65 Mbps

NGFW Throughput



16 Mbps

Threat Protection Throughput




Small Business / Remote Office








FortiGate Rugged-60D





- 1 4x GE RJ45 Ports
- 2x Shared Media Pairs
- (3) 1x DB9 Serial Port









1.5 Gbps

Firewall throughput

500,000

Concurrent Sessions

4,000

New Sessions/Sec



95 Mbps
IPS Throughput



40 Mbps
NGFW Throughput



23 Mbps

Threat Protection Throughput




Small Business / Remote Office







FortiGate Rugged-60F



- 4x GE RJ45 Ports
- 2x Shared Media Pairs
- 1x DB9 Serial Port

* WAN1 and Port4 are default configured as 1x bypass GE RJ45 port pair









6 Gbps Firewall throughput

19,000

600,000 New Sessions/Sec Concurrent Sessions



460 Mbps SSL Inspection Throughput



950 Mbps IPS Throughput



550 Mbps NGFW Throughput



500 Mbps

Threat Protection Throughput




Small Business / Remote Office







FortiGate Rugged-60F-3G4G





- 2x Shared Media Pairs
- 2x SIM Slots
- 1x DB9 Serial Port

* WAN1 and Port4 are default configured as 1x bypass GE RJ45 port pair











6 Gbps Firewall throughput

19,000

New Sessions/Sec



600,000 Concurrent Sessions





950 Mbps IPS Throughput



550 Mbps NGFW Throughput



500 Mbps Threat Protection Throughput




Small Business / Remote Office







FortiGate Rugged-90D





- 1 2x DB9 Serial Interface/Console
- 2x GE SFP Slots
- 3 1x GE RJ45 Bypass Pair
- 4 3x GE RJ45 ports







2 Gbps
Firewall throughput

2.5 Million

Concurrent Sessions

20,000 New Sessions/Sec



350 Mbps
IPS Throughput



370 Mbps
NGFW Throughput



280 Mbps

Threat Protection Throughput



Small Business / Remote Office







FortiGate Mid-Range Series - Overview



High Performance, Top Rated Network Security for Mid-Sized Enterprises



∷ FG-900D

∷ FG-400E

⇔ FG-800D

FG-300E

FG-600E

FG-200E Series

∷ FG-500E

FG-100F Series



NGFW



Secure SD-WAN



SWG (600 series+)



IPS (600 series+)



7.4 Gbps – 50 Gbps
Firewall throughput



360 Mbps – 9.5 Gbps



500 Mbps – 10 Gbps

IPS Throughput



250 Mbps – 7 Gbps

Threat Protection Throughput



GE RJ45 | GE SFP | 10GE SFP+



FortiGate Mid Range Devices: Comparison

| | FGT-100E Series | FGT-140E-POE | FGT-100F Series | FGT-200E Series | FGT-200F Series |
|---------------------------------------|--|---|--|---------------------------|---|
| Firewall (1518/512/64 byte UDP) | 7.4 / 7.4 / 4.4 Gbps | 7.4 / 7.4 / 4.4 Gbps | 20 / 18 / 10 Gbps | 20 / 20 / 9 Gbps | 27 / 27 / 11 Gbps |
| Concurrent Sessions | 2 Mil | 2 Mil | 1.5 Mil | 2 Mil | 3 Mil |
| New Sessions/Sec | 30,000 | 30,000 | 56,000 | 135,000 | 280,000 |
| IPSec VPN | 4 Gbps | 4 Gbps | 11.5 Gbps | 9 Gbps | 13 Gbps |
| IPS (Ent. Mix) | 500 Mbps | 500 Mbps | 2.6 Gbps | 2.2 Gbps | 5 Gbps |
| NGFW (Ent. Mix) | 360 Mbps | 360 Mbps | 1.6 Gbps | 1.8 Gbps | 3.5 Gbps |
| Threat Protection (Ent. Mix) | 250 Mbps | 250 Mbps | 1 Gbps | 1.2 Gbps | 3 Gbps |
| Interfaces | 20 x GE RJ45, 2x Shared Media Pairs | 18 x GE RJ45, 24 x GE RJ45 POE, 2 x GE SFP | 2 x 10GE SFP+, 18 x GE RJ45, 8x GE SFP, 4x Shared Media Pairs | 18x GE RJ45, 4x GE SFP | 4x 10 GE SFP+, 18x GE RJ45, 8x GE SFP |
| Storage | 480 GB (101E) | - | 480 GB (101F) | 480 GB (201E) | 480 GB (201F) |
| Variants | Fiber | - | - | - | - |





FortiGate Mid Range Devices: Comparison

| | FGT-300E Series | FGT-400E Series | FGT-500E Series | FGT-600E Series | FG-800D | FG-900D |
|---------------------------------------|------------------------------|------------------------------|---|---|---|--|
| Firewall (1518/512/64 byte UDP) | 32 / 32 / 20 Gbps | 32 / 32 / 24 Gbps | 36 / 36 / 22 Gbps | 32 / 32 / 27 Gbps | 36 / 36 / 22 Gbps | 52 / 52 / 33 Gbps |
| Concurrent Sessions | 4 Mil | 4 Mil | 8 Mil | 8 Mil | 5 Mil | 11 Mil |
| New Sessions/Sec | 300,000 | 450,000 | 300,000 | 450,000 | 280,000 | 280,000 |
| IPSec VPN | 20 Gbps | 20 Gbps | 20 Gbps | 20 Gbps | 20 Gbps | 25 Gbps |
| IPS (Ent. Mix) | 5 Gbps | 7.8 Gbps | 5.2 Gbps | 10 Gbps | 4.2 Gbps | 4.2 Gbps |
| NGFW (Ent. Mix) | 3.5 Gbps | 6 Gbps | 5 Gbps | 9.5 Gbps | 4 Gbps | 4 Gbps |
| Threat Protection (Ent. Mix) | 3 Gbps | 5 Gbps | 4.7 Gbps | 7 Gbps | 3 Gbps | 3 Gbps |
| Interfaces | 18 x GE RJ45, 16 x GE SFP | 18 x GE RJ45, 16 x GE SFP | 2x 10 GE SFP+, 10x GE RJ45, 8x GE SFP | 2x 10 GE SFP+, 10x GE RJ45, 8x GE SFP | 2x 10 GE SFP+, 8x GE SFP, 4x GE RJ45 Bypass, 22x GE RJ45 | 2x 10GE SPF+ , 16x GE SFP, 18x GE RJ45 |
| Storage | 480 GB (301E) | 480 GB (401E) | 480 GB (501E) | 480 GB (601E) | 240 GB | 256 GB |
| Variants | - | - | - | - | - | - |



FortiGate 100/101E





- 1) 2 x GE RJ45 MGMT/DMZ Ports
- 2 x GE RJ45 HA Ports
- 3 2 x GE RJ45 WAN Port
- 4 14 x GE RJ45 Ports
- (5) 2 x GE RJ45/SFP Shared Media Pairs











7.4 Gbps
Firewall throughput

30,000 New Sessions/Sec

000 2 Million
ons/Sec Concurrent Sessions



130 Mbps
SSL Inspection Throughput



500 Mbps
IPS Throughput



360 Mbps
NGFW Throughput



250 Mbps
Threat Protection Throughput




Enterprise Branch / Mid Enterprise








FortiGate 100EF





- 1 2 x GE RJ45 MGMT/DMZ Ports
- 2 x GE RJ45 WAN Ports
- 3 2 x GE RJ45 HA Port
- 4 8 x GE RJ45 Ports
- (5) 8 x GE SFP Slots









7.4 Gbps
Firewall throughput

30,000 New Sessions/Sec 2 Million
Concurrent Sessions



130 Mbps
SSL Inspection Throughput



500 Mbps
IPS Throughput



360 Mbps
NGFW Throughput



250 Mbps
Threat Protection Throughput




Enterprise Branch / Mid Enterprise







FortiGate 140E-POE





- 1) 2 x GE RJ45 MGMT/HA Ports
- 2 x GE RJ45 WAN Ports
- 3 14x GE RJ45 Ports
- 4 24x GE PoE/+ Ports
- (5) 2 x GE SFP DMZ Slots











7.4 Gbps
Firewall throughput

30,000 New Sessions/Sec 2 Million

Concurrent Sessions



130 Mbps
SSL Inspection Throughput



500 Mbps
IPS Throughput



360 Mbps
NGFW Throughput



250 Mbps
Threat Protection Throughput




Enterprise Branch / Mid Enterprise








FortiGate 100/101F





- 1) 2 x GE RJ45 MGMT/DMZ Ports
- 2 x GE RJ45 HA Ports
- 3 2 x GE RJ45 WAN Ports
- 4) 12 x GE RJ45 Ports
- 2 x 10GE SFP+ FortiLink Slots
- 6 8 x GE SFP Slots
- 7 4 x GE RJ45/SFP Shared Media Pairs











20 Gbps

Firewall throughput



1.5 Million

Concurrent Sessions



1 Gbps
SSL Inspection Throughput



2.6 Gbps

IPS Throughput



1.6 Gbps

NGFW Throughput



1 Gbps

Threat Protection Throughput




Enterprise Branch / Mid Enterprise







FortiGate 240D



- 1) 2x GE RJ45 WAN Ports
- 2 40x GE RJ45 Switch Ports
- 3 2x GE SFP Slots















4 Gbps
Firewall throughput

2 Million
Concurrent Sessions

77,000New Sessions/Sec



420 Mbps
IPS Throughput



330 Mbps NGFW Throughput



310 Mbps
Threat Protection Throughput



Enterprise Branch / Mid Enterprise







FortiGate 200/201E





- 2 x GE RJ45 MGMT/HA Ports
- 2 x GE RJ45 WAN Ports
- 14 x GE RJ45 DMZ Port
- 4 x GE SFP Slots













20 Gbps

135,000

New Sessions/Sec



Firewall throughput

2 Million Concurrent Sessions

820 Mbps SSL Inspection Throughput



2.2 Gbps

IPS Throughput



1.8 Gbps

NGFW Throughput



1.2 Gbps

Threat Protection Throughput



Enterprise Branch / Mid Enterprise







FortiGate 200/201F





- 2 x GE RJ45 MGMT/HA Ports
- 16 x GE RJ45 Ports
- 2 x 10GE SFP+ Slots
- 2 x 10GE SFP+ FortiLink Slots
- 8 x GE SFP Slots













27 Gbps

280,000

New Sessions/Sec



Firewall throughput

3 Million

Concurrent Sessions

4 Gbps SSL Inspection Throughput



5 Gbps **IPS** Throughput



3.5 Gbps NGFW Throughput



3 Gbps

Threat Protection Throughput



Enterprise Branch / Mid Enterprise







FortiGate 300/301E





- 2 x GE RJ45 MGMT/HA Ports
- 16 x GE RJ45 Ports
- 16 x GE SFP Slots













32 Gbps

300,000 New Sessions/Sec



Firewall throughput

4 Million Concurrent Sessions





5 Gbps **IPS** Throughput



3.5 Gbps **NGFW Throughput**



3 Gbps **Threat Protection Throughput**



Enterprise Branch / Mid Enterprise







FortiGate 400E and 401E/-DC





- 2 x GE RJ45 MGMT/HA Ports
- 16 x GE RJ45 Ports
- 16 x GE SFP Slots













32 Gbps

450,000

New Sessions/Sec



Firewall throughput

4 Million Concurrent Sessions

4.8 Gbps SSL Inspection Throughput



7.8 Gbps IPS Throughput



6 Gbps **NGFW Throughput**



5 Gbps

Threat Protection Throughput



Enterprise Branch / Mid Enterprise







FortiGate 500/501E





- 1 2 x GE RJ45 MGMT/HA Ports
- 2 8 x GE RJ45 Ports
- 3 8 x GE SFP Slots
- 4 2x 10GE SFP+ Slots















300,000New Sessions/Sec



36 GbpsFirewall throughput

8 Million
Concurrent Sessions





5.2 GbpsIPS Throughput



5 Gbps
NGFW Throughput



4.7 GbpsThreat Protection Throughput



Enterprise Branch / Mid Enterprise







FortiGate 600/601E





- 2 x GE RJ45 MGMT/HA Ports
- 8 x GE RJ45 Ports
- 8 x GE SFP Slots
- 2x 10GE SFP+ Slots















36 Gbps

450,000

New Sessions/Sec



Firewall throughput

8 Million Concurrent Sessions

8.0 Gbps SSL Inspection Throughput



10 Gbps **IPS** Throughput



9.5 Gbps NGFW Throughput



7 Gbps **Threat Protection Throughput**



Enterprise Branch / Mid Enterprise

NGFW / Secure SD-WAN / IPS / SWG







FortiGate 800D





- 2x GE RJ45 Management Ports
- 2x Bypass GE RJ45 Pairs
- 20x GE RJ45 Ports
- 8x GE SPF Slots
- 2x 10GE SPF+ Slots















36 Gbps

280,000

New Sessions/Sec



Firewall throughput

5 Million Concurrent Sessions





4.2 Gbps

IPS Throughput



4 Gbps **NGFW Throughput**



3 Gbps

Threat Protection Throughput



Enterprise Branch / Mid Enterprise


NGFW / Secure SD-WAN / IPS / SWG







FortiGate 900D



- 2x GE RJ45 Management Ports
- 16x GE SFP Slots
- 16x GE RJ45 Ports
- 2x 10GE SPF+ Slots















52 Gbps

Firewall throughput

280,000 11 Million New Sessions/Sec Concurrent Sessions



3.9 Gbps SSL Inspection Throughput



4.2 Gbps

IPS Throughput



4 Gbps

NGFW Throughput



3 Gbps

Threat Protection Throughput



Enterprise Branch / Mid Enterprise

NGFW / Secure SD-WAN / IPS / SWG







FortiGate High End Series - Overview



Data Center Firewall / Large Enterprise NGFW with High Speed Interfaces



FG-3000D/E Series

FG-2000E Series

FG-1000D/E/F Series





NGFW, IPS



Segmentation



SWG



Mobile Security



52 Gbps – 320 Gbps
Firewall throughput



5 Gbps – 40 Gbps



GE RJ45 | GE SFP 10GE SFP+ 25GE SFP28 40GE QSFP+ 100GE QSFP28

6 Gbps – 55 Gbps



3 Gbps – 30 Gbps

Threat Protection Throughput



FortiGate High End Series: Comparison

| | FG-1000D | FG-1100E | FG-1200D | FG-1500D | FG-1800F | FG-2000E |
|---------------------------------------|---|--|--|--|--|------------------------------|
| Firewall (1518/512/64 byte UDP) | 52 / 52 / 33 Gbps | 80 / 80 / 45 Gbps | 72 / 72 / 55 Gbps | 80 / 80 / 55 Gbps | 198 / 197 / 140Gbps | 90 / 90 / 60 Gbps |
| Concurrent Sessions | 11 Mil | 8 Mil | 11 Mil | 12 Mil | 12 Mil | 20 Mil |
| New Sessions/Sec | 280,000 | 500,000 | 290,000 | 300,000 | 750,000 | 500,000 |
| IPSec VPN | 25 Gbps | 48 Gbps | 48 Gbps | 50 Gbps | 55 Gbps | 65 Gbps |
| IPS (Ent. Mix) | 6 Gbps | 12.5 Gbps | 6.8 Gbps | 13 Gbps | 13 Gbps | 11.5 Gbps |
| NGFW (Ent. Mix) | 5 Gbps | 9.8 Gbps | 6 Gbps | 7 Gbps | 11 Gbps | 9 Gbps |
| Threat Protection (Ent. Mix) | 3 Gbps | 7.1 Gbps | 4 Gbps | 5 Gbps | 9.1 Gbps | 5.4 Gbps |
| Interfaces | 2x 10GE SPF+ , 16x GE SFP, 18x GE RJ45, | 2x 40GE QSFP+, 4x 25 GE SFP28, 4x 10 GE SFP+, 8x GE SFP, 18x GE RJ45 | 4x 10GE SPF/+, 16x GE SFP, 18x GE RJ45 | 8x 10GE SPF/+, 16x GE SFP, 18x GE RJ45 | 4x 40GE QSFP+, 12x 25 GE SFP28, 2x 10GE SFP+, 8x GE SFP, 18x GE RJ45 | 6x 10GE SPF+, 34x GE RJ45 |
| Storage | 256 GB | 2x 480 GB (1101E) | 240 GB | 480 GB | | 480 GB |
| Variants | <u>-</u> | <u>-</u> | - | 10 GE RJ45 | DC | - |



FortiGate High End Series II: Comparison

| | FG-2200E | FG-2500E | FG-2600F | FG-3000D/3100D | FG-3200D | FG-3300E |
|---------------------------------------|---|---|--|---------------------------------|------------------------------|--|
| Firewall (1518/512/64 byte UDP) | 158 / 155 / 100 Gbps | 150 / 150 / 95 Gbps | 198 / 196 / 120 Gbps | 80 / 80 / 50 Gbps | 80 / 80 / 50 Gbps | 160 / 158 / 100 Gbps |
| Concurrent Sessions | 24 Mil | 20 Mil | 24 Mil | 50 Mil | 50 Mil | 50 Million |
| New Sessions/Sec | 500,000 | 500,000 | 1 Mil | 400,000 | 400,000 | 700,000 |
| IPSec VPN | 98 Gbps | 65 Gbps | 55 Gbps | 50 Gbps | 50 Gbps | 98 Gbps |
| IPS (Ent. Mix) | 16.5 Gbps | 11.5 Gbps | 24 Gbps | 22 Gbps | 26 Gbps | 27 Gbps |
| NGFW (Ent. Mix) | 13.5 Gbps | 9 Gbps | 19 Gbps | 18 Gbps | 24 Gbps | 23 Gbps |
| Threat Protection (Ent. Mix) | 11 Gbps | 5.4 Gbps | 17 Gbps | 13 Gbps | 15 Gbps | 17 Gbps |
| Interfaces | 4x 40GE QSFP+, 20x 25 GE SFP28, 14x GE RJ45 | 2x 10GE Bypass SFP+,10x 10GE SPF+, 34x GE RJ45 | 4x 100GE QSFP28, 16x 25GE SFP28, 16x 10GE RJ45, 2x 10GE SFP+, 2x GE RJ45 | 16/32x 10GE SFP+, 2x GE RJ45 | 48x 10GE SFP+, 2x GE RJ45 | 4x 40GE QSFP+, 16x 25 GE SFP28, 4x 10GE RJ45, 14x GE RJ45 |
| Storage | 2x 1TB (2201E) | 480 GB | 2x 1TB (2601F) | 480 GB | 960 GB | 2x 1TB (3301E) |
| Variants | - | - | - | - | - | - |




FortiGate High End Series III: Comparison

| | FG-3400E | FG-3600E | FG-3960E | FG-3980E | FG-4200F | FG-4400F |
|---------------------------------------|--|--|--|---|--|---|
| Firewall (1518/512/64 byte UDP) | 240 / 238 /150 Gbps | 240 / 240 /150 Gbps | 620 / 610 / 370 Gbps | 1.05 Tbps / 1.05 Tbps / 680 Gbps | 800 / 788 / 400 Gbps | 1,1500 / 1,140 / 500 Gbps |
| Concurrent Sessions | 50 Mil | 50 Mil | 160 Million | 160 Million | 210 Million 450 Million* | 210 Million 700 Million* |
| New Sessions/Sec | 850,000 | 950,000 | 720,000 | 800,000 | 1 Million 7 Million* | 1 Million 10 Million* |
| IPSec VPN | 140 Gbps | 140 Gbps | 280 Gbps | 400 Gbps | 210 Gbps | 310 Gbps |
| IPS (Ent. Mix) | 44 Gbps | 55 Gbps | 30 Gbps | 32 Gbps | 52 Gbps | 94 Gbps |
| NGFW (Ent. Mix) | 34 Gbps | 40 Gbps | 22 Gbps | 28 Gbps | 47 Gbps | 82 Gbps |
| Threat Protection (Ent. Mix) | 25 Gbps | 30 Gbps | 13.5 Gbps | 20 Gbps | 45 Gbps | 75 Gbps |
| Interfaces | 4x 100GE QSFP28 , 24x 25GE SFP28, 2x GE RJ45 | 6x 100GE QSFP28 , 32x 25GE SFP28, 2x GE RJ45 | 6x 100GE QSFP28, 16x 10GE SFP+, 2x GE RJ45 | 10x 100GE QSFP28, 16x 10GE SFP+, 2x GE RJ45 | 8x 100GE QSFP28 , 18x 25GE SFP28, 2x GE RJ45 | 12x 100GE QSFP28 , 18x 25GE SFP28, 2x GE RJ45 |
| Storage | 2x 2TB (3401E) | 2x 2TB (3601E) | - | - | 2x 2TB (4201F) | 2x 2TB (4401F) |
| Variants | DC | - | DC | DC | DC | - |

^{*} req. HyperScale License



FortiGate 1000D



- 2x GE RJ45 Management Ports
- 16x GE SFP Slots
- 16x GE RJ45 Ports
- 2x 10GE SPF+ Slots















55 Gbps

280,000

New Sessions/Sec



Firewall throughput

11 Million

Concurrent Sessions

5.0 Gbps SSL Inspection Throughput



6 Gbps **IPS** Throughput



5 Gbps **NGFW Throughput**



3 Gbps **Threat Protection Throughput**




Large Enterprise / Data Center / SP





FortiGate 1100E/-DC and 1101E



- 2 x GE RJ45 MGMT/HA Ports
- 16 x GE RJ45 Ports
- 8 x GE SFP Slots
- 4 x 10GE SFP+ Slots
- 4 x 25GE SFP28/10GE SFP+ Slots
- 2 x 40GE QSFP+ Slots

















80 Gbps Firewall throughput

500,000

8 Million New Sessions/Sec Concurrent Sessions



10 Gbps SSL Inspection Throughput



12.5 Gbps IPS Throughput



9.8 Gbps **NGFW Throughput**



7.1 Gbps Threat Protection Throughput




Large Enterprise / Data Center / SP





FortiGate 1200D



- 2x GE RJ45 Management Ports
- 16x GE SFP Slots
- 16x GE RJ45 Ports
- 4x 10GE SPF/+ Slots















72 Gbps

290,000

New Sessions/Sec



Firewall throughput

11 Million

Concurrent Sessions

5.0 Gbps SSL Inspection Throughput



6.8 Gbps

IPS Throughput



6 Gbps

NGFW Throughput



4 Gbps

Threat Protection Throughput




Large Enterprise / Data Center / SP





FortiGate 1500D



- 2x GE RJ45 Management Ports
- 16x GE SFP Slots
- 16x GE RJ45 Ports
- 8x 10GE SPF/+ Slots















80 Gbps Firewall throughput

300,000

New Sessions/Sec



12 Million

Concurrent Sessions

5.7 Gbps SSL Inspection Throughput



13 Gbps **IPS** Throughput



7 Gbps **NGFW Throughput**



5 Gbps

Threat Protection Throughput




Large Enterprise / Data Center / SP







FortiGate 1500DT



- 2x GE RJ45 Management Ports
- 16x GE SFP Slots
- 16x GE RJ45 Ports
- 4x 10GE RJ45 Ports
- 4x 10GE SPF/+ Slots















80 Gbps

300,000 New Sessions/Sec



Firewall throughput

12 Million

Concurrent Sessions

5.7 Gbps SSL Inspection Throughput



13 Gbps **IPS** Throughput



7 Gbps **NGFW Throughput**



5 Gbps **Threat Protection Throughput**



Large Enterprise / Data Center / SP


NGFW / ISFW / IPS / SWG / Mobile Security





© Fortinet Inc. All Rights Reserved.

FortiGate 1800/1801F/-DC



- 2 x GE RJ45 MGMT Ports
- 2 x 10GE RJ45 HA SFP+ Slots
- 16 x GE RJ45 Ports
- 8 x GE SFP Slots
- 12 x 25GE SFP28/10GE SFP+ Slots
- 4 x 40GE QSFP+ Slots















198 Gbps

Firewall throughput

750,000 New Sessions/Sec

12 Million

Concurrent Sessions



17 Gbps SSL Inspection Throughput



13 Gbps **IPS** Throughput



11 Gbps **NGFW Throughput**



9.1 Gbps Threat Protection Throughput





Large Enterprise / Data Center / SP





FortiGate 2000E





- 2x GE RJ45 Management Ports
- 32x GE RJ45 Ports
- 6x 10GE SFP+ Slots

















90 Gbps

Firewall throughput

500,000 New Sessions/Sec

20 Million

Concurrent Sessions



9.4 Gbps SSL Inspection Throughput



11.5 Gbps

IPS Throughput



9 Gbps **NGFW Throughput**



5.4 Gbps

Threat Protection Throughput




Large Enterprise / Data Center / SP





FortiGate 2200/2201E



- 1) 2 x GE RJ45 MGMT Ports
- 2 12 x GE RJ45 Ports
- 3) 18 x 25GE SFP28/10GE SFP+ Slots
- 4 2 x 25GE SFP28/10GE SFP+ HA Slots
- 5 4 x 40GE QSFP+ Slots















158 Gbps

Firewall throughput

500,000 24 Million

New Sessions/Sec Concurrent Sessions



17 Gbps
SSL Inspection Throughput



16.5 Gbps

IPS Throughput



13.5 Gbps

NGFW Throughput



11 Gbps

Threat Protection Throughput





Large Enterprise / Data Center / SP





FortiGate 2500E





- 1 2x GE RJ45 Management Ports
- 2 32x GE RJ45 Ports
- 3 10x 10GE SFP+ Slots
- 4 2x 10GE SFP+ SR Bypass (LC Connector)



















500,000

New Sessions/Sec

150 Gbps

Firewall throughput

20 Million

Concurrent Sessions



9.4 Gbps
SSL Inspection Throughput



11.5 Gbps

IPS Throughput



9 Gbps
NGFW Throughput



5.4 GbpsThreat Protection Throughput




Large Enterprise / Data Center / SP





FortiGate 2600/2601F



- 2 x GE RJ45 MGMT Ports
- 2 x 10GE SFP+/GE SFP Slots
- 16 x 10GE RJ45 Ports
- 16 x 25GE SFP28/10GE SFP+/GE SFP Slots
- 4 x 100GE QSFP28 / 40GE QSFP+ Slots





198 Gbps

Firewall throughput



24 Gbps







19 Gbps NGFW Throughput



17 Gbps

Threat Protection Throughput



1 Million

New Sessions/Sec



20 Gbps

SSL Inspection Throughput




Large Enterprise / Data Center / SP





FortiGate 3000D



- 1 2x GE RJ45 Management Ports
- 2 16x 10G SFP+/GE SFP Slots















400,000

New Sessions/Sec

80 Gbps

Firewall throughput

50 Million

Concurrent Sessions



15 Gbps
SSL Inspection Throughput



23 Gbps
IPS Throughput



22 GbpsNGFW Throughput



13 Gbps
Threat Protection Throughput




Large Enterprise / Data Center / SP





FortiGate 3100D



- 2x GE RJ45 Management Ports
- 32x 10G SFP+/GE SFP Slots

















80 Gbps

400,000

New Sessions/Sec



Firewall throughput

50 Million

Concurrent Sessions

16 Gbps SSL Inspection Throughput



22 Gbps **IPS** Throughput




18 Gbps **NGFW Throughput**



13 Gbps **Threat Protection Throughput**




Large Enterprise / Data Center / SP





FortiGate 3200D



- 1 2x GE RJ45 Management Ports
- 2 48x 10G SFP+/GE SFP Slots

















80 Gbps

400,000

New Sessions/Sec



Firewall throughput

50 Million

Concurrent Sessions

17 Gbps
SSL Inspection Throughput



26 Gbps
IPS Throughput



24 Gbps
NGFW Throughput



15 Gbps
Threat Protection Throughput




Large Enterprise / Data Center / SP





FortiGate 3300/3301E



- 1) 2 x GE RJ45 MGMT/HA Ports
- 2 12 x GE RJ45 Ports
- 3 4 x 10GE RJ45 Ports
- 4) 14 x 25GE SFP28/10GE SFP+ Slots
- 5 2 x 25GE SFP28/10GE SFP+ HA Slots
- 6 4x 40GE QSFP+ Slots

















160 Gbps

Firewall throughput

700,000New Sessions/Sec

50 Million

Concurrent Sessions



21 Gbps
SSL Inspection Throughput



27 Gbps
IPS Throughput



23 Gbps
NGFW Throughput



17 Gbps

Threat Protection Throughput




Large Enterprise / Data Center / SP





FortiGate 3400/3401E/-DC



- 2x GE RJ45 Management Ports
- 2x 10EG SFP+/GE HA SFP Slots
- 22x 25EG SFP28/10GE SFP+/GE SFP Slots
- 4x 100GE QSFP28 / 40GE QSFP+ Slots





240 Gbps

Firewall throughput

850,000 50 Million Concurrent Sessions

New Sessions/Sec



30 Gbps SSL Inspection Throughput



44 Gbps

IPS Throughput



34 Gbps **NGFW Throughput**



25 Gbps

Threat Protection Throughput




Large Enterprise / Data Center / SP





FortiGate 3600E/-DC and 3601E





- 2x 10GE SFP+/GE HA SFP Slots
- 30x 25GE SFP28/10GE SFP+/GE SFP Slots
- 4 6x 100GE QSFP28 / 40GE QSFP+ Slots





240 Gbps

Firewall throughput

950,000New Sessions/Sec

50 Million

Concurrent Sessions



34 Gbps
SSL Inspection Throughput



55 Gbps

IPS Throughput



40 Gbps
NGFW Throughput



30 Gbps
Threat Protection Throughput




Large Enterprise / Data Center / SP





FortiGate 3700D/-DC



- 1) 2 x GE RJ45 Management Ports
- 2 4 x 40GE QSFP Slots
- 3 20 x 10GE SFP/+ Slots
- 4 8 ultra-low latency 10GE SFP+ Slots



















160 Gbps

Firewall throughput

480,000 50 Million

New Sessions/Sec Concurrent Sessions



15.5 Gbps
SSL Inspection Throughput



28 Gbps
IPS Throughput



20 Gbps
NGFW Throughput



13 Gbps
Threat Protection Throughput




Large Enterprise / Data Center / SP





FortiGate 3800D/-DC



- 1 2 x GE RJ45 Management Ports
- 4 x 100GE CFP2 Slots
- 3 4 x 40GE QSFP+ Slots
- 4 8 x 10GE SFP+ Slots



















320 Gbps

Firewall throughput

480,000 95 Million

New Sessions/Sec Concurrent Sessions



14.4 Gbps
SSL Inspection Throughput



30 Gbps
IPS Throughput



20 Gbps
NGFW Throughput



13 Gbps
Threat Protection Throughput




Large Enterprise / Data Center / SP





FortiGate 3960E/-DC



- 2 x GE RJ45 Management Ports
- 16 x GE/10GE SFP/SFP+ Slots
- 6x 100GE QSFP28 Slots

















620 Gbps

Firewall throughput

720,000 160 Million New Sessions/Sec

Concurrent Sessions



23 Gbps

SSL Inspection Throughput



30 Gbps

IPS Throughput



22 Gbps





13.5 Gbps

Threat Protection Throughput




Large Enterprise / Data Center / SP





FortiGate 3980E/-DC



- 1 2 x GE RJ45 Management Ports
- 2 16 x GE/10GE SFP/SFP+ Slots
- 3 10x 100GE QSFP28 Slots















800,000

New Sessions/Sec

1.06 Tbps

Firewall throughput



Concurrent Sessions



26 Gbps

SSL Inspection Throughput



32 Gbps

IPS Throughput



28 Gbps

NGFW Throughput



20 Gbps

Threat Protection Throughput




Large Enterprise / Data Center / SP





FortiGate 4200/4201F-DC



- 1 2 x GE RJ45 Management Ports
- 2 x 25GE SFP28/10GE SFP+/GE SFP HA Slots
- 3 2 x 25GE SFP28/10GE SFP+/GE SFP AUX Slots
- 4 16x 25GE SFP28/10GE SFP+/GE SFP Slots
- 5 8x 100GE QSFP28 / 40GE QSFP+ Slots



















1/7* Mil

New Sessions/Sec



Firewall throughput



Concurrent Sessions



50 Gbps

SSL Inspection Throughput



52 Gbps

IPS Throughput



47 Gbps

NGFW Throughput



45 Gbps

Threat Protection Throughput




Large Enterprise / Data Center / SP





FortiGate 4400/4401F



- 1) 2 x GE RJ45 MGMT Ports
- 2 x 25GE SFP28/10GE SFP+/GE HA Slots
- 3 2 x 25GE SFP28/10GE SFP+/GE AUX Slots
- 4) 16 x 25GE SFP28/10GE SFP+/GE Slots
- (5) 12 x 100 GE QSFP28 / 40 GE QSFP+ Slots



















1/10* Mil

New Sessions/Sec

1.15 Tbps

Firewall throughput



94 Gbps

IPS Throughput





82 Gbps
NGFW Throughput



75 GbpsThreat Protection Throughput




Large Enterprise / Data Center / SP

NGFW / ISFW / IPS / SWG / Mobile Security



86 Gbps

SSL Inspection Throughput





FortiGate 5000 Series



Security Appliances For Very Large Enterprises & Service Providers



FG-5144C with FG-5001E & FCTL-5903C

- Chassis-based platforms offer maximum performance, reliability, and scalability for highspeed service provider, large enterprise or telecommunications carrier networks.
- Flexibility enables protection of complex, multitenant cloud-based security-as-a-service and infrastructure-as-a-service environments.

Primary Benefits:


- Native 10GE support for high speed requirements
- ✓ ATCA-compliant architecture delivers carrier-grade performance, reliability, availability and serviceability
- Chassis support two, six, or fourteen FortiGate-5000 series blades, allowing customization and scaling



Load Distribution & Virtualization

Most flexible chassis based solution in the market

- √ Ease of Maintenance hot swappable components
- √ Supports full hardware redundancy
- ✓ Supports various Inter and Intra HA configurations




Clustering Virtualization

Scales Traffic processing capacity linearly. Interoperates with external devices

Facilitates virtualized security components on FortiGate blades



FortiGate 5001E/5001E1



- 1 2x 40GE slots
- 2x 10GE slots
- 3 2x GE RJ45 MGMT ports
- 4 Back plane connectivity: 2x base backplane 1Gbps, 4x fabric backplane 10/40Gbps













80 Gbps

Firewall throughput

40 Million

Concurrent Sessions

640,000

New Sessions/Sec



18 Gbps
IPS Throughput



15 Gbps
NGFW Throughput



13.5 Gbps

Threat Protection Throughput




Data Center / Service Provider





FortiController 5902D



- 1 4 x 40 GE QSFP+
- 2 x 10GE SFP+
- 3 1 x GE RJ45 Ports









80 Gbps

Firewall throughput

50 Million

Concurrent Sessions

155,000New Sessions/Sec



11 Gbps

IPS Throughput



10 Gbps

NGFW Throughput



6.1 Gbps

Threat Protection Throughput




Data Center / Service Provider






FortiController 5903C/5913C



- 1) 4x 40 GE QSFP+
- 2x 10 GE SFP+
- 3 1x GE RJ45




- 1) 2x 100 GE CFP2
- 2x 10 GE SFP+
- 3 1x GE RJ45

| | FCTRL-5903C | FCTRL-5913C |
|----------------------------|-------------|-------------|
| Maximum Traffic Throughput | 120 Gbps | 200 Gbps |
| Concurrent Sessions | 135 Million | 135 Million |
| New Sessions/Second (TCP) | 3.2 Million | 3.6 Million |



FortiGate 6300/6301F



- 2 x GE RJ45, 1x 10 GE SFP+ Management Ports
- 2 x 10 GE SFP+ HA Slots
- 24x 1/10/25 GE SFP/SFP+/SFP28 Slots
- 4x 40/100 GE QSFP+/QSFP28 Slots

















2 Million

New Sessions/Sec

239 Gbps

120 Million

Firewall throughput

Concurrent Sessions



110 Gbps IPS Throughput





90 Gbps

NGFW Throughput





60 Gbps

Threat Protection Throughput




Data Center / Service Provider







FortiGate 6500/6501F



- 2 x GE RJ45, 1x 10 GE SFP+ Management Ports
- 2 x 10 GE SFP+ HA Slots
- 24x 1/10/25 GE SFP/SFP+/SFP28 Slots
- 4x 40/100 GE QSFP+/QSFP28 Slots



















3 Million

New Sessions/Sec

239 Gbps

Firewall throughput



170 Gbps

IPS Throughput



200 Million

Concurrent Sessions



150 Gbps





110 Gbps

SSL Inspection Throughput



100 Gbps

Threat Protection Throughput



Data Center / Service Provider










FortiGate 7030E



- 1 x FIM
 - 2 x Processing Module Slots
- 3 (+1 optional) Hot Swappable Redundant PS

















115 Gbps

Firewall throughput

900,000 160 Million

Concurrent Sessions



New Sessions/Sec

39.9 Gbps
SSL Inspection Throughput



60 Gbps

IPS Throughput







35 Gbps

Threat Protection Throughput



Data Center / Service Provider










FortiGate 7040E-8/-9



- 2 x I/O Module Slots
- 2 x Processing Module Slots
- 3 (+1 optional) Hot Swappable Redundant PS











40GE





0.95/ 1 Mil

New Sessions/Sec

315 Gbps

Firewall throughput



Concurrent Sessions



39.9 / 60 GbpsSSL Inspection Throughput



60 / 100 Gbps
IPS Throughput



50 / 60 Gbps NGFW Throughput



40 / 48 Gbps
Threat Protection Throughput




Data Center / Service Provider







FortiGate 7060E-8/-9*



- 1) 2 x I/O Module Slots
- 2 +2 optional Processing Module Slots
- 3 4 +2 optional) Hot Swappable Redundant PS















1.8 / 2 Mil

New Sessions/Sec

630 Gbps

Firewall throughput



Concurrent Sessions



79.9 /120 GbpsSSL Inspection Throughput

120 / 200 Gbps

IPS Throughput



NGFW Throughput

80 / 96 Gbps

Threat Protection Throughput



Data Center / Service Provider







FortiGate 7040E & 7060E Bundle

| FG-7040E | FPM-7620E | FPM-7630E | FIM-7901E | FIM-7904E | FIM-7910E | FIM-7920E |
|--------------------------|-----------|--------------|-----------------------|----------------|----------------|---------------------|
| Network Interfaces | - | - | 32x GE/10 GE SFP/+ | 8x 40 GE QSFP+ | 4x 100 GE CFP2 | 4x 100 GE QSFP28 |
| Base Channel Interfaces | - | - | 2x 10 GE SFP+ | 2x 10 GE SFP+ | 2x 10 GE SFP+ | 2x 10 GE SFP+ |
| Management Interfaces | - | - | 4x GE RJ45 | 4x GE RJ45 | 4x GE RJ45 | 4x GE RJ45 |
| FG-7040E-8 | 2 | | | Any 2 | FIMs | |
| FG-7040E-9 | | 2 | Any 2 FIMs | | | |
| FG-7060E-8 | 2 (+2)* | | | Any 2 | FIMs | |
| FG-7060E-9 | | 2 (+2)* | | Any 2 | FIMs | |

^{*} Optional 2 more FPMs, order separately.



FortiGate Virtual Appliance Series





Agile Security for Virtual Environments



□ FG-VM for Public Cloud



FG-VM for Private Cloud

Primary Benefits:

- Increased visibility and security within virtualized infrastructure better protect critical resources
- Ability to manage virtual appliances and physical appliances from a single pane of glass management platform reduces TCO
- ✓ Comprehensive Hypervisor support
- Feature-rich security and virtual networking support facilitate wide deployment and requirement options



FortiGate-VM

| | FG-VM00 | FG-VM01 | FG-VM02 | FG-VM04 | FG-VM08 | FG-VM16 | FG-VM32 | FG-VMUL |
|--------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|
| Private Cloud Platforms | | | | | | | | |
| VMware | √ | √ | √ | ✓ | √ | √ | √ | √ |
| Citrix | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Microsoft Hyper-V | ✓ | ✓ | ✓ | ✓ | ✓ | √ | ✓ | ✓ |
| KVM | √ | ✓ |
| Open Source Xen | √ | ✓ |
| Nutanix AHV | √ | ✓ |
| Public Cloud Platforms | (BYOL) | | | | | | | |
| Amazon AWS | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Microsoft Azure | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| Google Cloud Platform | √ | √ | ✓ | √ | √ | √ | ✓ | ✓ |
| Oracle Cloud Infrastructure | | | ✓ | ✓ | ✓ | ✓ | √ | √ |
| AliCloud | √ | ✓ |



Transceivers & Breakout Cables

| Max Dist. | SFP (GE) | XFP (10GE) | SFP+ (10GE) | QSFP+ (40GE) | CFP2 (100GE) | QSFP28 (100GE) |
|-----------|---|---------------------------|------------------|---|-------------------|------------------------|
| 10 M | | | SP-CABLE-ADASFP+ | | | |
| 100 M | FN-TRAN-GC | | FN-TRAN-SFP+GC | FN-TRAN-QSFP+SR FG-TRAN-QSFP+SR- BIDI (on OM3 MMF) | FG-TRAN-CFP2-SR10 | FN-TRAN-QSFP28- SR4 |
| 150 M | | | | FN-TRAN-QSFP+SR FG-TRAN-QSFP+SR- BIDI (on OM4 MMF) | | |
| 220 M | FN-TRAN-SX FR-TRAN-SX (62.5/125 micron MMF) | | 1 | | | |
| 300 M | | FG-TRAN-XFPSR (OM3MMF) | FN-TRAN-SFP+SR | | | |
| 500 M | FN-TRAN-SX FR-TRAN-SX (50/125 micron MMF) | | | | | |
| 10 KM | FN-TRAN-LX FR-TRAN-LX | FG-TRAN-XFPLR | FN-TRAN-SFP+LR | | FG-TRAN-CFP2-LR4 | FN-TRAN-QSFP28- LR4 |
| 40 KM | | | FN-TRAN-SFP+ER | | | |
| 90 KM | FR-TRAN-ZX | | | | | |



Transceivers & Breakout Cables

| Max Dist. | SFP (GE) | XFP (10GE) | SFP+ (10GE) | QSFP+ (40GE) | CFP2 (100GE) |
|----------------|----------|------------|-------------|---------------------|---------------------|
| 1 Meter Length | | | | FG-TRAN-QSFP-4XSFP | FG-CABLE-SR10-SFP+ |
| 5 meter Length | | | | FG-TRAN-QSFP-4SFP-5 | FG-CABLE-SR10-SFP+5 |



Transceivers

| Models | Slot Type(s) | Transceivers Shipped |
|--------------------------------|-----------------|--------------------------------------|
| FG-80E Series | SFP | NIL |
| FG-100EF | SFP | NIL |
| FG-140E/140E-POE | SFP | NIL |
| FG-200E/201E | SFP | NIL |
| FG-300E/301E, 400E/401E | SFP | 2x Fiber SX SFP modules (1000BaseSX) |
| FG-500E/501E, FG- 600E/601E | SFP/+ SFP | 2x Fiber SX SFP modules (1000BaseSX) |
| FG-600D | SFP/+ SFP | 2x Fiber SX SFP modules (1000BaseSX) |
| FG-800D | SFP/+ SFP | 2x Fiber SX SFP modules (1000BaseSX) |

| Models | Slot Type(s) | Transceivers Shipped |
|---------------|--------------------------------|---|
| FG-900D/1000D | SFP/+ SFP | NIL |
| FG-1100E | QSFP+ SFP28 SFP/+ SFP | 2x Fiber SX SFP modules (1000BaseSX) |
| FG-1200D | SFP/+ SFP | NIL |
| FG1500D | SFP/+ SFP | 2x SFP+ (SR 10GE) |
| FG-2000E | SFP/+ | 2x SFP+ (SR 10GE) |
| FG-2200E | QSFP+ SFP28 SFP/+ | |
| FG-2500E | SFP/+ SFP+ bypass | 2x SFP+ (SR 10GE) |



Transceivers

| Models | Slot Type(s) | Transceivers Shipped |
|-------------|-------------------------|---|
| FG-3000D | SFP/+ | 2x SFP+ (SR 10GE) |
| FG-3100D | SFP/+ | 2x SFP+ (SR 10GE) |
| FG-3200D | SFP/+ | 2x SFP+ (SR 10GE) |
| FG-3300E | QSFP+ SFP28 SFP/+ | 2x SFP+ (SR 10GE) |
| FG-3400E | QSFP28 SFP/+ | 2x SFP+ (SR 10GE) |
| FG-3600E | QSFP28 SFP/+ | 2x SFP+ (SR 10GE) |
| FG-3700D/DX | QSFP+ SFP/+ SFP+ | 2x SFP+ (SR 10GE) |
| FG-3800D | CFP2 QSFP+ SFP+ | 2x SFP+ (SR 10GE) FG-CABLE-SR10-SFP+ |

| Models | Slot Type(s) | Transceivers Shipped |
|----------------|-----------------|----------------------|
| FG-3960E | QSFP28 SFP/+ | 2x SFP+ (SR 10GE) |
| FG-3980E | QSFP28 SFP/+ | 2x SFP+ (SR 10GE) |
| FG-5001D/5001E | QSFP+ SFP/+ | 2x SFP+ (SR 10GE) |
| FCTL-5903C | QSFP+ SFP/+ | 2x SFP+ (SR 10GE) |
| | | |



Power Adapters & Redundant Power Supplies

| Models | Spare/Redundant Power Supplies Option |
|--|---------------------------------------|
| FG/FWF-20C, 30D | SP-FG20C-PA-XX |
| FG/FWF-30D-POE | SP-FG30D-POE-PDC |
| FG/FWF-30E, FG/FWF-50E, FG/FWF-51E | SP-FG30E-PA-XX |
| FG-52E, FG-50E-2R, FG-30E-3G4G | SP-FG52E-PA-XX |
| FG/FWF-40C, 60C, 60D,60D-3G4G, 60E, 61E, 90D, FG-70D | SP-FG60C-PDC |
| FG/FWF-60D-POE | SP-FG60D-POE-PDC |
| FG-80D | SP-FG80D-PDC |
| FG-60E-POE, FG-80- POE, 81E-POE | SP-FG80E-POE-PDC |
| FG/FWF-90D-POE, FG-70D-POE | SP-FG90D-POE-PDC |
| FG/FWF-92D, FG- 90/91E | SP-FG92D-PDC |

| Models | Spare/Redundant Power Supplies Option |
|---|---|
| FG-100E, 100EF, 140E | FRPS-100 (max 2 units) |
| FG-140E-POE | FRPS-740-FG (max 2 units) |
| FG-200D, 240D, 200E | FRPS-100 (max 2 units) |
| FG-200D/240D/280- POE | FRPS-740-FG (max 2 units) |
| FG-300C | SP-FG310B-RPS FRPS-100 (max 4 units) |
| FG-300D | FRPS-100 (max 2 units) |
| FG-300/301E, FG- 400/401E, FG500/501E & FG- 600/601E | SP-FG300E-PS (additional as option) |
| FG-400D, 500D | FRPS-100 (max 2 units) |
| FG-600C, 800C | SP-FG600C-PS (additional as option) |
| FG-600C-DC, FG- 800C-DC | SP-FG600C-DC-PS (additional as option) |



Power Adapters & Redundant Power Supplies

| Models | Spare/Redundant Power Supplies Option |
|--|---------------------------------------|
| FG600D | FRPS-100 (max 2 units) |
| FG-620B, 621B | SP-FG620B-RPS |
| FG-800D | SP-FG600C-PS (additional as option) |
| FG-1000C, FG- 1000C-DC | SP-FG600C-PS, SP-FG600C-DC-PS (spare) |
| FG-900D/1000D | SP-FXX1000D |
| FG-1200D, FG- 1500D, FG-1500DT | SP-FG1200D-PS |
| FG-1240B, FG- 3040B, FG-3140B | SP-FG1240B-PS (spare) |
| FG-3000D, FG- 3100D, FG-3240C, 3200D | SP-FG3000D-PS |
| FG-3600C | SP-FG3600C-PS (spare) |

| Models | Spare/Redundant Power Supplies Option |
|----------------------------------|--|
| FG-3400/3401E, FG- 3600/3601E | SP-FG3800D-PS (Spare) |
| FG-3700D, FG- 3700D-DC | SP-FG3800D-PS, SP-FG3800D-DC-PS (spare) |
| FG- 3800D,3810D,3815D | SP-FG3800D-PS (spare) |
| FG-3810A, FG- 3810A-DC | SP-FG3810A-PS, SP-FG3810A-DC-PS (spare) |
| FG-3950B, FG- 3951B | SP-FG3950B-PS (spare) |
| FG-3960E FG-3980E | FG-7040E-PS-AC (spare) FG-7040E-PS-DC (spare) |
| FG-7030E FG-7040E | FG-7040E-PS-AC FG-7040E-PS-DC |
| FG-7060E | FG-7060E-PS-AC |



Power Cords

| C14 Inlet | 11 | SP-FGPCOR-US | SP-FGPCOR-UK | SP-FGPCOR-EU | SP-FGPCOR-AU |
|-----------|----------|------------------------------------|-----------------|-----------------|-----------------|
| C15 Inlet | A | SP-FGPCORC15-US SP-FGPCORC15-JP | SP-FGPCORC15-UK | SP-FGPCORC15-EU | SP-FGPCORC15-AU |
| *C6 Inlet | A | SP-FG60CPCOR-US | SP-FG60CPCOR-UK | SP-FG60CPCOR-EU | SP-FG60CPCOR-AU |
| | | NEMA 5-15 | BS 1363 | CEE7 VII | AS/NZS 3112 |
| | | Type B | Type G | Type C, E, F, K | Type I |
| | | | | | |

http://en.wikipedia.org/wiki/AC_power_plugs_and_sockets https://www.worldstandards.eu/electricity/plug-voltage-by-country/



^{*} For FG-60C and FG/FWF-40C, FG/FWF-60D, 60E, 60F, 80F & FG/FWF-90D

Hard Disks

| | SP- D1000 | SP- D1TB | SP- D1TC | SP- D2TC | SP- D2TE | SP- D3TC | SP- D2000 | SP- D2000A | SP- DFWB2T | SP- D960 |
|--------------------|--------------|-------------|-----------------|--|---------------------------|--|--------------|---------------|----------------|-------------|
| FortiManager | | | 1000C, 3000C | 3000C gen2, 4000D | | 300E, 400E, 2000E, 3000F | 1000D | | | 3900E |
| FortiAnalyzer | | 4000B | 1000C, 2000B | 1000C Gen2 2000B Gen2, 3000D | | 400E, 1000E, 2000E, 3000E, 3500F | 1000D | 3500D | | 3900E |
| FortiMail | | | 2000B. 3000C | 2000B Gen2, 3000D | 2000E, 3000E, 3200E | | 1000D | | | |
| FortiWeb | 1000D | | 1000C, 3000C | 3000D, 4000C, 4000D | | | 1000D | | 3000E 4000E | |
| FortiDB | | | 1000C, 2000B | 3000D | | | 1000D | | | |
| FortiAuthenticator | | | 1000C, 3000B | 3000D | 2000E, 3000E | | 1000D | | | |
| FortiCache | | | 1000C, 3000C | 1000C Gen2, 3000D | 3000E | | 1000D | | | |
| FortiSandbox | | | | 3000D | 3000E | | 1000D | | | |





FortiOS 7.0



FortiOS Software Evolution

| | 2005 | 2007 | 2009/Q1 | 2009/Q3 | 2010/Q1 | 2011/Q3 | 2012/Q4 |
|----------------------------|---|--|--|--|--|--|--|
| New Key functionalities | V 2.8 • Antispam • NGFW | V 3.0 • SSL VPN • IM/P2P mgmt | V 4.0DLPWAN Opt.SSL ProxyApp Control | V4.1Wireless ctrlIPv6 UTMSQL Logging | V 4.2 • New GUI • Network VM | V 4.3 • Token Server • ICAP | V 5.0 Client reputation Sandbox integration Endpoint control Device based policy |
| | 2014/Q2 | 2016/Q3 | 2017/Q1 | 2018/Q1 | 2019/Q2 | 2020/Q1 | |
| New Key functionalities | V 5.2 FortiView Deep Flow AV Software performance optimization | V 5.4ATP IntegrationSDN supportDNS Server | V 5.6 • Security Fabric Integration and Features | V 6.0 Security Fabric Enhancements Automation Secure SD-WAN | V 6.2 Fabric Connectors Enhancements Additional Trigger and Actions for Automation | V 6.4 SD-WAN Enhancements Additional Fabric Integration IoT and IPAM Services | |



FortiOS V7.0

| Configuration | Log & Report | Diagnostics | Monitoring Operation | | Systems Integration | | Igmt. and iioning | Cloud & SDN Integration |
|---------------------------------|----------------|-----------------------|----------------------------------|---------------------|--|----------------|--------------------------------|-------------------------------|
| | | g | | opolation. | Visil | oility | Auto | mation |
| Policy Modes | Device Ide | entification | SSL inspection | Policy and Control | NAC | | Compliance & Securit Rating | |
| Firewall | Application | on Control | Anti-Malware | Society | ^ | dynnood Throot | · Drotoction (ATI | ٦١ |
| VPN | IPS & DoS | Web Filtering | Email Filtering | Security | Security Advanced Threat Protection (A | | | -) |
| SD WAN | Explicit Proxy | IPv6 | High Availability | | 10/20-10-0 | 0 | tra la | WAN |
| Routing/NAT | L2/Switching | Offline Inspection | Essential Network Services | Networking | Wireless Controller | | itch roller | Interface Manager |
| Physical Appliance (+SPU) | Virtual System | Hypervisor | Cloud | Platform Support | | Security | y Fabric | |

^{*} Features availability may varied by models



^{*} Features availability may varied by models

| FortiManager Cloud | | | | | | | | |
|---|----------------------|------------------------------|--------------------------|-----|--|--|--|--|
| FortiAnalyzer Cloud | | | | | | | | |
| Fortinet SOCaaS | | | | | | | | |
| SD-WAN Overlay Controller VPN Service | | | | | | | | |
| SD-WAN Cloud Assisted Monitoring | | | | • | | | | |
| SD-WAN Orchestrator Entitlement | | | | | | | | |
| FortiConverter Service | | | • | • | | | | |
| FortiGuard IoT Detection Service | | | | | | | | |
| FortiGuard Industrial Service | | | | | | | | |
| FortiGuard Security Rating Service | | | • | • | | | | |
| FortiGuard Anti-Spam Service | | • | • | • | | | | |
| FortiGuard Web & Video ² Filtering Service | | • | • | • | | | | |
| FortiGuard Advanced Malware Protection (AMP) - Antivirus, Mobile Malware, Botnet, CDR, Virus Outbreak Protection and FortiSandbox Cloud Service | • | • | • | • | | | | |
| FortiGuard IPS Service | • | • | • | • | | | | |
| FortiGuard App Control Service | • | • | • | • | | | | |
| FortiCare (incl. Internet Service DB, Client ID DB, IP Geography DB, Malicious URL DB, URL Whitelist DB) | 24x7 | ASE 1 | | | | | | |
| Bundles | Threat Protection | Unified Threat Protection | Enterprise Protection | 360 | | | | |





FortiAnalyzer



Introducing FortiAnalyzer









Appliance

Virtual Machine

Hosted

Cloud



Logging, reporting and analysis from multiple Fortinet devices



Centralized Search and Reports



Real-time and Historical Views into Network Activity




Scans security logs using FortiGuard IOC Intelligence for APT detection



Light-weight Event Management



Seamless Integration with the Fortinet Security Fabric





FortiAnalyzer Series

| | FAZ-150G | FAZ-300F | FAZ-800F | FAZ-1000F | FAZ-3000G | FAZ-3500G | FAZ-3700F |
|-------------------------------------|------------|--------------------------|--------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|
| GB/Day | 50 | 150 | 300 | 660 | 3,000 | 5,000 | 8,300 |
| Analytic Sustained Rate (logs/sec) | 1,500 | 4,500 | 8,250 | 20,000 | 42,000 | 60,000 | 100,000 |
| Collector Sustained Rate (logs/sec) | 3,000 | 6,750 | 12,000 | 30,000 | 60,000 | 90,000 | 150,000 |
| Max. Devices/ADOMs | 50 | 180 | 800 | 2,000 | 4,000 | 10,000 | 10,000 |
| Max Number of Days Analytics | 38 | 28 | 30 | 34 | 30 | 38 | 60 |
| Total Interfaces | 2x GE RJ45 | 2x GE RJ45, 2x GE SFP | 4x GE RJ45, 2x GE SFP | 2x GE RJ45, 2x 10GE SFP+ | 2x GE RJ45, 2x 25GE SFP28 | 2x GE RJ45, 2x 25GE SFP28 | 2x GE RJ45, 2x 10GE SFP+ |
| Storage capacity | 2x 2 TB | 2x 4 TB | 4x 4 TB | 8x 4TB | 16x 4TB | 24x 4TB | 60x 4TB |
| RAID support | Yes (0,1) | Yes (0,1) | Yes (0,1,5,10) | Yes, (RAID 0, 1, 5, 6, 10, 50, 60) | Yes, (RAID 0, 1, 5, 6, 10, 50, 60) | Yes, (RAID 0, 1, 5, 6, 10, 50, 60) | Yes, (RAID 0, 1, 5, 6, 10, 50, 60) |



FortiAnalyzer VM-Series

| | FAZ-VM-BASE | FAZ-VM-GB1 | FAZ-VM-GB5 | FAZ-VM-GB25 | FAZ-VM- GB100 | FAZ-VM- GB500 | FAZ-VM- GB2000 |
|-----------------------------------|-------------|------------|------------|------------------|------------------|------------------|-------------------|
| GB/Day | 1 | +1 | +5 | +25 | +100 | +500 | +2,000 |
| Max. Devices/ADOMs | 10,000 | 10,000 | 10,000 | 10,000 | 10,000 | 10,000 | 10,000 |
| Storage Capacity | 500 GB | +500 GB | +3 TB | +10 TB | +24 TB | +48 TB | +100 TB |
| Network Interface (Min/Max) | | | | 1 / 4 | | | |
| vCPU (Min/Max) | | | | 4 / Unlimited | | | |
| Memory Support (Min/Max) | | | | 8 GB / Unlimited | | | |







| FortiManager



Introducing FortiManager









Appliance

Virtual Machine

osted





Tools that effectively manage any size Fortinet security infrastructure, from a few to thousands of appliances



Easy centralized configuration, policybased provisioning, update management, and end to-end network monitoring




Segregate management of large deployments with ADOMs



Single-pane-of-glass manages more than firewalls



Script and automation support with JSON/XML APIs with external systems





FortiManager Series

| | FMG-200G | FMG-300F | FMG-1000F | FMG-2000E | FMG-3000G | FMG-3700F |
|------------------------------------|------------|--------------------------|------------------------|------------------------|------------------------------|------------------------------|
| Max. Devices/VDOMs ¹ | 30 | 100 | 1,000 | 1,200 | 4,000+ | 10,000+ |
| Sustained Log Rates | 50 | 50 | 50 | 50 | 150 | 150 |
| GB/Day | 2 | 2 | 2 | 2 | 10 | 10 |
| Interfaces | 4x GE RJ45 | 4x GE RJ45, 2x GE SFP | 4x GE RJ45, 2x SFP+ | 4x GE RJ45, 2x SFP+ | 2x GE RJ45, 2x 25GE SFP28 | 2x GE RJ45, 2x 10 GE SFP+ |
| Storage capacity | 2x 4TB | 4x 4TB | 8x 4TB | 12x 3TB | 16x 4TB | 60x 4TB |

¹ Each Virtual Domain (VDOM) operating on a physical or virtual device counts as one (1) licensed network device



FortiManager-VM Series

| | FMG-VM-BASE | FMG-VM-10-UG | FMG-VM-100-UG | FMG-VM-1000-UG | FMG-VM-5000-UG | | | |
|---------------------------------|----------------|--------------|-------------------------|----------------|----------------|--|--|--|
| Max. Devices/VDOMs ¹ | 10 | +10 | +100 | +1,000 | +5,000 | | | |
| Storage Capacity | 100 GB | 200 GB | 1 TB | 4 TB | 8 TB | | | |
| GB Logs/day | 1 | 2 | 5 | 10 | 25 | | | |
| Max. Virtual NICs (Min/Max) | | | 1 / 4 | | | | | |
| vCPU Support (Min/Max) | | | 4 / Unlimited | | | | | |
| Storage capacity (Min/Max) | 100 GB / 16 TB | | | | | | | |
| Memory Support (Min/Max) | | 8 | GB / Unlimited for 64-b | oit | | | | |

¹ Each Virtual Domain (VDOM) operating on a physical or virtual device counts as one (1) licensed network device





FortiSIEM



Introducing FortiSIEM







Appliance

Virtual Machine

Clo



Unified event correlation and risk management for modern networks



Asset Self-Discovery



Rapid Integrations and Scalability



Automated Workflow with Remediation Library



Single Pane of Glass to quickly remediate service issues



Multi-tenancy for role-based access to a unified platform







FortiAuthenticator



Introducing FortiAuthenticator







Appliance

Virtual Machine

Cloud



Identity Management, User Access Control and multi-factor identification



Transparently identify network users and enforce identity-driven policy on a Fortinet-enabled enterprise network



Seamless secure two-factor/OTP authentication across the organization in conjunction with FortiToken




Certificate management for enterprise wireless and VPN deployment



Guest management for wired and wireless network security



Single Sign On capabilities for both internal and cloud networks





FortiAuthenticator Series

| | FAC-200E | FAC-300F | FAC-400E | FAC-800F | FAC-2000E | FAC-3000E |
|---------------------------|------------|------------|------------|-------------------------|-------------------------|-------------------------|
| Max. Local + Remote Users | 500 | 1,500 | 2,000 | 8,000 | 20,000 | 40,000 |
| Max. FortiTokens | 1,000 | 3,000 | 4,000 | 16,000 | 40,000 | 80,000 |
| Max. NAS Devices | 166 | 500 | 666 | 2,666 | 6,666 | 26,666 |
| Max. User Groups | 50 | 150 | 200 | 800 | 2,000 | 4,000 |
| Max. CA Certificates | 10 | 10 | 10 | 50 | 50 | 50 |
| Max. User Certificates | 2,500 | 7,500 | 10,000 | 40,000 | 50,000 | 50,000 |
| Interfaces | 4x GE RJ45 | 4x GE RJ45 | 4x GE RJ45 | 4x GE RJ45 2x GE SFP | 4x GE RJ45 2x GE SFP | 4x GE RJ45 2x GE SFP |
| Storage Capacity | 1 x 1 TB | 2 x 1 TB | 2 x 1 TB | 2 x 2 TB | 2 x 2 TB | 2 x 2 TB |



FortiAuthenticator-VM Series

| | FAC-VM Base | FAC-VM-100-UG | FAC-VM-1000-UG | FAC-VM-10000-UG |
|----------------------------|-------------|---------------|----------------|-----------------|
| Max. Local and/or Users | 100 | +100 | +1,000 | +10,000 |
| Max. FortiTokens | 200 | +200 | +2,000 | +20,000 |
| Max. NAS Devices | 33 | +33 | +333 | +3,333 |
| Max. User Groups | 10 | +10 | +100 | +1,000 |
| Max. CA Certificates | 5 | +5 | +50 | +500 |
| Max. User Certificates | 100 | +100 | +1,000 | +10,000 |
| Interfaces (Min/Max) | | 1 | / 4 | |
| Virtual CPUs (Max) | | 6 | 64 | |
| Storage Capacity (Min Max) | | 60 GB | / 16 TB | |






((•)) FortiAP



FortiAP Family





FortiAP 431/433F

Indoor | 802.11ax | Triple Radio | 4x4





- 2 1 x GE RJ45 Interface
- 3 1x RS-232 RJ45 Serial Port







3 1x RS-232 RJ45 Serial Port





| | FAP-431F | FAP-433F |
|--------------------|---------------------------------------|---------------------------------------|
| Target Environment | High density, high performance indoor | High density, high performance indoor |
| Number of Antenna | 5 Internal + 1 BLE Internal | 5 External (RP-SMA) + 1 BLE Internal |
| Rx / Tx | 4x4 | 4x4 |
| Radio 1 | 2.4 GHz b/g/n/ax (1,147 Mbps) | 2.4 GHz b/g/n/ax (1,147 Mbps) |
| Radio 2 | 5GHz a/b/g/n/ac/ax (2,402 Mbps) | 5GHz a/b/g/n/ac/ax (2,402 Mbps) |
| Radio 3 | 2.4/5.0 GHz (scan only) | 2.4/5.0 GHz (scan only) |
| PoE | 802.3at | 802.3at |
| 488 | | |



FortiAP 432F

Outdoor | 802.11ax | Tri-Radio | 4x4



- 1x 2.5GE RJ45
- 2 1 x GE RJ45 (802.3af PoE PSE)
- 3 1x RS-232 RJ45 Serial Port



| Target Environment | High density indoor |
|--------------------|---|
| Number of Antenna | 4 x dual band, 1 x dual band scanning, 1 x single band 2.4 GHz BLE/ZigBee |
| Rx / Tx | 4 x 4 |
| Radio 1 | 2.4 GHz b/g/n/ax (1,147 Mbps) |
| Radio 2 | 5GHz a/b/g/n/ac/ax (2,402 Mbps) |
| Radio 3 | 2.4/5.0 GHz (scan only) |
| PoE | 802.3af/at |
| | |



FortiAP 421/423E

Indoor | 802.11ac W2 | Dual Radio | 4x4





1x RS-232 RJ45 Serial Port





1x RS-232 RJ45 Serial Port





| | FAP-421E | FAP-423E |
|--------------------|---------------------------------------|---------------------------------------|
| Target Environment | High density, high performance indoor | High density, high performance indoor |
| Number of Antenna | 8 internal | 8 External |
| Rx / Tx | 4x4 | 4x4 |
| Radio 1 | 2.4 GHz b/g/n (600 Mbps) | 2.4 GHz b/g/n (600 Mbps) |
| Radio 2 | 5GHz a/b/g/n/ac (1733 Mbps) | 5GHz a/b/g/n/ac (1733 Mbps) |
| PoE | 802.3at | 802.3at |
| | © Fortinet Inc. All Rights Reserved. | 118 |

FortiAP 321E

Indoor | 802.11ac W2 | Dual Radio | 3x3



- 1 1x GE RJ45
- 2 1x RS-232 RJ45 Serial Port



| Target Environment | Medium density indoor | |
|--------------------|--------------------------------------|--|
| Number of Antenna | 6 Internal (RP-SMA) + 1 BLE internal | |
| Rx / Tx | 3 x 3 (Radio 1), 2 x 2 (Radio 2) | |
| Radio 1 | 2.4 GHz b/g/n (450 Mbps) | |
| Radio 2 | 5GHz a/n/ac (1,300 Mbps) | |
| PoE | 802.3af/at | |
| | | |

FortiAP 231E

Indoor | 802.11ac W2 | Triple Radio | 2x2



- 1 2x GE RJ45
- 2 1x RS-232 RJ45 Serial Port



| Target Environment | Medium density indoor |
|--------------------|---|
| Number of Antenna | 6 Internal + 1 BLE internal |
| Rx / Tx | 2 x 2 |
| Radio 1 | 2.4/5.0 GHz (high band) a/b/g/n/ac (867 Mbps) |
| Radio 2 | 5GHz a/n/ac (867 Mbps) |
| Radio 3 | 2.4/5.0 GHz b/g/n (400 Mbps) |
| PoE | 802.3af/at |
| | |



FortiAP 231F

Indoor | 802.11ax | Triple Radio | 2x2



- 1 2x GE RJ45
- 2 1x RS-232 RJ45 Serial Port



| Target Environment | Medium density indoor | |
|--------------------|-------------------------------------|--|
| Number of Antenna | 3 Dual band Internal + 1 BLE/ZigBee | |
| Rx / Tx | 2 x 2 | |
| Radio 1 | 2.4 GHz b/g/n/ax (574 Mbps) | |
| Radio 2 | 5GHz a/n/ac/ax (1201 Mbps) | |
| Radio 3 | 2.4/5.0 GHz (scan only) | |
| PoE | 802.3af/at | |
| | | |



FortiAP 234F

Outdoor | 802.11ax | Triple Radio | 2x2



- 1 2x GE RJ45
- 2 1x RS-232 RJ45 Serial Port



| Target Environment | Medium density Outdoor |
|--------------------|---|
| Number of Antenna | 2 x dual band, 1 x dual band scanning, 1 x single band 2.4 GHz BLE/ZigBee |
| Rx / Tx | 2 x 2 |
| Radio 1 | 2.4 GHz b/g/n/ax (574 Mbps) |
| Radio 2 | 5GHz a/n/ac/ax (1200 Mbps) |
| Radio 3 | 2.4/5.0 GHz (scan only) |
| PoE | 802.3af/at |
| | 802.3af/at |



FortiAP 221/223E

Indoor | 802.11ac W2 | Dual Radio | 2x2



1 x GE RJ45 Interface





1 x GE RJ45 Interface



| | FAP-221E | FAP-223E |
|--------------------|--------------------------------------|-------------------------------|
| Target Environment | Medium density indoor | Medium density indoor |
| Number of Antenna | 4 internal | 4 External |
| Rx / Tx | 2x2 | 2x2 |
| Radio 1 | 2.4 GHz b/g/n (300 Mbps) | 2.4 GHz b/g/n (300 Mbps) |
| Radio 2 | 5GHz a/b/g/n/ac (867 Mbps) | 5GHz a/b/g/n/ac (867 Mbps) |
| PoE | 802.3af | 802.3af |
| | © Fortinet Inc. All Rights Reserved. | 123 |

FortiAP 222/224E

Outdoor | 802.11ac W2 | Dual Radio | 2x2







1 x GE RJ45 Interface



| | FAP-222E | FAP-224E |
|--------------------|---|----------------------------------|
| Target Environment | High density Outdoor, IP67 rated | High density Outdoor, IP67 rated |
| Number of Antenna | 4 External (N-Type) + 1 BT/BLE External | 4 Internal+ 1 BT/BLE Internal |
| Rx / Tx | 2 x 2 | 2 x 2 |
| Radio 1 | 2.4 GHz b/g/n (400 Mbps) | 2.4 GHz b/g/n (400 Mbps) |
| Radio 2 | 5GHz a/n/ac (867 Mbps) | 5GHz a/n/ac (867 Mbps) |
| PoE | 802.3af/at | 802.3af/at |
| 423 | © Fortinet Inc. All Rights Reserved. | |

FortiAP C24JE

Wall Plate | 802.11n/ac W2 | 2x2



- 1x GE RJ45 802.3at PoE (PD)
- 2 1x GE RJ45 802.3af PoE (PSE)
- 3 2x GE RJ45
- 4 2x GE RJ45 Pass-through (in and out)
- 5 1x RS-232 RJ45 Serial Port



| Target Environment | Indoor Wall Plate AP for hotel and dorm rooms | |
|--------------------|---|--|
| Number of Antenna | 4 Internal | |
| Rx / Tx | 2 x 2 | |
| Radio 1 | 2.4 GHz b/g/n (300 Mbps) | |
| Radio 2 | 5GHz a/n/ac (867 Mbps) | |
| PoE | 802.3af | |
| | | |



FortiAP C24JF

Wall Plate | 802.11ax | 2x2



- 1x GE RJ45 802.3at PoE (PD)
- 2 1x GE RJ45 802.3af PoE (PSE)
- 3 2x GE RJ45
- 4 2x GE RJ45 Pass-through (In and out)
- 5 1x RS-232 RJ45 Serial Port



| Indoor Wall Plate AP for hotel and dorm rooms |
|--|
| 4 x single band WiFi, 1 x dual band scanning, 1 x single band 2.4 GHz BLE/ZigBee |
| 2 x 2 |
| 2.4 GHz b/g/n/ax (574 Mbps) |
| 5GHz a/n/ac/ax (1201 Mbps) |
| 2.4/5.0 GHz (scan only) |
| 802.3af/at |
| |
| |



FortiAP Family Overview

U-Series





FortiAP U221/223EV

Indoor | 802.11ac W2 | Dual Radio | 2x2









1 x GE RJ45 Interface



| | FAP-U221E | FAP-U223E |
|--------------------|--------------------------------------|-------------------------------------|
| Target Environment | Medium density indoor with Security | Medium density indoor with Security |
| Number of Antenna | 4 Internal + Bluetooth | 4 External + Bluetooth |
| Rx / Tx | 2x2 | 2x2 |
| Radio 1 | 2.4 GHz b/g/n (300 Mbps) | 2.4 GHz b/g/n (300 Mbps) |
| Radio 2 | 5 GHz a/n/ac (867 Mbps) | 5 GHz a/n/ac (867 Mbps) |
| PoE | 802.3af/at | 802.3af/at |
| | © Fortinet Inc. All Rights Reserved. | 128 |

FortiAP U321/323EV

Indoor | 802.11ac W2 | Dual Radio | 3x3













| | FAP-U321EV | FAP-U323EV |
|--------------------|--|--|
| Target Environment | High density and performance Indoor AP | High density and performance Indoor AP |
| Number of Antenna | 6 Internal + 1 Bluetooth | 6 External+ 1 Bluetooth |
| Rx / Tx | 3x3 | 3x3 |
| Radio 1 | 2.4 GHz b/g/n (450 Mbps) | 2.4 GHz b/g/n (450 Mbps) |
| Radio 2 | 5GHz a/n/ac (2340 Mbps) | 5GHz a/n/ac (2340 Mbps) |
| PoE | 802.3at/af | 802.3at/af |
| | © Fortinet Inc. All Rights Reserved. | 129 |

FortiAP U421/423EV

Indoor | 802.11ac W2 | Dual Radio | 4x4









1 2 x GE RJ45 Interface



| | FAP-U321EV | FAP-U323EV |
|--------------------|---------------------------------------|---------------------------------------|
| Target Environment | High density, high performance indoor | High density, high performance indoor |
| Number of Antenna | 8 internal + 1 Bluetooth | 8 External + 1 Bluetooth |
| Rx / Tx | 4x4 | 4x4 |
| Radio 1 | 2.4 GHz b/g/n (800 Mbps) | 2.4 GHz b/g/n (800 Mbps) |
| Radio 2 | 5GHz a/b/g/n/ac (3460 Mbps) | 5GHz a/b/g/n/ac (3460 Mbps) |
| PoE | 802.3at | 802.3at |
| | © Fortinet Inc. All Rights Reserved. | 130 |

FortiAP U431/433F

Indoor | 802.11ax | Triple Radio | 4x4





2 1 x GE RJ45 Interface





1 x GE RJ45 Interface





| | FAP-U431F | FAP-U433F |
|--------------------|---------------------------------------|--|
| Target Environment | High density, high performance indoor | High density, high performance indoor |
| Number of Antenna | 10 internal + 1 BT/BLE Internal | 10 External (RP-SMA) + 1 BT/BLE Internal |
| Rx / Tx | 4x4 | 4x4 |
| Radio 1 | 5 GHz a/n/ac/ax (4,804 Mbps) | 5 GHz a/n/ac/ax (4,804 Mbps) |
| Radio 2 | 2.4/5 GHz a/b/g/n/ac/ax (4,804 Mbps) | 2.4/5 GHz a/b/g/n/ac/ax (4,804 Mbps) |
| Radio 3 | 2.4/5 GHz b/g/n/ac (300 Mbps) | 2.4/5 GHz b/g/n/ac (300 Mbps) |
| PoE | 802.3af/at | 802.3af/at |
| 4-2 | © Fastingt land All Digital December | |

FortiAP U422EV

Outdoor | 802.11n/ac W2 | 4x4



- 1 2x GE RJ45
- 2 1x RS-232 RJ45 Serial Port



| Target Environment | High Performance Outdoor | |
|--------------------|---|--|
| Number of Antenna | 8 External (Type N) + 1 BT/BLE Internal | |
| Rx / Tx | 4 x 4 | |
| Radio 1 | 2.4 GHz b/g/n (600 Mbps) | |
| Radio 2 | 5GHz a/n/ac (3,466 Mbps) | |
| PoE | 802.3at/Proprietary | |
| | | |



FortiAP U24JEV

Wall Plate | 802.11n/ac | 2x2



- 1 4x GE RJ45 (inc. (1x 802.3at PoE PD)
- 2) 1x RJ45 GE 802.3af PoE PSE
- 3 1x RJ45 pass-thru



Hardware Overview – FortiAP U-Series

Indoor

| | FAP-U321/323EV | FAP-U321/323EV | FAP-U421/423EV |
|---------------------|-----------------------------|-----------------------------|-----------------------------|
| Form Factor | Indoor, rectangular | Indoor, rectangular | Indoor, rectangular |
| Rx / Tx | 2x2 | 3x3 | 4x4 |
| Radio 1 | 5GHz a/n/ac (867 Mbps) | 5GHz a/n/ac (2340Mbps) | 5GHz a/n/ac (3460 Mbps) |
| Radio 2 | 2.4 GHz b/g/n (300 Mbps) | 2.4 GHz b/g/n (450 Mbps) | 2.4 GHz b/g/n (800 Mbps) |
| РоЕ | 802.3af/at 802.3af/at | | 802.3af/at |
| Antennas | 4 internal / external + BT | 6 internal / external + BT | 8 internal / external + BT |
| Ethernet Interfaces | 1 x GE RJ45 | 2 x GE RJ45 | 2 x GE RJ45 |



FortiAP Power Adaptors

| | Power Supply Type | Power supply shipped with unit | (Spare) Power supply order SKU | GPI-115 Support | GPI-130 Support |
|----------|----------------------|--------------------------------|--|--------------------|--------------------|
| FAP-11C | AC | √ (Integrated power supply) | N/A | - | - |
| FAP-14C | AC | ✓ | SP-FAP14C-PA-XX | - | - |
| FAP-21D | AC | √ (USB powered) | N/A | - | - |
| FAP-24D | PoE 802.3af | - | SP-FG20C-PA-XX | ✓ | - |
| FAP-25D | AC | √ (Integrated power supply) | N/A | - | - |
| FAP-28C | AC | ✓ | SP-FG20C-PA-XX | - | - |
| FAP-112B | PoE Proprietary | ✓ | SP-FAP112B-PA (includes PoE injector) + SP- ADAPTORPLUG-01-XX | - | - |
| FAP-112D | PoE Proprietary | ✓ | SP-FAP222B-PA (includes PoE injector) + SP- ADAPTORPLUG-01-XX | - | - |
| FAP-210B | PoE 802.3af | ✓ | SP-FAP220B-PA-XX | ✓ | - |
| FAP-220B | PoE 802.3af | ✓ | SP-FAP220B-PA-XX | ✓ | - |



FortiAP Power Adaptors

| | Power Supply Type | Power supply shipped with unit | (Spare) Power supply order SKU | GPI-115 Support | GPI-130 Support |
|---------------|--------------------------------|--------------------------------|--|--------------------|--------------------|
| FAP-221B/223B | PoE 802.3af | - | SP-FAP221B-PA + SP-ADAPTORPLUG-01-XX | ✓ | - |
| FAP-221C/223C | PoE 802.3af | - | SP-FG20C-PA-XX | ✓ | - |
| FAP-221E/223E | PoE 802.3af | - | SP-FAP200-PA-XX | ✓ | - |
| FAP-222B/222C | PoE 802.3at/POE Proprietary | ✓ | SP-FAP222B-PA (includes PoE injector) + SP- ADAPTORPLUG-01-XX | - | - |
| FAP-222E | PoE 802.3at | ✓ | TBC | - | ✓ |
| FAP-224D | PoE 802.3af | ✓ | SP-FAP221B-PA + SP-ADAPTORPLUG-01-XX | √ | - |
| FAP-224E | PoE 802.3at | - | N/A | - | ✓ |
| FAP-320B | PoE 802.3af | - | SP-FG20C-PA-XX | ✓ | - |
| FAP-320C | PoE 802.3af | - | SP-FG20C-PA-XX | ✓ | - |
| FAP-321C | PoE 802.3af | - | SP-FG20C-PA-XX | ✓ | - |
| FAP-421E/423E | PoE 802.3at | - | SP-FAP400-PA-XX | - | ✓ |



FortiAP Power Adaptors

| | Power Supply Type | Power supply shipped with unit | (Spare) Power supply order SKU | GPI-115 Support | GPI-130 Support |
|----------|----------------------|--------------------------------|--------------------------------|--------------------|--------------------|
| FAP-231E | 802.3.af 802.3.at | - | SP-FAP200-PA-XX | - | √ |
| FAP-321E | 802.3.af 802.3.at | - | SP-FAP200-PA-XX | - | ✓ |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |



FortiAP S-Series Power Adaptors

| | Power Supply Type | Power supply shipped with unit | (Spare) Power supply order SKU | GPI-115 Support | GPI-130 Support |
|---------------------------------------|----------------------|-------------------------------------|--------------------------------|--------------------|---------------------------|
| FAP-S221E/223E | PoE 802.3af | - | SP-FAP200-PA-XX | ✓ | - |
| FAP-S311C/313C | PoE 802.3at | - | SP-FG20C-PA-XX | ✓ | ✓ (to use USB port) |
| FAP-S321C/323C FAP- S321CR/323C | PoE 802.3at | - | SP-FG20C-PA-XX | - | ✓ |
| FAP- S322C/S322CR | PoE 802.3at | ✓ (PoE injector + Power Adapter) | TBC | - | ✓ |
| FAP-S421E/423E | PoE 802.3at | - | SP-FAP400-PA-XX | - | ✓ |
| FAP-S422E | PoE 802.3at | √ (PoE injector + Power Adapter) | TBC | - | ✓ |



FortiAP U-Series Power Adaptors

| | Power Supply Type | Power supply shipped with unit | (Spare) Power supply order SKU | GPI-115 Support | GPI-130 Support |
|----------------------|----------------------------|---------------------------------|--------------------------------|--------------------|--------------------|
| FAP- U221EV/223EV | PoE 802.3af | - | SP-FAP200-PA-XX | ✓ | - |
| FAP- U321EV/323EV | PoE 802.3af PoE 802.3at | - | SP-FAP200-PA-XX | - | ✓ |
| FAP -U431F/433F | PoE 802.3at | - | SP-FAP400-PA-XX | - | ✓ |
| FAP- U421EV/423EV | PoE 802.3af PoE 802.3at | - | SP-FAP400-PA-XX | - | ✓ |
| FAP- U422EV | Proprietary 802.3at | ✓ (Proprietary PoE injector) | - | - | ✓ |



FortiAP C-Series Power Adaptors

| | Power Supply Type | Power supply shipped with unit | (Spare) Power supply order SKU | GPI-115 Support | GPI-130 Support |
|----------------|-----------------------------|--------------------------------|--------------------------------|--------------------|--------------------|
| FAP-C220C/225C | PoE 802.3af | - | - | ✓ | - |
| FAP-C23JD | PoE 802.3af (wall Plate) | - | - | - | - |
| FAP-C24JE | PoE 802.3af (wall Plate) | - | - | - | - |





FortiSwitch



Introducing FortiSwitch



Appliance



Access level Gigabit Switches with ease of use and low cost of ownership

FSW-1xxD/E Series



FSW-2xxD/E Series



FSW-4xxD Series



FSW-5xxD Series



Outstanding price, performance, and scalability to organizations with diverse operational needs.

Primary Benefits:

- √ High Port Density
- ✓ Integrated Power Over Ethernet
- Connect Access Points, Peripherals, Cameras, Phones
- Create an integrated, secure network



FortiSwitch Family

| | FSW-148F-POE | FSW-248E-FPOE | FSW-448D/E-FPOE | FSW-548D-FPOE | |
|----------------------|--|---------------------|-----------------------------|--|------------------------|
| 48 ports | FSW-148E/F-POE | FSW-248E-POE | FSW-448D/E-POE | | |
| | FSW-148E/F | FSW-248D | FSW-448D/E | FSW-548D | FSW-1048E |
| 26 / 32 ports | | | FSW-M426E-FPOE | | FSW-3032E FSW-3032D |
| | FSW-124E/F-FPOE | FSW-224D-FPOE | FSW-424E-FPOE | FSW-524D-FPOE | |
| 24 ports | FSW-124E/F-POE | FSW-224E-POE | FSW-424E-POE | | |
| | FSW-124E/F | FSW-224E | FSW-424E FSW-424E-Fiber | FSW-524D | FSW-1024D |
| | FSW-108E-FPOE | | | | |
| 8 ports | FSW-108E-POE | | | | |
| | FSW-108E | | | | |
| | 100 Series | 200 Series | 400 Series | 500 Series | 1000/3000 Series |
| | + 4x 10GE SFP+ uplinks (148F Series) + 2 or 4x GE SFP uplinks (rest) | + 4x GE SFP uplinks | + 2 or 4 x10GE SFP+ uplinks | + 4x 10GE SFP+ and 2x 40GE stacking | Data Center Switches |

FortiSwitch 108E Series



- 1 7x GE RJ45 Ports
- 2 1x GE POE-PD RJ45 Ports
- 3 2x GE SFP slots



- 1 4x GE RJ45 Ports
- 2 4x GE RJ45 POE+ Ports
- 3 2x GE SFP slots





- 1 8x GE RJ45 POE+ Ports
- 2 2x GE SFP slots






| | FS-108E | FS-108E-POE | FS-108E-FPOE |
|-----------------------|------------------|---------------|---------------|
| Switch Capacity | 20 Gbps | 20 Gbps | 20 Gbps |
| MAC Address Storage | 8K | 8K | 8K |
| Network Latency (64b) | 4 ms | 4 ms | 4 ms |
| VLANs Supported | 4K | 4K | 4K |
| Max LAG Size | up to 8 ports | up to 8 ports | up to 8 ports |
| PoE Power Budget | - | 65 W | 130 W |
| Power Supply | Single PS/PoE-PD | Single PS | Single PS |
| | | | |



FortiSwitch 124E Series







2 4x GE SFP slots



2 12x GE RJ45 POE+ Ports

3 4x GE SFP slots



2 4x GE SFP slots





| | FS-124E | FS-124E-POE | FS-124E-FPOE | |
|-----------------------|---------------|---------------|---------------|--|
| Switch Capacity | 56 Gbps | 56 Gbps | 56 Gbps | |
| MAC Address Storage | 8K | 8K | 8K | |
| Network Latency (64b) | 4 ms | 4 ms | 4 ms | |
| VLANs Supported | 4K | 4K | 4K | |
| Max LAG Size | up to 8 ports | up to 8 ports | up to 8 ports | |
| PoE Power Budget | - | 185 W | 370 W | |
| Power Supply | Single PS | Single PS | Single PS | |

FORTOET



FortiSwitch 124F Series





- 12x GE RJ45 Ports
- 2 12x GE RJ45 POE+ Ports
- 3 4x 10GE SFP+ slots





- 1 24x GE RJ45 POE+ Ports
- 2 4x 10GE SFP+ slots





| | FS-124F | FS-124F-POE | FS-124F-FPOE | ĺ |
|-----------------------|---------------|---------------|---------------|---|
| Switch Capacity | 128 Gbps | 128 Gbps | 128 Gbps | |
| MAC Address Storage | 32K | 32K | 32K | |
| Network Latency (64b) | <1 µs | <1 µs | <1 µs | |
| VLANs Supported | 4K | 4K | 4K | |
| Max LAG Size | up to 8 ports | up to 8 ports | up to 8 ports | |
| PoE Power Budget | - | 185 W | 370 W | |
| Power Supply | Single PS | Single PS | Single PS | |
| | | | | |



FortiSwitch 148E Series



- 1 48 x GE RJ45 Ports
- 2 4x GE SFP slots





- 1) 24 x GE RJ45 Ports
- 24 x GE RJ45 POE Ports
- 3 4x GE SFP slots






| | FS-148E | FS-148E-POE |
|-----------------------|---------------|---------------|
| Switch Capacity | 104 Gbps | 104 Gbps |
| MAC Address Storage | 16K | 16K |
| Network Latency (64b) | <1 µs | <1 µs |
| VLANs Supported | 4K | 4K |
| Max LAG Size | up to 8 ports | up to 8 ports |
| PoE Power Budget | - | 370 W |
| Power Supply | Single PS | Single PS |
| 4-1 | | |



FortiSwitch 148F Series





- 1) 24 x GE RJ45 Ports
- 24 x GE RJ45 POE+ Ports
- 3 4x 10GE SFP+ Slots





- 1 48 x GE RJ45 POE/POE+ Ports
- 2 4x 10GE SFP+ Slots





| | FS-148F | FS-148F-POE | FS-148F-FPOE |
|-----------------------|---------------|---------------|---------------|
| Switch Capacity | 176 Gbps | 176 Gbps | 176 Gbps |
| MAC Address Storage | 32K | 32K | 32K |
| Network Latency (64b) | <1 µs | <1 µs | <1 µs |
| VLANs Supported | 4K | 4K | 4K |
| Max LAG Size | up to 8 ports | up to 8 ports | up to 8 ports |
| PoE Power Budget | N/A | 370 W | 740 W |
| Power Supply | Single PS | Single PS | Single PS |
| | | | |



FortiSwitch 224D/E Series



- 1 24x GE RJ45 Ports
- 2 4x GE SFP Slots



- 12 x GE RJ45 Ports
- 2) 12 x GE RJ45 POE+ Ports
- 4x GE SFP slots





- 1) 24 x GE RJ45 POE/POE+ Ports
- 2 4x GE SFP slots





| | FS-224E | FS-224E-POE | FS-224D-FPOE | |
|-----------------------|-------------------|------------------------------|------------------------------|--|
| Switch Capacity | 56 Gbps | 56 Gbps | 56 Gbps | |
| MAC Address Storage | 16K | 16K | 16K | |
| Network Latency (64b) | <1 µs | <1 µs | <1 µs | |
| VLANs Supported | 4K | 4K | 4K | |
| Max LAG Size | up to 8 ports | up to 8 ports | up to 8 ports | |
| PoE Power Budget | N/A | 180 W | 370 W | |
| Power Supply | Dual Redundant PS | Single PS, Optional FRPS-740 | Single PS, Optional FRPS-740 | |
| | | | | |



FortiSwitch 248D Series



- 1 48 x GE RJ45 Ports
- 2 4x GE SFP slots





- 1) 24 x GE RJ45 Ports
- 24 x GE RJ45 POE Ports
- 3 2x GE SFP slots





| | FS-248D | FS-248D-POE |
|-----------------------|---------------|---------------|
| Switch Capacity | 104 Gbps | 104 Gbps |
| MAC Address Storage | 16K | 16K |
| Network Latency (64b) | <1 µs | <1 µs |
| VLANs Supported | 4K | 4K |
| Max LAG Size | up to 8 ports | up to 8 ports |
| PoE Power Budget | - | 370 W |
| Power Supply | Single PS | Single PS |
| 4-2 | | |



FortiSwitch 248E Series



- 1 24x GE RJ45 Ports
- 24x GE PoE/PoE+ Ports
- 3 4x GE SFP Slots







- 1 48 x GE PoE/PoE+ RJ45 Ports
- 2 4x GE SFP slots






| | FS-248E-POE | FS-248E-FPOE |
|-----------------------|------------------------------|------------------------------|
| Switch Capacity | 104 Gbps | 104 Gbps |
| MAC Address Storage | 16K | 16K |
| Network Latency (64b) | <1 µs | <1 µs |
| VLANs Supported | 4K | 4K |
| Max LAG Size | up to 8 ports | up to 8 ports |
| PoE Power Budget | 370 W | 740 W |
| Power Supply | Single PS, Optional FRPS-740 | Single PS, Optional FRPS-740 |
| | | |



FortiSwitch 424E Series













2 4x 10GE SFP slots





| | FS-424E | FS-424E-POE | FS-424E-FPOE | |
|-----------------------|-------------------|-------------------|-------------------|--|
| Switch Capacity | 128 Gbps | 128 Gbps | 128 Gbps | |
| MAC Address Storage | 16K | 16K | 16K | |
| Network Latency (64b) | <1 µs | <1 µs | <1 µs | |
| VLANs Supported | 4K | 4K | 4K | |
| Max LAG Size | up to 8 ports | up to 8 ports | up to 8 ports | |
| PoE Power Budget | - | 250 W | 421 W | |
| Power Supply | Dual Redundant PS | Dual Redundant PS | Dual Redundant PS | |



FortiSwitch 424E-Fiber



- 1 4x GE/10GE SFP/SFP+ slots
- 24x GE SFP ports





| Switch Capacity | 128 Gbps | |
|-----------------------|-------------------|--|
| MAC Address Storage | 32 K | |
| Network Latency (64b) | <1 µs | |
| VLANs Supported | 4096 | |
| Max LAG Size | up to 8 ports | |
| PoE Power Budget | - | |
| Power Supply | Dual Redundant PS | |



FortiSwitch M426E-FPOE



- 1) 4x GE/10GE SFP/SFP+ slots
- 2x 5GE RJ45 ports
- 3 8x 2.5GE RJ45 ports
- 4 16x GE RJ45 ports






| Switch Capacity | 172 Gbps | |
|-----------------------|-------------------|--|
| MAC Address Storage | 16 K | |
| Network Latency (64b) | <1 µs | |
| VLANs Supported | 4096 | |
| Max LAG Size | up to 8 ports | |
| PoE Power Budget | 420 W | |
| Power Supply | Dual Redundant PS | |
| | | |



FortiSwitch 448D Series







- 1 48x GE RJ45 Ports
- 2 4x 10GE SFP+ slots

- 1 48x GE RJ45 POE/POE+ Ports
- 4x 10GE SFP slots

48x GE RJ45 POE/POE+ Ports
 4x 10GE SFP slots










| | FS-448D | FS-448D-POE | FS-448D-FPOE |
|-----------------------|-------------------|------------------------------|-------------------|
| Switch Capacity | 176 Gbps | 176 Gbps | 176 Gbps |
| MAC Address Storage | 16K | 16K | 16K |
| Network Latency (64b) | <1 µs | <1 µs | <1 µs |
| VLANs Supported | 4K | 4K | 4K |
| Max LAG Size | up to 8 ports | up to 8 ports | up to 8 ports |
| PoE Power Budget | - | 185 W | 370 W |
| Power Supply | Dual Redundant PS | Single PS, Optional FRPS-740 | Dual Redundant PS |
| | | | |



FortiSwitch 448E Series





- 1 48x GE RJ45 POE/POE+ Ports
- 2) 4x 10GE SFP slots





- 1 48x GE RJ45 POE/POE+ Ports
- 2 4x 10GE SFP slots





| ī | | FS-448E | FS-448E-POE | FS-448E-FPOE | |
|---|-----------------------|-------------------|-------------------|-------------------|--|
| | Switch Capacity | 128 Gbps | 128 Gbps | 128 Gbps | |
| | MAC Address Storage | 16K | 16K | 16K | |
| | Network Latency (64b) | <1 µs | <1 µs | <1 µs | |
| | VLANs Supported | 4K | 4K | 4K | |
| | Max LAG Size | up to 8 ports | up to 8 ports | up to 8 ports | |
| | PoE Power Budget | <u>-</u> | 421 W | 772 W | |
| | Power Supply | Dual Redundant PS | Dual Redundant PS | Dual Redundant PS | |



FortiSwitch 524D Series



- 1 24x GE RJ45 Ports
- 2 4x 10GE SFP+ slots
- 3 2x 40GE stacking interface





- 1 24x GE RJ45 POE/POE+ Ports
- 2 4x 10GE SFP+ slots
- 3 2x 40GE stacking interface






| | FS-524D | FS-524D-FPOE |
|-----------------------|--------------------------------|--------------------------------|
| Switch Capacity | 288 Gbps | 288 Gbps |
| MAC Address Storage | 96K | 96K |
| Network Latency (64b) | <2 µs | <2 µs |
| VLANs Supported | 4K | 4K |
| Max LAG Size | up to 24 ports | up to 24 ports |
| PoE Power Budget | - | 400 W |
| Power Supply | Single PS, Optional FS-PSU-150 | Single PS, Optional FS-PSU-600 |
| | | |



FortiSwitch 548D Series



- 1 48x GE RJ45 Ports
- 2 4x 10GE SFP+ slots
- 3 2x 40GE stacking interface



- 1 48x GE RJ45 POE/POE+ Ports
- 2 4x 10GE SFP+ slots
- 3 2x 40GE stacking interface






| | FS-548D | FS-548D-FPOE |
|-----------------------|--------------------------------|--------------------------------|
| Switch Capacity | 336 Gbps | 336 Gbps |
| MAC Address Storage | 96K | 96K |
| Network Latency (64b) | <2 µs | <2 µs |
| VLANs Supported | 4K | 4K |
| Max LAG Size | up to 24 ports | up to 24 ports |
| PoE Power Budget | - | 750 W |
| Power Supply | Single PS, Optional FS-PSU-150 | Single PS, Optional FS-PSU-900 |
| | | |



FortiSwitch 1048E



- 1) 4x 40/100GE QSFP28 slots
- 2 6x 40GE QSFP+ slots
- 3 48x GE/10GE SFP/SFP+ slots
- 4 1x GE RJ45 Mgmt port






| Switch Capacity (Duplex) | 1760 Gbps | |
|--------------------------|-------------------|--|
| MAC Address Storage | 144,000 | |
| Network Latency (64b) | <800 ns | |
| VLANs Supported | 4096 | |
| Max LAG Size | up to 48 ports | |
| PoE Power Budget | - | |
| Power Supply | Dual Redundant PS | |



FortiSwitch 3032D





- 1) 32x 40GE QSFP+ slots
- 2 1x GE RJ45 Mgmt port






| Switch Capacity (Duplex) | 2560 Gbps | |
|--------------------------|----------------|--|
| MAC Address Storage | 128,000 | |
| Network Latency (64b) | <1 µs | |
| VLANs Supported | 4096 | |
| Max LAG Size | up to 24 ports | |
| PoE Power Budget | - | |



Power Supply

Dual Redundant PS

FortiSwitch 3032E



- 1) 32x 40/100GE QSFP28 slots
- 2 1x GE RJ45 Mgmt port





| Switch Capacity (Duplex) | 6400 Gbps | |
|--------------------------|-------------------|--|
| MAC Address Storage | 40,000 | |
| Network Latency (64b) | <1 µs | |
| VLANs Supported | 4096 | |
| Max LAG Size | up to 48 ports | |
| PoE Power Budget | - | |
| Power Supply | Dual Redundant PS | |



FortiSwitch Series – Secure Access Switches (I)

| | FS-108E | FS-108E-POE | FS-108E-FPOE |
|---------------------|-----------------------------------|-------------------|--------------|
| GE Ports | 7x RJ45, 1x RJ45 PoE-PD 2x SFP | 4x RJ45 2x SFP | 2x SFP |
| PoE GE Ports | - | - | - |
| PoE/+ GE Ports | - | 4 | 8 |
| 10GE SFP+ slots | - | - | - |
| Shared Ports (pair) | - | - | - |
| Power Budget | - | 65 W | 130 W |
| Power Supply | Single AC/PoE-PD | Single AC | Single AC |



FortiSwitch Series – Secure Access Switches (II)

| | FS-124E | FS-124E-POE | FS-124E-FPOE |
|----------------|----------------------|----------------------|--------------|
| GE Ports | 24x RJ45, 4 x SFP | 12x RJ45, 4 x SFP | 4 x SFP |
| PoE GE Ports | - | - | - |
| PoE/+ GE Ports | - | 12 | 24 |
| Power Budget | - | 185 W | 370 W |
| Power Supply | Single AC | Single AC | Single AC |



FortiSwitch Series – Secure Access Switches (III)

| | FS-224E | FS-224E-POE | FS-224D-FPOE |
|---------------------|---------------------|------------------------------|------------------------------|
| GE Ports | 24x RJ45, 4x SFP | 12x RJ45, 4x SFP | 4x SFP |
| PoE GE Ports | - | - | - |
| PoE/+ GE Ports* | - | 12 | 24 |
| Shared Ports (pair) | - | - | - |
| Power Budget | - | 180 W | 370 W |
| Power Supply | Dual Redundant PS | Single AC, Optional FRPS-740 | Single AC, Optional FRPS-740 |



FortiSwitch Series – Secure Access Switches (IV)

| | FS-248D | FS-248D-POE | FS-248E-POE | FS-248E-FPOE |
|----------------|--------------------|--------------------|----------------------------------|----------------------------------|
| GE Ports | 48x RJ45 4x SFP | 24x RJ45 2x SFP | 24x RJ45 4x SFP | 4x SFP |
| PoE GE Ports | - | 24 | <u>-</u> | - |
| PoE/+ GE Ports | - | - | 24 | 48 |
| Power Budget | - | 370 W | 370 W | 740 W |
| Power Supply | Single PS | Single PS | Single AC, Optional FRPS- 740 | Single AC, Optional FRPS- 740 |



FortiSwitch Series – Secure Access Switches (V)

| | FS-424D | FS-424D-POE | FS-424D-FPOE | FS-448D | FS-448D-POE | FS-448D-FPOE |
|-----------------|----------------------|-------------------------------------|-------------------------------------|----------------------|-------------------------------------|----------------------|
| GE Ports | 24 | - | - | 48 | - | - |
| PoE/+ GE Ports | - | 24 | 24 | - | 48 | 48 |
| 10GE SFP+ slots | 2 | 2 | 2 | 4 | 4 | |
| Power Budget | - | 185 W | 370 W | - | 370 W | 740 W |
| Power Supply | Dual Redundant AC | Single AC, Optional FRPS- 740 | Single AC, Optional FRPS- 740 | Dual Redundant AC | Single AC, Optional FRPS- 740 | Dual Redundant AC |



FortiSwitch Series – Secure Access Switches (VI)

| | FS-524D | FS-524D-FPOE | FS-548D | FS-548D-FPOE |
|------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|
| GE Ports | 24 | - | 48 | - |
| PoE/+ GE Ports | - | 24 | - | 48 |
| 10GE SFP+ slots | 4 | 4 | 4 | 4 |
| 40GE QSFP+ slots | 2 | 2 | 2 | 2 |
| Power Budget | - | 500 W | - | 750 W |
| Power Supply | Single PS, Optional FS- PSU-150 | Single PS, Optional FS- PSU-600 | Single PS, Optional FS- PSU-150 | Single PS, Optional FS- PSU-900 |



FortiSwitch Series – Data Center Switches

| | FSW-1024D | FSW-1048D | FSW-1048E | FSW-3032D | FSW-3032E |
|--------------|--------------|-------------|--------------|-----------|---------------|
| GE Ports | 1x mgmt | 1x mgmt | 1x mgmt | 1x mgmt | 1x mgmt |
| PoE GE Ports | - | - | - | - | - |
| 10GE Ports | 24 (1G/10G) | 48 (1G/10G) | 48 (1G/10G) | - | - |
| 40GE Ports | - | 4 | 2 | 32 | - |
| 100GE Ports | - | - | 4 (40G/100G) | - | 32 (40G/100G) |
| Power Budget | - | - | - | - | - |









Introducing FortiNAC





Appliance

Virtual Machine



Provides Visibility of Users and End points for Enterprise Networks and Automates Threat Response



Device identification and profiling



Simplified guest access with self-registration



Continuous risk assessment



Micro-segmentation of endpoints



Automated response to identified risks



Orchestration of 3rd party devices

Continuous device profiling



1. Printer connected to network



2. MAC notification trap triggers FortiNAC



3. FortiNAC Profiles device as printer



4. FortiNAC
Informs Fabric to
allow
Printer-type
access to
network

Containment of lateral threats at Edge



User brings infected laptop to work



2. FGT sends event to FortiNAC



3. FortiNAC quarantines the laptop at access laver



4. Virus contained at switch node



FortiNAC Series

| | FNC-CA-500C | FNC-CA-600C | FNC-CA-700C | FNC-R-650C | FNC-M-550C |
|--------------------|---|---|---|--|--|
| Туре | Mid-range Control and Application Server | High Performance Control and Application Server | Ultra High Performance Control and Application Server | Reporting and Analytics Server | Centralized Management Appliance |
| Target Environment | Small Environments | Medium Environments | Large Environments with few Persistent Agents | Multi-site environments with multiple appliances | Multi-site environments with multiple appliances |
| Capacity | Manages up to 1,000 ports in the network* | Manages up to 7,500 ports in the network* | Manages up to 15,000 ports in the network* | Unlimited | Unlimited |



Virtual appliances are also available, please refer to www.fortinet.com for more information





* FortiSandbox



Introducing FortiSandbox









Appliance

Virtual Machine

osted

Cloud



Advanced Threat Protection solution designed to identify and thwart the highly targeted and tailored attacks



Independently top-rated



Broad integration



Intelligent automation




All-in-one



Flexible deployment



Open extensibility





FortiSandbox Series

| FortiSandbox | FSA-500F | FSA-1000F/-DC | FSA-2000E | FSA-3000E | FSA-VM |
|---------------------------------------|------------------|---|---|---|--------------------|
| VM Sandboxing (Files/Hour) | 120 | 280 | 480 | 1,120 | Hardware Dependent |
| Sandbox Pre-Filter (Files/Hour) | 4,500 | 7,500 | 12,000 | 15,000 | Hardware Dependent |
| Number of VMs | 2+4 optional | 2+12 optional | 4+20 optional | 8 + 48 optional | Total: 1 to 54 |
| Interfaces | 4x GE RJ45 ports | 4x GE RJ45 ports, 4x 10GE SFP+ slots | 4x GE RJ45 ports, 2x 10GE SFP+ slots | 4x GE RJ45 ports, 2x 10GE SFP+ slots | Hardware Dependent |





FortiClient



Introducing FortiClient



Comprehensive end-point protection & security enforcement



Broad endpoint visibility



Endpoint compliance and vulnerability management



Proactive endpoint defense




Automated threat containment



Secure remote access



Easy to deploy and manage





FortiClient V6.2

1 Requires FortiClient to be managed by EMS

| | Windows | Mac OSX | Android | iOS | Chromebook | Linux |
|---|---------|---------|----------|----------|------------|-------|
| Security Fabric Components | | | | | | |
| Endpoint Telemetry ¹ | ✓ | ✓ | ✓ | √ | ✓ | ✓ |
| Compliance Enforcement using Dynamic Access Control ¹ | ✓ | ✓ | √ | ✓ | | ✓ |
| Endpoint Audit and Remediation with Vulnerability Scanning ¹ | ✓ | ✓ | | | | ✓ |
| Automated Endpoint Quarantine | ✓ | ✓ | | | | |



FortiClient V6.2

| | Windows | Mac OSX | Android | iOS | Chromebook | Linux | | |
|---------------------------------|----------------------------------|---------|---------|--------------|------------|-------------|--|--|
| Host Security and VPN Compo | Host Security and VPN Components | | | | | | | |
| Antivirus | ✓ | ✓ | | | | ✓ | | |
| Cloud-based Threat Detection | ✓ | | | | | | | |
| Anti-Exploit | \checkmark | | | | | | | |
| Sandbox Detection (On-prem) | ✓ | ✓ | | | | √ (limited) | | |
| Sandbox Detection (Cloud) | ✓ | | | | | | | |
| Web Filtering | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| Application Firewall | ✓ | ✓ | | | | | | |
| IPSec VPN | ✓ | ✓ | ✓ | | | | | |
| SSL VPN | ✓ | ✓ | ✓ | \checkmark | | ✓ | | |



FortiClient V6.2

| | Windows | Mac OSX | Android | iOS | Chromebook | Linux |
|----------------------------|----------|---------|---------|----------|------------|--------------|
| Others | | | | | | |
| Remote Logging & Reporting | √ | ✓ | | √ | ✓ | √ |
| Windows AD SSO Agent | √ | ✓ | | | | |
| USB Device Control | ✓ | ✓ | | | | \checkmark |





FortiMail



Introducing FortiMail









Appliance

Virtual Machine

ed





Advanced anti-spam and antivirus filtering solution, with extensive quarantine and archiving capabilities.



Top-rated Antispam and Antiphishing



Independently certified advanced threat defense




Integrated data protection



Enterprise-class management



High-performance mail handling













FortiMail Series

| FortiMail | FML-60D | FML-200F | FML-400F | FML-900F | FML-2000E | FML-3000E | FML-3200E |
|---|----------|--------------------|--------------------|-------------------------------|-------------------------------|--------------------------------|--------------------------------|
| Email Domains | 2 | 20 | 100 | 800 | 800 | 2,000 | 2,000 |
| Server Mode Mailboxes | 50 | 150 | 400 | 1,500 | 1,500 | 3,000 | 3,000 |
| Email Routing* (Msg/hr) | 3.6 K | 50 K | 250 K | 800 K | 1.5 Mil | 2.5 Million | 3.4 Million |
| FortiGuard Enterprise ATP* (Msg/hr) | 2.7 K | 30 K | 150 K | 400 K | 700 K | 1.5 Million | 2.0 Million |
| GE RJ45 ports | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| GE SFP Slots | - | - | - | 2 | 2 | 2 | 2 |
| 10 GE SFP+ Slots | - | - | - | - | - | - | 2 |
| Storage capacity | 1x 500GB | 1x 1TB | 2x 1TB | 2x 2 TB (2x 2 TB Optional) | 2x 2 TB (6x 2 TB Optional) | 2x 2TB (10 x 2 TB Optional) | 2x 2 TB (10x 2 TB Optional) |
| Form Factor | Desktop | Rack Mount, 1RU | Rack Mount, 1RU | Rack Mount, 2RU | Rack Mount, 2RU | Rack Mount, 2RU | Rack Mount, 2RU |

^{*} Based on 100KB message size, no queuing



FortiMail-VM Series

| FortiMail | FML-VM00 | FML-VM01 | FML-VM02 | FML-VM04 | FMG-VM08 | FMG-VM016 | FMG-VM32 |
|--|--------------|--------------|--------------|--------------|--------------|---------------|---------------|
| Email Domains | 2 | 20 | 100 | 800 | 2,000 | 2,000 | 2,000 |
| Server Mode Mailboxes | 50 | 150 | 400 | 1,500 | 3,000 | 3,000 | 3,000 |
| Email Routing* (Msg/hr) | 3,600 | 34,000 | 67,000 | 306,000 | 675,000 | 875,000 | 1,200,000 |
| FortiGuard Antispam+AV* (Msg/hr) | 2,700 | 30,000 | 52,000 | 225,000 | 585,000 | 817,000 | 1,100,000 |
| Max vCPU supported | 1 | 1 | 2 | 4 | 8 | 16 | 32 |
| Max vNICs | 4 | 4 | 4 | 4 | 4 | 6 | 6 |
| Storage capacity (Min/Max) | 50 GB / 1 TB | 50 GB / 1 TB | 50 GB / 2 TB | 50 GB / 4 TB | 50 GB / 8 TB | 50 GB / 12 TB | 50 GB / 24 TB |
| Memory required (Min/Max) | 1 GB / 2 GB | 1 GB / 2 GB | 1 GB / 4 GB | 1 GB / 8 GB | 1 GB / 16 GB | 1 GB / 128 GB | 1 GB / 128 GB |

^{*} Based on 100KB message size, no queuing





FortiWeb



Introducing FortiWeb











Appliance

Virtual Machine

sted

Cloud Container



Web application firewall to protect, balance, and accelerate web applications



Feature-rich product that consolidates NGFW and SWG services



Powerful hardware that can perform SSL deep inspection



Anti-malware techniques updated with the latest threat intelligence




single pane of glass management



Effectively remove blind spots in encrypted traffic



Stay protected against the latest known and unknown attacks





FortiWeb Series

| FortiWeb | FWB-100E | FWB-400E | FWB-600E | FWB-1000D | FWB-1000E |
|------------------|--------------|----------|--------------|--------------|--------------|
| Throughput | 50 Mbps | 250 Mbps | 750 Mbps | 1 Gbps | 1.3 Gbps |
| GE RJ45 ports | 4 | 4 | 2 + 2 Bypass | 2 + 4 Bypass | 2 + 4 Bypass |
| GE SFP slots | - | 4 | 4 | 2 | 4 |
| 10GE SFP+ | - | - | - | - | 2 |
| Storage capacity | 32 GB | 480 GB | 480 GB | 2x 2 TB | 2x 1 TB |
| Form Factor | Desktop | 1RU | 1RU | 2RU | 2RU |

| FortiWeb | FWB-2000E | FWB-3000E | FWB-3010E | FWB-4000E |
|------------------|-----------|--------------|-------------|-------------|
| Throughput | 2.5 Gbps | 5 Gbps | 5 Gbps | 20 Gbps |
| GE RJ45 ports | 4 Bypass | 4 + 4 Bypass | 4+ 4 Bypass | 4+ 4 Bypass |
| GE SFP slots | 4 | 4 | 4 | 4 |
| 10GE SFP+ | 2 | 4 | 2+ 2 Bypass | 2+ 2 Bypass |
| Storage capacity | 2x 1 TB | 2x 2 TB | 2x 2 TB | 2x 2 TB |
| Form Factor | 2RU | 2RU | 2RU | 2RU |



FortiWeb-VM and Container Series

| FortiWeb-VM | FWB-VM01 | FWB-VM02 | FWB-VM04 | FWB-VM08 | | |
|----------------------------|------------------|----------|----------|----------|--|--|
| HTTP Throughput | 25 Mbps | 100 Mbps | 500 Mbps | 2 Gbps | | |
| Max vCPU Supported | 1 | 2 | 4 | 8 | | |
| Memory required (Min/Max) | 1 GB / Unlimited | | | | | |
| Storage capacity (Min/Max) | 40 GB / 2 TB | | | | | |

| FortiWeb Container | FWB-VMC01 | FWB-VMC02 | FWB-VMC04 | FWB-VMC08 | | |
|----------------------------|----------------|-------------------|-----------|-----------|--|--|
| HTTP Throughput | 25 Mbps | 100 Mbps 500 Mbps | | 2 Gbps | | |
| Memory required (Min) | 4 GB | | | | | |
| Storage capacity (Min/Max) | 30 GB / 500 GB | | | | | |





FortiADC



Introducing FortiADC







Appliance

Virtual Machine





Optimize the availability, performance and scalability of mobile, cloud and enterprise application delivery



Layer 7 Load Balancing



Secure Traffic Management



Application Optimization




Security Fabric Integration



Global Server Load Balancing



Value-added Security Features





FortiADC Series

| FortiADC | FAD 100F | FAD 200F | FAD 300F | FAD 400F | FAD 1200F | FAD 2200F | FAD 4200F | FAD 5000F |
|--------------------------------------|-------------|-------------------------|-------------------------|---|---|---------------------------------|------------------------------------|---------------------------------------|
| L4 Throughput | 1.5 Gbps | 3 Gbps | 8 Gbps | 15 Gbps | 40 Gbps | 60 Gbps | 100 Gbps | 200 Gbps |
| L7 Throughput | 1.3 Gbps | 2.2 Gbps | ? Gbps | 12 Gbps | 30 Gbps | 35 Gbps | 80 Gbps | 12\50 Gbps |
| L4 CPS | 50,000 | 100,000 | 300,000 | 400,000 | 1 Million | 1.2 Million | 1.8 Million | 2.5 Million |
| L4 HTTP RPS | 150,000 | 300,000 | 1 Million | 1.5 Million | 3 Million | 4 Million | 5 Million | 7.5 Million |
| L4 Concurrent Connection | 3 Million | 5 Million | 12 Million | 12 Million | 36 Million | 72 Million | 144 Million | 160 Million |
| SSL Bulk Encryption Throughput | 400 Mbps | 1 Gbps | 3 Gbps | 6 Gbps | 20 Gbps | 25 Gbps | 50 Gbps | 50 Gbps |
| Total Interfaces | 6x GE RJ45 | 4x GE RJ45 2x GE SFP | 4x GE RJ45 4x GE SFP | 2x 10 GE SFP+, 4x GE SFP, 4x GE RJ45 | 8x 10 GE SFP+, 8x GE SFP, 8x GE RJ45 | 12x 10 GE SFP+, 8x GE SFP | 4x 40 GE QSFP+, 8x 10GE SFP+ | 4x 100 GE QSFP28, 8x 40 GE QSFP |
| Power Supply | Single | Single | Single | Single (optional Dual) | Dual | Dual | Dual | Dual |



FortiADC-VM Series

| FortiADC | FAD-VM01 | FAD-VM02 | FAD-VM04 | FAD-VM08 | FAD-VM16 | FAD-VM32 |
|----------------------|----------|----------|----------|----------|----------|----------|
| L4 Throughput | 1 Gbps | 2 Gbps | 4 Gbps | 10 Gbps | 16 Gbps | 24 Gbps |
| VDOM | 0 | 0 | 5 | 10 | 15 | 20 |
| vCPU support (Max) | 1 | 2 | 4 | 8 | 16 | 32 |
| Memory support (Max) | 4 GB | 4 GB | 8 GB | 16 GB | 32 GB | 64 GB |





FortiCASB



Introducing FortiCASB





Hosted Service Designed to Provide Visibility, Insight, and **Control for SaaS Applications**



API-Based



Compliance and DLP



User Insights and Policies



Security Fabric Integration



Shadow IT Discovery



Advanced Analytics







FortiCWP




Introducing FortiCWP





Cloud Security Analytics and Posture Management







-_-FortiDDoS



Introducing FortiDDoS



Appliance



Hardware Accelerated DDoS Intent Based Defense



(SPU)-based layer 3, 4, and 7 DDoS protection



Behavior-based DDoS protection to eliminate need for signature files



Minimal false-positive detections through continuous threat evaluation




Ability to monitor enormous parameters simultaneously



Advanced defense against bulk volumetric, layer 7 applications



Attack protection for DNS services via specialized tools





FortiDDoS Series

| | FDD-200F | FDD-400B | FDD-1200B | FDD-1500E | FDD-1500F | FDD-2000E |
|-----------------------------|--|---|---|---|--|---|
| Throughput (Full Duplex) | 8 Gbps | 6 Gbps | 36 Gbps | 35 Gbps | 30 Gbps | 70 Gbps |
| Simultaneous Connections | 4.2 Mil | 1 Mil | 6 Mil | 12 Mil | 16.7 Mil | 25 Mil |
| Session Setup/ Teardown | 375,000 / Second | 100,000 / Second | 600,000 / Second | >1.5M /Second | 700,000/Second | >3M /Second |
| Latency | < 50 µs | < 50 µs | < 50 µs | < 50 µs | < 50 µs | < 50 µs |
| Interfaces | 8 LAN/WAN Interfaces (Copper/SFP), 4 LAN & WAN bypass 10GE SFP/+ | 8 LAN Interfaces (Copper/SFP), 8 WAN Interfaces (Copper/SFP) | 16x LAN & WAN 10GE SFP/+, 4 LAN & WAN bypass 10GE SFP/+ | 16x LAN & WAN 10GE SFP/+, 4 LAN & WAN bypass 100GE QSFP28 | 4x LAN & WAN 10GE SFP/+, 4 LAN & WAN bypass 10GE SFP/+ | 16x LAN & WAN 10GE SFP/+, 4 LAN & WAN bypass 100GE QSFP28 |
| Advanced DNS Mitigation | Yes | Yes | Yes | Yes | Yes | Yes |







FortiDeceptor



Introducing FortiDeceptor





Appliance

Virtual Machine



Automated Detection and Response to External and Internal Threats




GUI driven threat map quickly uncovers threat campaigns targeting your organization



Security infrastructure integration provides real-time blocking of attackers before real damage occurs



Centrally manage and automate the deployment of deception VMs and decoys





FortiDeceptor Series

| | FDC-1000F | FDC-VM |
|---------------------------------|--|-------------------------|
| VM Instance support (Maximum) * | 16 Win / 16 Linux / Mix | 16 Win / 16 Linux / Mix |
| VLANs support (Maximum) | 32 | 32 |
| Deception VMs Shipped * | 2 Win (1 x Win7 & 1 x Win10) and 8 Linux | 0 |
| Interfaces | 4 x GE RJ45, 4 x GE SFP | 6 Virtual |
| Storage Capacity | 2TB (2 x 1TB HDD) | 200GB to 16TB |





FortiEDR



Introducing FortiEDR



Advanced, automated endpoint protection, detection, and response



Discover, Predict, Prevent



Detect and Defuse in Real Time



Playbook-based Incident Response




Real Time and Automatic



Efficient Security Operations



Minimize Business Impact









• Fortilsolator



Introducing Fortilsolator





Appliance

Virtual Machine



Secure Web Access by Browser Isolation



Safely access internet content



Clientless browser access, removing dependencies on specific devices or applications




Security Fabric integration with FortiGate and FortiMail



Boost Productivity by quickly renders safe web content for the end users



Secure Valuable Data by adding layer of advanced protection





Fortilsolator Series

| | FIS-1000F | FIS-VM | | | |
|--------------------------------|---|---|--|--|--|
| Concurrent Browser Sessions | 250* | Base VM license includes 2 concurrent sessions annual subscription basis in blocks of 50 sessions | | | |
| Supported Browsers | Chrome, Firefox, Microsoft Edge, Microsoft Internet Explorer, Safari, Opera | | | | |
| Integration Methods | Proxy, URL Rewrite, Transparent Inline | | | | |

* 20% of the sessions are video sessions





FortiProxy



Introducing FortiProxy







Appliance

Virtual //achine





Reduce the cost and impact of downloaded content, while increasing performance by improving the speed of access



Accelerated SSL deep inspection




Protection against sophisticated web attacks



Authenticated web application control



WAN Optimization and Advanced Caching





FortiProxy Series

| | FPX-400E | FPX-2000E | FPX-4000E |
|------------------|-------------|--|--|
| User License | 500 – 4,000 | 2,500 — 15,000 | 10,000 - 50,000 |
| Total Interfaces | 4x GE RJ45 | 2 x GE RJ45 2 x GE RJ45 bypass 2 x GE SFP 2 x 10GE SFP+ | 4 x GE RJ45 2 x GE RJ45 bypass 2 x GE SFP 4 x 10GE SFP+ |
| Storage Capacity | 2x 2 TB | 4x 2 TB (16 TB Max) | 4x 2 TB (24 TB Max) |

| | FPX-VM01 | FPX-VM02 | FPX-VM04 | FPX-VM08 | FPX-VM16 | FPX-UL |
|------------------------|----------------------------|----------------------------|----------------------------|------------------------------|------------------------------|--|
| License Capacity | 100 users | 100 – 500 users | 100 – 2,500 users | 100 – 10,000 users | 100 – 25,000 users | 100 – 50,000 users |
| Total Interfaces (Max) | 10 | 10 | 10 | 10 | 10 | 10 |
| CPU, memory, storage | 2 CPU, 2 GB RAM, 1 Disk | 4 CPU, 4 GB RAM, 2 Disk | 8 CPU, 8 GB RAM, 2 Disk | 16 CPU, 32 GB RAM, 4 Disk | 32 CPU, 64 GB RAM, 8 Disk | Unlimited CPU, Unlimited GB RAM, 16 Disk |



FortiRecorder & **FortiCamera**



Introducing FortiRecorder and FortiCam





Appliance

Virtual Machine



Al-enabled video surveillance for secure and safer workplaces



Multiple recording options: continuous, event-based, scheduled, manual



Access to live and recorded video from mobile apps and browsers



Recorder available as hardware or VM deployment



Large range of cameras to fit any environment, all powered with PoE



Free professional-grade video management system (VMS)



RADIUS, LDAP, SNMP, and remote data storage support






FortiRecorder Network Video Recorders







| | FRC-100D | FRC-400F | FRC-VM | |
|------------------|---|---|--------------------------------|--|
| Camera Capacity | 16 | 64 | 1024 | |
| Form Factor | Desktop | 1 RU | VM | |
| Total Interface | 3x GE RJ45 | 3x GE RJ45 | 1 to 4 network cards supported | |
| Storage | 1 TB | 1x 4 TB (4x 8 TB max.) | Unrestricted | |
| Features | Web-based interface simplifies configuration and management Comprehensive video management system Intelligent video analysis with AI-enabled detection Camera live view and video playback Event monitor with timeline Email notifications with snapshot preview Integrated with Fortinet Security Fabric products Secure proxy for 3rd party cameras | | | |
| Management Tools | FortiCentral (FortiRecorde | (Windows) er Mobile Apps (iOS, Android) | | |

FortiCam Surveillance Cameras









| | FCM-MB40 | FCM-MD50B | FCM-FD50 | FCM-PD50 |
|------------------------|---|--|--|--|
| Description | Day/Night Mini Box IP Camera for Indoor | Day/Night Mini Dome IP Camera for Indoor/Outdoor | Ultra-WDR Day/Night Fixed Dome IP Camera for Indoor/Outdoor | Day/Night Mini PTZ Dome IP Camera for Indoor/Outdoor |
| Encoder | 4 megapixel; H.264 | 4 megapixel; H.265 | 5 megapixel; H.265 | 5 megapixel; H.265 |
| Additional Features | Compact & lightweight Shutter ultra-WDR Wide angle 100° lens Two-way audio, built-in mic and speaker IR capture 15 ft / 5 m 3D noise reduction | Low-light sensor with wide 101° viewing range IR capture 60 ft / 20 m 3D noise reduction | Motorized 4x autofocus zoom lens Shutter ultra-WDR Low-light progressive sensor IR capture 100 ft / 30 m Two-way audio with built-in mic 3D noise reduction | Motorized pan/tilt operation Autofocus 3x zoom lens 3D noise reduction Low-light progressive sensor IR capture 65 ft / 20 m One-way audio with built-in mic |
| Total Interface | 1x FE RJ45, 802.3af PoE | 1x FE RJ45, 802.3af PoE | 1x FE RJ45, 802.3af PoE | 1x FE RJ45, 802.3af POE |



FortiCam Surveillance Cameras








| | FCM-SD20B | FCM-CB50 | FCM-FB50 |
|---------------------|--|---|---|
| Description | Ultra-WDR PTZ Speed Dome IP Camera for Indoor/Outdoor | Day/Night Compact Bullet IP Camera for Indoor/Outdoor | Ultra-WDR Day/Night Full Bullet IP Camera for Indoor/Outdoor |
| Encoder | 2 megapixel; H.265 | 5 megapixel; H.265 | 5 megapixel; H.265 |
| Additional Features | 360° continuous pan/tilt operation Superior optical 30x zoom range Electronic image stabilization Shutter ultra-WDR with 0.005 Lux night sensitivity Line in/out audio 3D noise reduction | Wide angle 4x varifocal lens Low-light sensor with advanced infrared LED technology IR capture 100 ft / 30 m One-way audio with built-in mic 3D noise reduction | Motorized 4x autofocus zoom lens Shutter ultra-WDR Low-light progressive sensor IR capture 100 ft / 30 m Two-way audio; line in/out 3D noise reduction |
| Total Interface | 1x FE RJ45, 802.3at PoE+ (class 4) | 1x FE RJ45, 802.3af PoE | 1x FE RJ45, 802.3af PoE |



Free Video Management Apps



FortiRecorder for Mobile

Easily access live videos, playback recordings, get smart notifications, or track locations within your fingertips

- Intuitive interface for viewing camera live stream, 24/7
- Receive and play back video events
- Smart event notifications
- Track multiple locations simultaneously
- Available for iOS devices (iPhone and iPad) and Android smart phones



FortiCentral for Windows

Al-enabled Video Management Software for centralized control and visibility across all surveillance cameras

- Simplified management across multiple FortiRecorder and FortiCam devices
- Flexible tiled windows with easy drag and drop
- Instant replay and simultaneous playback
- 3D maps for easy navigation
- Intelligent machine-learning analyzes and recognizes faces, objects, facemasks, and occupancy, as well as privacy protection.







FortiTester



Introducing FortiTester



Appliance



Virtual Machine



Network performance tester that aids in infrastructure optimization and configuration validation



Attack replay test



HTTP/HTTPS connections per second test



HTTP/HTTPS requests per second test




TCP throughput test



TCP concurrent connections test



Mixed traffic test





FortiTester Series

| | FTS-2000D | FTS-2000E | FTS-2500E | FTS-3000E | FTS-4000E (2 devices mode) | FTS-VM04 (vSwitch) |
|---------------------|----------------------------------|----------------------------------|----------------------------------|--------------------------------------|--|-----------------------|
| HTTP Throughput | 19.9 Gbps | 20 Gbps | 20 Gbps | 38.9 Gbps | 94 Gbps | 14 Gbps |
| HTTP CPS | 819,000 | 975,000 | 979,000 | 1,570,000 | 1,500,000 | 353,000 |
| HTTP Connection | 9,000,000 | 9,000,000 | 9,000,000 | 18,000,000 | 76,000,000 | 2,000,000 |
| SSL Throughput | 8 Gbps | 11.8 Gbps | 10 Gbps | 18 Gbps | 28.8 Gbps | 1.1 Gbps |
| SSL CPS | 1,700 | 3,000 | 17,400 | 25,000 | 32,000 | 2,600 |
| SSL Connection | 15,000 | 60,000 | 15,000 | 20,000 | 30,000 | 15,000 |
| Total Interfaces | 4x 10GE SFP+, 1x MGMT GE RJ45 | 4x 10GE SFP+, 1x MGMT GE RJ45 | 4x 10GE SFP+, 1x MGMT GE RJ45 | 2x 40GE QSFP+, 1x MGMT GE RJ45 | 1x 100GE QSFP28, 1x MGMT GE RJ45 | - |
| Form Factor | 1U | 1U | 1U | 1U | 1U | - |
| Storage | 120 GB SSD | 1 TB HDD | 120 GB SSD | 2 TB HDD | 2 TB HDD | - |





• 384629 FortiToken



Introducing FortiToken



Oath Compliant Time Based Hardware One Time Password Token



Scalable strong authentication solution for low entry cost and low total cost of ownership (TCO)



Unique online activation option reducing complexity



Reduced operations costs through leveraging existing FortiGate as the authentication server



Large, easy-to-read LCD display





Introducing FortiToken Mobile



Oath Compliant Time Based One Time Password Soft Token



Reduced costs by leveraging existing FortiGate as the authentication server



Minimized overhead with unique online activation option



A scalable solution for low entry cost and low total cost of ownership





FortiVoice & FortiFone



Introducing FortiVoice & FortiFone







Appliance

Virtual Machine





Secure, all-inclusive business communications solution enables organizations to collaborate efficiently across offices



Secure communications safeguard conversations



Centralized management across locations



Rich features with integrated voice, conferencing and fax




Comprehensive system monitoring and reporting



Local survivability support for business continuity



Versatile IP phone selection with HD audio clarity






FortiVoice Appliances









| | FVE-20E2/4 | FVE-50E6 | FVE-100E | FVE-200F8 |
|-----------------------------------|-----------------------------|------------------------------|------------------------------|-----------------------|
| Form Factor | Desktop | Desktop | Desktop | Rack Mount (1U) |
| VoIP trunks | 4 | 8 | 16 | 24 |
| Extensions | 20 | 50 | 100 | 200 |
| Concurrent calls | 8 | 15 | 30 | 32 |
| Auto attendants | 5 | 5 | 10 | 15 |
| Conference bridges | 2 | 2 | 8 | 10 |
| PRI (T1/E1) | 0 | 0 | 0 | 0 |
| Traditional telephone lines (FXO) | 2 / 4 | 2 | 4 | 2 |
| Analog extensions (FXS) | 2/0 | 2 | 4 | 2 |
| Network interfaces (RJ45) | 2 | 2 | 4 | 2 |
| Add-ons | Unified Communications Ca | Il Center Hotel Management | FortiFone Softclient (iOS, A | ndroid, Mac, Windows) |



FortiVoice Appliances

| | FORMER | - 111111111111111111111111111111111111 | FEMTORE | - 3888 - 3888 - 3888 |
|-----------------------------------|-----------------------------|--|-------------------------------|----------------------|
| | FVE-300E-T | FVE-500F | FVE-2000F | FVE-5000F |
| Form Factor | Rack Mount (1U) | Rack Mount (1U) | Rack Mount (1U) | Rack Mount (1U) |
| VoIP trunks | 30 | 50 | 200 | 500 |
| Extensions | 300 | 500 | 2,000 | 5,000 |
| Concurrent calls | 60 | 75 | 300 | 800 |
| Auto attendants | 20 | 20 | 100 | 100 |
| Conference bridges | 12 | 12 | 50 | 50 |
| PRI (T1/E1) | 1 | 0 | 0 | 0 |
| Traditional telephone lines (FXO) | 0 | 0 | 0 | 0 |
| Analog extensions (FXS) | 0 | 0 | 0 | 0 |
| Network interfaces (RJ45) | 5 | 4 | 4 | 4 + 2x SFP |
| Add-ons | Unified Communications Ca | Il Center Hotel Management | FortiFone Softclient (iOS, An | droid, Mac, Windows) |



FortiVoice Virtual Machines

| | FVE-VM-50 | FVE-VM-100 | FVE-VM-200 | FVE-VM-500 | FVE-VM-2000 |
|--------------------|-----------------|----------------------------|---------------------------|-----------------------------|------------------|
| Form Factor | VM | VM | VM | VM | VM |
| VoIP trunks | 8 | 16 | 24 | 50 | 200 |
| Extensions | 50 | 100 | 200 | 500 | 2,000 |
| Concurrent calls | 15 | 30 | 32 | 75 | 300 |
| Auto attendants | 5 | 10 | 15 | 20 | 100 |
| Conference bridges | 2 | 8 | 10 | 12 | 50 |
| Add-ons | Unified Communi | cations Call Center Ho | otel Management FortiFo | one Softclient (iOS, Androi | d, Mac, Windows) |

| | FVE-VM-5000 | FVE-VM-10000 | FVE-VM-20000 | FVE-VM-50000 |
|--------------------|------------------------|-----------------------------|----------------------------------|--------------------------|
| Form Factor | VM | VM | VM | VM |
| VoIP trunks | 500 | 1,000 | 2,000 | 3,000 |
| Extensions | 5,000 | 10,000 | 20,000 | 50,000 |
| Concurrent calls | 800 | 1,500 | 1,500 | 2.000 |
| Auto attendants | 100 | 100 | 150 | 200 |
| Conference bridges | 50 | 50 | 50 | 100 |
| Add-ons | Unified Communications | Call Center Hotel Managen | nent FortiFone Softclient (iOS | , Android, Mac, Windows) |



FortiVoice Add-on Services







Unified Communications

Call Center

Hotel Management

Extends capability beyond calls to optimize communication efficiency

- Microsoft Teams integrations: make calls within Teams, share contact or launch FortiFone Softclient for more options
- Start a video call from FortiFone Softclient
- View colleagues' presences in real time from FortiFone Softclient
- Instant messaging with colleagues from FortiFone Softclient

Turn FortiVoice to an efficient call center solution for better customer satisfaction

- Web-based console
- Dynamic call center agents
- Flexible call distribution
- Skill based routing
- Granular statistic on agent and call queue performance
- Highly detailed custom call reporting
- Licenses required only for Call Center and for agents

Provides better guest services and communications with hospitality functionality

- Enriched features with check-in/check-out control, wake-up calls, room conditions codes, etc.
- Compatible with industry-leading property management systems
- Licenses required for Hotel and for rooms
- Supports FortiVoice protocol (compatible with Mitel SX 2000 protocol). MICROS FIAS protocol and Comtrol UHLL protocol



FortiFone Desk Phones







| FON-175 | FON-380 | FON-480 |
|--|---|---|
| A two-line IP telephone with 11 feature keys and color screen | A mid-range phone with easy-to-use design for efficient communications | Features a color-rich screen with dedicated feature keys and programmable keys |
| HD audio quality 2.4" color screen 5 dedicated feature keys Full duplex speakerphone 2 x 10/100 Ethernet ports Integrated Power over Ethernet (PoE) support | HD audio quality 3.5" color sceeen 10 dedicated feature keys 28 programable phone keys Full duplex speakerphone 2 x 10/100/1000 Ethernet ports Integrated Power over Ethernet (PoE) support | HD audio quality 4.3" color screen 10 dedicated feature keys 45 programable phone keys Full duplex speakerphone 2 x 10/100/1000 Ethernet ports Integrated Power over Ethernet (PoE) support Built-in Bluetooth headset support |

^{*}Availability of FortiFone models might vary by country, please check with your local Fortinet sales or partners for details.



FortiFone Desk Phones







| FON-570 | FON-675i | FON-575 |
|---------|----------|---------|
| | | |

Comes with a touchscreen, dedicated feature keys and programmable keys

- HD audio quality
- 7" color screen
- 7 dedicated feature keys
- 109 programable phone keys
- Full duplex speakerphone
- 2 x 10/100/1000 Ethernet ports
- Integrated Power over Ethernet (PoE) support

An executive phone with vivid touchscreen and programmable appearance keys

- HD audio quality
- 7" TFT color screen
- 5 dedicated feature keys
- 112 programable phone keys
- Camera with adjustable position
- Full duplex speakerphone
- 2 x 10/100/1000 Ethernet ports
- Integrated Power over Ethernet (PoE) support

A high-performance phone with color screens and up to 106 programmable keys

- HD audio quality
- Color screens: 4.3" + 2 built-in 3.5" side displays
- 11 dedicated feature keys
- 106 programable phone keys
- Full duplex speakerphone
- 2 x 10/100/1000 Ethernet ports
- Integrated Power over Ethernet (PoE) support

^{*}Availability of FortiFone models might vary by country, please check with your local Fortinet sales or partners for details.



FortiFone Conference & Lobby/Hotel Phones







FON-C71 FON-H25 FON-H35

Offers premium HD audio, full-duplex technology and acoustic echo cancelling on the three microphone array

- HD audio quality
- 3.1" pixel graphic display
- Full duplex speakerphone
- Three microphone array
- 10/100 Ethernet port
- Integrated Power over Ethernet (PoE) support
- Wi-Fi/Bluetooth support to connect your mobile and PCs

A customizable IP phone with high quality audio and dedicated feature keys

- 6 dedicated feature keys
- Full duplex speakerphone
- 2 x 10/100 Ethernet ports
- Integrated Power over Ethernet (PoE) support


A customizable IP phone with high quality audio, dedicated feature keys and color screen

- 3.5" color display
- Dedicated feature keys
- 6 programable keys
- Full duplex speakerphone
- 2 x 10/100 Ethernet ports
- Integrated Power over Ethernet (PoE) support

^{*}Availability of FortiFone models might vary by country, please check with your local Fortinet sales or partners for details.



FortiFone Cordless Phones




Single-base Cordless Solution

Ideal for offices with smaller areas, the solution is designed to manage the registration and calls for up to 8 handsets with FortiVoice

Minimum requirements:

- One (1) FON-D71-B single-base station
- One (1) FON-D71-H cordless handset



Multi-cell Cordless Solution

Ideal for offices with a large footprint or in a multiple-floor building, the solution supports up to 100 handsets.

Minimum requirements:

- One (1) FON-D72-B multi-cell base station
- One (1) FON-D72-M station manager
- One (1) FON-D71-H cordless handset



FortiFone Cordless Phones







| FON-D71-H | FON-D71-B | FON-D72-B |
|--|--|--|
| High-quality DECT handset delivering HD sound quality and DECT encryption | A single-base DECT station for businesses with a smaller footprint | A multi-cell DECT base station for businesses with a large footprint |
| HD audio quality 2.4" pixel graphic display Full duplex speakerphone Up to 30 hours of talk time on a single charge Range: 150 feet indoors Supports up to 8 handsets 10/100 Ethernet port | Single-base station supports up to 8 handsets Able to handle up to 8 concurrent calls Indoor range up to 50 meters Outdoor range up to 300 meters | Supports up to 8 handsets per base station, up to a maximum of 100 handsets per FON-D72 solution (w/ multiple bases) Handles up to 100 concurrent calls (w/ multiple bases) Indoor/Outdoor ranges: up to 50 / 300 meters per base station Seamless handover and roaming between bases |

*Availability of FortiFone models might vary by country, please check with your local Fortinet sales or partners for details.



FortiFone Softclient



FortiFone Softclient for Mobile

A customizable IP phone with high quality audio and dedicated feature keys (Android and iOS support)

- Integrated UI for calling, conferencing, fax, and more, directly from a smartphone
- Easy call control: hold/unhold, mute/unmute, transfer, swap and merge calls, and more.
- Access company directory and favorites; call your colleague or customers with a single tap
- Visual voicemail
- Hands-free speaker phone option
- Support headset use



FortiFone Softclient for Desktop

A customizable IP phone with high quality audio, dedicated feature keys and color screen (Mac and Windows support)

- Integrated UI for calling, conferencing, fax, and more, directly from a computer or a notebook.
- Easy call control: hold/unhold, mute/unmute, transfer, swap and merge calls, and more.
- Access company directory and favorites; call your colleague or customers with a single tap
- Visual voicemail
- Quick access to History, Contact, and Voicemail
- Supports headset use









Introducing FortiWLC









Wi-Fi Controller that manages authentication, encryption and virtual private network connections for the wireless network.



Superior density, scalability, and mobility



Protection for sensitive data and help to meet compliance



Option for Single Channel or Multi-Channel deployment




Simplified deployment and capacity expansion



Scalability from 1 to 10,000 APs



Wireless device location tools included with no additional license





FortiWLC Series

| | FWC-50D | FWC-200D | FWC-500D | FWD-1000D | FWD-3000D |
|-----------------------|-------------|----------------|---|----------------------------|----------------------------|
| Max. Access Points | 50 | 200 | 500 | 1,000 | 3,000 |
| Max Clients | 1,500 | 2,500 | 7,500 | 20,000 | 45,000 |
| Total Interface | 4x GE RJ45 | 4x GE RJ45 | 4x GE RJ45 4x GE SFP 2x 10GE SFP+ | 2x GE RJ45 4x 10GE SFP+ | 2x GE RJ45 8x 10GE SFP+ |
| Form Factor | 1 RU | 1 RU | 1 RU | 2 RU | 2 RU |
| | FWC-50D-VM | FWC-200D-VM | FWC-500D-VM | FWD-1000D-VM | FWD-3000D-VM |
| | | 1110 2005 1111 | 1 110 0000 1111 | TVD TOOOD VIII | TVD SOOD VIII |
| Max. Access Points | 50 | 200 | 500 500 | 1,000 | 3,000 |
| | 50 1,500 | | | | |
| Points | | 200 | 500 | 1,000 | 3,000 |





((•)) FortiWLM



Introducing FortiWLM





Appliance





Platform for secure access applications focused on WLAN management, interference detection and security.




Network management that supports monitoring, configuring and reporting of wireless network health



RF interference detection and mitigation



A choice of appliances sized to fit your business scale





FortiWLM Series

| | FWM-100D | FWM-1000D | FWM-VM |
|---------------------------------|------------|-------------------------|--------|
| Number of Infrastructure APs | 1,000 | 15,000 | 15,000 |
| Number of Stations | 5,000 | 75,000 | 75,000 |
| Total Interface | 4x GE RJ45 | 4x GE RJ45 4x GE SFP | - |
| Form Factor | 1 RU | 1 RU | - |



Other Information



Virtual Appliance Platforms



| | VMWare vSphere | Citrix Xen Server | Xen | KVM | Microsoft Hyper-V | Nutanix AHV | Amazon AWS | Microsoft Azure | Oracle OPC | Google GCP | AliCloud |
|-----------------------|-------------------|----------------------|-----|-----|----------------------|----------------|---------------|--------------------|---------------|---------------|----------|
| FortiGate-VM* | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ВР | B P | ВР | ВР | ВР |
| FortiManager-VM | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ВР | В | В | В | В |
| FortiAnalyzer-VM | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ВР | В | В | В | В |
| FortiWeb-VM | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ВР | ВР | В | В | В |
| FortiWeb Manager-VM | ✓ | | | | | | В | | | | |
| FortiMail-VM | ✓ | ✓ | | ✓ | ✓ | ✓ | ВР | ВР | | В | |
| FortiAuthenticator-VM | ✓ | | ✓ | ✓ | ✓ | | В | В | В | | |
| FortiADC-VM | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ВР | ВР | ВР | ВР | |
| FortiVoice-VM | ✓ | ✓ | | ✓ | ✓ | | В | В | | | |
| FortiRecorder-VM | ✓ | ✓ | | ✓ | ✓ | | P | | | | |
| FortiSandbox-VM | ✓ | | | ✓ | ✓ | ✓ | ВР | P | | | |
| FortiSIEM | ✓ | | | ✓ | ✓ | ✓ | В | В | | | В |
| FortiProxy-VM | ✓ | | | ✓ | | | В | В | | | |

^{*} Also support AzureStack and RackSpace (PAYG)





