

SPECIFICATION CROSS REFERENCE

MIL SPEC NO.	DESCRIPTION	PART NO.
36509	EPOXY FOR FAN CASE LAMINATION	10-P1-3/EC-107
2848404	PRIMER, SURFACER	8-W-5/50-C-3
299-947-142	BLACK CONDUCTIVE COATING	8-B-6A/50-3A
299-947-144	PINHOLE FILLER	28C-1
36514-1	ABRASION RESIST COATING	23-T3-105/PC-216
36514-2	ABRASION RESIST COATING	23-T3-10/PC-216
50 CEMS-1024	EPOXY PRIMER	463-12-8
6237214 (1)	PAINT SYSTEM, POLYURETHANE	646-68-5450
6237214 (2)	PAINT SYSTEM, POLYURETHANE	646-68-6473
6237231 (2)	PAINT SYSTEM, POLYURETHANE	656-68-6270
6237231 (3)	PAINT SYSTEM, POLYURETHANE	656-68-7925
65-95266(MIL-C-83019)	TRANSLUCENT WHITE	27-F11-11/PC-105
ABR 9-0140	DEGREASER	LPS F104
AMS-S-8802F	SEALANT	PR1440, PS890, CS3204
AVN 7-004	AIRCRAFT EXTERIOR TOPCOAT	24-F2 SERIES/PC-101
BAC 5010	1200 PRIME COAT	RTV 1200
BAC 5432	SILICONE	RTV 3100
BAC 5710 TY 50	ZINC RICH FUEL TANK COATING	463-6-28/X-344
BAC 5710 TY 59	EPOXY PRIMER LOW V.O.C.	10-P4-19/EC-178
BAC 5710, TY 27	ABRASION RESIST COATING	23-T3 SERIES/PC-216
BAC 5710, TY 27	VOC COMPLAINT	24-T3-500/PC-216
BAC 5710, TY 41	CLEAR POLYURETHANE COATING	683-3-2X-310A
BAC 5710, TY 41	CONCENTRATE	683-3-9X-310A
BAC 5710, TY 41	FAST CURE	683-3-20X-310A
BAC 5755	ALUMINIZED EPOXY COATING	463-6-4/X-306
BAC 5837	PINHOLE FILLER	28-C-1
BAC 5837	PRIMER SURFACER WHITE	8-W-5/50-C-3
BAC 5837	PRIMER SURFACER WHITE	10-P2-4/EC-111
BAC 5892	3120 RTV SILICONE RUBBER	DC 3120
BAC 5892 TY 1	SILICONE INSULATIVE COATING	64-C1-2/SC-100/SCR-100
BAC 5892 TY II	SILICONE INSULATIVE COATING	68-C3-1/SC-100/SCR-100
BAEP 3504	FLEXIBLE POLYURETHANE EXT FINISH	C21/100
BAEP 3528	SEMI-GLOSS POLYURETHANE INT TOPCOAT	67.273/X-539
BAEP 3536	ABRASION RESIST COATING	23-T3 SERIES/PC-216
BMS 10 83C TY I	INTERIOR DECORATIVE SYS PRIMER	9001-W100
BMS 10-100A	UPPER WING COATING	G12E25
BMS 10-102	3120 RTV SILICONE RUBBER	DC 3120
BMS 10-102, TY I, CL II, GR 30	TROWELABLE VERSION	68-C3-1/SC-100/SCR-100
BMS 10-102, TY I, CL I, GR 25	HIGH TEMP RESIST INSULATIVE	64-C1-2/SC-100/SCR-100
BMS 10-11V, TY I, CL A, GR A	EPOXY PRIMER GREEN	10-P4-2/EC-117 (LEAD FREE)
BMS 10-11V, TY I, CL A, GR A	EPOXY PRIMER YELLOW	10-P4-3/EC-117 (LEAD FREE)
BMS 10-11V, TY II, CL A & B, GR A	EPOXY TOP COAT GLOSS WHITE	14F1-12/EC-109
BMS 10-11V, TY II, CL A, GR A	EPOXY TOP COAT GLOSS	443-3-1000/X-304
BMS 10-11V, TY II, CL B, GR D	EPOXY TOPCOAT,VOC COMPLAINT	446-22 SERIES/X-530
BMS 10-11V, TY II, CL B, GR D	SEMI-GLOSS	456-23 SERIES/EC-263
BMS 10-11V, TY II, CL B, GR D	FLAT	466-23 SERIES/EC-264
BMS 10-20J, TY II, CL A	FUEL TANK PRIMER	454-4-1/CA-109
BMS 10-20J, TY II, CL B	FUEL TANK PRIMER	454-4-5/-395
BMS 10-21J, TY III	CONDUCTIVE COATING	10-P2-3/EC-110

Documents in the book are for REFERENCE ONLY, not intended for design. Not guaranteed for accuracy.



SPECIFICATION CROSS REFERENCE

MIL SPEC

MIL SPEC NO.	DESCRIPTION	PART NO.
BMS 10-60K, TY I & II, CL B GR D	POLYURETHANE TOPCOAT	24F20 SERIES
BMS 10-60K, TY I, CL B GR D	POLYURETHANE TOPCOAT	24F20B
BMS 10-60K, TY I, CLA, GR A	POLYURETHANE TOPCOAT	643-3 SERIES/X-310A
BMS 10-60K, TY I, CLA, GR A	SEMI-GLOSS	653-3 SERIES/X-310A
BMS 10-60K, TY I, CLA, GR A	FLAT	663-3 SERIES/X-310A
BMS 10-60K, TY I, CLB, GR A	GLOSS ONLY	24-F3 SERIES/PC-103
BMS 10-72K, TY VI	EPOXY PRIMER	10-P1-16/EC-151
BMS 10-72K, TY VI	EPOXY PRIMER	10-P1-16/EC-119
BMS 10-72K, TY VI	AIRCRAFT EXTERIOR TOPCOAT	24-F2 SERIES/PC-101
BMS 10-72N TY VI HIGH SOLIDS	EPOXY PRIMER	10-P20-44/EC-265
BMS 10-86G, TY I, GR D	ABRASION RESIST COATING	23-T3 SERIES/PC-216
BMS 10-86G, TY II, GR D	ABRASION RESIST COATING	24-T3 SERIES/PC-216
BMS 3-24	GREASE	AEROSHELL 16
BMS-3-23F TY2	CORROSION INHIBITOR	LPS 3
BMS-3-29	CORROSION INHIBITOR	LPS PROCYON
BMS5-101 TY2 GR10 250 deg.F	FILM ADHESIVE METAL 38"	FA310
BMS5-101 TY2 GR5 250 deg.F	FILM ADHESIVE METAL 36"	FA309
BMS5-129G TY4 GR10 250 deg.F	FILM ADHESIVE COMP 36"	FA312
BMS5-129G TY4 GR5 250 deg.F	FILM ADHESIVE COMP 36"	FA311
BMS5-154 TY2 CL1 GR5 350 deg.F	FILM ADHESIVE COMP 36"	FA313
BMS5-89 TY1 GR A	PRIMER GALLON	PR100
BMS5-89 TY1 GR A	PRIMER QUART	PR101
BMS5-90 TY3 GR.050 250-350 deg.F	CORE SPLICE SHEETS 1' X2'	CS310
BMS5-90 TY3 GR10 250-350 deg.F	CORE SPRICE 1" X 25" ROLLS	CS300
BMS5-90 TY4 GR10 250-350 deg.F	CORE SPRICE SEM KIT	CS305
BMS8-139 CL1 120 350 deg.F	PRE PREG FIBERGLASS 38"	PP513
BMS8-139 CL2 1581 350 deg.F	PRE PREG FIBERGLASS 38"	PP511
BMS8-139 CL2 7781 350 deg.F	PRE PREG FIBERGLASS 38"	PP512
BMS8-168 FR 190 250 deg.F	PRE PREG GRAPHITE 12"	TP830
BMS8-168 TY2 CL1 G95	PRE PREG GRAPHITE TAPE 12"	TP825
BMS8-168 TY2 CL2 3K 70 PW 250 deg.F	PRE PREG GRAPHITE 42"	PP514
BMS8-212 GR95 TY2 CL1	PRE PREG GRAPHITE 12" W	TP840
BMS8-212 TY3 C2 3K 135 8H 350 deg.F	PRE PREG GRAPHITE 42"	PP516
BMS8-212 TY4 CL2 3K 70 PW 350 deg.F	PRE PREG GRAPHITE 42"	PP515
BMS8-218 TY 120 350 deg.F	PRE PREG KEVLAR 38"	PP527
BMS8-218 TY 285 350 deg.F	PRE PREG KEVLAR 38"	PP528
BMS8-219 TY 120 250 deg.F	PRE PREG KEVLAR 38"	PP525
BMS8-219 TY 285 250 deg.F	PRE PREG KEVLAR 38"	PP526
BMS8-79 CL3 120 250 deg.F	PRE PREG FIBERGLASS 38"	PP510
BMS8-79 CL3 1581 250 deg.F	PRE PREG FIBERGLASS 38"	PP505
BMS8-79 CL3 7781 250 deg.F	PRE PREG FIBERGLASS 38"	PP500
BMS9-3 TYD CL7 120	FIBERGLASS GLASS 38"	F211
BMS9-3 TYH3 CL7 7781	FIBERGLASS GLASS 38"	F210
BMS9-8 TY1 CL2 3K 135 8H	GRAPHITE CLOTH 42"	G221
BMS9-8 TY1 CL2 3K 70 PW	GRAPHITE CLOTH 42"	G220
CMS 565-01	EPOXY LEAD FREE PRIMER	10-P4-2/EC-117 (LEAD FREE)
CMS 565-02	ELECTROSTATIC	24-F2 SERIES/PC-101
CMS 565-02	EXTERIOR	24-F20/ SERIES/PC-226
CMS 565-05	FLUOROPOLYMERS FILLED ABRASION RESIST	23-T3 SERIES/PC-216
CMS 565-08	YELLOW ELECTROSTATIC	10-P1-16

Documents in the book are for REFERENCE ONLY, not intended for design. Not guaranteed for accuracy.



MIL SPEC NO.	DESCRIPTION	PART NO.
CMS 565-08	HIGH SOLIDS URETHANE	10-P20-11/EC-211
CMS 565-09	ELECTROSTATIC	24-F2 SERIES/PC-101
CMS 565-09	VOC COMPLAINT	24-F20 SERIES/PC-101
CMS 565-09	POLYURETHANE	24-F40 SERIES/PC-400
CMS 565-10 (MIL-C-27725B)	CORROSION PREVENTIVE	20-P1-10/PC-108
CMS 565-12	ANTI STATIC/CONDUCTIVE	10-P2-3/EC-110
COMP A	EPOXY PRIMER	463-12-8/CA-116
D6-17487	CLEANER DEGREASER	LPS A151
DERD 2468	OIL	AEROSHELL 390
DERD 2487	OIL	AEROSHELL 750
DHMS-6413	BLACK CONDUCTIVE COATING	8-B-6A/50-C-3A
DMS 1786 COMP A	EPOXY PRIMER	10-P4-7/EC-131
DMS 2104, COMP C, TYPE I	EPOXY PRIMER	10-P20-12/EC-212
DMS 2144 COMP C	EPOXY PRIMER	10-P20-26/EC-234
DMS 2433 COMP C	EPOXY TOPCOAT VOC COMPLIANT GLOSS	446-21 SERIES/X-530
DMS 2433 COMP C	EPOXY TOPCOAT VOC COMPLIANT SEMI-GLOSS	456-21 SERIES/X-462
DMS 2433 COMP C	EPOXY TOPCOAT VOC COMPLIANT FLAT	466-21 SERIES/X-541
DMS2288 TY2 CL2 GR D 250 deg.F	PRE PREG GRAPHITE 60"	PP518
DOD-G-24508	GREASE	AEROSHELL22,ROYCO 22, MOBIL 28
DOD-P-15328	WASH PRIMER	364-1-6/CA-168/T-31
DPM 3430	FUEL VAPOR BARRIER COATING	473-13/C-31
DPM 3443	FLAT EPOXY SURFACE COATING	473-23/CA-123
DPM 5066	FLUOROPOLYMERS FILLED COATING	23-T3 SERIES/PC-216
DPM 5303	ALUMINIZED/GREY	763-66-9200
DPM 5303-1	THINNER	C25/90S
DPM 5557	POLYURETHANE	683-3-2/X-310A
DPM 5693-3493 COMP C	SKYDROL RESIST NON SKID COATING	453-2-27/X-525
DPM 5765	HIGH BUILD EPOXY FILLER PUTTY	467-9/CA-41B
DPM 5766	HIGH BUILD PRIMER SURFACER	464-3-1/CA-142
DPM 5858	HIGH TEMPERATURE COATING	26-W-1
DPM 5858-1	SOLVENT	30C-5
DPM 5858-2	REDUCER	30C-9
DPM 6143	POYLURETHANE TOPCOAT EXTERIOR GLOSS	24-F2 SERIES/PC-101
DPM 6143	POLYURETHANE TOPCOAT EXTERIOR FLAT	26-F2-SERIES/PC-102
DPM 6337	TOPCOAT-EXTERIOR POLYURETHANE GLOSS	24-F20 SERIES/PC-226
DPM 6337	TOPCOAT-EXTERIOR POLYURETHANE SEMI-GLOSS	25-F20 SERIES/PC-226
DPM 6337	TOPCOAT-EXTERIOR POLYURETHANE FLAT	26-F20 SERIES/PC-219
DPM 6447	AVIOX FINISH	DPM 6447-DNXXXX
EC3532	SCOTCHWELD ADHES.	BMS5-105TY2CL-1
GC130R	FLUOROPOLYMER FILLED ABRAION RESIST	23-T3 SERIES/PC-216
GC146AR	PINHOLE FILLER	28-C-1
GE-A8B58-S1	ALUMINIZED EPOXY COATING	463-6-4/X-306
GMPS 4202	BLACK CONDUCTIVE COATING	8-B-6A/50-C-3A
GP111GP	ELECTROSTATIC EPOXY PRIMER	10-P1-16/EC-119
HMS 15-1095	PINHOLE FILLER	28-C-1
HMS 15-1098	WASH PRIMER	364-1-6/CA-168/T-31
HMS 15-1100, TY II	EPOXY POLYAMIDE TOPCOAT	446-21 SERIES/X-530
HMS 15-1100, TY II, CL3	WATERBORNE ENAMEL	9009W105
HMS 15-1218	FLUOROPOLYMER FILLED ABRAION RESIST	23-T3 SERIES/PC-216
HMS20-1642	BLACK CONDUCTIVE COATING	8-B-6A/50-C-3A

Documents in the book are for REFERENCE ONLY, not intended for design. Not guaranteed for accuracy.



SPECIFICATION CROSS REFERENCE

MIL SPEC

MIL SPEC NO.	DESCRIPTION	PART NO.
HO282	BLACK CONDUCTIVE COATING	8-B-6A/50-C-3A
HS7136BD TY I, CL B	BLACK CONDUCTIVE COATING	8-B-6A/50-C-3A
HS7136D, TY I, CL A	SANDING PRIMER, LAMINATES, COMPOSITES	8-W-5/50-C-3
LAC 37-722, TY I	EPOXY PRIMER	10-P4-3/EC-117
LAC 37-722, TY III	EPOXY FINISH GENERAL PURPOSE	422X-T SERIES
LAC-G37-341	INTERIOR POLYURETHANE	AQUADEX 900X SERIES
LAC-G37-4781	EPOXY FUEL TANK PRIMER	454-4-1/CA-109
LAC-G37-5350	PINHOLE FILLER	28-C-1
LAC-G37-5411	EPOXY POLYAMIDE PRIMER	10-P2-12/EC-139
LAC-G40.206	POLYURETHANE COATING	27-F11-11/PC-105
LMS 5001	PINHOLE FILLER	28-C-1
LMS 5002A	PRIMER, SURFACER	8-W-5/50-C-3
MC-8045-01	EPOXY TOPCOAT FLAT BLACK	BMS10-11 TY II
MC-8045-02	EPOXY TOPCOAT FLAT GRAY	BMS10-11 TY II
MC-8045-03	EPOXY TOPCOAT FLAT GRAY	BMS10-11 TY II
MC-8045-04	EPOXY TOPCOAT GLOSS BLACK	BMS10-11 TY II
MC-8045-05	EPOXY TOPCOAT FLAT BROWN	BMS10-11 TY II
MC-8045-06	EPOXY TOPCOAT FLAT BROWN	BMS10-11 TY II
MC-8045-07	EPOXY TOPCOAT GLOSS GRAY	BMS10-11 TY II
MIL-A-1154C	ADHESIVE 3M	1300L
MIL-A-16146B	HEAT SINK LUBRICANT	DC340
MIL-A-46106	MULTI PURPOSE SEALANT	RTV 732,RTV 734
MIL-A-46146	SILICONE	RTV3145
MIL-A-907D	ANTI-SEIZE	51005
MIL-C-16173D GR2	CORROSION INHIBITOR	LPS3
MIL-C-16173D GR3	CORROSION INHIBITOR	LPS2
MIL-C-18787	INHIBITOR	MGH10 PLASTIC POLISH
MIL-C-22750F, TY I	EPOXY TOPCOAT GLOSS	422XT-SERIES/0200-T129
MIL-C-22750F, TY I	EPOXY TOPCOAT SEMI-GLOSS	422XT-SERIES/0200-T126
MIL-C-22750F, TY I	EPOXY TOPCOAT FLAT	422XT-SERIES/0200-T126
MIL-C-23411A	LUBRICANT	LPS1
MIL-C-46168D(ME), TY IV	AIRCRAFT BLACK 37038	7349-T04M/0320-T06M
MIL-C-46168D(ME), TY IV	SAND	7343-T05M/0320-T06M
MIL-C-46168D(ME), TY IV	TAN 686A OR 33446	7343-T12M/0320-T06M
MIL-C-46168D(ME), TY IV	GREEN 383 OR 34094	7346-T09M/0320-T01M
MIL-C-46168D(ME), TY IV	AIRCRAFT GREEN	7346-T15M/0320-T06M
MIL-C-46168D(ME), TY IV	BLACK	7349-T05M/0320-T06M
MIL-C-46168D(ME), TY IV	FIELD DRAB 33105	7347-T09M/0320-T06M
MIL-C-46168D(ME), TY IV	EARTH YELLOW	7344-T02M/0320-T06M
MIL-C-47113B	HEAT SINK LUBRICANT	DC340
MIL-C-5020A	COMPASS FLUID	COMPAS FLUID
MIL-C-5541	ALODINE	ALODINE 1201
MIL-C-5541B TY1 GRADE ABC	ALODINE	1201
MIL-C-6529 TY1	CORROSION INHIBITOR	AEROSHELL FLUID 2XN
MIL-C-6529 TY2	CORROSION INHIBITOR	AEROSHELL FLUID 2F
MIL-C-6529 TY3	CORROSION INHIBITOR	AEROSHELL FLUID 2T
MIL-C-6708 TY1 PRESERVATIVE	PARALKETONE	PARALKETONE
MIL-C-7024 TY2	CORROSION INHIBITOR	ROYCO 950
MIL-C-81309D	LUBRICANT	LPS 2
MIL-C-8514C	METAL COMPOUND COATING	364-1-6/CA-168/T-31

Documents in the book are for REFERENCE ONLY, not intended for design. Not guaranteed for accuracy.



MIL SPEC NO.	DESCRIPTION	PART NO.
MIL-C-85285, TY I	COATING, ALIPHATIC POLYURETHANE GLOSS	646-58 SERIES/X-501
MIL-C-85285, TY I	COATING, ALIPHATIC POYURETHANE SEMI-GLOSS	656-58 SERIES/X-502
MIL-C-85285, TY I	COATING, ALIPHATIC POYURETHANE FLAT	666-58 SERIES/X-503
MIL-C-85285, TY II	COATING, ALIPHATIC POLYURETHANE GLOSS	646-68 SERIES/X-528
MIL-C-85285, TY II	COATING, ALIPHATIC POLYURETHANE SEMI-GLOSS	656-68 SERIES/X-532
MIL-C-85285, TY II	COATING, ALIPHATIC POLYURETHANE FLAT	666-68 SERIES/X-529
MIL-C-85704	COMPRESSOR WASH	T5884, ARDROX 6367
MIL-C-87252	CORROSION INHIBITOR	ROYCO 602
MIL-D-3716	SILICA GEL	SILICA GEL
MIL-F-17111	HYDRAULIC FLUID	ROYCO 717
MIL-G-10924	GREASE	610
MIL-G-21164D	GREASE	AEROSHELL 17, ROYCO 64
MIL-G-23549	GREASE	ROYCO 49
MIL-G-23827B	GREASE	AEROSHELL 7, ROYCO 27
MIL-G-24139	GREASE	AEROSHELL 6
MIL-G-25013	GREASE	AEROSHELL 15A, ROYCO 13
MIL-G-25537	GREASE	AEROSHELL 14
MIL-G-25681	GREASE	ROYCO 81MS
MIL-G-25760	GREASE	AEROSHELL 16
MIL-G-26548B	GRAPHITE	DGF123
MIL-G-3545	GREASE	AEROSHELL 5
MIL-G-4343C	GREASE	AEROSHELL 43, ROYCO 43
MIL-G-46886	BEARING GREASE	DC33
MIL-G-6032 TY1	GREASE	ROYCO 32
MIL-G-6032D	GREASE	EZ-TURN GREASE
MIL-G-81322	GREASE	AEROSHELL 22, ROYCO 22, MOBIL 28
MIL-G-81827	GREASE	AEROSHELL 23, ROYCO 22MS, MOBIL 29
MIL-G-83261	GREASE	TRIBOLUBE 2
MIL-H-46170	HYDRAULIC FLUID	AEROSHELL FLUID 61, ROYCO 770
MIL-H-5606G	HYDRAULIC FLUID	ROYCO 756, AEROSHELL FLUID 41
MIL-H-6083	HYDRAULIC FLUID	AEROSHELL FLUID 71, ROYCO 783
MIL-H-83282	HYDRAULIC FLUID	AEROSHELL FLUID 31, ROYCO 782
MIL-H-87257	HYDRAULIC FLUID	ROYCO 777
MIL-I-25135	MAGNAFLUX	SKC-S CLEANER
MIL-L-15719A	BEARING GREASE	DC44
MIL-L-2105	OIL	80W90
MIL-L-23699	OIL	AEROSHELL 500, MOBILE JET II, BP2380
MIL-L-23699(ADV)	OIL	AEROSHELL 560, MOBIL JET 254
MIL-L-25567E	LEAK DETECTOR	MIL-L-25567E
MIL-L-3150	LUBRICANT	ROYCO 315
MIL-L-46010B	CORROSION INHIBITOR	DC3400A
MIL-L-46147A TY2	DRY MOLY LUBRICANT	LPS FORCE 842
MIL-L-6081 GR1010	OIL	AEROSHELL 2, ROYCO 481
MIL-L-6085C	LUBRICANT	ROYCO 885, AEROSHELL FLUID 12
MIL-L-6086L	LUBRICANT	AEROSHELL FLUID 5LA
MIL-L-6086M	LUBRICANT	AEROSHELL FLUID 5MA
MIL-L-63460	LUBRICANT	ROYCO 634
MIL-L-6801	LUBRICANT	ROYCO 481
MIL-L-7808	OIL	AEROSHELL 308, ROYCO 808, BP2389
MIL-L-7870	LUBRICANT	AEROSHELL FLUID 3, ROYCO 363

Documents in the book are for REFERENCE ONLY, not intended for design. Not guaranteed for accuracy.



SPECIFICATION CROSS REFERENCE

MIL SPEC

MIL SPEC NO.	DESCRIPTION	PART NO.
MIL-L-85734	OIL	AEROSHELL 555
MIL-M-7866C	Z MOLY POWDER	MOLY Z, AEROSHELL COMPOUND 09, ROYCO66MS
MIL-P-14105	HIGH HEAT COATING	0709A28M BLACK
MIL-P-14105	HIGH HEAT COATING	0702A40M GRAY
MIL-P-14105	HIGH HEAT COATING	0702A33M SILVER
MIL-P-21035	CORROSION INHIBITOR	LPS COLD GALVANIZED
MIL-P-23377F, TY I, CL I	EPOXY POLYAMIDE PRIMER	10-P2-12/EC-139
MIL-P-23377G, TY I, CL C	EPOXY POLYAMIDE PRIMER	10P20-13/EC-213
MIL-P-23377G, TY II, CL C	EPOXY POLYAMIDE PRIMER	10P20-14/EC-214
MIL-P-26915 TY I, CL B	PRIMER	10-P3-2/EC-113
MIL-P-53022	EPOXY PRIMER CORROSION INHIBITING	4241-T05M
MIL-P-53022B, TY II	EPOXY PRIMER CORROSION INHIBITING	4241-T101-0200-T106
MIL-P-6888B TY2	POLISH	MET-ALL
MIL-P-6889A TY1	PRIMER	A7-6889 YELLOW , A7-6889A GREEN
MIL-P-82797	1204 PRIME COAT	RTV 1204
MIL-P-83261B	GREASE	TRIBOLUBE 2
MIL-P-85582A, TY I, CL 2	WATER REDUCIBLE EPOXY PRIMER	10-PW20-4/ECW-104
MIL-P-8585A	PRIMER	656 YELLOW
MIL-P-8585A	PRIMER	800 GREEN
MIL-S-14753BTYI A, CL I & II	CLEAR CONFORMAL COATING	7-C-23
MIL-S-2132	DEVELOPER	SKDS-2
MIL-S-29574	SEALANT	PR1826
MIL-S-38249	SEALANT	PS700, CS1900
MIL-S-4383C	SEALANT	PR1005L
MIL-S-45180C	SEALANT	FORM-A-GASKET# 1,# 2,# 3
MIL-S-53021A	FUEL MICROBICIDE	BIBOR JF
MIL-S-7502C	SEALANT	PR1221,CS3201
MIL-S-81733	SEALANT	PS870
MIL-S-83430	SEALANT	PR1750. PR1770
MIL-S-8516	SEALANT	PR1201, CS3100
MIL-S-8660	COMPOUND	DC4
MIL-S-8784B	SEALANT	PR1428, CS3300
MIL-S-8802F	SEALANT	PR1440, PS890
MIL-T-27686E	FUEL ADDITIVE	PRIST HI-FLO
MIL-T-27730A	TAPE	TT
MIL-T-43435	LACING CORD	MIL-T-43435
MIL-T-5544	ANTI-SEIZE	AEROSHELL COMPOUND 08, ROYCO 44
MIL-T-6097A	THINNER, BUTYRATE DOPE	TR-43
MIL-T-79766C	TAPE	69 FIBERGLASS TAPE
MIL-T-81533A	DEGREASER	LPS INSTANT SUPER DEGREASER II
MIL-T-81772B(AS) TY I	THINNER, AIRCRAFT COATING	TR-48
MIL-T-81772B(AS) TY II	THINNER, AIRCRAFT COATING	TR-49
MIL-T-83483A	ANTI-SEIZE MOLY 50	51094
MIL-W-5044B	WING WALK	X1567
MMS-420	HIGH SOLIDS	646-58 SERIES/X-501
PA13782-1	FLUOROPOLYMER FILLED ABRAION RESIST	23-T3-105/PC-216
PQ 100500-150-00	INTERMEDIATE PRIMER	10-P1-16/EC-151
PQ 10050-151-00	POLYURETHANE TOPCOAT	24-F2 SERIES/PC-101
PQ HS 12558	LUBRICANT	DC321
PS870A 1/2	SEALANT	MIL-S-81733

Documents in the book are for REFERENCE ONLY, not intended for design. Not guaranteed for accuracy.



MIL SPEC NO.	DESCRIPTION	PART NO.
PW HS 12558	321 DRY FILM LUBRICANT	DC321
PWA 36013C	BLACK, CONDUCTIVE COATING	8-B-6A/50-C-3A
PWA 36014C	PRIMER, SURFACER	8-W-5/50-C-3
PWA 36029	SILICONE	RTV 732
PWA 36057	SILICONE	RTV 734
PWA 587	METAL ASSY PASTE	GN
RMS 118	EPOXY PRIMER	10-P4-2/EC117
RPS 1375 (RP211)	LIPSKIN COATING	4002A21M
RR 4/49	METAL ASSY PASTE	GN
RR 4/51	321 DRY FILM LUBRICANT	DC321
RTV3145	SEALANT, GREY OR CL	MIL-A-46146
STM 37-305A	ALUMINIZED EPOXY POLYAMIDE	422X-T SERIES
STM 37-510B, TY III, CL II	EPOXY ANTI STATIC CONDUCTIVE	10P2-3/EC-110
STM-P-M135	COMPOSITE PRIMERS SURFACERS	467-9/CA-41B
TN A.007.10138	CORROSION INHIBITOR	LPS3
TT-T-226D	THINNER, DOPE AND LACQUER	TR-47
TT-T-548	TOLUOL	1500-2
VV-P-216C	PENETRANT	LPS LST
VV-P-236H	PETROLATUM	VV-P-236H