

PROMOTION

Valid from March 8 – June 30, 2021

Back by Popular Demand!

GP END MILLS BUY 3 GET 1 FREE!

Only Valid with All-Star Products
Proven Solutions, Always Available

- Must be same end mill
- No substitutes even for backorders
- ¼ – 1.0" Americas ALL-STAR GP End Mill Only



Scan or click to get
more information



Offer ends June 30, 2021. Offer void where prohibited by law.
ALL SALES ARE FINAL
Please use "BLITZ" on your P.O.
All P.O.s must be called or emailed to receive this promo.
Offer only valid in the Americas




General Purpose End Mills


2- and 4-Flute General Purpose Solid Carbide End Mills

A wide range of diameters, lengths, and corner styles (such as chamfered, sharp edge, and ball nose) are available from stock.

2-, 4-Flute Materials:



2-Flute



I2S Series

- Wide range of lengths-of-cut — short, regular, long, and extra long.
- Steel, stainless steel, and cast iron.
- Center cut.



I2B Series


- Wide range of lengths-of-cut — short, regular, long, and extra long.
- Steel, stainless steel, and cast iron.
- Center cut ball nose.

4-Flute




I4S/4004/4014/4024 Series

- Wide range of lengths-of-cut — short, regular, long, and extra long.
- Steel, stainless steel, and cast iron.



I4B/D010/4000/4010 Series

- Wide range of lengths-of-cut — short, regular, long, and extra long.
- Steel, stainless steel, and cast iron.
- Center cut ball nose.



I4R Series


- Regular length-of-cut with corner radius.
- Steel, stainless steel, and cast iron.
- Center cut.

Series I2S • Inch



● first choice
○ alternate choice

P		●	●
M		●	●
K		●	●
N			
S			
H			




catalog number	D1	D	length of cut Ap1 max	length L	UNCOATED	TIALN
I2S0250T050S	1/4	1/4	1/2	2	5873681	5872858
I2S0250T075R	1/4	1/4	3/4	2 1/2	5873682	5872859
I2S0250T112R	1/4	1/4	1 1/8	3	—	5872860
I2S0312T081R	5/16	5/16	13/16	2 1/2	5873687	5872863
I2S0375T100R	3/8	3/8	1	2 1/2	5873692	5872868
I2S0375T112R	3/8	3/8	1 1/8	3	—	5872869
I2S0437T100R	7/16	7/16	1	2 1/2	—	5872884
I2S0500T100R	1/2	1/2	1	3	5873713	5872889
I2S0500T200L	1/2	1/2	2	4	—	5872890
I2S0562T125L	9/16	9/16	1 1/4	3 1/2	—	5872893

Series I2B • Inch



● first choice
○ alternate choice

P		●	●
M		●	●
K		●	●
N			
S			
H			



catalog number	D1	D	length of cut Ap1 max	length L	TIALN
I2B0250T050S	1/4	1/4	1/2	2	5878190
I2B0250T075R	1/4	1/4	3/4	2 1/2	5878191
I2B0375T087R	3/8	3/8	7/8	2 1/2	5878200
I2B0500T100R	1/2	1/2	1	3	5878207

General Purpose Solid Carbide End Mills • Roughing/Finishing


Series I4S • Inch



● first choice

○ alternate choice

P	M	K	N	S	H
●	●	●	●	●	●
●	●	●	●	●	●
●	●	●	●	●	●
●	●	●	●	●	●
●	●	●	●	●	●



catalog number	D1	D	length of cut Ap1 max	length L	SS	UNCOATED	TIALN
I4S0250T050S	1/4	1/4	1/2	2	—	5879205	5879145
I4S0250T075R	1/4	1/4	3/4	2 1/2	—	5879206	5879146
I4S0250T112L	1/4	1/4	1 1/8	3	—	5879207	5879147
I4S0250T150X	1/4	1/4	1 1/2	4	—	5879208	5879148
I4S0281T075R	9/32	5/16	3/4	2 1/2	—	—	5879150
I4S0312T050S	5/16	5/16	1/2	2	—	—	5879152
I4S0312T081R	5/16	5/16	13/16	2 1/2	—	5879210	5879153
I4S0312T112L	5/16	5/16	1 1/8	3	—	5879211	5879154
I4S0312T162X	5/16	5/16	1 5/8	4	—	5879212	5879155
I4S0343T100R	11/32	3/8	1	2 1/2	—	—	5879157
I4S0359T100R	23/64	3/8	1	2 1/2	—	—	5879158
I4S0375T062S	3/8	3/8	5/8	2	—	—	5879159
I4S0375T100R	3/8	3/8	1	2 1/2	—	5879214	5879160
I4S0375T112L	3/8	3/8	1 1/8	3	—	—	5879161
I4S0375T175X	3/8	3/8	1 3/4	4	—	—	5879162
I4S0406T100R	13/32	7/16	1	2 3/4	—	—	5879164
I4S0437T100R	7/16	7/16	1	2 3/4	—	—	5879167
I4S0437T200L	7/16	7/16	2	4	—	—	5879168
I4S0500T062S	1/2	1/2	5/8	2 1/2	—	5879220	5879173
I4S0500T100R	1/2	1/2	1	3	—	5879221	5879174
I4S0500W100R	1/2	1/2	1	3	W	—	5879527
I4S0500T200L	1/2	1/2	2	4	—	5879222	5879175
I4S0500W200L	1/2	1/2	2	4	W	—	5879528
I4S0500T300X	1/2	1/2	3	6	—	—	5879176
I4S0500W300X	1/2	1/2	3	6	W	—	5879529
I4S0562T125L	9/16	9/16	1 1/4	3 1/2	—	—	5879178
I4S0625T125R	5/8	5/8	1 1/4	3 1/2	—	5879228	5879181
I4S0625W125R	5/8	5/8	1 1/4	3 1/2	W	—	5879554
I4S0625T225L	5/8	5/8	2 1/4	5	—	5879229	5879182
I4S0625W225L	5/8	5/8	2 1/4	5	W	—	5879555
I4S0625T400X	5/8	5/8	4	7	—	—	5879183
I4S0687T137R	11/16	3/4	1 3/8	4	—	—	5879184
I4S0750T100S	3/4	3/4	1	3	—	—	5879185
I4S0750T150R	3/4	3/4	1 1/2	4	—	5879242	5879186
I4S0750W150R	3/4	3/4	1 1/2	4	W	—	5879558
I4S0750T225R	3/4	3/4	2 1/4	5	—	—	5879187
I4S0750W225R	3/4	3/4	2 1/4	5	W	—	5879559
I4S0750T300L	3/4	3/4	3	6	—	—	5879188
I4S0750W300L	3/4	3/4	3	6	W	—	5879560
I4S0812T150R	13/16	7/8	1 1/2	4	—	—	5879190
I4S0875T150R	7/8	7/8	1 1/2	4	—	—	5879191
I4S0875W150R	7/8	7/8	1 1/2	4	W	—	5879562
I4S1000T150S	1	1	1 1/2	4	—	5879248	5879193
I4S1000W225R	1	1	2 1/4	5	W	—	5879565
I4S1000T300L	1	1	3	6	—	—	5879195
I4S1000W300L	1	1	3	6	W	—	5879566
I4S1000T400X	1	1	4	7	—	—	5879196
I4S1000W400X	1	1	4	7	W	—	5879567

NOTE: SS = Shank Style
W = Weldon®


Series I4B • Inch



● first choice



○ alternate choice

P		●
M		●
K		●
N		
S		
H		



catalog number	D1	D	length of cut Ap1 max	length L	TIALN
I4B0250T050S	1/4	1/4	1/2	2	5825661
I4B0250T075R	1/4	1/4	3/4	2 1/2	5825663
I4B0250T112R	1/4	1/4	1 1/8	3	5825664
I4B0250T150L	1/4	1/4	1 1/2	4	5825665
I4B0312T081R	5/16	5/16	13/16	2 1/2	5825670
I4B0375T100L	3/8	3/8	1	4	5825685
I4B0375T100S	3/8	3/8	1	2 1/2	5825684
I4B0375T112R	3/8	3/8	1 1/8	3	5825686
I4B0375T150X	3/8	3/8	1 1/2	6	5825687
I4B0500T100R	1/2	1/2	1	4	5825690
I4B0500T100S	1/2	1/2	1	3	5825689
I4B0500T150X	1/2	1/2	1 1/2	6	5825691
I4B0500T200R	1/2	1/2	2	4	5825692
I4B0500T300X	1/2	1/2	3	6	5825694
I4B0562T125R	9/16	9/16	1 1/4	3 1/2	5825695
I4B0625T125R	5/8	5/8	1 1/4	3 1/2	5825697
I4B0750T100R	3/4	3/4	1	3	5825700
I4B0750T150L	3/4	3/4	1 1/2	4	5825711

Series I4R • Inch



- first choice
- alternate choice

P		●
M		●
K		●
N		
S		
H		

catalog number	D1	D	length of cut Ap1 max	length L	Rε	TIALN
I4R0250T075R015	1/4	1/4	3/4	2 1/2	.015	6282447
I4R0250T075R020	1/4	1/4	3/4	2 1/2	.020	6282448
I4R0250T075R030	1/4	1/4	3/4	2 1/2	.030	6282449
I4R0375T100R015	3/8	3/8	1	2 1/2	.015	6285506
I4R0375T100R030	3/8	3/8	1	2 1/2	.030	6282469
I4R0500T100R015	1/2	1/2	1	3	.015	6282503
I4R0500T100R020	1/2	1/2	1	3	.020	6282504
I4R0500T100R030	1/2	1/2	1	3	.030	6282505
I4R0500T100R060	1/2	1/2	1	3	.060	6282507
I4R0750T150R030	3/4	3/4	1 1/2	4	.030	6282538
I4R0750T150R060	3/4	3/4	1 1/2	4	.060	6282540
I4R0750T150R125	3/4	3/4	1 1/2	4	.125	6282562



FOR MORE INFORMATION ON THE PRODUCTS SHOWN, PLEASE SEE PAGES F46–F79 OF THE TECHNICAL CATALOG.

THE ALL-STAR PROGRAM FEATURES ONLY THE MOST POPULAR PLATFORMS, GRADES, AND SIZES.
FOR THE COMPLETE OFFERING, VISIT WIDIA.NOVO™ OR WIDIA.COM.