SPRING INTO SAVINGS

SPI Microscopes NEW pg. 2-3

Precision Rapid Vise SUPER DEAL pg. 7

Up to 25% OFF ALL CLAMPS pg. 8

MORE GREAT DEALS INSIDE SAVE $$$

End Mill Holders

CAT40 V-Flange

- CAT40 tooling balanced to 20,000 RPM
- Each tool balanced with a Hoffmann Machine
- Shank traverse ground to obtain optimum accuracy
- DIN flange coolant through
- Through-spindle coolant
- Maximum TIR 0.0002" OD to ID
- Meet or exceed ANSI specifications
- Each tool comes with inspection lab certificate

MORE SIZES ASK FOR MORE DETAILS

ACCUPRO

80263858

80263890

CAT40 RETENTION KNOB THREAD SIZE 5/8-11				
Ø Hole (Inch)	Ø Nose (Inch)	Projection (Inch)	Code	Price
1/8	0.75	2.50	80263767	139.42
1/8	0.75	4.00	80263775	165.60
3/16	0.75	2.50	80263791	205.16
3/16	0.75	4.00	80263809	166.13
1/4	0.79	2.50	80263825	141.06
1/4	0.79	4.00	80263833	174.11
5/16	0.87	2.50	80263858	159.02
5/16	0.87	4.00	80263866	139.08
3/8	1.00	2.50	80263882	159.02

CAT40 RETENTION KNOB THREAD SIZE 5/8-11				
Ø Hole (Inch)	Ø Nose (Inch)	Projection (Inch)	Code	Price
3/8	1.00	4.00	80263890	142.65
7/16	1.38	2.50	80263916	130.41
7/16	1.38	4.00	80263924	143.02
1/2	1.38	2.50	80263940	129.87
1/2	1.38	4.00	80263957	179.87
5/8	1.65	4.00	80263999	159.49
3/4	1.75	4.00	80264039	144.09
1	2.36	4.00	80264096	145.48
1-1/4	2.48	4.00	80264120	173.12

Plasma Cut Water Table Concentrate

TAP MAGIC
A Division of the Steco Corporation

The perfect solution to keeping your table productive for long runs and less frequent clean outs. It contains everything you need in a table additive:

- Long-lasting microbial protection (controls bacteria and fungi)
- Excellent corrosion inhibitors
- No-Foam additive
- Vibrant color for quick concentration checks
- No strong chemicals that lead to excessive skin irritation

NEW ONLY 132.09

Plasma Cut 5 gal. Pail
Code 219252

YOUR AUTHORIZED KAR DISTRIBUTOR:

Megasource Inc.

8280 Chemin Devonshire
Town of Mount Royal, QC
H4P 2P7

514-956-9191 | 514-333-9189

ventes@megasourceinc.ca

www.megasourceinc.ca

Electronic Calipers

With Four Buttons | With Thumbwheel



910000

Certified SPC

- Resolution: 0.0005"/0.01mm
- Origin position retained through the on/off cycle
- Inch/metric conversion
- With data output – SPC cable optional
- Buttons: zero, hold, on/off, inch/mm
- Battery: CR2032
- Short form calibration certificate included

Range: 0-6"/0-150mm
Accuracy: ±0.001"/±0.02mm
Code 910000 49.23

Range: 0-8"/0-200mm
Accuracy: ±0.0015"/±0.03mm
Code 910001 67.89

Range: 0-12"/0-300mm
Accuracy: ±0.0015"/±0.03mm
Code 910002 119.19

Zinc Alloy Body



910008

Certified

- Resolution: 0.0005"/0.01mm
- Zinc alloy housing for digital unit
- Buttons: zero, on/off, inch/mm
- Automatic power off
- Battery: CR2032
- Made of stainless steel
- Without thumb wheel
- Short form calibration certificate included

Range: 0-6"/0-150mm
Accuracy: ±0.001"/±0.02mm
Code 910008 69.89

Range: 0-8"/0-200mm
Accuracy: ±0.0015"/±0.03mm
Code 910009 94.10

Range: 0-12"/0-300mm
Accuracy: ±0.0015"/±0.03mm
Code 910010 162.62

Outside Micrometers

With Counter

Certified

- Counter resolution: 0.001"
- Thimble graduation: 0.0001"
- Carbide measuring faces
- Ratchet stop
- Short form calibration certificate included

Range: 0-1"
Accuracy: ±0.0001
Code 910139 87.36

Range: 1-2"
Accuracy: ±0.00015"
Code 910140 141.79

Range: 2-3"
Accuracy: ±0.0002"
Code 910156 110.56

Dial Calipers

Inch | Standard



910004

Certified

- Graduation: 0.001"
- Stainless steel construction with all measuring surfaces surface-hardened
- Preloaded dual pinions eliminate backlash and provide better repeatability
- Thumb wheel included
- Short form calibration certificate included

Range: 0-4"
Accuracy: ±0.001"
Code 910003 79.15

Range: 0-6"
Accuracy: ±0.001"
Code 910004 69.62

Range: 0-8"
Accuracy: ±0.0015"
Code 910005 92.20

Range: 0-12"
Accuracy: ±0.0015"
Code 910006 168.70

Wall Clock

Purchase over $200 worth of SPI Measuring & Inspection Tools and get an SPI Wall Clock...

FREE

Over $75 Value | Code 41222704

Rules

Flexible Steel | 5R

- Flexible steel with black chrome-plated finish
- Graduations: 1/64", 1/100", 1/32"
- Supplied in storage pouch

MORE SIZES ASK FOR MORE DETAILS

Range: 0-12" | **Width:** 1/2"
Code 78988839
19.03

Range: 0-6"
Width: 1/2"
Code 78988789
11.50

Range: 0-24" | **Width:** 3/4"
Code 78988938
48.30

Range:0-18"
Width: 3/4"
Code 78988888
41.19

Stereo Zoom Measuring Microscope

6.5X - 45X Continuous Magnifiation

A superior quality three dimensional Stereo Zoom Microscope that provides crisp, erect and normal images over a super wide field of view. For use in industrial applications such as electronic and small parts inspections. A rugged all metal constructed scope that provides both continuous magnification from 6.5X - 4.5X and long working distances for viewing difficult parts.

Optical System:
- 10X super wide field eyepieces are 45° inclined with dual diopter adjustments
- Interpupillary adjustment from 36mm - 75mm
- A 7:1 range stepless magnification enables 6.5X - 45X continuous magnification
- Viewing head rotates 360°
- Rubber eye guards for eye protection
- Conveniently located side zoom control knobs

Optional Accessories:
- 1 pair of 10X Eyepiece WF10X
- 1 pair of 20X Eyepiece WF20X
- 1 pair of 25X Eyepiece WF25X
- Illuminator Ring (mounts to top only)
- Top Lamp
- Bottom Lamp

Illumination System:
- 8-mode, high intensity illumination system
- Low-voltage transformer base with built in 6V/15W halogen and 5W fluorescent
- Rotating knob for incident (top) provides variable intensity control for halogen illumination
- Transmited (bottom) fluorescent illumination
- 4-way switch enables top, bottom, top/bottom and off

Base & Arm:
- Rack and pinion focusing
- Large 6-3/4" (W) x 9-3/4" (Depth) base with 95mm frosted glass plate
- All metal frame with enamel finish

Field of View: 30 - 4.4mm
Focal Range: 95 - 25mm
Weight: 20 lbs.

Code 00254375 2784.09

Electronic Measuring Microscopes

USB & Wi-Fi

59099457

59099465

- High precision microscope lens
- Focus range (manual): 8-300mm
- Integrated adjustable LED illuminator
- Ideal for industrial and quality inspection, medical inspection, and printing and textile inspection
- Professional measuring software
- 2-Year warranty

Magnification: 5X-200X @ 17" monitor full screen
Optical Format: 1/3" CMOS Sensor (4:3)
Field of View (Min.): 2.5mm x 1.9mm @ 17mm working distance (200X)
Field of View (Max): 100mm x 75mm @ 300mm working distance (5X)
Image Sensor: 2.0MP
Video Capture Resolution: 1600 x 1200, 1280 x 960, 640 x 480
Colour: 24 bit RGB or YUV or MJPG
Dimensions: 11.5" (H) x 4.76" (L) x 6" (W)
Output: USB Streaming

Code 59099457 431.66

Magnification: 5X-200X @ 17" monitor full screen
Optical Format: 1/4" CMOS Sensor (4:3)
Field of View (Min.): 1.9mm x 1.5mm @ 17mm working distance (200X)
Field of View (Max): 82mm x 65mm @ 300mm working distance (5X)
Image Sensor: 1.3MP
Video Capture Resolution: 1280 x 960, 640 x 480
Colour: YUV or MJPG
Dimensions: 11.5" (H) x 5.55" (L) x 6" (W)
Output: Wireless IEEE 802.11

Code 59099465 692.70

Pocket Measuring Microscopes

25X and 50X Magnifiation

- High quality magnifier for microscopic inspection
- Convenient pocket clip
- Supplied in storage case

Magnification: 25X
Code 03183886 149.79

Magnification: 50X
Code 03183878 215.52

End Mills

YG

Micrograin Solid Carbide | Uncoated & TiAlN-Futura Coated | 4 Flute | Center Cut

- Suitable for cutting hardened and high alloy steels, steel casting, chill casting, malleable cast iron, CrNi-steels, brass, copper, aluminum with a high percentage of silicon and abrasive plastics

Tolerance: 0/-0.0012

Ø Cutter (Inch)	Ø Shank (Inch)	LONG LENGTH LOC (Inch)	LONG LENGTH OAL (Inch)	LONG LENGTH UNCOATED Code	LONG LENGTH UNCOATED Price	LONG LENGTH TIALN-FUTURA Code	LONG LENGTH TIALN-FUTURA Price	EXTRA LONG LENGTH LOC (Inch)	EXTRA LONG LENGTH OAL (Inch)	EXTRA LONG LENGTH UNCOATED Code	EXTRA LONG LENGTH UNCOATED Price	EXTRA LONG LENGTH TIALN-FUTURA Code	EXTRA LONG LENGTH TIALN-FUTURA Price
1/8	1/8	3/4	2-1/4	932892	16.03	934580	21.72	1	3	932744	19.25	934620	25.76
3/16	3/16	3/4	2-1/4	932895	18.25	934900	23.84	1-1/8	3	932747	21.95	934911	28.34
1/4	1/4	1-1/8	3	932898	22.42	934582	28.88	1-1/2	4	932750	26.99	934622	35.82
5/16	5/16	1-1/8	3	932901	36.57	934583	47.59	1-5/8	4	932753	44.00	934623	57.23
3/8	3/8	1-1/8	3	932904	48.20	934901	67.38	1-3/4	4	932756	58.00	934912	71.68
7/16	7/16	2	4	932907	84.93	934585	100.28	3	6	932759	136.08	934625	148.77
1/2	1/2	2	4	932910	93.62	934586	107.40	3	6	932762	126.53	934626	152.68
5/8	5/8	2-1/4	5	932913	188.00	934902	208.09	3	6	932765	225.74	934913	252.12
3/4	3/4	2-1/4	5	932916	243.72	934588	272.10	3	6	932768	292.46	934628	330.10
1	1	2-1/4	5	932919	488.47	934589	525.18	3	6	932771	586.12	934629	630.56

Combined Drills & Countersinks

High Speed Steel, TiN Coated & Cobalt | 60° Plain Type

magafor

60° HSS M2 (Series 115)

60° TiN Coated (Series 08115)

60° Cobalt (Series 1055)

Size	Body Diameter (Inch)	Point Diameter (Inch)	Point Length (Inch)	Overall Length (Inch)	(Series 115) HSS M2 Code	(Series 115) HSS M2 Price	(Series 08115) HSS M2 – TiN Code	(Series 08115) HSS M2 – TiN Price	(Series 1055) Cobalt M42 Code	(Series 1055) Cobalt M42 Price
000	1/8	0.020	1/32	1-1/4	540599	10.41	–	–	–	–
00	1/8	0.025	1/32	1-1/4	540600	9.91	–	–	–	–
0	1/8	1/32	3/64	1-1/4	540610	9.07	–	–	–	–
1	1/8	3/64	1/16	1-1/4	540611	8.88	601000	17.09	540531	21.51
2	3/16	5/64	7/64	1-7/8	540612	9.30	601001	17.43	540532	22.07
3	1/4	7/64	9/64	2	540613	9.96	601002	24.35	540533	23.10
4	5/16	1/8	5/32	2-1/8	540614	11.42	601003	28.27	540534	24.49
4-1/2	3/8	9/64	3/16	2-1/2	540604	14.95	–	–	–	–
5	7/16	3/16	1/4	2-3/4	540615	16.67	601004	34.90	540535	37.93
6	1/2	7/32	19/64	3	540616	21.39	601005	44.12	540536	56.54
7	5/8	1/4	5/16	3-1/4	540617	41.05	601006	68.43	540537	82.94
8	3/4	5/16	13/32	3-1/2	540618	66.73	601007	108.90	540538	128.89
9	7/8	11/32	7/16	3-5/8	540619	125.05	–	–	–	–
10	1	3/8	1/2	3-3/4	540598	137.80	–	–	–	–

Form Knurling Tool

integi

Model M2 20.08.25

MORE STYLES ASK FOR DETAILS

Code 180405

302.22

- For conventional lathes
- For knurling workpieces between 8- 200 mm diameters
- Recommended for RGE type knurling
- Revolving head for knurls self-centering
- For non-repetitive works
- High speed steel pins
- Version R+L
- Capacity: Ø8-200mm
- Weight: 1 kg
- Knurls sold separately - Size 20 x 8 x 6 mm

End Mills

Cobalt M42 | Regular Length | 2 Flute | Center Cut | Weldon Shanks

Cutter Diameter (Inch)	Shank Diameter (Inch)	Length of Cut (Inch)	Overall Length (Inch)	Code	Price
1/8	3/8	3/8	2-5/16	930000	16.03
5/32	3/8	7/16	2-5/16	930005	16.03
3/16	3/8	7/16	2-5/16	930010	16.03
7/32	3/8	1/2	2-5/16	930015	16.03
1/4	3/8	1/2	2-5/16	930020	16.03
9/32	3/8	9/16	2-5/16	930025	13.80
5/16	3/8	9/16	2-5/16	930030	16.03
11/32	3/8	9/16	2-5/16	930035	16.03
3/8	3/8	9/16	2-5/16	930040	16.03
13/32	3/8	13/16	2-1/2	930045	24.67
7/16	3/8	13/16	2-1/2	930050	24.48
15/32	3/8	13/16	2-1/2	930051	24.48
1/2	1/2	1	3	930055	24.48
9/16	1/2	1-1/8	3-1/8	930060	36.49
5/8	5/8	1-5/16	3-7/16	930065	44.66
11/16	5/8	1-5/16	3-7/16	930070	52.04
3/4	3/4	1-5/16	3-9/16	930075	58.02

Cutter Diameter (Inch)	Shank Diameter (Inch)	Length of Cut (Inch)	Overall Length (Inch)	Code	Price
13/16	3/4	1-1/2	3-3/4	930080	63.11
7/8	3/4	1-1/2	3-3/4	930085	68.62
7/8	7/8	1-1/2	3-3/4	930090	68.90
15/16	3/4	1-1/2	3-3/4	930091	80.07
1	3/4	1-1/2	3-3/4	930095	88.42
1	1	1-5/8	4-1/8	930100	86.28
1-1/16	3/4	1-5/8	3-7/8	930101	124.23
1-1/8	1	1-5/8	4-1/8	930102	138.60
1-3/16	3/4	1-5/8	3-7/8	930103	145.84
1-1/4	1-1/4	1-5/8	4-1/8	930105	150.66
1-5/16	3/4	1-5/8	3-7/8	930106	151.03
1-3/8	1	1-5/8	4-1/8	930107	188.41
1-1/2	1-1/4	1-5/8	4-1/8	930110	224.71
1-5/8	1-1/4	1-5/8	4-1/8	930111	201.08
1-3/4	1-1/4	1-5/8	4-1/8	930112	286.42
1-7/8	1-1/4	1-5/8	4-1/8	930113	246.86
2	1-1/4	1-5/8	4-1/8	930115	336.75

Deburring

Mango II Set F | The Countersink

- Used for hole edge applications with up to 0.79" (20mm) diameter
- Mango handle provides maximum comfort
- Deburrs steel, aluminum, copper, brass, cast iron, stainless steel, and plastics

Hole Edge

F20 & Holder F

Mango II Handle

Mango II Set F
Holder: F
Blades: F20

Code 550612
50.04

B Blades | HSS & PVD TiN Coated

- For straight edge and hole edge applications
- B11 & B12 for steel, aluminum, copper, and plastics
- B11P & B12P for steel, aluminum, copper, plastics, and stainless steel

B11
Extra thin, high speed steel. Deburrs holes with minimum diameter of 0.08" (2mm)
Code 550834
1.58

B11P
PVD TiN coated for high wear resistance. B11 geometry
Code 550729
3.47

B12
Short nose, high speed steel
Code 550836
1.97

B12P
Short nose, PVD TiN coated for high wear resistance
Code 550630
3.84

Mango II Set D | The Sheet Cleaner

- Perfect for sheet metal up to 0.12" thick (3mm)
- Blade deburrs both sides of sheet in one pass
- Blade also functions as a surface cleaner
- Mango II handle provides maximum comfort
- For added safety use with handguard (Code 550815)
- Deburrs steel, aluminum, copper, brass, cast iron, hardened steel and plastics

D80C & Holder D

Key

Flat Surface

Sheets

Mango II Set D
Holder: D
Blades: D80C

Code 550607
30.54

B Blade Holder

- Holds all B blades
- Use axially or perpendicular to holder

Code 550822
12.83

SHAVIV Exclusively Available at KAR in Canada

Hand Sanding Pads

TRU-MAXX®

6" x 9" | Aluminum Oxide | Non-Woven

- Best used for economical, general purpose grinding, deburring, and blending ferrous and nonferrous materials
- High cut rate and durability



41058416

Super Fine | Maroon
Blending, deburring, general purpose cleaning, finishing
Code 41058416 | PKG. 20 33.92

Super Fine | Green
Rust removal
Code 41028408 | PKG. 20
34.49

41028408

Coarse | Tan
Weld cleaning, cleaning, finishing, rust removal
Code 41028390 | PKG. 20 83.47

Various Files

CRESCENT NICHOLSON



67629410

80757313

05331012

80759111

Description	Code	Price
6" Bastard Flat File	80757115	11.84
8" Bastard Flat File	80757214	14.68
10" Bastard Flat File	80757313	19.10
6" Smooth Flat File	80757131	14.83
8" Smooth Flat File	80757230	17.26
10" Smooth Flat File	80757339	24.70
6" Bastard Mill File	80755119	8.10
8" Bastard Mill File	80755218	9.45
10" Bastard Mill File	80755317	13.43
6" Smooth Mill File	80755135	12.14
8" Smooth Mill File	80755234	14.44
10" Smooth Mill File	80755333	17.91
6" Bastard Half-Round File	80759111	18.00
8" Bastard Half-Round File	80759210	21.80
10" Bastard Half-Round File	80759319	27.07
6" Smooth Half-Round File	80759137	21.66
8" Smooth Half-Round File	80759236	25.87
10" Smooth Half-Round File	80759335	31.05
Ergo File Handle Set – 3 Pieces	48654107	7.02
File Handle with Inserts	67629410	6.18
4-1/2" x 1-3/16" Wood File Handle	05331012	4.25

ASK US CONTACT YOUR LOCAL KAR DISTRIBUTOR

More Sizes & Finishes Available

ER Collets

Spring Steel

- Precision collets
- Collet accuracy: 0.0003" to 0.0004" T.I.R.
- Wide clamping ranges: 0.02" to 0.039" collapsibility
- Made of high quality spring steel



Collet Dimensions

Style	D (Inch)	L (Inch)
ER16	0.669	1.062
ER20	0.826	1.220
ER25	1.024	1.378

Nominal Diameter (Inch)	ER16		ER20		ER25	
	Code	Price	Code	Price	Code	Price
1/32	826520	49.97	–	–	–	–
1/16	826521	25.87	826532	29.30	826547	27.40
3/32	826522	25.69	826533	26.05	826548	34.63
1/8	826523	15.43	826534	16.93	826549	18.09
5/32	826524	15.43	826535	16.93	826550	30.18
3/16	826525	15.43	826536	16.93	826551	18.09
7/32	826526	16.15	826537	19.49	826552	34.63
1/4	826527	15.43	826538	16.93	826553	18.09
9/32	826528	15.43	826539	19.49	826554	30.18
5/16	826529	15.43	826540	16.93	826555	18.09
11/32	826530	17.39	826541	19.49	826556	30.63
3/8	826531	15.43	826542	16.93	826557	18.09
13/32	300649	37.96	826543	16.93	826558	30.18
7/16	302697	44.72	826544	16.93	826559	18.09
15/32	–	–	826545	16.93	–	–
1/2	302690	44.72	826546	16.93	826561	18.09
17/32	–	–	–	–	826562	30.18
9/16	–	–	–	–	826563	18.09
19/32	–	–	–	–	826564	34.63
5/8	–	–	302691	44.72	826565	18.09
21/32	–	–	–	–	–	–
11/16	–	–	–	–	–	–
23/32	–	–	–	–	–	–
3/4					302692	44.72

ASK US CONTACT YOUR LOCAL KAR DISTRIBUTOR

More Sizes Available ER11, ER32, ER40

- Designed with an instant clamping hex nut for quick adjustment when clamping workpieces of different lengths
- Moveable jaw is short in length for maximum opening capacity
- Tapered jaws provide more stable clamping force
- 100% steel construction provides better strength and accuracy retention
- Compact design allows maximum workholding capacity on machine

HOMGE

Precision Rapid Vise

HG-200A

Standard Accessories:
- 2 alignment wedges
- 4 clamps

SUPER DEAL
While Quantities Last

205 x 200mm
(approx. 8" x 8")
Code 277038

2445.38





A (mm)	B (mm)	D (mm)	E (mm)	E1 (mm)	e (mm)	C (mm)	H (mm)	Clamping Force (kg)	Weight (kg)	Code
205	200	85 ±0.02	126	18	63 ±0.01	470	19	2500	55	277038

Chuck Stop Sets

Standard & Deluxe

3-Piece Standard Set
15, 20 and 25mm stops
Code 355985

596.22

5-Piece Deluxe Set
15, 20, 25, 30 and 35mm stops
Code 355986

1036.27



ROYAL PRODUCTS

Independent Lathe Chucks

Cast Iron | Solid Jaws | 4-Jaw
Type D Series 4344

BISON

- Cast iron
- Chucks 10" diameter and larger have additional T-slots

Standard Accessories:
- 1 set of solid reversible jaws
- 1 wrench

Size (Inch)	Taper Size	No. of Stud Bolts	Weight (lbs)	Code	Price
8 (7.87)	3	3	36.38	355228	1937.41
8 (7.87)	4	3	36.38	355229	1937.41
8 (7.87)	5	6	36.38	355230	1937.41
10 (9.84)	4	3	60.63	355231	2532.90
10 (9.84)	5	6	60.63	355232	2364.04
10 (9.84)	6	6	60.63	355233	2364.04
12 (12.40)	6	6	87.08	355234	2922.75
12 (12.40)	8	6	87.08	355235	2922.75
16 (15.75)	6	6	132.28	355236	4136.23
16 (15.75)	8	6	132.28	355237	4136.23
16 (15.75)	11	6	132.28	355238	4136.23
20 (19.69)	8	6	210.54	355239	7168.86
20 (19.69)	11	6	210.54	355240	7680.92
25 (24.80)	11	6	363.76	355241	10614.07

SPECIAL PRICES
While Quantities Last

Semi-Universal Dividing Heads

With Tail Stock & Dividing Plates

189 x 100mm (7.5" x 4")
D-05 BS-0
Code 277070

846.14

293 x 128mm (11.5" x 5")
D-06 BS-1
Code 277072

1098.22

- A simplified type of universal index center
- Can be used for either direct or indirect dividing
- Three additional indexing plates included to provide the ability of indirect dividing of all divisions from 2 to 50 and also most common divisions up to 380
- Hardened and ground spindle is rigidly held in a taper roller bearing
- Hardened and ground worm
- Swivel head can be locked on any angle from 10° below horizontal to 90° vertical - precision fitting to base allows smooth rotation
- Threaded spindle nose and 24 hole dividing plate with easy conversion to fast direct indexing on numbers 2, 3, 4, 6, 8, 12 and 24

SPRING INTO SAVINGS 2026

Various Clamps

Toggle Clamps
C-Clamps
F-Clamps
Bar Clamps
Accessories

UP TO **25% OFF** ALL CLAMPS

HERTEL | WILTON | Quality IMPORT

Marking Pens

DYKEM

General Purpose (12 cc)
with Patented Valve-Action

- If cap left off tip may be recharged by pressing against a surface, allowing the ink to flow

9.79 /ea.

Black - Code 219077 | White - Code 219078 | Yellow - Code 219079 | Red - Code 219080 | Blue - Code 219081 | Orange - Code 219082 | Green - Code 219083

Diamond Needle Files

5-Piece & 10-Piece Sets

5 Piece Set: Equalling, Round, Square, Three Square, Half Round

Code 604205 20.91

10 Piece Set: Equalling, Round, Square, Three Square, Half Round, Flat, Crossing, Barette, Marking, Slitting

Code 604210 46.74

604210

Wall Mount Clamping Sets

1 Inch Block Width

SPECIAL PRICES

Table slot: 1/2"	Table slot: 5/8"	Table slot: 3/4"
Stud size: 3/8–16	Stud size: 1/2–13	Stud size: 5/8–11
Code 400010	Code 400020	Code 400030
198.37	232.60	269.87

Sharpening Stones

Aluminum Oxide & Silicon Carbide

- Coarse 120 grit and fine 150 grit in one
- Size: 1" x 2" x 6"

Aluminum Oxide	Silicon Carbide
Code 604230	Code 604231
2.35	4.77



Positioning Blocks

- Tapped holes provided for clamping operations
- Precision ground and hardened on all 6 sides
- Versatile for precision grinding layout work, etc.
- Squareness of all sides is within 0.0001"

1-2-3 Block Pair	2-4-6 Block Pair
Tapped Hole: 3/8-16	Tapped Hole: 5/8-11
Code 440415	Code 460170
28.73	239.91

Boring Head Sets

Boring Bars & Wrenches
Supplied in fitted
storage cases

3/4" Straight Shank (Plastic Storage Case)
0-4" Capacity | 1/2" Bore Size

Code 302425 592.89

R8 Shank (Wooden Storage Case)
0-6" Capacity | 3/4" Bore Size

Code 302430 952.70

Center Punch Set

8-Piece | 4 Inch
Hardened & Tempered

Center Punch Set: 1/16 (1.5), 5/64 (2), 3/32, (2.5), 1/8 (3), 9/64 (3.5), 5/32 (4), 3/16 (5), and 7/32 (5.5)

Code 460042
44.49

KAR Industrial Inc.
www.kar.ca

Toronto 1-800-387-3127
Montréal 1-800-363-7862
Edmonton 1-866-440-4326

Offer valid until June 30, 2026

**Products shown may not be exactly as illustrated*

Code 000350