

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Addr
(1)	LX 1	5	S4 Lustr2 26° 171w	I-Cue	R119		2/91
	"	"	I-Cue 17w	"			2/480
(2)	LX 1	7	S4 Lustr2 26° 171w	I-Cue	R119		2/106
	"	"	I-Cue 17w	"			2/485
(11)	LX 1	4	S4 Lustr2 26° 171w	Downpool	R119		2/151
(12)	LX 1	6	S4 Lustr2 26° 171w	Downpool	R119		2/166
(13)	LX 1	8	S4 Lustr2 26° 171w	Downpool	R119		2/181
(14)	LX 2	2	S4 Lustr2 26° 171w	Downpool	R119		2/196
(15)	LX 2	3	S4 Lustr2 26° 171w	Downpool	R119		2/211
(16)	LX 3	4	S4 Lustr2 26° 171w	Downpool	R119		2/226
(17)	LX 3	8	S4 Lustr2 26° 171w	Downpool	R119		2/241
(18)	LX 3	12	S4 Lustr2 26° 171w	Downpool	R119		2/256
(19)	LX 4	3	S4 Lustr2 26° 171w	Downpool	R119		2/271
(20)	LX 4	6	S4 Lustr2 26° 171w	Downpool	R119		2/286
(21)	LX 5	5	S4 Lustr2 36°+Light Acc Iris 171w	Downpool	R119		2/301
(22)	LX 5	8	S4 Lustr2 36°+Light Acc Iris 171w	Downpool	R119		2/316
(23)	LX 5	11	S4 Lustr2 36°+Light Acc Iris 171w	Downpool	R119		2/331
(31)	LX 3	6	8" Fres+7.5 4 Leaf Barn Door+ 8" Barndoor 1kW	Warm Bax	R3408+R119	51	1/51
(32)	LX 3	7	8" Fres+7.5 4 Leaf Barn Door+ 8" Barndoor 1kW	Warm Bax	R3408+R119	47	1/47
(33)	LX 3	11	8" Fres+7.5 4 Leaf Barn Door+ 8" Barndoor 1kW	Warm Bax	R3408+R119	123	1/123
(34)	LX 4	2	8" Fres+7.5 4 Leaf Barn Door+ 8" Barndoor 1kW	Warm Bax	R3408+R119	60	1/60
(35)	LX 4	4	8" Fres+7.5 4 Leaf Barn Door+ 8" Barndoor 1kW	Warm Bax	R3408+R119	65	1/65

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Addr
(36)	LX 4	8	8" Fres+7.5 4 Leaf Barn Door+ 8" Barndoor 1kW	Warm Bax	R3408+R119	58	1/58
(37)	LX 6	2	8" Fres+7.5 4 Leaf Barn Door+ 8" Barndoor 1kW	Warm Bax	R3408+R119	128	1/128
(38)	LX 6	3	8" Fres+7.5 4 Leaf Barn Door+ 8" Barndoor 1kW	Warm Bax	R3408+R119	129	1/129
(39)	LX 6	6	8" Fres+7.5 4 Leaf Barn Door+ 8" Barndoor 1kW	Warm Bax	R3408+R119	132	1/132
(41)	LX 3	5	Selecon Arena+8" Barndoor 2kW	Scroll Bax		46	1/46
	"	"	Chroma-Q Scroller	"	Scroll 1		1/422
(42)	LX 3	9	Selecon Arena+8" Barndoor 2kW	Scroll Bax		48	1/48
	"	"	Chroma-Q Scroller	"	Scroll 1		1/408
(43)	LX 3	10	Selecon Arena+8" Barndoor 2kW	Scroll Bax		45	1/45
	"	"	Chroma-Q Scroller	"	Scroll 1		1/403
(44)	LX 4	1	Selecon Arena+8" Barndoor 2kW	Scroll Bax		59	1/59
	"	"	Chroma-Q Scroller	"	Scroll 1		1/429
(45)	LX 4	5	Selecon Arena+8" Barndoor 2kW	Scroll Bax		61	1/61
	"	"	Chroma-Q Scroller	"	Scroll 1		1/427
(46)	LX 4	7	Selecon Arena+8" Barndoor 2kW	Scroll Bax		57	1/57
	"	"	Chroma-Q Scroller	"	Scroll 1		1/425
(47)	LX 6	1	Selecon Arena+8" Barndoor 2kW	Scroll Bax		127	1/127
	"	"	Chroma-Q Scroller	"	Scroll 1		1/407

SCROLLS:

1. Scroll C: R-00, R4590, R2003, R3408, R2002, R26, R4890, R339, R4790, R4990, R4230, R3220, R2006, R2006, R95, R95, R4390, R2005, R4460, R2004, R382, R382

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Addr
(48)	LX 6	4	Selecon Arena+8" Barndoor 2kW	Scroll Bax		130	1/130
	"	"	Chroma-Q Scroller	"	Scroll 1		1/421
(49)	LX 6	5	Selecon Arena+8" Barndoor 2kW	Scroll Bax		131	1/131
	"	"	Chroma-Q Scroller	"	Scroll 1		1/426
(51)	LX 1	1	S4-26+Light Acc S4A Template Holder 575w	Gobo Tips	R119, T: GAM 294	20	1/20
(52)	LX 1	11	S4 -26+Light Acc S4A Template Holder 575w	Gobo Tips	R119, T: GAM 294	33	1/33
(53)	LX 2	1	S4 -26+Light Acc S4A Template Holder 575w	Gobo Tips	R119, T: GAM 294	34	1/34
(54)	LX 2	4	S4 -26+Light Acc S4A Template Holder 575w	Gobo Tips	R119, T: GAM 294	37	1/37
(55)	LX 3	1	S4 -26+Light Acc S4A Template Holder 575w	Gobo Tips	R119, T: GAM 294	121	1/121
(56)	LX 3	15	S4 -26+Light Acc S4A Template Holder 575w	Gobo Tips	R119, T: GAM 294	54	1/54
(57)	LX 5	1	S4 -26+Light Acc S4A Template Holder 575w	Gobo Tips	R119, T: GAM 294	68	1/68
(58)	LX 5	15	S4 -26+Light Acc S4A Template Holder 575w	Gobo Tips	R119, T: GAM 294	75	1/75
(61)	LX 1	2	S4-36 575w	Warm Tips	R14+R119	22	1/22
(62)	LX 1	10	S4-36 575w	Warm Tips	R14+R119	31	1/31
(63)	LX 3	2	S4-36 575w	Warm Tips	R14+R119	50	1/50
(64)	LX 3	14	S4-36 575w	Warm Tips	R14+R119	43	1/43
(65)	LX 5	2	S4-36 575w	Warm Tips	R14+R119	69	1/69
(66)	LX 5	14	S4-36 575w	Warm Tips	R14+R119	74	1/74

SCROLLS:

1. Scroll C: R-00, R4590, R2003, R3408, R2002, R26, R4890, R339, R4790, R4990, R4230, R3220, R2006, R2006, R95, R95, R4390, R2005, R4460, R2004, R382, R382

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Addr
(71)	LX 1	3	S4-36 575w	Cool Tips	L202+R119	21	1/21
(72)	LX 1	9	S4-36 575w	Cool Tips	L202+R119	32	1/32
(73)	LX 3	3	S4-36 575w	Cool Tips	L202+R119	122	1/122
(74)	LX 3	13	S4-36 575w	Cool Tips	L202+R119	44	1/44
(75)	LX 5	3	S4-36 575w	Cool Tips	L202+R119	76	1/76
(76)	LX 5	13	S4-36 575w	Cool Tips	L202+R119	77	1/77
(101)	LX 5	4	S4 Cyclight 171w	LED CYC			2/1
(102)	LX 5	6	S4 Cyclight 171w	LED CYC			2/16
(103)	LX 5	7	S4 Cyclight 171w	LED CYC			2/31
(104)	LX 5	9	S4 Cyclight 171w	LED CYC			2/46
(105)	LX 5	10	S4 Cyclight 171w	LED CYC			2/61
(106)	LX 5	12	S4 Cyclight 171w	LED CYC			2/76
(111)	FOH	5	Strand 15° 1kW	Front Fill	L162+R132	302	1/302
(112)	FOH	10	Strand 6x16 1kW	Front Fill	L162+R132	3	1/3
(113)	FOH	16	Strand 6x16 1kW	Front Fill	L162+R132	7	1/7
(114)	FOH	23	Strand 6x16 1kW	Front Fill	L162+R132	319	1/319
(115)	FOH	28	Strand 6x16 1kW	Front Fill	L162+R132	305	1/305
(116)	FOH	4	Strand 6x16 1kW	Front Fill	L162+R132	301	1/301
(117)	FOH	9	Strand 15° 1kW	Front Fill	L162+R132	1	1/1
(118)	FOH	15	Strand 15° 1kW	Front Fill	L162+R132	8	1/8
(119)	FOH	22	Strand 15° 1kW	Front Fill	L162+R132	5	1/5
(120)	FOH	27	Strand 15° 1kW	Front Fill	L162+R132	304	1/304
(121)	FOH	6	Strand 6x16 1kW	Blue Wash	R80	303	1/303
(122)	FOH	11	Strand 6x16 1kW	Blue Wash	R80	2	1/2
(123)	FOH	17	Strand 6x16 1kW	Blue Wash	R80	116	1/116
(124)	FOH	21	Strand 6x16 1kW	Blue Wash	R80	4	1/4

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Addr
(125)	FOH	26	Strand 6x16 1kW	Blue Wash	R80	6	1/6
(131)	FOH	7	Strand 6x12 1kW	Red Wash	R26	308	1/308
(132)	FOH	13	Strand 6x12 1kW	Red Wash	R26	311	1/311
(133)	FOH	19	Strand 6x12 1kW	Red Wash	R26	314	1/314
(134)	FOH	25	Strand 6x12 1kW	Red Wash	R26	317	1/317
(141)	FOH	14	Strand 15° 1kW	Channon ENT	L048	312	1/312
(142)	FOH	18	Strand 15° 1kW	Channon ENT	L048	313	1/313
(151)	Boom 1L	1	Strand 6x9 1kW	Heads	R05+R119	81	1/81
(152)	Boom 1R	1	Strand 6x9 1kW	Heads	R05+R119	109	1/109
(153)	Boom 2L	1	Strand 6x9 1kW	Heads	R05+R119	85	1/85
(154)	Boom 2R	1	Strand 6x9 1kW	Heads	R05+R119	104	1/104
(155)	Boom 3L	1	Strand 6x9 1kW	Heads	R05+R119	89	1/89
(156)	Boom 3R	1	Strand 6x9 1kW	Heads	R05+R119	100	1/100
(157)	Boom 4L	1	Strand 6x9 1kW	Heads	R05+R119	92	1/92
(158)	Boom 4R	1	Strand 6x9 1kW	Heads	R05+R119	96	1/96
(171)	Boom 1L	2	S4-36 575w	Mids	L202	79	1/79
(172)	Boom 1R	2	S4-36 575w	Mids	L202	108	1/108
(173)	Boom 2L	2	S4-36 575w	Mids	L202	83	1/83
(174)	Boom 2R	2	S4-36 575w	Mids	L202	103	1/103

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Addr
(175)	Boom 3L	2	S4-36 575w	Mids	L202	87	1/87
(176)	Boom 3R	2	S4-36 575w	Mids	L202	99	1/99
(177)	Boom 4L	2	S4-36 575w	Mids	L202	91	1/91
(178)	Boom 4R	2	S4-36 575w	Mids	L202	95	1/95
(181)	Boom 1L	3	Strand 6x9 1kW	Shins	R132	78	1/78
	"	"	Chroma-Q Scroller	"	Scroll 2		1/411
(182)	Boom 1R	3	Strand 6x9 1kW	Shins	R132	106	1/106
	"	"	Chroma-Q Scroller	"	Scroll 2		1/412
(183)	Boom 2L	3	Strand 6x9 1kW	Shins	R132	82	1/82
	"	"	Chroma-Q Scroller	"	Scroll 2		1/413
(184)	Boom 2R	3	Strand 6x9 1kW	Shins	R132	102	1/102
	"	"	Chroma-Q Scroller	"	Scroll 2		1/414
(185)	Boom 3L	3	Strand 6x9 1kW	Shins	R132	86	1/86
	"	"	Chroma-Q Scroller	"	Scroll 2		1/415
(186)	Boom 3R	3	Strand 6x9 1kW	Shins	R132	98	1/98
	"	"	Chroma-Q Scroller	"	Scroll 2		1/416
(187)	Boom 4L	3	Strand 6x9 1kW	Shins	R132	90	1/90
	"	"	Chroma-Q Scroller	"	Scroll 2		1/417

SCROLLS:

2. Scroll A: R00, R3150, R3315, R4560, R304, R331, R4730, R51, R4230, R3204, R3202, R364, R66, R4330, R4430, R86

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Addr
(188)	Boom 4R	3	Strand 6x9 1kW	Shins	R132	94	1/94
	"	"	Chroma-Q Scroller	"	Scroll 2		1/418
(201)	LS 28	1	Practical	Candles			1/441
(202)	LS 28	2	Practical	Candles			1/444
(203)	LS 29	1	Practical	Candles			1/447
(204)	LS 29	2	Practical	Candles			1/450
(205)	LS 12	1	Practical	Chandelier		124	1/124
(211)	Deck		Selecon 6" Fresnel+Light Acc C Clamp 750w	StageHand	TBD	125	1/125
(212)	Deck		Selecon 6" Fresnel+Light Acc C Clamp 750w	StageHand	TBD	126	1/126
(301)	Deck		Radiance Hazer 960w	Hazer			1/500
(310)	Deck		CLF 4500 1.56kW	Fogger			1/502
(401)	FOH	1	Strand 6x12 1kW	Calipers		117	1/117
	"	31	"	"		"	"
(402)	FOH	2	Strand 6x12 1kW	House	R119	118	1/118
	"	30	"	"	"	"	"

SCROLLS:

2. Scroll A: R00, R3150, R3315, R4560, R304, R331, R4730, R51, R4230, R3204, R3202, R364, R66, R4330, R4430, R86

LETTERED Channel

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Addr
(Sp)	FOH	3	Strand 15° 1kW	Spare			
	"	8	Strand 6x12 1kW	"			
	"	12	"	"			
	"	20	"	"			
	"	24	Strand 6x16 1kW	"			
	"	29	Strand 15° 1kW	"			

TABLE OF CONTENTS

LX 1	1	LS 29	7
LX 2	1	Boom 1L	8
LX 3	2	Boom 1R	8
LX 4	3	Boom 2L	8
LX 5	4	Boom 2R	9
LX 6	5	Boom 3L	9
FOH	6	Boom 3R	9
LS 12	7	Boom 4L	10
LS 28	7	Boom 4R	10
		Deck	10

LX 1

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dim
1	Gobo Tips	S4-26+Light Acc S4A Template Holder	575w	R119, T:GAM 294	(51)	1/20	20
2	Warm Tips	S4-36	575w	R14+R119	(61)	1/22	22
3	Cool Tips	S4-36	575w	L202+R119	(71)	1/21	21
4	Downpool	S4 Lustr2 26°	171w	R119	(11)	2/151	
5	I-Cue	S4 Lustr2 26°	171w	R119	(1)	2/91	
5	I-Cue	I-Cue	17w		(1)	2/480	
6	Downpool	S4 Lustr2 26°	171w	R119	(12)	2/166	
7	I-Cue	S4 Lustr2 26°	171w	R119	(2)	2/106	
7	I-Cue	I-Cue	17w		(2)	2/485	
8	Downpool	S4 Lustr2 26°	171w	R119	(13)	2/181	
9	Cool Tips	S4-36	575w	L202+R119	(72)	1/32	32
10	Warm Tips	S4-36	575w	R14+R119	(62)	1/31	31
11	Gobo Tips	S4 -26+Light Acc S4A Template Holder	575w	R119, T:GAM 294	(52)	1/33	33

LX 2

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dim
1	Gobo Tips	S4 -26+Light Acc S4A Template Holder	575w	R119, T:GAM 294	(53)	1/34	34
2	Downpool	S4 Lustr2 26°	171w	R119	(14)	2/196	
3	Downpool	S4 Lustr2 26°	171w	R119	(15)	2/211	
4	Gobo Tips	S4 -26+Light Acc S4A Template Holder	575w	R119, T:GAM 294	(54)	1/37	37

LX 3

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dim
1	Gobo Tips	S4 -26+Light Acc S4A Template Holder	575w	R119, T:GAM 294	(55)	1/121	121
2	Warm Tips	S4-36	575w	R14+R119	(63)	1/50	50
3	Cool Tips	S4-36	575w	L202+R119	(73)	1/122	122
4	Downpool	S4 Lustr2 26°	171w	R119	(16)	2/226	
5	Scroll Bax	Selecon Arena+8" Barndoor	2kW		(41)	1/46	46
5	Scroll Bax	Chroma-Q Scroller		Scroll 1	(41)	1/422	
6	Warm Bax	8" Fres+7.5 4 Leaf Barn Door+8" Barndoor	1kW	R3408+R119	(31)	1/51	51
7	Warm Bax	8" Fres+7.5 4 Leaf Barn Door+8" Barndoor	1kW	R3408+R119	(32)	1/47	47
8	Downpool	S4 Lustr2 26°	171w	R119	(17)	2/241	
9	Scroll Bax	Selecon Arena+8" Barndoor	2kW		(42)	1/48	48
9	Scroll Bax	Chroma-Q Scroller		Scroll 1	(42)	1/408	
10	Scroll Bax	Selecon Arena+8" Barndoor	2kW		(43)	1/45	45
10	Scroll Bax	Chroma-Q Scroller		Scroll 1	(43)	1/403	
11	Warm Bax	8" Fres+7.5 4 Leaf Barn Door+8" Barndoor	1kW	R3408+R119	(33)	1/123	123
12	Downpool	S4 Lustr2 26°	171w	R119	(18)	2/256	
13	Cool Tips	S4-36	575w	L202+R119	(74)	1/44	44
14	Warm Tips	S4-36	575w	R14+R119	(64)	1/43	43
15	Gobo Tips	S4 -26+Light Acc S4A Template Holder	575w	R119, T:GAM 294	(56)	1/54	54

SCROLLS:

1. Scroll C: R-00, R4590, R2003, R3408, R2002, R26, R4890, R339, R4790, R4990, R4230, R3220, R2006, R2006, R95, R95, R4390, R2005, R4460, R2004, R382, R382

LX 4

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dim
1	Scroll Bax	Selecon Arena+8" Barndoor	2kW		(44)	1/59	59
1	Scroll Bax	Chroma-Q Scroller		Scroll 1	(44)	1/429	
2	Warm Bax	8" Fres+7.5 4 Leaf Barn Door+8" Barndoor	1kW	R3408+R119	(34)	1/60	60
3	Downpool	S4 Lustr2 26°	171w	R119	(19)	2/271	
4	Warm Bax	8" Fres+7.5 4 Leaf Barn Door+8" Barndoor	1kW	R3408+R119	(35)	1/65	65
5	Scroll Bax	Selecon Arena+8" Barndoor	2kW		(45)	1/61	61
5	Scroll Bax	Chroma-Q Scroller		Scroll 1	(45)	1/427	
6	Downpool	S4 Lustr2 26°	171w	R119	(20)	2/286	
7	Scroll Bax	Selecon Arena+8" Barndoor	2kW		(46)	1/57	57
7	Scroll Bax	Chroma-Q Scroller		Scroll 1	(46)	1/425	
8	Warm Bax	8" Fres+7.5 4 Leaf Barn Door+8" Barndoor	1kW	R3408+R119	(36)	1/58	58

SCROLLS:

1. Scroll C: R-00, R4590, R2003, R3408, R2002, R26, R4890, R339, R4790, R4990, R4230, R3220, R2006, R2006, R95, R95, R4390, R2005, R4460, R2004, R382, R382

LX 5

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dim
1	Gobo Tips	S4 -26+Light Acc S4A Template Holder	575w	R119, T:GAM 294	(57)	1/68	68
2	Warm Tips	S4-36	575w	R14+R119	(65)	1/69	69
3	Cool Tips	S4-36	575w	L202+R119	(75)	1/76	76
4	LED CYC	S4 Cyclight	171w		(101)	2/1	
5	Downpool	S4 Lustr2 36°+Light Acc Iris	171w	R119	(21)	2/301	
6	LED CYC	S4 Cyclight	171w		(102)	2/16	
7	LED CYC	S4 Cyclight	171w		(103)	2/31	
8	Downpool	S4 Lustr2 36°+Light Acc Iris	171w	R119	(22)	2/316	
9	LED CYC	S4 Cyclight	171w		(104)	2/46	
10	LED CYC	S4 Cyclight	171w		(105)	2/61	
11	Downpool	S4 Lustr2 36°+Light Acc Iris	171w	R119	(23)	2/331	
12	LED CYC	S4 Cyclight	171w		(106)	2/76	
13	Cool Tips	S4-36	575w	L202+R119	(76)	1/77	77
14	Warm Tips	S4-36	575w	R14+R119	(66)	1/74	74
15	Gobo Tips	S4 -26+Light Acc S4A Template Holder	575w	R119, T:GAM 294	(58)	1/75	75

LX 6

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dim
1	Scroll Bax	Selecon Arena+8" Barndoor	2kW		(47)	1/127	127
1	Scroll Bax	Chroma-Q Scroller		Scroll 1	(47)	1/407	
2	Warm Bax	8" Fres+7.5 4 Leaf Barn Door+8" Barndoor	1kW	R3408+R119	(37)	1/128	128
3	Warm Bax	8" Fres+7.5 4 Leaf Barn Door+8" Barndoor	1kW	R3408+R119	(38)	1/129	129
4	Scroll Bax	Selecon Arena+8" Barndoor	2kW		(48)	1/130	130
4	Scroll Bax	Chroma-Q Scroller		Scroll 1	(48)	1/421	
5	Scroll Bax	Selecon Arena+8" Barndoor	2kW		(49)	1/131	131
5	Scroll Bax	Chroma-Q Scroller		Scroll 1	(49)	1/426	
6	Warm Bax	8" Fres+7.5 4 Leaf Barn Door+8" Barndoor	1kW	R3408+R119	(39)	1/132	132

SCROLLS:

1. Scroll C: R-00, R4590, R2003, R3408, R2002, R26, R4890, R339, R4790, R4990, R4230, R3220, R2006, R2006, R95, R95, R4390, R2005, R4460, R2004, R382, R382

FOH

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dim
1	Calipers	Strand 6x12	1kW		(401)	1/117	117
2	House	Strand 6x12	1kW	R119	(402)	1/118	118
3	Spare	Strand 15°	1kW		(Sp)		
4	Front Fill	Strand 6x16	1kW	L162+R132	(116)	1/301	301
5	Front Fill	Strand 15°	1kW	L162+R132	(111)	1/302	302
6	Blue Wash	Strand 6x16	1kW	R80	(121)	1/303	303
7	Red Wash	Strand 6x12	1kW	R26	(131)	1/308	308
8	Spare	Strand 6x12	1kW		(Sp)		
9	Front Fill	Strand 15°	1kW	L162+R132	(117)	1/1	1
10	Front Fill	Strand 6x16	1kW	L162+R132	(112)	1/3	3
11	Blue Wash	Strand 6x16	1kW	R80	(122)	1/2	2
12	Spare	Strand 6x12	1kW		(Sp)		
13	Red Wash	Strand 6x12	1kW	R26	(132)	1/311	311
14	Channon ENT	Strand 15°	1kW	L048	(141)	1/312	312
15	Front Fill	Strand 15°	1kW	L162+R132	(118)	1/8	8
16	Front Fill	Strand 6x16	1kW	L162+R132	(113)	1/7	7
17	Blue Wash	Strand 6x16	1kW	R80	(123)	1/116	116
18	Channon ENT	Strand 15°	1kW	L048	(142)	1/313	313
19	Red Wash	Strand 6x12	1kW	R26	(133)	1/314	314
20	Spare	Strand 6x12	1kW		(Sp)		
21	Blue Wash	Strand 6x16	1kW	R80	(124)	1/4	4
22	Front Fill	Strand 15°	1kW	L162+R132	(119)	1/5	5
23	Front Fill	Strand 6x16	1kW	L162+R132	(114)	1/319	319
24	Spare	Strand 6x16	1kW		(Sp)		
25	Red Wash	Strand 6x12	1kW	R26	(134)	1/317	317
26	Blue Wash	Strand 6x16	1kW	R80	(125)	1/6	6

FOH

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dim
27	Front Fill	Strand 15°	1kW	L162+R132	(120)	1/304	304
28	Front Fill	Strand 6x16	1kW	L162+R132	(115)	1/305	305
29	Spare	Strand 15°	1kW		(Sp)		
30	House	Strand 6x12	1kW	R119	(402)	1/118	118
31	Calipers	Strand 6x12	1kW		(401)	1/117	117

LS 12

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dim
1	Chandelier	Practical			(205)	1/124	124

LS 28

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dim
1	Candles	Practical			(201)	1/441	
2	Candles	Practical			(202)	1/444	

LS 29

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dim
1	Candles	Practical			(203)	1/447	
2	Candles	Practical			(204)	1/450	

Boom 1L

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dim
1	Heads	Strand 6x9	1kW	R05+R119	(151)	1/81	81
2	Mids	S4-36	575w	L202	(171)	1/79	79
3	Shins	Strand 6x9	1kW	R132	(181)	1/78	78
3	Shins	Chroma-Q Scroller		Scroll 2	(181)	1/411	

Boom 1R

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dim
1	Heads	Strand 6x9	1kW	R05+R119	(152)	1/109	109
2	Mids	S4-36	575w	L202	(172)	1/108	108
3	Shins	Strand 6x9	1kW	R132	(182)	1/106	106
3	Shins	Chroma-Q Scroller		Scroll 2	(182)	1/412	

Boom 2L

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dim
1	Heads	Strand 6x9	1kW	R05+R119	(153)	1/85	85
2	Mids	S4-36	575w	L202	(173)	1/83	83
3	Shins	Strand 6x9	1kW	R132	(183)	1/82	82
3	Shins	Chroma-Q Scroller		Scroll 2	(183)	1/413	

SCROLLS:

2. Scroll A: R00, R3150, R3315, R4560, R304, R331, R4730, R51, R4230, R3204, R3202, R364, R66, R4330, R4430, R86

Boom 2R

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dim
1	Heads	Strand 6x9	1kW	R05+R119	(154)	1/104	104
2	Mids	S4-36	575w	L202	(174)	1/103	103
3	Shins	Strand 6x9	1kW	R132	(184)	1/102	102
3	Shins	Chroma-Q Scroller		Scroll 2	(184)	1/414	

Boom 3L

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dim
1	Heads	Strand 6x9	1kW	R05+R119	(155)	1/89	89
2	Mids	S4-36	575w	L202	(175)	1/87	87
3	Shins	Strand 6x9	1kW	R132	(185)	1/86	86
3	Shins	Chroma-Q Scroller		Scroll 2	(185)	1/415	

Boom 3R

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dim
1	Heads	Strand 6x9	1kW	R05+R119	(156)	1/100	100
2	Mids	S4-36	575w	L202	(176)	1/99	99
3	Shins	Strand 6x9	1kW	R132	(186)	1/98	98
3	Shins	Chroma-Q Scroller		Scroll 2	(186)	1/416	

SCROLLS:

2. Scroll A: R00, R3150, R3315, R4560, R304, R331, R4730, R51, R4230, R3204, R3202, R364, R66, R4330, R4430, R86

Boom 4L

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dim
1	Heads	Strand 6x9	1kW	R05+R119	(157)	1/92	92
2	Mids	S4-36	575w	L202	(177)	1/91	91
3	Shins	Strand 6x9	1kW	R132	(187)	1/90	90
3	Shins	Chroma-Q Scroller		Scroll 2	(187)	1/417	

Boom 4R

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dim
1	Heads	Strand 6x9	1kW	R05+R119	(158)	1/96	96
2	Mids	S4-36	575w	L202	(178)	1/95	95
3	Shins	Strand 6x9	1kW	R132	(188)	1/94	94
3	Shins	Chroma-Q Scroller		Scroll 2	(188)	1/418	

Deck

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dim
	StageHand	Selecon 6" Fresnel+Light Acc C Clamp	750w	TBD	(211)	1/125	125
	StageHand	Selecon 6" Fresnel+Light Acc C Clamp	750w	TBD	(212)	1/126	126
	Fogger	CLF 4500	1.56kW		(310)	1/502	
	Hazer	Radiance Hazer	960w		(301)	1/500	

SCROLLS:

2. Scroll A: R00, R3150, R3315, R4560, R304, R331, R4730, R51, R4230, R3204, R3202, R364, R66, R4330, R4430, R86