

#### 1. Identification

Product Identifier Fiber Rinse

Other means of identification

Product code OVR-3300

**Recommended use** Carpet neutralizer and cleaner.

**Recommended restrictions** 

Manufacturer information

Company name OVR Equipment Sales & Rentals

Address 4960 Factory Dr,

Fairfield, OH 45014

**Telephone** (513) 874-7478

**Emergency phone number** PERS (800) 633-8253

24-hour Emergency (800) 633-8253

## 2. Hazard(s) Identification

Physical hazards Not classified

**Health hazards** Serious eye damage.

Skin corrosion. Category 1B

Professional use only. Use as directed

Environmental hazards Not classified

OSHA defined hazards

**Label elements** 

None.

Signal word DANGER

**Hazard statement** Causes severe skin burns and eye damage.

**Precautionary statement** 

**Prevention** Keep only in original container. Do not breathe dusts or mists. Wash skin thoroughly

after handling. Wear protective gloves/protective clothing/eye protection/face

Category 1

protection.

**Response** Absorb spillage to prevent material damage.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower. Wash contaminated clothing before reuse.

IF INHALED: Remove person to fresh air and keep comfortable breathing. Immediately

call a POISON CENTER/doctor/medical professional. Specific treatment (see

supplemental information on this label).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if

present and easy to do. Continue rinsing.

Storage Store in corrosive resistant container with a resistant inner lining. Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazard(s) not otherwise

classified (HNOC)

None.

Supplemental information None.



# 3. Composition/information on ingredients

	Mixture Component(s)		
Chemical name	CAS number	Purpose	%
Water	7732-18-5	Solvent	85-95%
Phosphoric Acid	7664-38-2	pH Adjuster	1-5%
C8-10 Ethoxylate Phosphate	68130-47-2	Surfactant	1-5%
Triethanolamine	102-71-6	Anti-Redeposition Agent	1-5%
2-Butoxyethanol	111-76-2	Solvent	0-3%
Fragrance	Proprietary	Fragrance Component	<1%
Diethanolamine	111-42-2	Anti-Redeposition Agent	<0.01%

#### 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

**Eye contact** Rinse with water for at least 15 minutes. Remove contact lenses if present and easy to do

so. Immediately call a physician or transport to hospital.

**Ingestion** Rinse mouth. Get medical attention immediately. Do not induce vomiting.

Most important

symptoms/effects, acute and

delayed

Can cause serious eye damage. Can cause burning sensation in affected areas. Shortness of breath, respiratory tract irritation or damage. Pain, swelling excessive tearing and redness

of the eye.

Indication of immediate medical attention and special treatment needed

Provide general support measures and treat symptomatically. Keep victim under

observation. Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions

to protect themselves. Wash contaminated clothing before reuse. Use with extreme

caution.

### 5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread a liquid-sourced fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for

firefighters

fire.

Fire-fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protecting clothing must be worn in case of

**General fire hazards** No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors or mists. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal

protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This product is fully miscible in water.



Large spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small spills: Wipe up with absorbent material (e.g. cloth, absorbent wipes). Clean surface thoroughly with water to remove residual contamination.

Never return spills to original container for re-use. For waste disposal, see section 13 of the

SDS

**Environmental precautions** Avoid discharge into surface waterways or other areas not consistent with package

labeling.

# 7. Handling and storage

Precautions for safe handling Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged

exposure. Provide adequate ventilation. Wear appropriate personal protective equipment.

Observe good industrial hygiene practices.

Conditions for safe storage,

including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see

section 10 of the SDS).

## 8. Exposure controls/personal protection

#### Occupational exposure limits

US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value
2-butoxyethanol	PEL	50 ppm
Phosphoric acid	PEL	1 mg/m <sup>3</sup>

**US ACGIH Threshold Limit Values** 

ComponentsTypeValue2-butoxyethanolSTEL20 ppmPhosphoric acidSTEL $3 \text{ mg/m}^3$ 

#### **Biological limit values**

**ACGIH Biological Exposure Indices** 

Components	Value	Determinant	Species	Sampling Time
2-butoxyethanol	200 mg/g	Creatinine	Urine	End of shift.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels to an acceptable level. It is recommended that users of this product perform a risk assessment to determine the appropriate personal protective equipment.

Individual protection measures, such as personal protective equipment

**Eye/face protection** 

Skin protection

•

Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

**Hand protection** 

The use of gloves impervious to the specific material handled is advised to prevent skin contact. Users should check with manufacturers to confirm the breakthrough performance of their products. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of



several substances, the protection time of the gloves cannot be accurately estimated.

Suggested protective materials: Nitrile and PVC rubber.

Other Wear appropriate chemical-resistant clothing. Use of an impervious apron and sleeve

covers is recommended.

**Respiratory protection** In case of insufficient ventilation, wear suitable NIOSH-approved respiratory protection

equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

**General hygiene**considerations
When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or

smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Contaminated work clothing should not be allowed out of the workplace.

## 9. Physical and chemical properties

**Appearance** 

Physical State Liquid Color Pink

Odor Pleasant, floral
Odor threshold Not available.
pH 1.5-2.5

Melting/freezing point 32°F (0°C) estimated.

Initial boiling point and >212°F (>100°C) estimated.

boiling range

Flash point Not applicable.

Evaporation rate Not available.

Flammability Not available.

**Flammability Limits** 

Upper Not available.
Lower Not available.
Vapor pressure Not available.
Vapor density Not available.

Specific gravity (water=1) 1.04
Solubility in water Soluble.
Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

**Decomposition temperature** >212°F (>100°C) estimated.

Viscosity Not available.

#### 10. Stability and reactivity

**Reactivity** This product is stable and non-reactive under normal conditions of use. **Chemical stability** Material is stable under normal conditions. Store in a cool dark place.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

**Conditions to avoid** Avoid storage in elevated temperatures (>120° F).

**Incompatible materials** Strong caustics, strong oxidizers, sulfites.

**Hazardous decomposition** 

izaruous uecompositioi

products

Phosphorous oxides may form when heated to decomposition. In case of fire see section 5.



### 11. Toxicological information

Information on likely routes of exposure

**Ingestion** Do not ingest, can irritate and/or burn mucous membranes.

**Inhalation** Non-volatile at ambient temperatures. Mist may be irritating to the respiratory tract.

**Skin contact** Can cause skin burns and/or irritation.

**Eye contact** Can cause serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics

Dermatitis. Rash. May cause an allergic skin reaction.

Acute toxicity Not classified.

Product Fiber Rinse (CAS mix	ture)	
Exposure Classification	Route and Species	LD50 /LC50
Acute	Oral, rat	17,900 mg/kg (estimated)
Acute	Dermal, rabbit	13,400 mg/kg (estimated)
*Estimates for product may be	based on additional component data	not shown

Skin corrosion/irritationCan cause severe skin burns.Serious eye damage/ irritationCan cause serious eye damage.

**Respiratory sensitization**Not considered a respiratory sensitizer.

**Skin sensitization** Not considered a skin sensitizer.

**Germ cell mutagenicity**No data available to indicate product or any

components present at greater than 0.1% are

mutagenic or genotoxic.

No data available.

**Carcinogenicity** Not considered a carcinogen.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not Listed

**Reproductive toxicity**No data available.

**Specific target organ toxicity – single exposure**May cause damage to the upper respiratory tract

with prolonged exposure to vapors.

Specific target organ toxicity – repeated exposure

Aspiration hazard No data available.

### 12. Ecological information

Ecotoxicity				
Product Fiber Rinse (CAS mixture)				
Aquatic	Species	LC <sub>50</sub> /EC <sub>50</sub>		
Fish	Fathead Minnow (Pimephales promelas)	1,900 mg/L (estimated)		
Fish	Oncorhynchus mykiss	> 1,780 mg/L (estimated) 92-hr		
Algae	Pseudokirchneriella subcapitata	> 2,270 mg/L (estimated) 92-hr		
Crustacea	Daphnia magna	>3,800 mg/L (estimated) 92-hr		

**Persistence and**No data available. The listed classes of chemicals are described in literature as exhibiting

degradability low persistence and moderate degradation in an open environment

Bioaccumulative potential Not data available Components are highly water-soluble are not expected to accumulate

in dynamic biological systems

Partition coefficient n-octanol/water (log Kow) Not available.

Mobility in soil No data available. Chemicals of these classes are highly water soluble and will partition

readily to water and weakly to particles in low-clay soil matrices. They are expected to

exhibit moderate to high mobility in saturated and semi-saturated soils



Other adverse effects

May be harmful to plants or wildlife in high concentrations due to pH modification and published aquatic toxicity thresholds. No other adverse environmental effects known (i.e. ozone depleting substance, tropospheric ozone precursor, greenhouse gas emission, endocrine disruptor or other deleterious environmental effect)

### 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose

of contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste disposal company. As packaged, this product may meet criteria defining RCRA

corrosive (D002) hazardous wastes when disposed. (40 CFR Part 261, Subpart C). Before selecting disposal method, ensure that the waste materials have been properly assessed

and, as necessary, tested to confirm regulatory status.

Waste from residues/unused

product

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.

(see: Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or

disposal. Since emptied containers may contain product residue, follow label warnings

even after container is emptied.

#### 14. Transport information

**USDOT** Not regulated as dangerous goods

## 15. Regulatory information

US federal regulations

SARA 302 Extremely hazardous substance Not listed.

SARA 304 Emergency release notification Not listed.

SARA 311/312 Hazard Categories

Immediate Hazard - Yes Delayed Hazard – No Fire Hazard – No Pressure Hazard – No Reactivity Hazard – No

SARA 313 (TRI reporting) Not listed

**California Proposition 65** 

**WARNING:** This product can expose you to Diethanolamine, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <a href="https://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>.

## 16. Other information, including date of preparation or last revision.

Issue date 4/8/2021

**Revision date** 

Version #

HMIS® ratings Health: 2



Flammability: 0 Physical hazard: 0



Acid

NFPA ratings

Health: 2 Flammability: 0 Instability: 0



Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text.

**Revision information** 

First issue.