

Part I

Football stadium construction



Football grass



Entertainment Series

Items: UNI-DL56
 Pile Height: 40MM-60MM
 Gauge: 5/8inch
 Stitches: 16.5/10cm
 Dtex: 8800D
 Density: 10500/sqm
 Backing: PP+NET+SBR Latex



Training Series

Items: UNI-DM12
 Pile Height: 40MM-60MM
 Gauge: 5/8inch
 Stitches: 16.5/10cm
 Dtex: 11000D
 Density: 10500/sqm
 Backing: PP+NET+SBR Latex



Training Series

Items: UNI-DS12
 Pile Height: 40MM-60MM
 Gauge: 5/8inch
 Stitches: 16.5/10cm
 Dtex: 11000D
 Density: 10500/sqm
 Backing: PP+NET+SBR Latex/BSF Backing



FIFA Quality

Items: UNI-FA01
 Pile Height: 40MM-60MM
 Gauge: 5/8inch
 Stitches: 16.5/10cm
 Dtex: 8800D
 Density: 10500/sqm
 Backing: PP+NET+SBR Latex



FIFA Pro Quality

Items: UNI-Victoria6F
 Pile Height: 40MM-60MM
 Gauge: 5/8inch
 Stitches: 18/10cm
 Dtex: 12000D
 Density: 11340/sqm
 Backing: PP+NET+SBR Latex/SPU Backing



FIFA Pro Quality

Items: UNI-Msolive
 Pile Height: 40MM-60MM
 Gauge: 5/8inch
 Stitches: 15/10cm
 Dtex: 12000D
 Density: 9450/sqm
 Backing: PP+NET+SBR Latex/SPU Backing

Accessories



Rubber Granules

Usage: 5-6Kg/sqm
Function: Fill the grass , protect the grass , increase elasticity



Artificial Grass Glue

Package: 15KG/ Barrel
Usage: 140sqm/Barrel
Function: Special glue for lawn bonding ,convenient for environmental protection



Shock Pad

Thickness: 10mm
Density: 30g/50g
Function: Make the field more softer and elastic



PE Fence

Mesh: 50*50cm
Inner diameter: 2.1mm
Outer Diameter: 3.6mm



Nylon Net

Material: PE
Thickness: 2mm
Mesh: 10x10cm



Led Light

Lamp power: 200W 300W 500W (optional)
Lamp efficiency: $\geq 140\text{lm/W}$
Temperature range: $-30^{\circ}\text{C} \sim +50^{\circ}\text{C}$
Design life: $\geq 50000\text{H}$
Lamp light source: imported light source
Anti-glare index: $\text{UGR} < 27$



PP Joint Tape

Width: 20cm-30cm
Function: Grass adhesive cloth , need to apply glue



Removable Football Goal

3 A-side: 1.2*0.8m/1.5*1m
5 A-side: 3*2*1.4m
7 A-side: 5*2*1.7m
11 As-side: 7.32*2.44*2m
Material: Galvanized steel

Accessories




Artificial Lawn Machine

Working Width: 1500mm
Working Capacity: 4500m²/h
Power: 3KW /5.5HP
Weight: 260kg
External Dimension (L+W+H): 1800MMX1250MMX930MM



Hand-Push Infill Sand Machine

Sand Filling Width: 700mm
Loading Capacity: 150kg
Weight: 150kg
Moving Speed: Average Manual Speed
External Dimension (L+W+H): 1350MM X750MMX1000MM



Part 2

Landscaping grass
and accessories



Landscape Grass Classic Series



Model: UNI-Ecogreen

Height: 17-50mm
Stitches: 13.5Needles/10cm
Density: 13750Stitches/sqm
Backing: PP+NET+SBR Latex



Model:UNI-3BM

Height: 20mm-40mm
Stitches: 16Needles/10cm
Density: 16800Stitches/sqm
Backing: PP+NET+SBR Latex



Model:UNI-AW402

Height: 35mm-40mm
Stitches: 18Needles/10cm
Density: 18900Stitches/sqm
Backing: PP+NET+SBR Latex



Model:UNI-Sophia

Height: 20mm-40mm
Stitches: 16Needles/10cm
Density: 16800Stitches/sqm
Backing: 2PP+NET+SBR Latex



Model:UNI-LEIST04

Height: 35mm-40mm
Stitches: 18Needles/10cm
Density: 18900Stitches/sqm
Backing: PP+NET+SBR Latex



Model:UNI-Wonderland

Height: 40mm
Stitches: 16Needles/10cm
Density: 16800Stitches/sqm
Backing: 2PP+NET+SBR Latex
PP+SPU Backing

Application Field



Wedding



Hotel/Event



Children Playground



Pet



Garden /Frond Yard /Back Yard
Terrace /Roof Top /Balconies



Building/Wall Decor