

Mavaldi Trading Inc., a fast-growing and transparent trader, providing EPDM granules and rubber mats for running tracks, playgrounds and multifunctional sports flooring applications.



**100% PREMIUM QUALITY**  
EMBRACE EXCELLENCE IN YOUR PERFORMANCE!







## ABOUT US

**Mavaldi Trading Inc.**, is proud to present you with groundbreaking rubber mats which are not only environmentally friendly but also safe and easy to install. We bring to you the revolutionary **Mavaldi Safety Rubber Mats**.

**Mavaldi Safety Rubber Mats** are made from **recycled tires** which has undergone an extensive process in order to make the product clean, safe, durable, and easy to install.

**Mavaldi Safety Rubber Mats** protect users by providing a high absorption as well as an excellent slip resistant material, reducing cuts, scrapes, and broken bones when you fall down. These safety rubber mats are soft and warm to the touch but yet resistant enough to last for many years.


**Mavaldi Trading Inc.** works closely and professionally with all the clients to produce the best quality and suitable Safety Rubber Mats. Our company is certified with **Quality Management System ISO 9001:2015** and **ISO 14001:2015** to ensure strict compliance and achieving high customers satisfaction since year **2014**.

Installing **Mavaldi Safety Rubber Mats** is just a snap with its ingenious interlocking system or pin connectors. No tools are required for installation and it is self aligning. **Mavaldi Safety Rubber Mats** offer a variety of shapes and sizes to cater for different needs including playgrounds, walkways, schools, swimming pools, and shooting range, horse stables, and many more.

### **Mavaldi Rubber Mats are ideal for:**

- Playgrounds (indoor/outdoor)
- Day care, Children Nurseries
- Industrial, Pedestrian Walkway
- Jogging Tracks
- Recreational Park Areas
- Residential Landscaping
- Swimming Pool Areas
- Protective Covering
- Horse Stables / Walkways

### Standards Worldwide






# OUR PRODUCTS

Your Safety is Our *Priority*

**MAVALDI**  
TRADING INC.





# OUR PRODUCTS



## STANDARD RUBBER MATS

Mavaldi Standard Rubber Mats are produced in two (2) sizes:

**1000mm x 1000mm & 500mm x 500mm**

They are fully pigmented with variable colors. The material of recycled natural rubber are bonded by UV stabilized Polyurethane (PU) which is cured in pressured moulded machines to become "**Mavaldi Rubber Mats**", specializes in **shock-absorbing** and **slip-resistant** rubber flooring for the commercial and domestic market. Recycle rubber materials varies from fine to coarse SBR granules.

### Standard Rubber Mats


Dimension	Thickness Available
500mm x 500mm	20mm - 100mm
1000mm x 1000mm	20mm - 50mm




## Unique Features

The pigmentation process involves adding colorants to the rubber material during the manufacturing stage, ensuring that the colour permeates through the entire mat. This results in a visually pleasing appearance and eliminates any concerns about mismatched colours or an unsightly underside.

This rubber floor retains all the other benefits you expect from quality playground flooring. They are durable, impact-resistant, slip-resistant, and capable of **absorbing shock to minimize the risk of injuries**. The consistent colour on both sides of the mats is simply an added bonus that contributes to the overall quality and visual appeal of our product.



### Pigmented Colours





# OUR PRODUCTS

## TWIN RUBBER MATS

Equally same specification & application with Standard Rubber Mats, Twin are also produced in 2 sizes: 1000mm x 1000mm and 500mm x 500mm but specially pigmented on the top surface with variable colors, but Black at the bottom of the mats.

Three Variations of Twin Rubber Mats:

- **Twin Rubber Mats (Granulated, Fine Top)**
- **Deluxe Rubber Mats**
- **EPDM Rubber Mats**



Twin Rubber Mats

### COMPARISON BETWEEN **GRANULATED** AND **FINE TOP TWIN RUBBER MATS**



#### Granulated

- Built for **heavy-duty use**, offering shock absorption and slip resistance, making them ideal for gyms and playgrounds.



#### Fine Top


- Fine Top Rubber Mats bring **a touch of elegance**. These are perfect for residential areas, providing a refined finish with durability.



### Unique Features

Our Standard Rubber Mats present practicality, featuring uniform colours for both top and bottom layers. On the other hand, our Twin Rubber Mats offer **a dash of versatility with two distinct colours for the top and bottom layers**.

### Pigmented Colours



### Twin Rubber Mats

Dimension	Available Thickness
500mm x 500mm	20mm - 100mm
1000mm x 1000mm	20mm - 50mm




# OUR PRODUCTS

## DELUXE RUBBER MATS

Deluxe Rubber Mats are **hybrid products of rubber floor and EPDM**. Suitable for outdoor installation because of high weather resistance. These products come with a selection of 25 EPDM colours on the top layer, but Black at the bottom of the mats.



Deluxe Rubber Mats




### Deluxe Rubber Mats

Dimension	Available Thickness
500mm x 500mm	15mm - 100mm
1000mm x 1000mm	20mm - 50mm


## EPDM SPECKLE RUBBER MATS

These Rubber Mats come with EPDM speckles on the top layer of the rubber mats and can be **customized with any EPDM colours and percentage**. The percentage of EPDM speckles gives you even more control over the final appearance of your flooring.



### EPDM Speckle Rubber Mats

Dimension	Available Thickness
500mm x 500mm	15mm - 100mm
1000mm x 1000mm	20mm - 50mm



Different percentage of EPDM has different affect on the top of the rubber mats. The common percentage is 10%-50% of Speckle EPDM Granules.



# OUR PRODUCTS

## INTERLOCKING GYM MATS

Two Variations of Interlocking Gym Rubber Mats:


- **Pigmented**
- **EPDM Speckle**

We are the leading supplier of Interlocking Gym Rubber Mats that redefine the standards of performance and innovation. We are committed to manufacturing Rubber Mats of the highest quality, adhering to premium standards.

Our Rubber Mats have **undergone rigorous testing and evaluation**, demonstrating their compliance with stringent requirements for safety, durability, and performance. These evaluations serve as a testament to our unwavering dedication to delivering products that meet and exceed industry benchmarks.




### INTERLOCKING GYM MATS (PIGMENTED)



Pigmented Interlocking Gym Rubber Mats

Durable, these Pigmented Interlocking Gym Mats ensure **safety and comfort** in fitness spaces. Crafted from high-quality rubber or foam with vibrant colors, they offer **easy installation, grip, and impact protection** for diverse exercises in commercial and home gyms.


Dimension	Available Thickness
500mm x 500mm	8mm   10mm   12mm   15mm



### INTERLOCKING GYM MATS (EPDM SPECKLE)

Interlocking Gym Rubber Mats are made from environmentally-friendly recycling tires. They are amazingly comfortable underfoot. The combination of the ideal thickness and density provides an exceptionally comfortable floorings, hence **reducing the risk of injury from accidental falls**.

Dimension	Available Thickness
500mm x 500mm	8mm   10mm   12mm   15mm



EPDM Speckle Interlocking Gym Rubber Mats

Similar to EPDM Speckle Playground Rubber Mats, these mats also come with EPDM speckles on the top layer of the rubber mats and can be **customized with any EPDM colors and percentage**. The percentage of EPDM speckle gives you even more control over the final appearance of your flooring.






# OUR PRODUCTS

## T-BONE/DOGBONE RUBBER PAVERS




T-Bone are also made from environmentally friendly recycled tres and requires minimal maintenance. They are exceptionally long-lasting, resilience, sound and noise absorbing, spike and slip resistant, as well as amazingly comfortable underfoot. The combination of the ideal thickness and density provides an exceptional comfortable cushioned pave ways for your horses, **reducing the risk of injury from accidental fall.**



T-Bone/Dogbone Rubber Pavers

### Pigmented Colours



Dimension	Available Thickness
200mm x 160mm	15mm - 50mm

## DUAL SIDED RUBBER PAVERS

These Two Side Paver come in a unique reversible format. This will give new looks to a traditional paved outdoor area. **On one side there is a basket weave brick pattern. The other side features a stone-top pattern that mimics flagstone.** Higher durability and offering years of maintenance-free beauty. Super easy installation and are made from 100% recycled tires. Suitable for every weather condition and designed for outdoor usage.

Dimension	Available Thickness
500mm x 500mm	20mm - 45mm



Dual Sided Rubber Pavers



# OUR PRODUCTS

## CONNECTING RUBBER MATS

**Mavaldi** is proud to contribute with its product to optimize the results of the high altitude training helping athletes to improve their muscle power and breathing capacity. Elastic, non-slip and spike resistant, specially designed to **protect against splinters and prevent rebounds after strong impact.**

Whether athletes are involved in demanding activities like weightlifting or require a cushioned surface for practices such as yoga, gymnastics, or martial arts, connecting rubber mats provide the perfect foundation. This design ensures a secure fit, and the slip-resistant surface instills stability and confidence during vigorous workouts on the court.



*Connecting Rubber Mats*

Dimension	Available Thickness
500mm x 500mm	25mm - 50mm

## PINHOLES RUBBER MATS

Pinholes Rubber Mats offer straightforward installation, along with noise and shock absorption, slip resistance, and water permeability. These mats exhibit durability, **capable of withstanding years of use even in demanding conditions.** As a result, they are an optimal selection for fitness centers, gyms, weight rooms, portable flooring, and sports floors.


Two Variations of Pinholes Rubber Mats:

- **2 Sided Pinholes**
- **4 Sided Pinholes**



*2 Sided Pinholes Rubber Mats  
(EPDM Speckle)*

The 2 Sided Pinholes Mats have pinholes on two opposite sides, which securely interlock with adjacent mats in a **linear fashion**, providing stability and **preventing lateral movement.**



*4 Sided Pinholes Rubber Mats  
(Pigmented)*

The 4 Sided Pinholes Mats showcase pinholes on all four edges, enabling **both vertical and horizontal interlocking.** This comprehensive design bolsters stability, securely anchoring the mats to **prevent any unwanted shifting or sliding.**

### Suitable Rubber Mat Dimensions & Thickness

Dimension	Available Thickness
500mm x 500mm	25mm - 90mm

**The Safety Pins**  
(manually insert into  
rubber mats)





# OUR PRODUCTS

## BORDER TILES

**Mavaldi** provides a series of Border Tiles that perfectly fit into every corner of the surfaces in order to provide an all-weather and virtually semi-seamless flooring to your surroundings.



### Rubber Border


Dimension	Available Thickness
1000mm x 180mm	45mm - 95mm
500mm x 130mm	35mm   40mm   45mm
500mm x 68mm	25mm



### 1 & 2 Sided Border Tiles


Dimension	Available Thickness
500mm x 500mm	40mm - 100mm

### Pigmented Colours



# RUBBER WEARMATS

Designed to provide **extra cushioning for high-impact areas** such as swings and slides, SuperSafe® Rubber WearMats provide the perfect finishing touch for any playground area. These mats are top quality and the weight of the mats ensure that the mats remain stationary. These mats will ensure time for the kids is not hindered.



### Rubber Wearmats

Dimension	Available Thickness
1200mm x 610mm	25mm

### Pigmented Colours





# OUR PRODUCTS

## BORDER RUBBER CURBS

**VARIATIONS: EDGING | ROUND TOP | LANDSCAPE**



Edging Border Curbs

Built with edging on top. It is a pleasing choice for containing mulch on a playground or in a garden. **This edging will add tidiness to your playground or garden with its square shape feature on top.**

Dimension	Available Thickness
1800mm x 100mm	100mm   150mm   200mm

Round Border Curb is designed with a rounded top, serving as an attractive and safe edging for beds, borders, lawns, play areas, and pits. These curbs ensure a secure fit.

Dimension	Available Thickness
1200mm x 100mm	75mm



Round Border Curbs



Landscape Border Curbs

Resistant to extreme weather and reusable across seasons, it remains safe for children and perfect for playgrounds and sandboxes.

Dimension	Available Thickness
1200mm x 78mm x 20mm	20mm

## BALLISTIC RUBBER TILES



Ballistic Tiles

Ideal for indoor/outdoor shooting ranges with bullet traps. These anti-ricochet tiles **minimize bounce-back** in limited shooting spaces, bolstering safety during training. These tiles also only come in Black.

Dimension	Available Thickness
500mm x 500mm	30mm   42mm   50mm   100mm



# OUR PRODUCTS

## EPDM GRANULES

EPDM granules are synthetic rubber used for various applications such as wet pour safety rubber flooring, playground flooring, sports flooring, infill for artificial football turf, international running tracks and many others. It is durable and has excellent elasticity, which makes it a great option for children's playground flooring.



### ISO Certifications

is certified with ISO 14001:2015 & ISO 9001:2015. We follow laws and commitments to reduce pollution and improve our quality.

### Safe And Reliable

It is eco-friendly and reliable for running tracks and children's playgrounds with the best colour range and long-lasting durability.

### Attractive Design

We have 25 colours suitable for your eye-catching design. Apply your creativity and create the most attractive EPDM flooring.

## MAVALDI PROJECTS







# RUNNING TRACKS

## EPDM GRANULES



EPDM granules is suitable for the installation of wet pour safety surfacing running tracks. EPDM running tracks are known for their resilience, shock absorption and ability to withstand outdoor weather conditions. It is designed for **softness, resiliency and colour fading resistance**.

EPDM granules prove their suitability for running tracks through advanced safety features and exceptional performance characteristics. Tailored explicitly for athletic surfaces, these granules elevate **shock absorption**, effectively curbing impact on athletes' joints and muscles—an essential aspect for runners, reducing potential injuries and discomfort, thus enabling optimum training and peak performance.

EPDM granules guarantee not just optimal shock absorption but also **exceptional resilience**, sustaining track uniformity over time. Moreover, these granules **boast remarkable durability, adeptly braving diverse weather conditions, heavy usage, and regular foot traffic**.

- Athletic & recreational track
- Flooring for sports surface

### Key Advantages of EPDM Granules

- Excellent comfort for training, noise absorbing and durability.
- Quality surface with our EPDM Granules.
- Full range of colours available.





# OUR ACHIEVEMENT SUPERSAFE® QUALITY ASSURANCE



**Mavaldi** Safety Rubber Mats offer various thicknesses from 20mm to 100mm to suit your specific needs and budget.



**Mavaldi Trading Inc.** has passed the training programs and Critical Surface Impact Tester in compliance with standard: **ASTM F1292-F355**, **EN 1177:2008**, specification for Impact Attenuation of surface system (playground areas, rubber mats, running track, EPDM wet pour, and more). The training program was conducted in Vancouver, Canada by Mr. Rolf Huber (President of Canadian Playground Advisory Inc.). We also have a Research & Development Department to continuously improve our product quality and increase **Critical Fall Height (CH)** on all Safety Rubber Mats.

**Mavaldi Trading Inc.** has been certified with **Quality Management System ISO 9001:2015** and **ISO 14001:2015** since 22 Sept 2003 & 2018. Our safety rubber mats are tested and complied with British Standard BS 7188, "Head Impact Criteria" (HIC) **EN1177:2008** and American Society of Testing Materials **ASTM F1292-F355** for Critical Fall Height (CH), **BS EN 71-3:1995** "Specification for Migration of Certain Metals".



## MAVALDI TRADING INC.

Address: Katipunan Ave. Novaliches, Quezon City, Philippines, 1116

Telephone Number: 0279711921

Email: [sales@mavalditradinginc.com](mailto:sales@mavalditradinginc.com)

Contact Number: (+63)917-625-4917

Website: <https://mavalditradinginc.com/>

Visit us:

