

NINJA WORKOUT

The NinjaWorkout equipment presents a challenge for both body and mind, offering a variety of obstacles that develop strength, agility, coordination, and competitive skills. They are perfect for strength, grip, and dynamic training, using obstacles commonly found in OCR competitions and professional Ninja courses. The collection includes equipment in two skill levels:

- Ninja Workout Starter – designed for younger users, offering adapted obstacles that guarantee challenging yet safe training and play.
- Ninja Workout Master – a higher difficulty course intended for adults and more advanced users who want to hone their skills at a professional level.


NinjaWorkout courses are an excellent option for people of all ages who want to combine physical activity with a lot of fun.



Colours



Construction



Panels



Construction

Load-bearing posts made of S235 steel with a cross-section of 90x90x3 mm, galvanized and powder-coated.



Grip bars

Made of S235 steel with a cross-section of 33.7x2.9 mm, galvanized and powder-coated.



Panels

19 mm HDPE plate – colorful and black with an anti-slip surface.



Fittings and connectors

Made of stainless steel.



Additional elements:

- 16 mm polypropylene ropes reinforced with a steel core;
- high-quality climbing stones.



Anchoring

Directly in the ground.



Collection features



Age of users 12+





Galvanized steel, powder-coated




Physical activity development



Buy a ready-made set...





cat. no.
7603





Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
7603	NinjaWorkout Starter Set	12+	8	2,42 m	147,20 m ²	2,51 m

The versions of execution differ in the dimensions of the equipment and safety zones. Detailed information can be found in the table.



...or create one yourself!





cat. no.
76200





cat. no.
76221



cat. no.
76216












cat. no.
76207



cat. no.
76226

Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
76200	NinjaWorkout Starter - Check Point Station	12+	1	0,20 m	6,30 m ²	0,20 m
76221	NinjaWorkout Starter - Floating Ladder	12+	1	2,41 m	37,45 m ²	2,51 m
76216	NinjaWorkout Starter - Moving Walls	12+	1	2,41 m	37,45 m ²	2,51 m
76207	NinjaWorkout Starter - Rope Ladder	12+	2	1,96 m	21,14 m ²	2,03 m
76226	NinjaWorkout Starter - Vertical Ropes	12+	1	2,41 m	37,45 m ²	2,51 m





Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
76218	NinjaWorkout Starter - Gym Rings	12+	1	2,41 m	37,45 m ²	2,51 m
76225	NinjaWorkout Starter - Overhead Traverse	12+	1	2,41 m	37,45 m ²	2,51 m
76215	NinjaWorkout Starter - Moving Bridge	12+	1	2,41 m	37,45 m ²	2,51 m
76224	NinjaWorkout Starter - Pole Platforms	12+	1	0,92 m	29,00 m ²	0,92 m






The versions of execution differ in the dimensions of the equipment and safety zones. Detailed information can be found in the table.





cat. no.
7602





Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
7602	NinjaWorkout Master Set	12+	9	2,67 m	154,65 m ²	2,67 m





cat. no.
76205





cat. no.
76200



cat. no.
76222



cat. no.
76214





cat. no.
76212



Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
76205	NinjaWorkout Master – Stairs	12+	1	0,87 m	14,87 m ²	0,87 m
76200	NinjaWorkout Starter – Check Point Station	12+	1	0,20 m	6,30 m ²	0,20 m
76222	NinjaWorkout Master – Inclined Platforms	12+	1	0,69 m	25,70 m ²	0,69 m
76214	NinjaWorkout Master – Gym Bars	12+	1	2,41 m	37,45 m ²	2,51 m
76212	NinjaWorkout Master – Sky Wall	12+	1	2,41 m	37,45 m ²	2,51 m





cat. no.
76208





cat. no.
76223





cat. no.
76217



cat. no.
76213



cat. no.
76220



Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
76208	NinjaWorkout Master – Climbing Wall	12+	2	1,96 m	21,14 m ²	2,03 m
76223	NinjaWorkout Master – Wave Balance Beam	12+	1	0,30 m	24,65 m ²	0,30 m
76217	NinjaWorkout Master – Slanted Pegs	12+	1	2,41 m	37,45 m ²	2,51 m
76213	NinjaWorkout Master – Horizontal Long Bars	12+	1	2,41 m	37,45 m ²	2,51 m
76220	NinjaWorkout Master – Rings	12+	1	2,67 m	41,42 m ²	2,67 m

The versions of execution differ in the dimensions of the equipment and safety zones. Detailed information can be found in the table.




MiniClimbing Trials


NOVUM's Mini Rope Parks are an innovative solution for playgrounds, allowing the creation of unique obstacle courses that develop children's physical fitness and motor skills. Our equipment is available in two construction versions – with wooden or metal posts, enabling the park to be tailored to the aesthetic and needs of the space where it will be installed.

Thanks to their modular design, Mini Rope Parks can be freely configured by adding additional elements and creating expanded sets that will surprise with a variety of obstacles. The equipment is designed so that its use does not require specialized safety gear or additional service, making it a safe and convenient choice for playground managers.


Mini Rope Parks enhance children's strength, agility, balance, and endurance. Each obstacle overcome presents a new challenge, bringing immense joy and satisfaction to young users.



Colours



Construction




Construction - wood version

Load-bearing posts made of laminated, impregnated wood with a diameter of 140 mm.




Construction - metal version

Load-bearing posts made of steel with a diameter of 139.7 mm, galvanized and powder-coated.



Wooden version platforms

Steel frame with wooden edge beams.



Metal version platforms

HDPE plate with an anti-slip coating, resistant to UV rays.



Wooden version anchoring

On a steel anchor, mounted below the ground surface.



Metal version anchoring

Directly into the ground.



Additional elements:

- 16 mm polypropylene ropes reinforced with a steel core;
- chains made of stainless steel.



Collection features



Age of users 3+






Laminated wood





Physical activity development






Galvanized steel, powder-coated





Metal
stations






Wooden
stations





Metal
stations





Wooden
stations





Metal
stations





Wooden
stations




Metal
stations




Wooden
stations



Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
2900	Module 0 – Wooden platform	3+	1	0,43 m	11,95 m ²	2,20 m
2900MP	Metal station with HDPE anti-slip platform	3+	1	0,43 m	11,21 m ²	2,21 m
2901	Module 1 – Small&Large steps	3+	4	0,80 m	22,39 m ²	2,20 m
2902	Module 2 – On the edge	3+	4	0,47 m	22,39 m ²	2,20 m
2903	Module 3 – Moving bridge	3+	4	0,43 m	22,39 m ²	2,20 m
2904	Module 4 – Bamboo creepers	3+	4	0,43 m	22,40 m ²	2,20 m




Metal stations




Wooden stations




cat. no.
2905




Metal stations




Wooden stations



cat. no.
2906




Metal stations




Wooden stations




cat. no.
2907




Metal stations




Wooden stations




cat. no.
2908



Metal stations




Wooden stations





cat. no.
2909

Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
2905	Module 5 – Two logs	3+	4	0,51 m	22,39 m²	2,20 m
2906	Module 6 – Fisherman's net	3+	4	2,08 m	29,67 m²	2,20 m
2907	Module 7 – Rope cross	3+	4	0,43 m	22,39 m²	2,20 m
2908	Module 8 – Faulty bridge	3+	4	0,43 m	22,39 m²	2,20 m
2909	Module 9 – Tarzan ropes	3+	4	0,43 m	22,39 m²	2,20 m



cat. no.
2910




Metal
stations





Wooden
stations





cat. no.
2911



Metal
stations





Wooden
stations





cat. no.
2913



Metal
stations





Wooden
stations





cat. no.
2918




Metal
stations





Wooden
stations





cat. no.
2919




Metal
stations




Wooden
stations



Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
2910	Module 10 - Stepping stones	3+	4	0,43 m	22,39 m ²	2,20 m
2911	Module 11 - Floating log	3+	4	0,43 m	22,39 m ²	2,20 m
2913	Module 13 - Draw bridge	3+	4	0,90 m	22,39 m ²	2,20 m
2918	Module 18 - Hanging trial	3+	4	1,90 m	27,79 m ²	2,20 m
2919	Module 19 - Rope bridge	3+	4	0,43 m	22,39 m ²	2,20 m




Metal stations




Wooden stations




cat. no.
2914




Metal stations




Wooden stations




cat. no.
2915



Metal stations




Wooden stations





cat. no.
2917




Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
2914	Module 14 - Mountain climbing	3+	4	2,02 m	28,78 m ²	2,20 m
2915	Module 15 - Slippery log	3+	4	0,58 m	22,39 m ²	2,20 m
2917	Module 17 - Dense creepers	3+	4	0,92 m	22,39 m ²	2,20 m





Wooden stations





Metal stations





Wooden stations





Metal stations



Wooden stations




Metal stations




cat. no.
16145MP

Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
1601	Mini Climbing Trial 1601 Metal	3+	11	2,08 m	64,20 m ²	2,20 m
1601MP	Mini Climbing Trial 1602 Wood	3+	11	2,15 m	62,68 m ²	2,21 m
1602	Mini Climbing Trial 1602 Metal	3+	24	2,08 m	112,50 m ²	2,20 m
1602MP	Mini Climbing Trial 1603 Wood	3+	24	2,15 m	112,50 m ²	2,21 m
16145EPZ	Mini Climbing Trial 145 Wood	3+	24	2,07 m	75,00 m ²	2,21 m
16145MP	Mini Climbing Trial 145 Metal	3+	24	2,07 m	75,00 m ²	2,21 m



Wooden stations




Metal stations




cat. no.
16152EPZ




cat. no.
16152MP



Wooden stations




Metal stations




cat. no.
1603




cat. no.
1603MP



Wooden stations



Metal stations



cat. no.
1607




cat. no.
1607MP

Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
16152EPZ	Mini Climbing Trial 152 Wood	3+	15	0,80 m	59,00 m ²	2,21 m
16152MP	Mini Climbing Trial 152 Metal	3+	15	0,80 m	57,00 m ²	2,21 m
1603	NinjaWorkout Master - Rings	3+	16	1,93 m	115,00 m ²	2,20 m
1603MP	Mini Climbing Trial 3 Metal	3+	16	1,93 m	82,00 m ²	2,21 m
1607	Mini Climbing Trial 1607 Wood	3+	20	2,15 m	99,60 m ²	2,20 m
1607MP	Mini Climbing Trial 7 Metal	3+	20	2,15 m	97,75 m ²	2,21 m


StreetWorkout is a professional collection of equipment designed for calisthenics training, which involves exercises using one's own body weight. These dynamic, impressive exercises target all muscle groups, while improving coordination, endurance, and strength.

With various elements, StreetWorkout equipment allows for the creation of a training space tailored to the needs of users as well as the specifics of the installation site. Our offer enables flexible configuration of sets depending on training and terrain requirements, making it ideal for both beginners and advanced athletes.


StreetWorkout equipment is available in three trendy colors – orange, yellow, and lime – giving it a modern, eye-catching look.



Colours



Construction




Construction

Load-bearing posts made of square profile 90 x 90 mm, protected against corrosion through galvanizing and powder coating.



Handrails

Made of steel pipes, galvanized and powder-coated with a fine texture paint.




Bars

Made of steel pipes with a diameter of 42.4 mm and 33.7 mm.




Additional elements:

- steel gymnastic rings with an anti-slip element, mounted on polypropylene ropes;
- polypropylene ropes with a steel core.



Panels

HDPE 19 mm plate.



Anchoring

Directly in the ground.



Polypropylene ropes



Age of users 14+




Galvanized steel, powder-coated




Physical activity development




cat. no.
1504




cat. no.
1506



cat. no.
1503





cat. no.
1507



Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
1503	Handrails	14+	3	1,22 m	23,50 m ²	1,22 m
1504	Push-up Bars	14+	1	0,22 m	17,00 m ²	0,22 m
1506	Handrails I	14+	1	1,22 m	17,50 m ²	1,22 m
1507	Handrails II	14+	1	1,02 m	17,50 m ²	1,02 m

Equipment available in 3 color versions



1567-A




1567-B




1567-C




1563-A




15138-A




1512-A




1563-B




15138-B




1512-B



1563-C




15138-C



1512-C

Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
1567-A	Street workout single high bar, Lime	14+	1	2,02 m	16,00 m ²	2,13 m
1567-B	Street workout single high bar, Orange	14+	1	2,02 m	16,00 m ²	2,13 m
1567-C	Street workout single high bar, Yellow	14+	1	2,02 m	16,00 m ²	2,13 m
1563-A	Street workout bars, Lime	14+	2	2,43 m	21,50 m ²	2,53 m
1563-B	Street workout bar, Orange	14+	2	2,43 m	21,50 m ²	2,53 m
1563-C	Street workout bar, Yellow	14+	2	2,43 m	21,50 m ²	2,53 m
15138-A	Street workout 138, Lime	14+	2	2,04 m	20,30 m ²	2,11 m
15138-B	Street workout 138, Orange	14+	2	2,04 m	20,30 m ²	2,11 m
15138-C	Street workout 138, Yellow	14+	2	2,04 m	20,30 m ²	2,11 m
1512-A	Climbing rope, Lime	14+	1	2,35 m	18,50 m ²	2,41 m
1512-B	Climbing rope, Orange	14+	1	2,35 m	18,50 m ²	2,41 m
1512-C	Climbing rope, Yellow	14+	1	2,35 m	18,50 m ²	2,41 m





15222-A



15222-B



15222-C





1511-A



1511-B



1511-C





1508-A



1508-B



1508-C





15140-A



15140-B




15140-C



Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
15222-A	Street Workout 222, Lime	14+	4	1,99 m	31,00 m ²	2,90 m
15222-B	Street Workout 222, Orange	14+	4	1,99 m	31,00 m ²	2,90 m
15222-C	Street Workout 222, Yellow	14+	4	1,99 m	31,00 m ²	2,90 m
1511-A	Pull-up bars, Lime	14+	4	2,14 m	26,00 m ²	2,21 m
1511-B	Pull-up bars, Orange	14+	4	2,14 m	26,00 m ²	2,21 m
1511-C	Pull-up bars, Yellow	14+	4	2,14 m	26,00 m ²	2,21 m
1508-A	High pull-up bars, Lime	14+	4	2,34 m	28,00 m ²	2,41 m
1508-B	High pull-up bars, Orange	14+	4	2,34 m	28,00 m ²	2,41 m
1508-C	High pull-up bars, Yellow	14+	4	2,34 m	28,00 m ²	2,41 m
15140-A	Street workout 140, Lime	14+	5	2,35 m	37,50 m ²	3,04 m
15140-B	Street workout 140, Orange	14+	5	2,35 m	37,50 m ²	3,04 m
15140-C	Street workout 140, Yellow	14+	5	2,35 m	37,50 m ²	3,04 m

The versions of execution differ in the dimensions of the equipment and safety zones. Detailed information can be found in the table.




1502-A



1502-B



1502-C





1509-A



1509-B



1509-C




1522-A



1522-B



1522-C



1523-A



1523-B



1523-C



Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
1502-A	Street workout 02, Lime	14+	3	2,34 m	48,00 m ²	2,41 m
1502-B	Street workout 02, Orange	14+	3	2,34 m	48,00 m ²	2,41 m
1502-C	Street workout 02, Yellow	14+	3	2,34 m	48,00 m ²	2,41 m
1509-A	Street workout 03, Lime	14+	3	2,34 m	45,00 m ²	2,41 m
1509-B	Street workout 03, Orange	14+	3	2,34 m	45,00 m ²	2,41 m
1509-C	Street workout 03, Yellow	14+	3	2,34 m	45,00 m ²	2,41 m
1522-A	Street workout 07, Lime	14+	4	2,34 m	50,00 m ²	3,82 m
1522-B	Street workout 07, Orange	14+	4	2,34 m	50,00 m ²	3,82 m
1522-C	Street workout 07, Yellow	14+	4	2,34 m	50,00 m ²	3,82 m
1523-A	Street workout 08, Lime	14+	4	2,99 m	66,50 m ²	3,85 m
1523-B	Street workout 08, Orange	14+	4	2,99 m	66,50 m ²	3,85 m
1523-C	Street workout 08, Yellow	14+	4	2,99 m	66,50 m ²	3,85 m





1525-A



1525-B



1525-C






1501-A



1501-B



1501-C





1505-A




1505-B



1505-C






Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
1525-A	Street workout 09, Lime	14+	3	1,82 m	22,00 m ²	1,88 m
1525-B	Street workout 09, Orange	14+	3	1,82 m	22,00 m ²	1,88 m
1525-C	Street workout 09, Yellow	14+	3	1,82 m	22,00 m ²	1,88 m
1501-A	Street workout 01, Lime	14+	8	2,34 m	63,00 m ²	2,41 m
1501-B	Street workout 01, Orange	14+	8	2,34 m	63,00 m ²	2,41 m
1501-C	Street workout 01, Yellow	14+	8	2,34 m	63,00 m ²	2,41 m
1505-A	Street workout combo 1, Lime	14+	14	2,34 m	125,20 m ²	2,41 m
1505-B	Street workout combo 1, Orange	14+	14	2,34 m	125,20 m ²	2,41 m
1505-C	Street workout combo 1, Yellow	14+	14	2,34 m	125,20 m ²	2,41 m



1521-A

1521-B




1521-C



1520-A

1520-B


1520-C



1527-A

1527-B

1527-C



Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
1521-A	Street workout 06, Lime	14+	14	2,35 m	77,00 m ²	3,37 m
1521-B	Street workout 06, Orange	14+	14	2,35 m	77,00 m ²	3,37 m
1521-C	Street workout 06, Yellow	14+	14	2,35 m	77,00 m ²	3,37 m
1520-A	Street workout mega combo, Lime	14+	22	2,99 m	209,00 m ²	3,85 m
1520-B	Street workout mega combo, Orange	14+	22	2,99 m	209,00 m ²	3,85 m
1520-C	Street workout mega combo, Yellow	14+	22	2,99 m	209,00 m ²	3,85 m
1527-A	Street workout combo 3, Lime	14+	17	2,34 m	130,00 m ²	3,82 m
1527-B	Street workout combo 3, Orange	14+	17	2,34 m	130,00 m ²	3,82 m
1527-C	Street workout combo 3, Yellow	14+	17	2,34 m	130,00 m ²	3,82 m