




supplementary devices


Additional equipment such as spring rockers, swings, slides, carousels, and sandboxes are an integral part of every playground, making it even more attractive and functional. Each of these elements encourages physical activity and creative outdoor play, while also supporting the motor and social development of children.



Colours



Construction



Panels



Steel construction

Load-bearing posts made of steel, protected against corrosion through galvanizing and powder coating.




Wooden construction

Load-bearing posts made of laminated wood, treated with a protective agent.



Robinia construction

Load-bearing posts made of acacia wood. The diameter of the beams ranges from 12 to 20 cm due to their natural, irregular shape.



Slides

With a 1.5 mm thick stainless steel sliding surface and 19 mm thick HDPE sides. The slide structure is reinforced with channel bars, and a sealing gasket is used to dampen noise and reduce vibrations.



Panels

Made of highly durable, weather-resistant HDPE polyethylene, available in 12, 15, and 19 mm thicknesses.



Anchoring

Directly into the ground or on steel anchors.



Additional elements

- steel springs, galvanized and powder-coated, attached to an anchor mounted in the ground;
- polypropylene ropes with a steel core;
- handles and grips made of high-quality polyamide;
- swing seats made of thermoplastic vulcanizate (TPV), reinforced with a PA insert. Chains made of stainless steel.


Collection features



Age of users




Playground accessories




cat. no. 21149




cat. no. 2120EPZ



cat. no. 7202EPZ




cat. no. 7207EPZ



cat. no. 2186EPZ

cat. no. 2106EPZ


cat. no. 2119EPZ



cat. no. 1001EPZN



The versions differ in terms of equipment dimensions and safety zones. Detailed data can be found in the table.

Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
21149	Dino Slide	3+	1	1,20 m	21,50 m ²	2,17 m
2120EPZ	Mini Elephant Slide	1+	2	1,00 m	16,50 m ²	1,61 m
7202EPZ	Slide Mini Wheels	1+	2	1,00 m	15,00 m ²	1,36 m
7207EPZ	Slide Tree	1+	2	1,00 m	15,00 m ²	1,35 m
2186EPZ	Free-standing Slide 120	3+	2	1,20 m	19,10 m ²	2,00 m
2106EPZ	Free-standing Slide 150	3+	3	1,50 m	21,00 m ²	2,30 m
2119EPZ	Free-standing Slide 180	3+	3	1,80 m	23,50 m ²	2,60 m
1001EPZN	Slide 1001	3+	3	1,20 m	21,00 m ²	2,11 m





cat. no.
21150

cat. no.
21151



cat. no.
21152


cat. no.
21153




Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
21150	Slide for Embankment 90 cm	3+	1	1,00 m	18,50 m ²	1,03 m
21151	Slide for Embankment 120 cm	3+	1	1,00 m	20,50 m ²	1,03 m
21152	Slide for Embankment 150 cm	3+	1	1,00 m	22,00 m ²	1,03 m
21153	Slide for Embankment 180 cm	3+	1	1,00 m	23,00 m ²	1,03 m




cat. no.
30120EPZ




cat. no.
30123EPZ




cat. no.
30124EPZ




cat. no.
30125EPZ



cat. no.
30126EPZ





cat. no.
30127EPZ





The presented equipment features a concrete anchor. Add the letter „K” to the code to replace the anchor with a metal one.



Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
30120EPZ	Raccoon Rocker / concrete base	1+	1	0,60 m	10,50 m ²	0,90 m
30123EPZ	Falling Star Rocker / concrete base	1+	1	0,45 m	8,87 m ²	0,70 m
30124EPZ	Stars Rocker / concrete base	1+	1	0,43 m	8,90 m ²	0,70 m
30125EPZ	Fox Rocker / concrete base	1+	1	0,43 m	11,28 m ²	0,92 m
30126EPZ	Cat Rocker / concrete base	1+	1	0,43 m	9,56 m ²	0,75 m
30127EPZ	Octopus Rocker / concrete base	1+	1	0,43 m	11,39 m ²	0,97 m





cat. no.
30100





cat. no.
30101






cat. no.
30111





cat. no.
30112






cat. no.
6810





cat. no.
30117



cat. no.
31279



cat. no.
57106MA2



cat. no.
30118




The presented equipment features a concrete anchor. Add the letter „K” to the code to replace the anchor with a metal one.



Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
30100	Auto rocker Robinio / concrete base	1+	1	0,60 m	8,00 m ²	0,69 m
30101	Plane rocker Robinio / concrete base	1+	1	0,60 m	9,00 m ²	0,69 m
30111	Worm rocker Robinio / concrete base	1+	1	0,60 m	7,60 m ²	0,69 m
30112	Snail rocker Robinio / concrete base	1+	1	0,60 m	8,70 m ²	0,67 m
6810	Springrocker Robinio	3+	4	0,87 m	12,70 m ²	0,73 m
30117	Milo 2 Rocker, concrete base	1+	1	0,60 m	8,50 m ²	0,77 m
31279	Seesaw on Spring Milo, concrete base	1+	2	0,70 m	10,00 m ²	0,70 m
57106MA2	Verto Spring Rocker	3+	1	0,60 m	8,50 m ²	0,75 m
30118	Milo 1 Rocker, concrete base	1+	1	0,60 m	9,00 m ²	0,73 m




cat. no.
3051




cat. no.
3053




cat. no.
3054




cat. no.
30104EPZ



cat. no.
30105EPZ



cat. no.
3032EPZ




The presented equipment features a concrete anchor. Add the letter „K” to the code to replace the anchor with a metal one.


Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
3051	Turtle Rocker / on the metal base	1+	1	0,60 m	9,00 m ²	0,71 m
3053	Elephant Rocker / on the metal base	1+	1	0,60 m	9,00 m ²	0,66 m
3054	Fish Rocker / on the metal base	1+	1	0,60 m	10,00 m ²	0,75 m
30104EPZ	Board rocker / concrete base	1+	2	0,60 m	8,50 m ²	0,60 m
30105EPZ	Board 3 rocker / concrete base	1+	3	0,60 m	9,00 m ²	0,60 m
3032EPZ	Plane rocker / concrete base	1+	1	0,60 m	10,50 m ²	0,80 m





cat. no.
30106EPZ





cat. no.
30107EPZ




cat. no.
30108EPZK




cat. no.
30114EPZ



cat. no.
3096EPZ



cat. no.
3058EPZ





The presented equipment features a concrete anchor. Add the letter „K” to the code to replace the anchor with a metal one.


Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
30106EPZ	Rocket rocker / concrete base	1+	1	0,60 m	10,50 m ²	0,78 m
30107EPZ	UFO rocker / concrete base	1+	1	0,60 m	10,00 m ²	0,83 m
30108EPZK	Shuttle Rocker / metal base	1+	2	0,60 m	14,00 m ²	1,17 m
30114EPZ	Rabbit rocker / concrete base	1+	1	0,60 m	9,10 m ²	0,88 m
3096EPZ	Mouse rocker / concrete base	1+	1	0,60 m	10,00 m ²	0,77 m
3058EPZ	Sheep rocker / concrete base	1+	1	0,60 m	10,00 m ²	0,84 m




cat. no.
3001EPZ




cat. no.
3002EPZ




cat. no.
3003EPZ




cat. no.
3040EPZ



cat. no.
3008EPZ



cat. no.
3007EPZ




The presented equipment features a concrete anchor. Add the letter „K” to the code to replace the anchor with a metal one.

Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
3001EPZ	Horse rocker / concrete base	1+	1	0,60 m	10,00 m ²	0,86 m
3002EPZ	Cock Rocker / concrete base	1+	1	0,60 m	9,50 m ²	0,85 m
3003EPZ	Giraffe Rocker / concrete base	1+	1	0,60 m	9,50 m ²	0,91 m
3040EPZ	Dino 2 Rocker / concrete base	1+	1	0,60 m	10,00 m ²	0,84 m
3008EPZ	Frog Rocker / concrete base	1+	1	0,60 m	9,50 m ²	0,77 m
3007EPZ	Elephant Rocker / concrete base	1+	1	0,60 m	9,50 m ²	0,77 m








cat. no.
3005EPZ




cat. no.
3012EPZ




cat. no.
3009EPZ




cat. no.
3061EPZ




cat. no.
3004EPZ




cat. no.
3046EPZ



cat. no.
3042EPZK



cat. no.
3107EPZ-A



The presented equipment features a concrete anchor. Add the letter „K” to the code to replace the anchor with a metal one.


Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
3005EPZ	Dolphin Rocker / concrete base	1+	1	0,60 m	9,50 m ²	0,72 m
3012EPZ	Dog Rocker / concrete base	1+	1	0,60 m	9,50 m ²	0,77 m
3009EPZ	Shamrock Rocker / concrete base	1+	4	0,60 m	12,60 m ²	0,59 m
3061EPZ	Tractor Rocker / concrete base	1+	1	0,60 m	10,50 m ²	0,78 m
3004EPZ	Scooter rocker / concrete base	1+	1	0,60 m	9,50 m ²	0,82 m
3046EPZ	Auto / concrete base	1+	1	0,60 m	10,00 m ²	0,75 m
3042EPZK	Windsurfer rocker / metal base	3+	2	0,60 m	15,50 m ²	1,90 m
3107EPZ-A	Seesaw on Spring Simple / concrete base	3+	2	0,60 m	10,50 m ²	0,70 m
3107RC	Simple Spring Seesaw, recycling	3+	2	0,60 m	10,50 m ²	0,70 m




cat. no.
3075-A




cat. no.
3075




cat. no.
3074-A




cat. no.
3074



cat. no.
3072-A




cat. no.
3072



cat. no.
31151-A




cat. no.
31151



cat. no.
31152-A




cat. no.
31152




The versions differ in terms of equipment dimensions and safety zones. Detailed data can be found in the table.


Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
3075-A	Rocker Action4Kids Lime /on the metal base	1+	1	0,60 m	9,50 m ²	0,64 m
3075	Rocker / on the metalbase	1+	1	0,60 m	9,50 m ²	0,64 m
3074-A	Action4Kids Lime Double Rocker on a metal base	1+	2	0,60 m	10,50 m ²	0,64 m
3074	Spring Rocker YM102 / on the metal base	1+	2	0,60 m	10,50 m ²	0,64 m
3072-A	Double rocker Action4Kids Lime	1+	2	0,60 m	9,60 m ²	0,64 m
3072	Spring Rocker YM100	1+	2	0,60 m	9,60 m ²	0,64 m
31151-A	Seesaw Action4Kids Lime	3+	2	0,95 m	11,00 m ²	0,91 m
31151	Seesaw 31151	3+	2	0,95 m	11,00 m ²	0,91 m
31152-A	Double seesaw Action4Kids Lime	3+	4	0,95 m	11,00 m ²	0,91 m
31152	Seesaw Action4Kids QB020	3+	4	0,95 m	11,00 m ²	0,91 m




cat. no.
31186




cat. no.
31278




cat. no.
3109EPZ




cat. no.
57108MA2




cat. no.
31266MP





cat. no.
3160SN



cat. no.
31159Z



cat. no.
3199Z




cat. no.
31283Z




Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
31186	Seesaw Robinio	3+	2	0,80 m	12,00 m ²	0,76 m
31278	Robinio Double Seesaw	3+	4	0,80 m	13,50 m ²	0,76 m
3109EPZ	Seesaw on metal Base	3+	2	0,80 m	11,50 m ²	0,77 m
57108MA2	Verto Seesaw	3+	2	0,74 m	10,00 m ²	0,79 m
31266MP	Cosmic seesaw	3+	2	1,20 m	12,00 m ²	1,07 m
3160SN	Mantis Seesaw	3+	2	1,20 m	12,00 m ²	1,07 m
31159Z	Single metal Seesaw	3+	2	0,91 m	12,00 m ²	0,89 m
3199Z	Double metal Seesaw	3+	4	0,91 m	14,00 m ²	0,89 m
31283Z	Four-Person Seesaw	3+	4	0,91 m	16,50 m ²	0,89 m




cat. no.
31281




cat. no.
31287



cat. no.
31288




cat. no.
57144MA2



cat. no.
31112-A




cat. no.
31113-A



cat. no.
31114-A



cat. no.
31114





Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
31281	Robinio Swing on posts, straight seat	3+	1	0,94 m	11,50 m ²	1,60 m
31287	Robinio Swing on posts, basket seat	1+	1	0,94 m	11,50 m ²	1,60 m
31288	Robinio Swing on posts, nest seat	3+	2	0,94 m	15,50 m ²	1,60 m
57144MA2	Verto Swing	3+	1	0,81 m	11,00 m ²	1,40 m
31112-A	Straight Swing on posts / with seat	3+	1	0,94 m	11,50 m ²	1,58 m
31112	Mini Posts Swing with Straight Seat	3+	1	0,94 m	11,50 m ²	1,58 m
31113-A	Basket Swing on posts / with seat	1+	1	0,94 m	11,50 m ²	1,58 m
31113	Mini Posts Swing with Basket	1+	1	0,94 m	11,50 m ²	1,58 m
31114-A	Nest Swing on posts / with seat	3+	2	0,94 m	15,50 m ²	1,58 m
31114	Birdnest swing on poles	3+	2	0,94 m	15,50 m ²	1,58 m


The versions differ in terms of equipment, dimensions and safety zones. Detailed data can be found in the table.




cat. no.
31197




cat. no.
3167Z




cat. no.
6811




cat. no.
3156SN



cat. no.
3186Z



cat. no.
31143




Swing sold without seats. For safety reasons, basket type seats should be installed.

Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
31197	Hammock Robinio	3+	1	0,85 m	26,00 m ²	1,50 m
3167Z	Hammock Swing	3+	1	0,73 m	23,50 m ²	1,22 m
6811	Swing Superline Robinio	3+	3	1,39 m	24,50 m ²	2,57 m
3156SN	Swing Superline	3+	2	1,13 m	37,00 m ²	2,33 m
3186Z	Swing on three legs with Birdnest	3+	2	1,49 m	50,50 m ²	2,66 m
31143	Six-Round Swing	3+	6	1,25 m	64,50 m ²	2,29 m




The swings presented on pages 306–309 do not include slings (except for the „parent-child” swings). Slings are available for separate purchase.

The versions differ in terms of equipment dimensions and safety zones. Detailed data can be found in the table.




Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
9001	Straight Seat	3+	1	-	-	1,68 m
9002	Basket Seat	1+	1	-	-	1,68 m
9004	Birdnest Seat	3+	2	-	-	1,62 m
9046	Parent and Child Seat	1+	2	-	-	1,70 m

Each swing is available in the following versions:



In the single swing, you can install a flat seat or a basket seat, while in the double swing, you can install one „stork nest” seat or two single seats of your choice.



In case of buying only the frame without seats, the beam fittings should be additionally ordered:
 2 pcs. of 979 (if using a straight seat or basket seat is planned)
 2 pcs. of 09789 (if using a birdnest seat is planned)



The versions differ in terms of equipment dimensions and safety zones. Detailed data can be found in the table.

Robinio swings



Catalogue number	Number of users	Max fall height	Safety area dimension
------------------	-----------------	-----------------	-----------------------



31221	1	1,30 m	13,00 m ²
-------	---	--------	----------------------



31237	2	1,30 m	15,00 m ²
-------	---	--------	----------------------



31222	2	1,30 m	21,50 m ²
-------	---	--------	----------------------



31255	3	1,30 m	34,00 m ²
-------	---	--------	----------------------



31256	4	1,30 m	42,50 m ²
-------	---	--------	----------------------

Urbi swings - wooden posts



Catalogue number	Number of users	Max fall height	Safety area dimension
------------------	-----------------	-----------------	-----------------------



31202-A	1	1,30 m	13,00 m ²
---------	---	--------	----------------------



31233-A	2	1,30 m	15,00 m ²
---------	---	--------	----------------------



31207-A	2	1,30 m	21,10 m ²
---------	---	--------	----------------------



31212-A	3	1,30 m	34,00 m ²
---------	---	--------	----------------------



31217-A	4	1,30 m	42,50 m ²
---------	---	--------	----------------------

Triangulo swings - wooden posts



Catalogue number	Number of users	Max fall height	Safety area dimension
------------------	-----------------	-----------------	-----------------------



31203	1	1,30 m	13,00 m ²
-------	---	--------	----------------------



31234	2	1,30 m	15,00 m ²
-------	---	--------	----------------------



31208	2	1,30 m	21,10 m ²
-------	---	--------	----------------------



31213	3	1,30 m	34,00 m ²
-------	---	--------	----------------------



31218	4	1,30 m	42,50 m ²
-------	---	--------	----------------------

Quadro swings - wooden posts



Quadro swings - recycled posts



Orbis swings - wooden posts



Catalogue number	Number of users	Max fall height	Safety area dimension
------------------	-----------------	-----------------	-----------------------



31202 1 1,30 m 13,00 m²

Catalogue number	Number of users	Max fall height	Safety area dimension
------------------	-----------------	-----------------	-----------------------



31202RC 1 1,30 m 13,00 m²

Catalogue number	Number of users	Max fall height	Safety area dimension
------------------	-----------------	-----------------	-----------------------



31201 1 1,30 m 13,00 m²



31233 2 1,30 m 15,00 m²



31233RC 2 1,30 m 15,00 m²



31232 2 1,30 m 15,00 m²



31207 2 1,30 m 21,10 m²



31207RC 2 1,30 m 21,10 m²



31206 2 1,30 m 21,10 m²



31212 3 1,30 m 34,00 m²



31212RC 3 1,30 m 34,00 m²



31211 3 1,30 m 34,00 m²



31217 4 1,30 m 42,50 m²



31217RC 4 1,30 m 42,50 m²



31216 4 1,30 m 42,50 m²

Verto swings - stainless steel posts



Catalogue number	Number of users	Max fall height	Safety area dimension
------------------	-----------------	-----------------	-----------------------



31275	1	1,30 m	13,00 m ²
-------	---	--------	----------------------



31292	2	1,30 m	15,00 m ²
-------	---	--------	----------------------



31276	2	1,30 m	21,10 m ²
-------	---	--------	----------------------



31284	3	1,30 m	34,00 m ²
-------	---	--------	----------------------



31285	4	1,30 m	42,50 m ²
-------	---	--------	----------------------

Quadro swings - metal posts



Catalogue number	Number of users	Max fall height	Safety area dimension
------------------	-----------------	-----------------	-----------------------



31205	1	1,30 m	13,00 m ²
-------	---	--------	----------------------



31236	2	1,30 m	15,00 m ²
-------	---	--------	----------------------



31210	2	1,30 m	21,10 m ²
-------	---	--------	----------------------



31215	3	1,30 m	34,00 m ²
-------	---	--------	----------------------



31220	4	1,30 m	42,50 m ²
-------	---	--------	----------------------

Action4kids swings - metal posts



Catalogue number	Number of users	Max fall height	Safety area dimension
------------------	-----------------	-----------------	-----------------------



31240	1	1,30 m	13,00 m ²
-------	---	--------	----------------------



31293	2	1,30 m	15,00 m ²
-------	---	--------	----------------------



31241	2	1,30 m	21,10 m ²
-------	---	--------	----------------------



31242	3	1,30 m	34,00 m ²
-------	---	--------	----------------------



31243	4	1,30 m	42,50 m ²
-------	---	--------	----------------------

Action4kids / Orbis swings

- metal posts



Catalogue number	Number of users	Max fall height	Safety area dimension
------------------	-----------------	-----------------	-----------------------



leg color:

- cat. no. 31204-A
- cat. no. 31204

31204 , 31204-A	1	1,30 m	13,00 m ²
-----------------	---	--------	----------------------



leg color:

- cat. no. 31235-A
- cat. no. 31235

31235 , 31235-A	2	1,30 m	15,00 m ²
-----------------	---	--------	----------------------



leg color:

- cat. no. 31209-A
- cat. no. 31209

31209 , 31209-A	2	1,30 m	21,10 m ²
-----------------	---	--------	----------------------



leg color:

- cat. no. 31214-A
- cat. no. 31214

31214 , 31214-A	3	1,30 m	34,00 m ²
-----------------	---	--------	----------------------



leg color:

- cat. no. 31219-A
- cat. no. 31219

31219 , 31219-A	4	1,30 m	42,50 m ²
-----------------	---	--------	----------------------

Urbi swings

- metal posts



Catalogue number	Number of users	Max fall height	Safety area dimension
------------------	-----------------	-----------------	-----------------------



leg color:

- cat. no. 31205-A
- cat. no. 31205-B
- cat. no. 31205-C

31205-A, 31205-B, 31205-C	1	1,30 m	13,00 m ²
---------------------------	---	--------	----------------------



leg color:

- cat. no. 31236-A
- cat. no. 31236-B
- cat. no. 31236-C

31236-A, 31236-B, 31236-C	2	1,30 m	15,00 m ²
---------------------------	---	--------	----------------------



leg color:

- cat. no. 31210-A
- cat. no. 31210-B
- cat. no. 31210-C

31210-A, 31210-B, 31210-C	2	1,30 m	21,10 m ²
---------------------------	---	--------	----------------------



leg color:

- cat. no. 31215-A
- cat. no. 31215-B
- cat. no. 31215-C

31215-A, 31215-B, 31215-C	3	1,30 m	34,00 m ²
---------------------------	---	--------	----------------------




leg color:


- cat. no. 31220-A
- cat. no. 31220-B
- cat. no. 31220-C

31220-A, 31220-B, 31220-C	4	1,30 m	42,50 m ²
---------------------------	---	--------	----------------------


cat. no.
57101MA2




cat. no.
57124MA2





cat. no.
57126MA2




cat. no.
3245




cat. no.
3246




cat. no.
3241



cat. no.
3242



cat. no.
3243





The versions differ in terms of equipment, dimensions and safety zones. Detailed data can be found in the table.

Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
57101MA2	Verto Carousel	3+	1	1,00 m	16,00 m ²	1,08 m
57124MA2	Verto Carousel dia.120	3+	3	1,00 m	21,50 m ²	0,82 m
57126MA2	Verto Carousel Bicycles	3+	5	0,38 m	21,00 m ²	0,62 m
3245	Robinio Carousel	3+	5	1,00 m	24,00 m ²	0,78 m
3246	Vento Carousel 120	1+	3	1,00 m	21,50 m ²	0,74 m
3241	Novo Carousel 150	3+	5	1,00 m	24,00 m ²	0,77 m
3242	Spiro Carousel 120	3+	3	1,00 m	21,50 m ²	0,84 m
3243	Roto Carousel 150	3+	5	1,00 m	24,00 m ²	0,84 m









cat. no. 3091





cat. no. 31189





cat. no. 3218Z



cat. no. 3219Z




cat. no. 3231




The versions differ in terms of equipment dimensions and safety zones. Detailed data can be found in the table.


Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
3091	Integration Rocker 3091	3+	2	-	20,00 m ²	1,04 m
31189	Integration Swing 31189	3+	2	-	30,50 m ²	1,25 m
3218Z	Integration Carousel dia. 135	1+	1	1,00 m	23,50 m ²	0,70 m
3219Z	Integration Carousel dia. 200	1+	3	1,00 m	28,00 m ²	0,70 m
3231	Integration Carouse 3231	3+	2	1,00 m	29,50 m ²	1,00 m




cat. no.
3205Z




cat. no.
4227Z



cat. no.
3209Z



cat. no.
3204Z





cat. no.
3232





Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
3205Z	Twister Carousel	3+	1	1,00 m	16,50 m ²	1,45 m
4227Z	Short Roller	3+	1	0,46 m	10,50 m ²	1,16 m
3209Z	Triple Carousel	3+	3	1,00 m	27,00 m ²	0,80 m
3204Z	Cross Carousel	3+	4	1,00 m	27,00 m ²	0,80 m
3232	Post Carousel 3232	3+	3	1,00 m	50,50 m ²	2,50 m





cat. no.
3505EPZ





cat. no.
3320EPZ



cat. no.
12279EPZ-A



cat. no.
12284EPZ-A



cat. no.
12279MP-A



cat. no.
12279RC




cat. no.
12284MP-A



cat. no.
12284RC

Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
3505EPZ	Train Simon	3+	40	2,04 m	60,00 m ²	2,04 m
3320EPZ	Ticket Office	1+	10	0,72 m	22,00 m ²	1,72 m
12279EPZ-A	Quadro Simple Locomotive	1+	3	0,30 m	20,00 m ²	1,99 m
12279MP-A	Quadro Simple Locomotive, metal	1+	3	0,30 m	20,00 m ²	1,99 m
12279RC	Quadro Simple Locomotive, recycling	1+	3	0,30 m	20,00 m ²	1,99 m
12284EPZ-A	Quadro Simple carriage	1+	3	0,30 m	15,20 m ²	2,02 m
12284MP-A	Quadro Simple Wagon, metal	1+	3	0,30 m	15,20 m ²	2,02 m
12284RC	Quadro Simple Wagon, recycling	1+	3	0,30 m	15,20 m ²	2,02 m


The versions differ in terms of equipment, dimensions and safety zones. Detailed data can be found in the table.






cat. no.
3510EPZ



cat. no.
3507EPZ



cat. no.
3512EPZ





cat. no.
3530Z






Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
3510EPZ	Firetruck	3+	28	1,20 m	52,00 m ²	2,40 m
3507EPZ	Locomotive Julian	3+	27	1,20 m	52,60 m ²	2,64 m
3512EPZ	Auto Smart	1+	6	0,29 m	19,00 m ²	1,32 m
3530Z	Airplane	1+	5	1,00 m	24,50 m ²	1,36 m






cat. no.
37168





cat. no.
37169






cat. no.
3931





cat. no.
3932



cat. no.
3933






cat. no.
3934




The versions differ in terms of equipment, dimensions and safety zones. Detailed data can be found in the table.


Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
37168	Sandbox Milo	1+	8	0,32 m	24,00 m ²	0,32 m
37169	Sandbox Milo with panels	1+	8	0,32 m	24,00 m ²	1,19 m
3931	Sand Lab 1	1+	7	0,63 m	14,90 m ²	0,89 m
3932	Sand Lab 2	1+	8	0,68 m	15,90 m ²	0,85 m
3933	Sand Lab 3	1+	4	0,45 m	11,60 m ²	0,45 m
3934	Sand Lab 4	1+	6	0,63 m	14,30 m ²	0,90 m





cat. no.
3772EPZ




3x3m
cat. no.
57148MA2




2x2m
cat. no.
57123MA2




1,5x1,5m
cat. no.
37166




2x2m
cat. no.
37152




cat. no.
6848




cat. no.
6847





cat. no.
6812




Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
3772EPZ	Dino sandbox	1+	6	0,20 m	29,50 m ²	0,20 m
57148MA2	Verto Sandbox 3x3 m	1+	12	0,31 m	37,50 m ²	0,31 m
57123MA2	Verto Sandbox	1+	5	0,31 m	25,60 m ²	0,31 m
37166	Robinio Sandbox 1.5x1.5	1+	2	0,16 m	18,50 m ²	0,16 m
37152	Sandbox Robinio	1+	4	0,16 m	23,00 m ²	0,16 m
6848	Robinio Sand Factory 2	3+	8	1,22 m	28,50 m ²	1,99 m
6847	Robinio Sand Factory	3+	7	1,22 m	24,00 m ²	1,99 m
6812	Medium aqueduct Robinio	3+	4	0,78 m	30,00 m ²	0,86 m




2x2m
cat. no.
3709




2x2m
cat. no.
3705





3x3m
cat. no.
3701





3x3m
cat. no.
3703





cat. no.
3764EP



cat. no.
3702EP




cat. no.
3714EPZ





Urządzenia sprzedawane bez piasku.



Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
3709	Board Sandbox 2x2m	1+	5	0,35 m	26,00 m ²	0,35 m
3701	Board Sandbox 3x3m	1+	10	0,35 m	37,50 m ²	0,35 m
3705	Log Sandbox 2x2m	1+	5	0,28 m	24,10 m ²	0,28 m
3703	Log Sandbox 3x3m	1+	10	0,30 m	35,00 m ²	0,30 m
3764EP	Square Sandbox with HDPE	1+	10	0,30 m	34,00 m ²	0,30 m
3702EP	4 Bears Sandbox	1+	10	0,30 m	34,00 m ²	0,30 m
3714EPZ	4 Bears Sandbox with Cover	1+	10	0,30 m	35,00 m ²	2,00 m




cat. no.
3713EP





cat. no.
3707




The edging is sold by linear meter, with the example of use shown above.




cat. no.
3794



cat. no.
3728EPZ



cat. no.
3729EPZ



The equipment is sold without sand.

Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
3713EP	Hexagonal Sandbox with Seats	1+	10	0,30 m	26,50 m ²	0,30 m
3707	Block for Sandbox 1m	1+	10	0,30 m	-	0,30 m
3794	Sandbox with bench	1+	4	0,55 m	17,00 m ²	0,55 m
3728EPZ	Sandbox Flower	1+	3	0,45 m	15,20 m ²	0,45 m
3729EPZ	Integration Sandbox	1+	4	0,65 m	18,50 m ²	0,65 m





cat. no.
37172-A



cat. no.
37172-B




cat. no.
37172-C



cat. no.
11193EPZN




cat. no.
11193MPN





cat. no.
11587EPZ





cat. no.
11587MP



cat. no.
3918MP




cat. no.
3919MP



The versions differ in terms of equipment, dimensions and safety zones. Detailed data can be found in the table.



Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
37172-A	Urbi Sandbox A	1+	8	0,27 m	23,10 m ²	0,27 m
37172-B	Urbi Sandbox B	1+	8	0,27 m	23,10 m ²	0,27 m
37172-C	Urbi Sandbox C	1+	8	0,27 m	23,10 m ²	0,27 m
11193EPZN	Sand Winch Orbis	1+	7	0,96 m	20,50 m ²	2,31 m
11193MPN	Sand Winch Orbis	1+	7	0,96 m	20,50 m ²	2,31 m
11587EPZ	Sand Winch with Platform	3+	3	0,50 m	16,00 m ²	2,40 m
11587MP	Sand Winch with Platform	3+	3	0,50 m	16,00 m ²	2,40 m
3918MP	Aqueduct small	3+	4	0,80 m	15,00 m ²	0,92 m
3919MP	Aqueduct medium	3+	7	1,00 m	24,30 m ²	1,10 m



cat. no.
3780EPZ



cat. no.
3766Z




cat. no.
3716_1




cat. no.
3716



cat. no.
3715_1



cat. no.
3715











cat. no.
3715_2




cat. no.
3706_1

Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
3780EPZ	Table with sieve round	1+	3	0,58 m	10,50 m ²	0,58 m
3766Z	Triangular Sandbox Roof	-	-	-	53,50 m ²	2,58 m
3716_1	Cover for board sandbox 2x2	-	-	-	-	-
3716	Sandbox Cover 2x2m	-	-	-	-	-
3715_1	Sandbox Cover 3x3m (fits to Board sandbox 3701)	-	-	-	-	-
3715	Sandbox Cover 3x3m	-	-	-	-	-
3715_2	Cover for 4 Bears sandbox 3x3	-	-	-	-	-
3706_1	Cover for hexagonal sandbox	-	-	-	-	-




Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
7101EPZ	Mini Weather Island	1+	3	0,52 m	14,50 m ²	0,84 m
7102EPZ	Mini Car Island	1+	3	0,52 m	14,50 m ²	1,02 m
7104EPZ	Mini Music Island	1+	3	0,52 m	14,60 m ²	0,84 m
7103EPZ	Mini Duo Island	1+	6	0,52 m	26,50 m ²	1,02 m
7105EPZ	Mini Trio Island	1+	9	0,52 m	32,50 m ²	1,02 m


The versions differ in terms of equipment dimensions and safety zones. Detailed data can be found in the table.




cat. no.
3814





cat. no.
3813




cat. no.
3816




cat. no.
3815




cat. no.
3818





cat. no.
3817





cat. no.
3820



cat. no.
3819



cat. no.
3822




cat. no.
3821

Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
3814	Marimba	3+	2	-	13,50 m ²	1,07 m
3813	Xylophone	3+	2	-	12,00 m ²	1,04 m
3816	Drums	3+	2	-	10,60 m ²	0,69 m
3815	Chimes	3+	2	-	14,00 m ²	1,90 m
3818	Echo I Resonance Pipes	3+	2	-	13,50 m ²	1,58 m
3817	Clappo Tubes	3+	2	-	11,50 m ²	0,86 m
3820	Handpan Duet Drum	3+	2	-	12,00 m ²	0,67 m
3819	Echo Piano Xylophone	3+	1	-	12,00 m ²	1,05 m
3822	Monk Bells	3+	2	-	9,00 m ²	1,50 m
3821	Otto Tubular Bells	3+	2	-	15,50 m ²	1,76 m


houses and arbours




cat. no.
3374




cat. no.
3377




cat. no.
3373




cat. no.
3321EPZ





cat. no.
3332EPZ




cat. no.
3303EPZ



cat. no.
3335EPZ




cat. no.
3402




The versions differ in terms of equipment, dimensions and safety zones. Detailed data can be found in the table.


Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
3374	Terra House, lattice	1+	4	0,58 m	18,00 m ²	1,68 m
3377	Terra House, simple	1+	4	0,67 m	18,00 m ²	1,79 m
3373	Terra House, with terrace	1+	4	0,67 m	20,20 m ²	1,79 m
3321EPZ	House for Toddlers	1+	2	0,56 m	16,50 m ²	1,58 m
3332EPZ	House for Climbing	3+	8	1,80 m	26,50 m ²	1,80 m
3303EPZ	Colorful House	1+	8	0,45 m	25,00 m ²	2,12 m
3335EPZ	Wooden House	3+	6	0,24 m	21,00 m ²	1,87 m
3402	Banquet Arbour	1+	12	0,38 m	36,00 m ²	2,62 m




cat. no. 58604





cat. no. 58605




cat. no. 58603





cat. no. 58602




cat. no. 3681




cat. no. 3680




cat. no. 3683



cat. no. 3682




cat. no. 3685



cat. no. 3684

Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
58604	Terra Painting Board, large	1+	2	-	13,00 m ²	1,33 m
58605	Terra Drawing Board, large	1+	2	-	13,00 m ²	1,33 m
58603	Terra Drawing Board	1+	2	-	12,00 m ²	1,20 m
58602	Terra Painting Board	1+	2	-	12,00 m ²	1,20 m
3681	Milo Bubbles Board	1+	2	-	10,50 m ²	1,03 m
3680	Milo Flower Board	1+	2	-	10,50 m ²	1,03 m
3683	Milo Gears Board	1+	2	-	10,50 m ²	1,03 m
3682	Milo Shapes Board	1+	2	-	10,50 m ²	1,03 m
3685	Milo Car Board	1+	2	-	11,00 m ²	1,03 m
3684	Milo Drawing Board	1+	2	-	10,50 m ²	1,03 m

manipulation boards




cat. no.
3686







cat. no.
3687



cat. no.
3688



cat. no.
3689







cat. no.
3690





cat. no.
3691



cat. no.
3692



cat. no.
3694




The versions differ in terms of equipment, dimensions and safety zones. Detailed data can be found in the table.

Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
3686	Milo Shop Board	1+	2	-	11,00 m ²	1,03 m
3687	Milo Clock Board	1+	2	-	10,50 m ²	1,03 m
3688	Milo Memory Board	1+	2	-	10,50 m ²	1,03 m
3689	Milo Maze Board	1+	2	-	10,50 m ²	1,03 m
3690	Milo Kitchen Board	1+	2	-	11,50 m ²	1,03 m
3691	Milo Experiments Board	1+	2	-	11,00 m ²	1,03 m
3692	Milo Workshop Board	1+	2	-	11,00 m ²	1,03 m
3694	Milo Boards Set	1+	8	-	20,00 m ²	1,03 m




cat. no.
7106




cat. no.
3623EPZ




cat. no.
7003EPZ




cat. no.
7203EPZ





cat. no.
7204EPZ




cat. no.
7205EPZ



cat. no.
7208EPZ




cat. no.
7209EPZ




Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
7106	Bunny Burrow	1+	8	0,72 m	17,00 m ²	1,52 m
3623EPZ	Dino Board	1+	2	-	10,00 m ²	1,16 m
7003EPZ	Dino Manipulation	1+	2	-	10,00 m ²	1,02 m
7203EPZ	Wheel-House	1+	2	-	9,50 m ²	1,03 m
7204EPZ	Wheel-Car	1+	2	-	9,50 m ²	0,86 m
7205EPZ	Wheel-Labyrinth	1+	2	-	9,50 m ²	1,03 m
7208EPZ	Interlace Figures	1+	2	-	9,50 m ²	1,03 m
7209EPZ	Interlace Flower	1+	2	-	9,50 m ²	1,03 m




cat. no.
3619SN




cat. no.
3669MP




cat. no.
3603EPZ




cat. no.
3611EP



cat. no.
3612EP




cat. no.
3613EP



The versions differ in terms of equipment, dimensions and safety zones. Detailed data can be found in the table.


Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
3619SN	Tic-Tac-Toe stainless steel	1+	2	-	10,00 m ²	1,40 m
3669MP	Globe	1+	2	-	14,00 m ²	1,41 m
3603EPZ	Tic-Tac-Toe	1+	2	-	10,50 m ²	1,44 m
3611EP	Wheel of Fortune	1+	2	-	10,50 m ²	1,59 m
3612EP	Monkey Manipulation	1+	2	-	10,50 m ²	1,59 m
3613EP	Parrot Manipulation	1+	2	-	10,00 m ²	1,61 m



cat. no.
3601MP




cat. no.
3601E



cat. no.
3602MP




cat. no.
3602E



cat. no.
3621EPZ






cat. no.
3646MP






cat. no.
3646EPZN

Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
3601E	Drawing Board	1+	2	-	10,00 m ²	1,51 m
3601MP	Drawing Board	1+	2	-	10,00 m ²	1,51 m
3602E	Double Drawing Board	1+	4	-	12,00 m ²	1,51 m
3602MP	Double Drawing Board	1+	4	-	12,00 m ²	1,51 m
3621EPZ	Drawing Board with Tic-Tac-Toe	1+	3	-	12,00 m ²	1,46 m
3646EPZN	A set of educational boards	1+	8	-	17,00 m ²	1,51 m
3646MP	A set of educational boards	1+	8	-	17,00 m ²	1,51 m




cat. no.
4301Z






cat. no.
4311Z






cat. no.
4303Z






cat. no.
4313Z



cat. no.
4304Z





cat. no.
4314Z






Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
4301Z	Climbing Cone	7+	3	0,46 m	18,50 m ²	2,34 m
4311Z	Rotating Climbing Cone	7+	3	0,46 m	27,00 m ²	2,34 m
4303Z	Climbing Diamond	7+	5	1,27 m	18,50 m ²	2,34 m
4313Z	Rotating Climbing Diamond	7+	5	1,27 m	27,00 m ²	2,34 m
4304Z	Climbing Cylinder	7+	5	2,21 m	24,50 m ²	2,34 m
4314Z	Rotating Climbing Cylinder	7+	5	2,21 m	27,00 m ²	2,34 m




The versions differ in terms of equipment dimensions and safety zones. Detailed data can be found in the table.



cat. no.
4318MP




cat. no.
42197MP





cat. no.
4336Z





Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
4318MP	Climbing Tent	3+	2	1,30 m	21,00 m ²	1,30 m
42197MP	Arched interlace	3+	5	0,65 m	19,00 m ²	0,65 m
4336Z	Rope net tunnel	7+	6	2,70 m	57,00 m ²	2,85 m





cat. no.
4306Z




cat. no.
4305Z



cat. no.
4315Z





cat. no.
4329Z






The versions differ in terms of equipment dimensions and safety zones. Detailed data can be found in the table.


Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
4306Z	Rope net Small Pyramid	7+	8	1,10 m	47,50 m ²	3,00 m
4305Z	Spider Climbing Net	7+	10	1,10 m	59,00 m ²	3,00 m
4315Z	Climbing Net K2	7+	20	1,50 m	124,50 m ²	5,50 m
4329Z	Ropenet Large Pyramid	7+	22	1,58 m	62,00 m ²	5,08 m



cat. no.
4307Z




cat. no.
4369Z





Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
4307Z	Large Pyramid Climbing Net	7+	18	1,63 m	154,00 m ²	6,00 m
4369Z	Nest Net Climbing Frame 2	3+	20	1,90 m	68,50 m ²	3,51 m



cat. no.
57131MA2





cat. no.
1702EPZ





cat. no.
42305-A


cat. no.
42305





cat. no.
4506-A





cat. no.
4506



cat. no.
42208MP



cat. no.
4222EPZ





The versions differ in terms of equipment, dimensions and safety zones. Detailed data can be found in the table.




Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
57131MA2	Verto Climbing Hexagon	3+	10	2,00 m	28,50 m ²	2,17 m
1702EPZ	Climbing Polyhedron	3+	17	2,40 m	41,20 m ²	2,40 m
42305-A	Action4Kids Lime Climbing Wall	3+	6	3,00 m	50,40 m ²	3,00 m
42305	Climbing Wall PW001	3+	6	3,00 m	50,40 m ²	3,00 m
4506-A	Action4Kids Lime Climbing Wave	3+	4	2,02 m	37,30 m ²	2,13 m
4506	Climbing Wave PW008	3+	4	2,02 m	37,30 m ²	2,13 m
42208MP	Triple Climbing Wall high	3+	6	1,81 m	28,80 m ²	1,81 m
4222EPZ	Triple Climbing Wall	7+	6	2,70 m	28,50 m ²	2,81 m





cat. no.
6816



cat. no.
6826



cat. no.
6827




cat. no.
4266EPZ







cat. no.
4226EPZ



cat. no.
4266MP



cat. no.
4266RC




cat. no.
4226MP

Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
6816	Stack Robinio	1+	6	0,96 m	33,60 m ²	1,50 m
6826	Climber Robinio 1	3+	13	1,50 m	40,50 m ²	2,70 m
6827	Robinio Climber 2	3+	30	1,50 m	60,00 m ²	2,70 m
4266EPZ	Multifunction Ladder	3+	12	2,35 m	38,00 m ²	2,46 m
4266MP	Multifunctional Ladder, metal	3+	12	2,35 m	38,00 m ²	2,46 m
4266RC	Multifunctional Ladder, recycling	3+	12	2,35 m	38,00 m ²	2,46 m
4226EPZ	Spider Climbing Hexagon	3+	12	1,93 m	30,50 m ²	2,06 m
4226MP	Spider Climbing Hexagon	3+	12	1,93 m	30,50 m ²	2,04 m


bridges and tunnels




cat. no.
7201EPZ




cat. no.
6808




cat. no.
42308




cat. no.
42308-A





cat. no.
42310





cat. no.
42310-A



cat. no.
4239EPZ




cat. no.
4240EPZ




The versions differ in terms of equipment dimensions and safety zones. Detailed data can be found in the table.

Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
7201EPZ	Mini Tunnel	1+	1	0,11 m	13,00 m ²	1,22 m
6808	Tunnel platform Robinio	3+	4	1,06 m	17,50 m ²	1,34 m
42308	Moving Bridge	3+	3	0,18 m	19,00 m ²	1,04 m
42308-A	Action4Kids Lime Wobbly Bridge	3+	3	0,18 m	19,00 m ²	1,04 m
42310	Rope Tunnel 42310	3+	2	1,30 m	21,20 m ²	1,43 m
42310-A	Action4Kids Lime Rope Tunnel	3+	2	1,30 m	21,20 m ²	1,43 m
4239EPZ	Tunnel Bridge with Climbing Walls	3+	4	0,99 m	22,00 m ²	2,01 m
4240EPZ	Rope Bridge with Ramps	3+	4	0,57 m	29,50 m ²	1,51 m



cat. no.
42345






cat. no.
42346



cat. no.
42335-A




cat. no.
42335




cat. no.
42336



cat. no.
42336-A












cat. no.
42233



cat. no.
42233-A


Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
42345	Push-up Bars I	3+	1	0,43 m	10,10 m ²	0,43 m
42346	Push-up Bars II	3+	1	0,28 m	10,10 m ²	0,28 m
42335	Bar 42335	3+	1	1,42 m	11,30 m ²	1,64 m
42335-A	Action4Kids Lime Bar	3+	1	1,42 m	11,30 m ²	1,64 m
42336	Double Bar 42336	3+	2	1,42 m	14,90 m ²	1,74 m
42336-A	Action4Kids Lime Double Bar	3+	2	1,42 m	14,90 m ²	1,74 m
42233	Triple Bar 42233	3+	3	1,42 m	17,50 m ²	1,64 m
42233-A	Action4Kids Lime Triple Bar	3+	3	1,42 m	17,50 m ²	1,64 m




Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
42347	Hexagonal Bars 42347	3+	5	1,50 m	22,10 m ²	1,64 m
42347-A	Action4Kids Lime Hexagonal Bar	3+	5	1,50 m	22,10 m ²	1,64 m
4272	Triple Bar 4272	5+	3	1,98 m	22,50 m ²	2,30 m
4272-A	Action4Kids Lime Triple Bar	5+	3	1,98 m	22,50 m ²	2,30 m
42344	Jumping Bars 118	3+	5	1,24 m	45,40 m ²	1,24 m
42344-A	Action4Kids Lime Hurdles for Jumps	3+	5	1,24 m	45,40 m ²	1,24 m
42309	Balance Beam 4208E	3+	3	0,30 m	21,70 m ²	0,30 m
42309-A	Action4Kids Lime Balance Beam	3+	3	0,30 m	21,70 m ²	0,30 m
42340	Slalom Poles 42340	3+	5	0,63 m	31,10 m ²	0,63 m

The versions differ in terms of equipment dimensions and safety zones. Detailed data can be found in the table.




cat. no.
6802



cat. no.
6803




cat. no.
6804




cat. no.
6805



cat. no.
6806



cat. no.
6807




cat. no.
6809



Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
6802	Inclined balance beam Robinio	3+	3	0,44 m	18,50 m ²	0,44 m
6803	Balance beam Robinio	3+	2	0,45 m	17,00 m ²	0,45 m
6804	Triple balance beam Robinio	3+	6	0,56 m	34,00 m ²	0,56 m
6805	Double gymnastic bars Robinio	3+	2	1,42 m	15,00 m ²	1,60 m
6806	Triple gymnastic bars Robinio	3+	3	1,42 m	18,20 m ²	1,61 m
6807	Jump kit Robinio	3+	4	0,62 m	16,50 m ²	0,62 m
6809	Jumping bars Robinio	3+	10	0,76 m	45,50 m ²	0,92 m



cat. no.
4207E




cat. no.
4208E




cat. no.
4291Z




cat. no.
4228EZ




cat. no.
4209E



cat. no.
4210E



cat. no.
4211E




cat. no.
4212E




The versions differ in terms of equipment dimensions and safety zones. Detailed data can be found in the table.


Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
4207E	Slalom	3+	6	0,95 m	27,00 m ²	0,95 m
4208E	Balance Beam	3+	5	0,55 m	17,00 m ²	0,55 m
4291Z	Balancing Wave	3+	2	0,60 m	17,50 m ²	0,57 m
4228EZ	Balancing Log on Springs	3+	2	0,60 m	18,50 m ²	0,50 m
4209E	Zig Zag Balancing Log	3+	6	0,63 m	34,60 m ²	0,63 m
4210E	Inclined Balancing Log	3+	1	0,88 m	19,00 m ²	0,88 m
4211E	Double Balancing Logs	3+	2	0,56 m	23,00 m ²	0,56 m
4212E	Jumping Set	3+	3	0,61 m	36,00 m ²	0,61 m



cat. no.
4213E







cat. no.
4203EZ



cat. no.
4205EZ



cat. no.
4206E





cat. no.
4202EPZ

Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
4213E	Jumping Frame	3+	1	1,06 m	14,00 m ²	1,06 m
4203EZ	Double Gymnastic Bars	3+	2	1,18 m	13,50 m ²	1,31 m
4205EZ	Gym Handrails	3+	2	1,20 m	16,50 m ²	1,30 m
4206E	Acrobat's Rings	3+	2	1,87 m	31,50 m ²	2,69 m
4202EPZ	Horizontal Ladder	3+	3	1,85 m	27,50 m ²	1,99 m




cat. no.
4225EPZ






cat. no.
4225MP



cat. no.
42605MP




cat. no.
42604MP



The versions differ in terms of equipment dimensions and safety zones. Detailed data can be found in the table.


Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
4225EPZ	Zip Line	3+	1	0,90 m	116,50 m ²	3,60 m
4225MP	Zip Line	3+	1	0,90 m	112,10 m ²	3,46 m
42605MP	Double Zip Line	3+	2	1,00 m	152,50 m ²	3,40 m
42604MP	Single Zip Line	3+	1	1,00 m	99,50 m ²	3,40 m




cat. no. 58301




cat. no. 58302




cat. no. 9020Z




cat. no. 9018Z




cat. no. 4102Z



cat. no. 4101EPZ



cat. no. 4103EP




cat. no. 4104EP



Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
58301	Outdoor Domino Game	1+	1+	-	3,50 m ²	0,02 m
58302	Outdoor Tic-Tac-Toe Game	1+	2	-	3,80 m ²	0,04 m
9020Z	Talking Tube	3+	2	-	20,00 m ²	1,34 m
9018Z	Don't Touch the Pipe	3+	1	1,23 m	14,50 m ²	1,36 m
4102Z	Triple Basket	3+	3	-	11,00 m ²	2,05 m
4101EPZ	Pole with Basket	-	-	-	-	3,66 m
4103EP	Square Board with Basket	-	-	-	-	0,81 m
4104EP	Oval Board with Basket	-	-	-	-	0,81 m


cat. no.
4107Z




cat. no.
4108




cat. no.
4846




cat. no.
4847




cat. no.
4848



cat. no.
4853





cat. no.
4144




The versions differ in terms of equipment, dimensions and safety zones. Detailed data can be found in the table.



Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
4107Z	Volleyball Poles	-	-	-	-	2,49 m
4108	Volleyball Net	-	-	-	-	-
4846	Mini Football Goal ZQ005	3+	-	0,64 m	13,40 m ²	0,64 m
4847	Large Football Goal ZQ006	3+	-	1,83 m	23,60 m ²	1,83 m
4848	Football Goal with Basket 4848	3+	-	1,83 m	28,50 m ²	3,66 m
4853	Football Goal with Basket 48453	3+	-	-	26,30 m ²	3,66 m
4144	Duo Sport Set	-	-	-	-	3,68 m





cat. no.
4708




cat. no.
4709



cat. no.
4703



cat. no.
4714



Catalogue number	Name	Age	Number of users	Max fall height	Safety area dimension	Device height
4708	Football Arena 4708	3+	-	0,72 m	28,30 m ²	2,14 m
4709	Multiarena 4709	3+	-	0,99 m	486,00 m ²	3,74 m
4703	Multiarena 4703	3+	-	0,90 m	116,00 m ²	1,81 m
4714	Arena 25x16	3+	-	0,99 m	400,00 m ²	3,68 m