



GENERAL CERTIFICATE OF CONFORMITY FOR FEELS GOOD VAPOR

1. Identification of the product covered by this certificate

Feels Good Vapor e-Liquid for electronic cigarette vaporizers.

2. Citation to each CPSC product safety regulation to which this product is being certified:

Section 1700.15 of Title 16, Code of Federal Regulations

Section 1700.20 of Title 16, Code of Federal Regulations

Section 1110.11 of Title 16, Code of Federal Regulations

3. Identification of the U.S. importer or domestic manufacturer certifying compliance of the product:

All final products are manufactured by:
eGeneration, 2418 S. Grand Avenue, Los Angeles CA 90007
For
Feels Good Vapor, Inc.
1837 S. Coast Highway
Oceanside CA 92054

4. Contact information for the individual maintaining records of test results:

Feels Good Vapor, Inc.
P.O. Box 700
Cardiff By The Sea, CA 92007
Fabiola Elias-Ramsey (619) 770-9890
fabi@feelsgoodvapor.com



GENERAL CERTIFICATE OF CONFORMITY FOR FEELS GOOD VAPOR

5. Date and place where this product was manufactured:

Products are manufactured on a rolling basis beginning January 1, 2015.

All final products are manufactured by:
eGeneration, 2418 S. Grand Avenue, Los Angeles CA 90007

All bottles are manufactured by:
P&P International, Inc. GON
No. 2277 Xue Feng West Road
Cheng Xi Street, Yiwu, Zhejiang Province,
P. R. C. 322000 China

6. Date and place where this product was tested for compliance with the regulation(s) cited:

All bottles were tested during the period from June 30, 2015 – July 9, 2015

The third-party laboratory Bitner Associates, Inc., located at 1001 Forest Trail, Sugar Grove, IL 60554, evaluated all bottles.



GENERAL CERTIFICATE OF CONFORMITY FOR FEELS GOOD VAPOR

7. Identification of any third-party facility on whose testing the certificate depends:

- Bitner Associates, Inc.
1001 Forest Trail, Sugar Grove, IL 60554
- Bird Dog Marketing Group, LLC
166 Farmington Lane, Lancaster PA 17601

Results may be used to support Dropper Bottle neck finish sizes from 18-400 20-400 and 22-400 for Boston flint bottle 10ml, 15ml, 30ml, 60ml and 120ml sizes when referencing ISO8317 bracketing guidelines for CPSIA reasonable testing requirements.