

Gite Industries
Pvt. Ltd.



Wheels and Castors



Authorized Distributor for



☎ +91 99670 96087


✉ info@giteindustries.com

www.giteindustries.com







Wheel diameter




Wheel width




Hub bore diameter



Hub length




Seat bearing diameter




Ball bearing seat depth




Overall height
Total height




Top-plate dimensions




Hole spacing



Hole width




Offset



Brake swept radius




Plate diameter



Bolt hole diameter



Threaded rod diameter



Threaded stem length



Swivel castor with top-plate




Fixed castor




Swivel castor with front lock



Swivel castor with back lock



Swivel castor with bolt hole



Swivel bolt hole castor, front lock



Swivel stem castor



Swivel stem castor, front lock



Hub with plain bearing



Hub with roller bearing




Hub with stainless steel roller bearing




Hub with ball bearing



Hub with st. steel ball bearing



Hub with ball bearing facilities



Static load



Load capacity
4 km/h



Rolling resistance




Weight



Temperature



Hardness



Gite Industries 
Pvt. Ltd.

 **tellure Rôta**




INDUSTRIAL - LIGHT DUTY




SERIES 52
PAGE 12



SERIES 53
PAGE 14



SERIES 71
PAGE 16



SERIES 82AF
PAGE 19




INDUSTRIAL - MEDIUM DUTY




SERIES 60
PAGE 20



SERIES 61
PAGE 25



SERIES 68
PAGE 28




SERIES 73
PAGE 31



INDUSTRIAL
- HEAVY DUTY AND MECHANICAL HANDLING



SERIES 62AL
PAGE 34



SERIES 62ER
PAGE 37




SERIES 62NY
PAGE 38



SERIES 64
PAGE 40



SERIES 65AL
PAGE 44



SERIES 65HT
PAGE 46



SERIES 66
PAGE 47






SERIES 67
PAGE 50





HIGH TEMPERATURE



SERIES 75
PAGE 54




SERIES 79
PAGE 55




PALLET TRUCK ROLLERS



SERIES 32
PAGE 56




SERIES 36
PAGE 58



INSTITUTIONAL WHEELS



SERIES 37
PAGE 60



SERIES 38
PAGE 60




CUSTOMISED SOLUTIONS





Tellure Rôta, 60 years of guaranteed “Made in Italy” quality. The products are manufactured in three plants based in Formigine (Northern Italy), on a covered surface of 15,000 square meters. Here, technology and the skills of the staff combine to make products according to certified standards, which guarantee constancy of quality. The company operates in 70 Countries with over 2,000 customers.



THE WHEEL OF THE EARTH





TR Lab Test & Research: where research becomes in Innovative solutions

Tellure Rôta production is flanked and supported by a laboratory of research in order to guarantee excellence in project designing. The TR Lab is provided with the necessary know-how and equipments to develop and test new materials and new product solutions. The Lab is also formally accredited since 2011 and has its own operational autonomy.





Choosing the right wheel

The safety and easy handling of a trolley depends on choosing the most suitable wheel; therefore, it is recommended to consider the following factors:

1. NATURE AND CONDITION OF THE FLOOR:

Extremely thick wheels with soft tread and large diameter are normally chosen for uneven floors or with obstacles; wheels with a more sturdy tread are normally chosen for smooth floors and heavy loads

2. ENVIRONMENT OF USE:

The wheel and bracket materials may or may not be suitable for use in aggressive environments: extreme temperatures, humidity, acids, solvents, bases and hydrocarbons.

3. MAGNITUDE AND NATURE OF THE LOAD:

The weight of the load, its nature (solid or liquid) and the tare of the trolley determine the minimum carrying capacity the wheel must have to guarantee safe handling.

With a 4-wheel trolley, calculate the minimum carrying capacity required using the following formula:

SOLID LOAD WEIGHT + TROLLEY TARE: 3

LIQUID LOAD WEIGHT + TROLLEY TARE: 2

4. MEANS OF TRACTION AND SPEED:

Depending on type of handling (manual or mechanical) and on the trolley's speed, specific types of wheels and castors may be more or less suitable.

Contact your local dealer for assistance in choosing the right wheel.



SUMMARY TABLE FOR CHOOSING THE RIGHT WHEEL

		Carrying capacity			Rolling resistance		Means of traction	
		< 250 daN	250 / 500 daN	> 500 daN	< 125 daN	>125 daN	Manual	Mechanical
INDUSTRIAL LIGHT DUTY LOADS	52	●	●	●	●	●	●	●
	53	●	●	●	●	●	●	●
	71	●	●	●	●	●	●	●
	82AF	●	●	●	●	●	●	●
INDUSTRIAL - MEDIUM DUTY LOADS	60	●	●	●	●	●	●	●
	61	●	●	●	●	●	●	●
	68	●	●	●	●	●	●	●
	73	●	●	●	●	●	●	●
INDUSTRIAL HEAVY DUTY LOADS AND MECHANICAL HANDLING	62AL	●	●	●	●	●	●	●
	62 IS	●	●	●	●	●	●	●
	62NY	●	●	●	●	●	●	●
	64	●	●	●	●	●	●	●
	65AL	●	●	●	●	●	●	●
	65HT	●	●	●	●	●	●	●
	66	●	●	●	●	●	●	●
HIGH TEMPERATURE	67	●	●	●	●	●	●	●
PALLET TRUCK	75	●	●	●	●	●	●	●
ROLLERS	79	●	●	●	●	●	●	●
INSTITUTIONAL	32	●	●	●	●	●	●	●
	36	●	●	●	●	●	●	●
	37	●	●	●	●	●	●	●
	38	●	●	●	●	●	●	●

● recommended

● partially resistant

● not suitable

BRACKETS

SL
Light-duty



	80-125 mm
	130 daN
4 km/h	

NL-NLX
Standard-duty




	80-280 mm
	200-400 daN
4 km/h	



M
Medium-duty



	150-200 mm
	500 daN
4 km/h	

P-PX
Heavy duty



	80-250 mm
	350-750 daN
4-6 km/h	

EP
Extra heavy-duty



	100-250 mm
	350-1600 daN
4-6 km/h	

EE MHD
Electrowelded



	100-250 mm
	1000 daN
4-6 km/h	





EE HD -EE EHD
Electrowelded



	100-250 mm
	1000 daN
4-6 km/h	

LOCKING DEVICES


Breaks



52

80-200
mm

STANDARD RUBBER WHEELS, POLYPROPYLENE CENTRE




mm		kg		kg		mm		daN		daN		daN							
mm	mm	kg	CODE	kg	CODE	mm	mm	Static	4 km/h	4 km/h									
80	25	0.11	522101	0.14	524101	12	39	150	50	65									
100	30	0.21	522102	0.24	524102	12	44	200	75	80									
125	37.5	0.41	521103	0.44	523103	15	44	225	85	110									
150	40	0.61	521111	0.61	523111	15	44	275	100	130									
160	40	0.73	521110	0.75	523110	20	59	300	120	150									
200	50	1.31	521106	1.48	523106	20	59	400	140	225									
200	50	1.28	521206	1.45	523206	25	59	400	140	225									

52

80-200
mm

STANDARD RUBBER WHEELS, POLYPROPYLENE CENTRE, STANDARD DUTY BRACKETS (NL)



NL		NL		NL								4		
mm	mm	kg	CODE	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	mm	daN
80	25	0.64	524401	0.36	525701	0.82	525201	107	100x85	80x60	9	37	120	65
100	30	0.73	524402	0.48	525702	0.88	525202	128	100x85	80x60	9	35	120	80
125	37.5	1.06	524403	0.71	525703	1.20	525203	156	100x85	80x60	9	37	120	110
150	40	1.31	524411	0.93	525711	1.45	525211	182	100x85	80x60	9	34	120	130
160	40	2.10	524410	1.73	525710	2.38	525210	199	140x110	105x80	11	56	156	150
200	50	2.72	524406	2.50	525706	3.00	525206	240	140x110	105x80	11	56	156	225
80	25	0.69	524601	0.39	525901	0.86	525221	107	100x85	80x60	9	37	120	65
100	30	0.78	524602	0.51	525902	0.93	525222	128	100x85	80x60	9	35	120	80
125	37.5	1.09	524603	0.73	525903	1.24	525223	156	100x85	80x60	9	37	120	110
150	40	1.31	524611	0.93	525911	1.45	525231	182	100x85	80x60	9	34	120	130
160	40	2.18	524610	1.75	525910	2.47	525230	199	140x110	105x80	11	56	156	150
200	50	2.76	524606	2.67	525906	3.04	525226	240	140x110	105x80	11	56	156	225

STANDARD RUBBER WHEELS, PRESSED STEEL DISCS CENTRE



mm		kg		kg		mm		mm		andN							
mm	mm	kg	CODE	kg	CODE	mm	mm	andN	andN	andN							
80	25	0.17	531121	0.19	533121	12	39	260	50	65							
100	30	0.28	531122	0.31	533122	12	44	300	75	80							
125	37.5	0.51	531103	0.54	533103	15	44	330	85	130							
150	40	0.73	531111	0.76	533111	15	44	350	100	170							
160	40	1.00	531110	1.07	533110	20	58	370	120	180							
200	50	1.75	531106	1.81	533106	20	58	410	140	230							
200	50	1.74	531206	1.78	533206	25	58	410	140	230							

STANDARD RUBBER WHEELS, PRESSED STEEL DISCS CENTRE, STANDARD DUTY BRACKETS (NL)






-  80-200 mm
-  80 Shore A
-  65-230 daN
4 km/h
-  50-140 daN
-  -20 / +60 °C












mm		kg		kg		kg		mm		mm		mm		mm		mm		andN	
80	25	0.69	535001	0.49	535701	0.87	535401	107	100x85	80x60	9	37	120	65					
100	30	0.82	535002	0.62	535702	1.00	535402	128	100x85	80x60	9	35	120	80					
125	37.5	1.18	535003	0.92	535703	1.30	535403	156	100x85	80x60	9	37	120	130					
150	40	1.40	535011	1.22	535711	1.57	535411	182	100x85	80x60	9	34	120	170					
160	40	2.44	535010	2.07	535710	2.69	535410	199	140x110	105x80	11	56	156	180					
200	50	3.25	535006	2.89	535706	3.39	535406	240	140x110	105x80	11	56	156	230					

80	25	0.70	535101	0.51	535901	0.89	535421	107	100x85	80x60	9	37	120	65					
100	30	0.84	535102	0.65	535902	1.03	535422	128	100x85	80x60	9	35	120	80					
125	37.5	1.21	535103	0.95	535903	1.33	535423	156	100x85	80x60	9	37	120	130					
150	40	1.45	535111	1.07	535911	1.60	535431	182	100x85	80x60	9	34	120	170					
160	40	2.50	535110	2.13	535910	2.75	535430	199	140x110	105x80	11	56	156	180					
200	50	3.31	535106	3.05	535906	3.45	535426	240	140x110	105x80	11	56	156	230					










THERMOPLASTIC RUBBER WHEELS, POLYPROPYLENE CENTRE

-  80-125 mm
-  85 Shore A
-  70-120 daN
4 km/h
-  70-120 daN
-  -20 / +70 °C



																
mm	mm	kg	CODE	kg	CODE	kg	CODE	mm	mm	andN	andN	andN				
80	30	0.09	711101	0.11	713101	0.11	713201	12	39	100	70	70				
100	30	0.12	711102	0.14	713102	0.14	713202	12	44	150	100	100				
100	30	0.11	711132					12	39	150	100	100				
125	35	0.20	711103	0.22	713103	0.22	713203	15	44	180	120	120				
125	35	0.20	711133					12	39	180	120	120				



																
mm	mm	kg	CODE	mm	mm	andN	andN	andN								
80	30	0.14	712201	ø	40	100	70	70								
100	30	0.18	712202	ø	45	150	100	100								
125	35	0.25	712203	ø	45	180	120	120								

THERMOPLASTIC RUBBER WHEELS, POLYPROPYLENE CENTRE, LIGHT DUTY BRACKETS (SL)



-  80-125 mm
-  85 Shore A
-  70-120 daN
4 km/h
-  570-120 daN
-  -20 / +70 °C

SL		SL		SL		4 km/h									
mm	mm	kg	CODE	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	mm	andN	
80	30	0.43	715801	0.42	716001	0.55	716301	109	95x80	100x85	80x60	8.8	36	120	70
100	30	0.46	715802	0.45	716002	0.60	716302	127	95x80	100x85	80x60	8.8	33	120	100
125	35	0.63	715803	0.61	716003	0.74	716303	153	95x80	100x85	80x60	8.8	29	120	120



SL		SL		4 km/h							
mm	mm	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	andN
80	30	0.38	716101	0.48	716201	109	63	12	36	120	70
100	30	0.41	716102	0.52	716202	127	63	12	33	120	100
125	30	0.57	716103	0.67	716203	153	63	12	29	120	120

THERMOPLASTIC RUBBER WHEELS, POLYPROPYLENE CENTRE, STANDARD DUTY BRACKETS (NL)

-  80-125 mm
-  85 Shore A
-  70-120 daN
4 km/h
-  70-120 daN
-  -20 / +70 °C



mm		NL		NL		NL		mm		mm		mm		mm		mm		4 km/h			
mm	mm	kg	CODE	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	daN		
80	30	0.60	714201	0.36	715701	0.79	716601	107	100x85	80x60	9	37	120	70							
100	30	0.70	714202	0.39	715702	0.85	716602	128	100x85	80x60	9	35	120	100							
125	35	0.86	714203	0.61	715703	1.00	716603	156	100x85	80x60	9	37	120	120							
80	30	0.61	714501	0.38	715901	0.82	716621	107	100x85	80x60	9	37	120	70							
100	30	0.71	714502	0.39	715902	0.86	716622	128	100x85	80x60	9	35	120	100							
125	35	0.87	714503	0.62	715903	1.03	716623	156	100x85	80x60	9	37	120	120							
80	30	0.58	714701	0.45	714801	0.75	714901	107	100x85	80x60	9	37	120	70							
100	30	0.64	714702	0.50	714802	0.81	714902	128	100x85	80x60	9	35	120	100							
125	35	0.81	714703	0.61	714803	0.97	714903	156	100x85	80x60	9	37	120	120							



mm		NL		NL		mm		mm		mm		mm		mm		mm		4 km/h		
mm	mm	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	daN	
80	30	0.53	717401	0.71	716501	107	73	12	37	120	70									
100	30	0.63	717402	0.84	716502	128	73	12	35	120	100									
125	35	0.80	717403	0.95	716503	156	73	12	37	120	120									
80	30	0.55	717801	0.73	716521	107	73	12	37	120	70									
100	30	0.64	717802	0.84	716522	128	73	12	35	120	100									
125	35	0.82	717803	0.98	716523	156	73	12	37	120	120									
80	30	0.53	714301	0.70	715501	107	73	12	37	120	70									
100	30	0.58	714302	0.75	715502	128	73	12	35	120	100									
125	35	0.74	714303	0.94	715503	156	73	12	37	120	120									

**PUNCTURE-PROOF PNEUMATIC WHEELS, POLYPROPYLENE CENTRE,
STANDARD DUTY BRACKETS (NL)**



mm	mm	kg	CODE	mm	mm	andN												
260	75	1,03	823701	20	77	70												



mm	mm	kg	COD.	kg	COD.	mm	mm	mm	mm	mm	andN							
260	75	4,48	827601	2,98	828601	300	200x160	160x120	14	86	70							

60

80-200
mm

THERMOPLASTIC POLYURETHANE WHEELS, POLYAMIDE 6 CENTRE



mm	mm	kg	CODE	kg	CODE	kg	CODE	mm	mm	andN	andN	andN			
80	30	0.11	601101	0.13	603101	0.13	603201	12	39	220	120	120			
100	30	0.15	601102	0.16	603102	0.16	603202	12	44	300	170	170			
125	35	0.25	601103	0.27	603103	0.27	603203	15	44	350	230	230			
150	35	0.38	601105	0.40	603105	0.40	603205	15	44	500	250	250			
150	45	0.47	601104	0.52	603104	0.52	603204	20	59	700	280	350			
200	50	0.82	601106	0.87	603106	0.87	603206	20	59	750	380	450			



mm	mm	kg	CODE	kg	CODE	mm	mm	andN	andN	andN	andN	andN	andN		
80	30	0.17	602201	0.17	602401	8	40	220	130	130	100				
100	30	0.21	602202	0.21	602402	8	45	300	200	200	160				
125	35	0.30	602203	0.30	602403	8	45	350	250	250	200				

THERMOPLASTIC POLYURETHANE WHEELS, POLYAMIDE 6 CENTRE, STANDARD DUTY BRACKETS (NL)



80-200
mm



55 Shore D




120-450
daN
4 km/h



100-200
daN
6 km/h



120-380
daN






-20 / +70
°C

mm		mm		kg		NL		kg		NL		kg		NL		mm		mm		mm		mm		mm		daN		
mm	mm	kg	CODE	mm	kg	CODE	mm	kg	CODE	mm	kg	CODE	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	daN
80	30	0.62	604201	0.38	605701	0.81	606601	107	100x85	80x60	9	37	120	120														
100	30	0.74	604202	0.43	605702	0.89	606602	128	100x85	80x60	9	35	120	170														
125	35	0.91	604203	0.66	605703	1.05	606603	156	100x85	80x60	9	37	120	220														
150	35	1.08	604204	0.8	605704	1.21	606604	182	100x85	80x60	9	34	120	220														
150	45	1.83	604211	1.46	605711	2.11	606611	194	140x110	105x80	11	56	156	300														
200	50	2.23	604206	2.01	605706	2.49	606606	240	140x110	105x80	11	56	156	300														
80	30	0.63	604501	0.41	605901	0.84	606621	107	100x85	80x60	9	37	120	120														
100	30	0.75	604502	0.43	605902	0.9	606622	128	100x85	80x60	9	35	120	170														
125	35	0.92	604503	0.67	605903	1.07	606623	156	100x85	80x60	9	37	120	220														
150	35	1.11	604504	0.82	605904	1.23	606624	182	100x85	80x60	9	34	120	220														
150	45	1.98	604511	1.51	605911	2.16	606631	194	140x110	105x80	11	56	156	300														
200	50	2.27	604506	2.06	605906	2.56	606626	240	140x110	105x80	11	56	156	300														
80	30	0.60	604701	0.48	604801	0.77	604901	107	100x85	80x60	9	37	120	130														
100	30	0.67	604702	0.53	604802	0.84	604902	128	100x85	80x60	9	35	120	200														
125	35	0.86	604703	0.66	604803	1.02	604903	156	100x85	80x60	9	37	120	220														

60

80-200
mm

THERMOPLASTIC POLYURETHANE WHEELS ,POLYAMIDE 6 CENTRE,



NL		NL							4 km/h						
mm	mm	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	daN				
80	30	0.55	607701	0.73	606401	107	73	12	37	120	120				
100	30	0.67	607702	0.88	606402	128	73	12	35	120	170				
125	35	0.85	607703	1.00	606403	156	73	12	37	120	220				
150	35	1.01	607704	1.14	606404	182	73	12	34	120	220				
150	45	1.69	607711	1.98	606411	188	102	20	56	156	300				
200	50	2.13	607706	2.41	606406	236	102	20	56	156	300				
80	30	0.57	607801	0.75	606421	107	73	12	37	120	120				
100	30	0.68	607802	0.88	606422	128	73	12	35	120	170				
125	35	0.87	607803	1.02	606423	156	73	12	37	120	220				
150	35	1.03	607804	1.16	606424	182	73	12	34	120	220				
150	45	1.74	607811	2.03	606431	188	102	20	56	156	300				
200	50	2.18	607806	2.46	606426	236	102	20	56	156	300				
80	30	0.56	604301	0.72	605501	107	73	12	37	120	130				
100	30	0.61	604302	0.78	605502	128	73	12	35	120	200				
125	35	0.79	604303	0.96	605503	156	73	12	37	120	220				

60

80-200
mm

ERMOPLASTIC POLYURETHANE WHEELS, POLYAMIDE 6 CENTRE STAINLESS STEEL STANDARD DUTY BRACKETS (NLX)



INOX
STAINLESS STEEL



Wheel		Bracket		Wheel		Bracket		Wheel		Bracket		Wheel		Bracket		Wheel		Bracket	
mm	mm	kg	CODE	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm
80	30	0.61	604401	0.35	605101	0.78	606701	107	100x85	80x60	9	37	120	120					
100	30	0.65	604402	0.40	605102	0.83	606702	128	100x85	80x60	9	35	120	170					
125	35	0.81	604403	0.64	605103	0.95	606703	156	100x85	80x60	9	37	120	220					
150	35	0.97	604404	0.81	605104	1.10	606704	182	100x85	80x60	9	34	120	220					
150	45	1.77	604411	1.33	605111	2.06	606711	194	140x110	105x80	11	56	156	300					
200	50	2.20	604406	1.74	605106	2.48	606706	240			11	56	156	300					
80	30	0.64	604601	0.38	605601	0.81	606721	107	100x85	80x60	9	37	120	120					
100	30	0.65	604602	0.41	605602	0.84	606722	128	100x85	80x60	9	35	120	170					
125	35	0.83	604603	0.66	605603	0.97	606723	156	100x85	80x60	9	37	120	220					
150	35	0.99	604604	0.83	605604	1.12	606724	182	100x85	80x60	9	34	120	220					
150	45	1.82	604611	1.38	605611	2.03	606731	194	140x110	105x80	11	56	156	300					
200	50	2.25	604606	1.74	605606	2.53	606726	240	140x110	105x80	11	56	156	300					
80	30	0.60	605401	0.48	605001	0.77	606901	107	100x85	80x60	9	37	120	130					
100	30	0.67	605402	0.53	605002	0.84	606902	128	100x85	80x60	9	35	120	200					
125	35	0.78	605403	0.66	605003	0.95	606903	156	100x85	80x60	9	37	120	220					

THERMOPLASTIC POLYURETHANE WHEELS ,POLYAMIDE 6CENTRE, EDIUM DUTY BRACKETS (M)



80-200 mm




55 Shore D




120-450 daN
4 km/h



100-200 daN
6 km/h



















120-380 daN



-20 / +70 °C













		M		M		M									
															
mm	mm	kg	CODE	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	mm	mm	daN
150	45	2.17	604311	1.46	605711	2.64	606811	194	140x110	105x80	11	58	178	350	
200	50	2.62	604306	2.01	605706	3.04	606806	240	140x110	105x80	11	50	178	450	
150	45	2.32	604711	1.51	605911	2.68	606831	194	140x110	105x80	11	58	178	350	
200	50	2.66	604706	2.06	605906	3.11	606826	240	140x110	105x80	11	50	178	450	











SOFT THERMOPLASTIC POLYURETHANE WHEELS, POLYAMIDE 6 CENTRE STANDARD DUTY BRACKETS (NL)





-  80-200 mm
-  85 Shore A
-  75-300 daN
4 km/h
-  70-140 daN
6 km/h
-  75-300 daN
-  -15 / +70 °C

																			
mm	mm	kg	CODE	kg	CODE	kg	CODE	mm	mm	andN	andN	andN							
80	30	0.11	611101	0.13	613101	0.13	613201	12	39	160	75	75							
100	30	0.16	611102	0.18	613102	0.18	613202	12	44	200	120	120							
125	35	0.25	611103	0.27	613103	0.27	613203	15	44	350	180	180							
150	35	0.38	611105	0.40	613105	0.40	613205	15	44	400	220	230							
150	45	0.39	611104	0.43	613104	0.43	613204	20	59	450	240	250							
200	50	0.86	611106	0.92	613106	0.92	613206	20	59	500	300	300							



																			
mm	mm	kg	CODE	kg	CODE	mm	mm	andN	andN	andN	andN								
80	30	0.17	612201	0.17	612401	ø	40	160	85	85	70								
100	30	0.21	612202	0.21	612402	ø	45	200	120	120	100								
125	35	0.30	612203	0.30	612403	ø	45	350	180	180	140								

SOFT THERMOPLASTIC POLYURETHANE WHEELS ,POLYAMIDE 6 CENTRE, STANDARD DUTY BRACKETS (NL)






Wheel		NL			NL			NL			Bracket		Load	
mm	mm	kg	CODE	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	andN	
80	30	0.62	614201	0.38	615701	0.81	616601	107	100x85	80x60	9	37	120	75
100	30	0.74	614202	0.43	615702	0.89	616602	128	100x85	80x60	9	35	120	120
125	35	0.91	614203	0.66	615703	1.05	616603	156	100x85	80x60	9	37	120	180
150	35	1.08	614204	0.80	615704	1.21	616604	182	100x85	80x60	9	34	120	220
150	45	1.83	614211	1.46	615711	2.11	616611	194	140x110	105x80	11	56	156	250
200	50	2.23	614206	1.81	615706	2.49	616606	240	140x110	105x80	11	56	156	300
80	30	0.63	614501	0.41	615901	0.84	616621	107	100x85	80x60	9	37	120	75
100	30	0.75	614502	0.43	615902	0.90	616622	128	100x85	80x60	9	35	120	120
125	35	0.92	614503	0.67	615903	1.07	616623	156	100x85	80x60	9	37	120	180
150	35	1.11	614504	0.82	615904	1.23	616624	182	100x85	80x60	9	34	120	220
150	45	1.98	614511	1.51	615911	2.16	616631	194	140x110	105x80	11	56	156	250
200	50	2.27	614506	1.86	615906	2.51	616626	240	140x110	105x80	11	56	156	300
80	30	0.60	614701	0.48	614801	0.77	614901	107	100x85	80x60	9	37	120	85
100	30	0.67	614702	0.53	614802	0.84	614902	128	100x85	80x60	9	35	120	120
125	35	0.82	614703	0.66	614803	1.02	614903	156	100x85	80x60	9	37	120	180


SOFT THERMOPLASTIC POLYURETHANE WHEELS ,POLYAMIDE 6CENTRE, STANDARD DUTY BRACKETS (NL)



-  80-200 mm
-  85 Shore A
-  75-300 daN
4 km/h
-  70-140 daN
6 km/h
-  75-300 daN
-  -15 / +70 °C

		NL		NL												
mm	mm	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	andN					
80	30	0.55	617701	0.73	616401	107	73	12	37	120	75					
100	30	0.67	617702	0.88	616402	128	73	12	35	120	120					
125	35	0.85	617703	1.00	616403	156	73	12	37	120	180					
150	35	1.01	617704	1.14	616404	182	73	12	34	120	220					
150	45	1.69	617711	1.98	616411	188	102	20	56	156	250					
200	50	2.13	617706	2.41	616406	236	102	20	56	156	300					
80	30	0.57	617801	0.75	616421	107	73	12	37	120	75					
100	30	0.68	617802	0.88	616422	128	73	12	35	120	120					
125	35	0.87	617803	1.02	616423	156	73	12	37	120	180					
150	35	1.03	617804	1.16	616424	182	73	12	34	120	220					
150	45	1.74	617811	2.03	616431	188	102	20	56	156	250					
200	50	2.18	617806	2.46	616426	236	102	20	56	156	300					
		0.56	614301	0.72	615501											
80	30	0.61	614302	0.78	615502	107	73	12	37	120	85					
100	30	0.79	614303	0.96	615503	128	73	12	35	120	120					
125	35					156	73	12	37	120	180					

SOLID POLYAMIDE 6 WHEELS



mm		mm		kg		kg		kg		mm		mm.		andN		andN		andN	
mm	mm	kg	CODE	kg	CODE	kg	CODE	mm	mm.	andN	andN	andN							
65	30	0.06	681100	0.10	683111	0.10	683211	12	34	125	90	120							
80	30	0.08	681111	0.15	683112	0.15	683212	12	39	200	150	180							
100	30	0.13	681112	0.25	683103	0.25	683203	12	44	350	175	300							
125	38	0.23	681103	0.51	683104	0.51	683204	15	44	450	200	400							
150	45	0.34	681104	0.60	683105	0.60	683205	20	59	600	250	500							
175	45	0.48	681105	0.82	683106	0.82	683206	20	59	700	275	630							
200	50	0.64	681106	0.81	683116	0.81	683216	20	59	800	315	730							
250	60	1.30	681108	1.38	683108	1.38	683208	25	88	1300	450	1200							



mm		mm		kg		kg		mm		mm.		mm		mm		andN		andN		andN	
mm	mm	kg	CODE	kg	CODE	mm	mm.	mm	mm	andN	andN	andN									
200	50	0.82	683306	0.63	682106	20	60	47	14	800	315	730									
200	50	0.81	683316	0.63	682106	25	60	47	14	800	315	730									

SOLID POLYAMIDE 6 WHEELS, STANDARD DUTY BRACKETS (NL)



Wheel		NL		NL		NL		Bracket		Bracket		Bracket		Bracket		Speed	
mm	mm	kg	CODE	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	mm	mm	mm	mm	km/h
65	30	0.57	684500	0.37	685100	0.78	686801	100	100x85	80x60	9	37	120	180			
80	30	0.58	684501	0.39	685101	0.85	686802	107	100x85	80x60	9	37	120	180			
100	30	0.65	684502	0.46	685102	1.04	686803	128	100x85	80x60	9	35	120	200			
125	38	0.89	684503	0.64	685103	1.99	686804	156	100x85	80x60	9	37	120	220			
150	45	1.77	684504	1.45	685104	2.13	686805	194	140x110	105x80	11	56	156	300			
175	45	1.90	684505	1.56	685105	2.33	686806	217	140x110	105x80	11	56	156	300			
200	50	2.14	684506	1.92	685106	2.46	686826	240	140x110	105x80	11	56	156	300			
80	30	0.61	684801	0.41	685301	0.88	686822	107	100x85	80x60	9	37	120	180			
100	30	0.68	684802	0.49	685302	1.07	686823	128	100x85	80x60	9	35	120	200			
125	38	0.91	684803	0.66	685303	2.17	686824	156	100x85	80x60	9	37	120	220			
150	45	1.94	684804	1.63	685304	2.27	686825	194	140x110	105x80	11	56	156	300			
175	45	2.02	684805	1.68	685305	2.46	686826	217	140x110	105x80	11	56	156	300			
200	50	2.32	684806	2.10	685306			240	140x110	105x80	11	56	156	300			
200	50	2.50	684866	2.30	685166	2.67	686846	240	140x110	105x80	11	56	156	300			

SOLID POLYAMIDE 6 WHEELS, STAINLESS STEEL STANDARD DUTY BRACKETS (NLX) AND MEDIUM DUTY BRACKETS (M)



INOX
STAINLESS STEEL


Wheel		NLX			NLX			NLX			Bracket		Load	
mm	mm	kg	CODE	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	andN	
80	30	0.55	684401	0.29	685401	0.73	689001	107	100x85	80x60	9	37	120	180
100	30	0.61	684402	0.36	685402	0.76	689002	128	100x85	80x60	9	35	120	200
125	38	0.78	684403	0.63	685403	0.95	689003	156	100x85	80x60	9	37	120	220
150	45	1.65	684404	1.20	685404	1.94	689004	194	140x110	105x80	11	56	156	300
175	45	1.79	684405	1.35	685405	2.08	689005	217	140x110	105x80	11	56	156	300
200	50	2.02	684406	1.56	685406	2.30	689006	240	140x110	105x80	11	56	156	300
80	30	0.56	684601	0.31	685601	0.75	689101	107	100x85	80x60	9	37	120	180
100	30	0.64	684602	0.39	685602	0.79	689102	128	100x85	80x60	9	35	120	200
125	38	0.80	684603	0.65	685603	0.97	689103	156	100x85	80x60	9	37	120	220
150	45	1.83	684604	1.39	685604	2.11	689104	194	140x110	105x80	11	56	156	300
175	45	1.91	684605	1.47	685605	2.20	689105	217	140x110	105x80	11	56	156	300
200	50	2.20	684606	1.75	685606	2.48	689106	240	140x110	105x80	11	56	156	300












Wheel		M			M			M			Bracket		Load	
mm	mm	kg	CODE	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	andN	
150	45	2.12	684704	1.45	685104	2.52	688204	194	140x110	105x80	11	58	178	500
200	50	2.53	684706	1.92	685106	2.89	688206	240	140x110	105x80	11	50	178	500
150	45	2.29	685004	1.63	685304	2.70	689204	194	140x110	105x80	11	58	178	500
200	50	2.71	685006	2.10	685306	3.01	689206	240	140x110	105x80	11	50	178	500
200	50	2.69	684206	2.30	685166	3.22	684306	240	140x110	105x80	11	50	178	500










SIGMA ELASTIC RUBBER WHEELS, POLYAMIDE 6 CENTRE



-  100-200 mm
-  70 Shore A
-  150-450 daN
4 km/h
-  100-350 daN
-  -20/ +70 °C

																	
mm	mm	kg	CODE	kg	CODE	kg	CODE	mm	mm	andN	andN	andN	andN	andN	andN	andN	andN
100	40	0.31	731102	0.36	733102			12	44	200	100	150					
125	40	0.38	731103	0.58	733103			15	44	270	150	230					
160	50	0.83	731104	1.04	733104	1.04	733204	20	59	350	200	300					
200	50	1.04	731106	1.25	733106	1.25	733206	20	59	510	350	450					



																	
mm	mm	kg	CODE	kg	CODE	mm	mm	mm	mm	andN	andN	andN	andN	andN	andN	andN	andN
100	40	0.36	732102	0.29	734102	12	40	32	11.5	200	120	150					
125	40	0.58	732103	0.38	734103	20	44	47	17	270	200	230					
160	50	0.99	732104	0.79	734104	20	58	47	17	350	250	300					
200	50	1.12	732106	0.92	734106	20	58	47	17	510	350	450					

73

73 SIGMA ELASTIC RUBBER WHEELS, POLYAMIDE 6 CENTRE, STANDARD DUTY BRACKETS (NL)



Wheel		Bracket		NL			NL			NL			Bracket		Wheel		Speed	
mm	mm	kg	CODE	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	mm	mm	mm	daN	km/h	
100	40	0.85	735002	0.65	735102	0.97	735202	128	100x85	80x60	9	35	120	150	150	4		
125	40	1.08	735003	0.81	735103	1.19	735203	156	100x85	80x60	9	37	120	220	220	4		
160	50	2.11	735004	1.74	735104	2.36	735204	198	140x110	105x80	11	56	156	300	300	4		
200	50	2.44	735006	1.98	735106	2.69	735206	240	140x110	105x80	11	56	156	300	300	4		
100	40	0.91	735302	0.70	735402	1.02	735502	128	100x85	80x60	9	35	120	150	150	4		
125	40	1.23	735303	0.96	735403	1.34	735503	156	100x85	80x60	9	37	120	220	220	4		
160	50	2.32	735304	1.89	735404	2.51	735504	198	140x110	105x80	11	56	156	300	300	4		
200	50	2.65	735306	2.06	735406	2.77	735506	240	140x110	105x80	11	56	156	300	300	4		
100	40	0.91	735602	0.70	735702	1.02	735802	128	100x85	80x60	9	35	120	150	150	4		
125	40	1.23	735603	0.96	735703	1.34	735803	156	100x85	80x60	9	37	120	220	220	4		
160	50	2.32	735604	1.94	735704	2.56	735804	198	140x110	105x80	11	56	156	300	300	4		
200	50	2.65	735606	2.19	735706	2.89	735806	240	140x110	105x80	11	56	156	300	300	4		


SIGMA ELASTIC RUBBER WHEELS, POLYAMIDE 6 CENTRE, MEDIUM DUTY BRACKETS (M)



-  100-200 mm
-  70 Shore A
-  150-450 daN
4 km/h
-  100-350 daN
-  -20/ +70 °C

mm		M		M		M		mm							daN
mm	mm	kg	CODE	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	mm	mm	daN
160	50	2.46	736904	1.74	735104	2.89	737604	199	140x110	105x80	11	58	178	300	
200	50	2.83	736906	1.98	735106	3.24	737606	240	140x110	105x80	11	50	178	450	
160	50	2.67	738904	1.94	735404	3.09	739004	199	140x110	105x80	11	58	178	300	
200	50	3.04	738906	2.19	735406	3.44	739006	240	140x110	105x80	11	50	178	450	
160	50	2.62	739104	1.89	735704	3.04	739204	199	140x110	105x80	11	58	178	300	
200	50	2.91	739106	2.06	735706	3.32	739206	240	140x110	105x80	11	50	178	450	

ELASTIC "TR-ROLL" POLYURETHANE WHEELS, ALUMINIUM CENTRE, STANDARD DUTY BRACKETS (NL)



Wheel Diagrams		Bracket Diagrams		Bracket Diagrams				Static	Person Pushing Cart	4 km/h	6 km/h		
mm	mm	kg	CODE	kg	CODE	mm	mm	mm	mm	andN	andN	andN	andN
100	40	0.48	622102	0.39	624102	15	40	32	10	400	300	300	300
125	40	0.79	622113	0.54	624113	20	40	47	14	500	350	350	350
125	40	0.81	622103	0.56	624103	20	50	47	14	500	350	350	350
160	50	1.25	622104	1.00	624104	20	58	47	14.5	800	400	550	550
200	50	1.85	622106	1.60	624106	20	58	47	14	1000	500	700	700
200	50	1.84	622116	1.60	624106	25	58	47	14	1000	500	700	700
250	50	2.40	622108	2.10	624108	20	55	52	15	1000	550	800	800



Wheel Diagrams		NLN L		NL		NL		Bracket Diagrams							4 km/h	
mm	mm	kg	CODE	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	mm	mm	mm	andN
100	40	0.86	624402	0.83	626202	1.05	627302	128	100x85	80x60	9	37	120	200		
125	40	1.35	624413	1.17	626213	1.51	627313	156	100x85	80x60	9	35	120	220		
125	40	1.46	624403	1.11	626203	2.34	627303	165	140x110	105x80	11	57	156	300		

ELASTIC "TR-ROLL" POLYURETHANE WHEELS WITH ALUMINIUM CENTRE, MEDIUM DUTY (M) AND HEAVY DUTY (P) BRACKETS



mm		kg		kg		kg		mm		mm		mm		mm		andN	
mm	mm	kg	CODE	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	mm	mm	mm	andN	
160	50	2.95	624504	2.24	627704	3.42	627404	199	140x110	105x80	11	58	178			500	
200	50	3.69	624506	3.04	627706	4.07	627406	240	140x110	105x80	11	50	178			500	



mm		kg		kg		kg		mm		mm		mm		mm		andN		andN	
mm	mm	kg	CODE	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	mm	mm	mm	andN	andN		
100	40	1.35	627602	0.85	628512	1.52	627202	138	100x85	80x60	9	46	123			300	300		
125	40	1.70	627613	1.26	628513	1.87	627213	161	100x85	80x60	9	44	123			300	300		



mm		kg		kg		kg		mm		mm		mm		mm		andN		andN	
mm	mm	kg	CODE	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	mm	mm	mm	andN	andN		
125	40	2.33	627603	1.69	628503	2.86	627203	170	140x110	105x80	11	70	126			350	350		
160	50	3.60	627610	2.11	628514	4.17	627204	205	140x110	105x80	11	70	126			550	550		
200	50	4.31	627516	2.85	628516	4.91	627206	250	140x110	105x80	11	70	126			700	700		
250	50	4.84	627608	3.74	628518	5.54	627208	298	140x110	105x80	11	70	126			750	750		

ELASTIC "TR-ROLL" POLYURETHANE WHEELS WITH ALUMINIUM CENTRE, ELECTROWELDED BRACKETS (EE MHD)




Diagram 1		EE MHD		EE MHD		EE MHD		Diagram 2						4 km/h	6 km/h
mm	mm	kg	CODE	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	mm	andN	andN
100	40	3.38	628302	2.40	628402	4.26	628602	170	135x110	105x80	11	51	157	300	300
125	40	3.71	628303	2.73	628403	4.59	628603	182	135x110	105x80	11	51	157	350	350
160	50	4.25	628314	3.26	628414	5.13	628614	215	135x110	105x80	11	60	157	550	550
180	50	4.62	628305	3.64	628405	5.51	628605	242	135x110	105x80	11	70	157	600	600
200	50	4.97	628306	3.99	628406	6.31	628606	252	135x110	105x80	11	70	157	700	700

ELASTIC "TR-ROLL" POLYURETHANE WHEELS WITH ROUND PROFILE AND ALUMINIUM CENTRE, MEDIUM DUTY (M) AND HEAVY DUTY (P) BRACKETS



mm	mm	kg	COD.	kg	COD.	mm	mm	mm	mm	Static andN	4 km/h andN	6 km/h andN	andN
125	40	0,73	622143	0,51	624143	20	50	47	14	500	350	350	350
125	50	0,88	622153	0,65	624153	20	58	47	14	500	450	450	400
160	50	1,11	622144	0,89	624144	20	58	47	14,5	800	550	550	550
200	50	1,68	622146	1,44	624146	20	58	47	14	1000	700	700	700



mm	mm	kg	COD.	kg	COD.	kg	COD.	mm	mm	mm	mm	mm	mm	mm	andN
160	50	2,81	624604	2,10	628204	3,28	627904	199	140x110	105x80	11	58	178		500
200	50	3,52	624606	2,87	628206	3,90	627906	240	140x110	105x80	11	50	178		500



mm	mm	kg	COD.	kg	COD.	kg	COD.	mm	mm	mm	mm	mm	mm	mm	andN	andN
125	40	2,27	629003	1,63	629103	2,83	629203	170	140x110	105x80	11	70	126		350	350
125	50	2,42	629013	2,78	629113	2,95	629213	170	140x110	105x80	11	70	126		450	400
160	50	3,46	629004	2,28	629104	4,27	629204	205	140x110	105x80	11	70	126		550	550
200	50	4,14	629006	2,68	629106	4,74	629206	250	140x110	105x80	11	70	126		700	700

ELASTIC "TR-ROLL" POLYURETHANE WHEELS WITH POLYAMIDE 6CENTRE



100-200 mm



75 Shore A



230-500 daN
4 km/h



230-400 daN
6 km/h












230-500 daN



-20 / +70 °C












															
mm	mm	kg	COD.	kg	COD.	kg	COD.	mm	mm.	mm	mm	andN	andN	andN	andN
100	40	0,34	622302	0,34	622402	0,27	624302	15	40	32	9	300	230	230	230
125	40	0,45	622303	0,45	622403	0,37	624303	15	40	32	9	350	280	280	280
160	50	1,06	622304	1,06	622404	0,97	624304	20	55	47	14	450	400	400	360
200	50	1,36	622306	1,36	622406	1,27	624306	20	55	47	14	600	500	500	450





Ergonomic round profile



															
mm	mm	kg	COD.	kg	COD.	kg	COD.	mm	mm.	mm	mm	andN	andN	andN	andN
125ER	40	0,40	622603	0,40	622503	0,32	624603	15	40	32	9	300	250	250	250
160ER	50	1,00	622604	1,00	622504	0,91	624704	20	55	47	14	450	400	400	360
200ER	50	1,27	622606	1,27	622506	1,18	624706	20	55	47	14	600	500	500	450

ELASTIC "TR-ROLL" POLYURETHANE WHEELS WITH POLYAMIDE 6 CENTRE, STANDARD DUTY (NL) AND HEAVY DUTY (P) BRACKETS




NL		NL		NL		4 km/h								
mm	mm	kg	COD.	kg	COD.	kg	COD.	mm	mm	mm	mm	mm	mm	andN
100	40	0,94	624422	0,69	626222	1,08	627322	128	100x85	80x60	9	35	120	200
125	40	1,10	624423	0,85	626223	1,24	627323	156	100x85	80x60	9	37	120	220
125ER	40	1,05	629303	0,80	629403	1,19	629503	156	100x85	80x60	9	37	120	220
160	50	2,49	624434	2,19	627724	2,78	627334	199	140x110	105x80	11	56	156	300
160ER	50	2,43	624424	2,13	627734	2,72	627324	199	140x110	105x80	11	56	156	300
200	50	2,87	624436	2,63	627726	3,07	627336	240	140x110	105x80	11	56	156	300
200ER	50	2,78	624426	2,54	627736	2,98	627326	240	140x110	105x80	11	56	156	300




P		P		P		4 km/h 6km/h									
mm	mm	kg	COD.	kg	COD.	kg	COD.	mm	mm	mm	mm	mm	mm	andN	andN
100	40	1,20	627622	0,82	628522	1,35	627222	138	100x85	80x60	9	46	123	230	230
125	40	1,35	627623	0,93	628523	1,50	627223	161	100x85	80x60	9	44	123	280	280
125ER	40	1,30	629313	0,88	629413	1,45	629513	161	100x85	80x60	9	44	123	250	250
160	50	3,33	627634	2,00	628534	5,03	627234	205	140x110	105x80	11	70	126	400	360
160ER	50	3,27	627624	1,94	628524	4,96	627224	205	140x110	105x80	11	70	126	400	360
200	50	3,82	627636	2,36	628536	4,42	627236	250	140x110	105x80	11	70	126	500	450
200ER	50	3,73	627626	2,27	628526	4,33	627226	250	140x110	105x80	11	70	126	500	450

"TR" POLYURETHANE WHEELS WITH CAST IRON CENTRE



mm		kg		kg		mm				daN			
mm	mm	kg	CODE	kg	CODE	mm	mm	mm	mm	daN	daN	daN	daN
80	28	0.51	642151	0.46	644151	12	32	28	8	370	190	280	220
100	38	1.02	642152	0.91	644152	15	40	35	11	500	220	380	300
125	38	1.45	642153	1.34	644153	15	40	35	11	600	240	450	360
125	50	1.98	642163	1.76	644163	20	55	47	14	800	270	550	440
125	50	1.96	642363	1.76	644163	25	55	47	14	800	270	550	440
125	58	2.86	642103	2.62	644103	20	58	47	15	800	250	600	480
150	50	2.50	642154	2.28	644154	20	55	47	14	910	290	700	560
150	50	2.48	642354	2.28	644154	25	55	47	14	910	290	700	560
150	58	2.83	642104	2.59	644104	20	58	47	15	1400	350	850	680
150	78	5.69	642124	5.19	644124	25	88	62	18	1700	400	1000	800
160	50	2.65	642164	2.43	644164	20	55	47	14	1000	300	750	600
160	50	2.63	642364	2.43	644164	25	55	47	14	1000	300	750	600
180	50	3.02	642155	2.80	644155	20	55	47	14	1100	350	900	720
200	50	3.63	642356	3.43	644156	20	55	47	14	1500	380	1000	800
200	50	7.26	642166	6.74	644166	25	55	47	14	1500	380	1000	800
200	78	7.24	642366	6.74	644166	25	86	62	17	2000	450	1600	1300
200	78	8.13	642157	7.61	644157	30	86	62	17	2000	450	1600	1300
250	60	8.10	642357	7.61	644157	25	65	62	17	2500	480	1500	1200
250	60	9.81	642167	9.81	644167	30	65	62	17	2500	480	1500	1200
250	78	9.80	642367	9.81	644167	25	86	62	17	2800	500	1900	1500
250	78	11.43	642158	10.96	644158	30	86	62	17	2800	500	1900	1500
300	60	13.80	642168	13.33	644168	30	65	62	17	3200	550	1750	1400
300	78	31.63	642139	30.50	644139	30	86	62	17	3400	600	2300	1800
360	120	28.86	642129	26.30	644129	40	120	90	23	3800	750	2800	2200
400	100					50	120	110	28	4500	750	2800	2200

“TR” POLYURETHANE WHEELS WITH CAST IRON CENTRE, HEAVY DUTY BRACKETS (P)



mm		kg		CODE		kg		CODE		kg		CODE		mm		mm		mm		mm		andN		andN	
80	28	1.38	645851	0.96	646851					128	100x85	80x60	9	46	123	280	220								
100	38	1.93	645852	1.52	646852	2.06	644852			131	100x85	80x60	9	46	123	350	300								
125	38	2.37	645853	2.04	646853	2.50	644853			161	100x85	80x60	9	48	123	350	300								



mm		kg		CODE		kg		CODE		kg		CODE		mm		mm		mm		mm		andN		andN	
125	50	3.66	645863	2.65	646863	4.24	644863			170	140x110	105x80	11	70	126	550	440								
150	50	4.81	645854	3.55	646854	5.33	644854			200	140x110	105x80	11	70	126	700	560								
160	50	4.93	645864	4.08	646864	5.45	644864			205	140x110	105x80	11	70	126	750	600								
180	50	5.30	645855	4.45	646855	5.90	644855			228	140x110	105x80	11	70	126	750	600								
200	50	6.06	645856	5.15	646856	6.66	644856			250	140x110	105x80	11	70	126	750	600								

“TR” POLYURETHANE WHEELS WITH CAST IRON CENTRE, EXTRA-HEAVY DUTY (EP) AND ELECTROWELDED (EE MHD) BRACKETS





Wheel		EP			EP			EP			Bracket					
mm	mm	kg	CODE	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	mm	andN	andN	
100	38	2.15	647852	1.92	648852			140	100x85	80x60	9	46		350	300	
125	38	2.64	647853	2.44	648853			164	100x85	80x60	9	48		350	300	
125	50	4.61	647863	4.16	648863			188	135x110	105x80	11	70		550	440	
150	50	5.04	647854	4.63	648854	5.56	646654	200	135x110	105x80	11	70	126	700	560	
150	58	5.44	647824	4.96	648824			200	135x110	105x80	11	70		850	680	
160	50	5.16	647864	4.75	648864	5.68	646664	205	135x110	105x80	11	70	126	750	600	
180	50	5.60	647855	5.20	648855	6.20	646655	228	135x110	105x80	11	70	126	900	720	
200	50	6.35	647856	6.06	648856	6.95	646656	250	135x110	105x80	11	70	126	1000	800	
200	78	12.30	647866	10.46	648866			275	175x140	140x105	14	66		1600	1300	
250	60	13.16	647857	11.32	648857			300	175x140	140x105	14	66		1500	1200	



Wheel		EE MHD			EE MHD			EE MHD			Bracket					
mm	mm	kg	CODE	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	mm	andN	andN	
125	50	4.88	648303	3.90	648403	5.76	648503	182	135x110	105x80	11	51	157	550	440	
150	50	5.50	648304	4.51	648404	6.38	648504	210	135x110	105x80	11	60	157	700	560	
160	50	5.65	648314	4.66	648414	6.53	648514	215	135x110	105x80	11	60	157	750	600	
180	50	6.14	648305	5.16	648405	7.02	648505	242	135x110	105x80	11	70	157	900	720	
200	50	6.77	648306	5.79	648406	7.65	648506	252	135x110	105x80	11	70	157	1000	800	

“TR” POLYURETHANE WHEELS WITH ALUMINIUM CENTRE, STANDARD DUTY BRACKETS (NL)



mm		kg		kg		mm				daN			
mm	mm	kg	CODE	kg	CODE	mm	mm	mm	mm	daN	daN	daN	daN
80	25	0.20	652101	0.15	654101	12	30	28	8	280	150	220	170
100	30	0.34	652102	0.25	654102	12	40	32	10	350	225	250	200
125	35	0.50	652103	0.41	654103	12	40	32	10	500	280	400	320
150	40	0.91	651104	0.66	653104	20	50	47	14	850	330	600	480
160	50	1.25	652114	0.99	654114	20	58	47	14	950	350	800	640
200	50	1.47	651106	1.16	653106	20	55	52	15	1000	360	850	680
200	50	1.45	651206	1.16	653106	25	55	52	15	1000	360	850	680



mm		kg		kg		kg		mm				mm		daN
mm	mm	kg	CODE	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	mm	daN
80	25	0.72	659301	0.52	658201	0.91	656501	107	100x85	80x60	9	37	120	200
100	30	0.94	659302	0.69	658202	1.08	656502	128	100x85	80x60	9	35	120	200
125	35	1.14	659303	0.89	658203	1.28	656503	156	100x85	80x60	9	37	120	220
150	40	1.66	659312	1.52	658112			182	100x85	80x60	9	50		220
150	40	2.34	659304	2.04	658104	2.63	656504	194	140x110	105x80	11	56	156	300
160	50	2.68	659314	2.38	658114	2.97	656514	198	140x110	105x80	11	56	156	300
200	50	3.05	659306	2.76	658106	3.25	656506	240	140x110	105x80	11	56	156	300

“TR” POLYURETHANE WHEELS WITH ALUMINIUM CENTRE, MEDIUM DUTY (M) AND HEAVY DUTY (P) BRACKETS



-  80-200 mm
-  95 Shore A
-  220-850 daN
4 km/h
-  170-680 daN
6 km/h
-  150-360 daN
-  -20 / +80 °C

		M			M			M								
mm	mm	kg	CODE	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	mm	mm	andN	
150	40	2.68	659604	2.04	658104	3.16	659704	194	140x110	105x80	11	58	178	500		
160	50	3.03	659614	2.38	658114	3.49	659714	199	140x110	105x80	11	58	178	500		
200	50	3.44	659606	2.76	658106	3.80	659706	240	140x110	105x80	11	50	178	500		



		P			P			P								
mm	mm	kg	CODE	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	mm	andN	andN	
100	30	1.20	657602	0.82	658602	1.35	656602	138	100x85	80x60	9	46	123	250	200	
125	35	1.39	657603	0.97	658603	1.54	656603	161	100x85	80x60	9	44	123	350	280	



		P			P			P								
mm	mm	kg	CODE	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	mm	andN	andN	
150	40	3.18	657604	2.19	658604	3.75	656604	200	140x110	105x80	11	70	126	600	480	
160	50	3.52	657514	2.53	658614	4.09	656614	205	140x110	105x80	11	70	126	750	600	
200	50	3.94	657606	2.48	658606	4.51	656606	250	140x110	105x80	11	70	126	750	600	

WHEELS IN THICK "TR" POLYURETHANE WITH ALUMINIUM CENTRE, HEAVY DUTY BRACKETS (P)



mm		kg		kg		mm				andN			
mm	mm	kg	CODE	kg	CODE	mm	mm	mm	mm	andN	andN	andN	andN
100	40	0.46	652302	0.38	654302	15	40	32	9	500	270	350	280
125	40	0.76	652303	0.41	654303	20	50	47	14	650	280	450	360
160	50	1.18	652304	0.95	654304	20	58	47	14.5	900	320	700	560
200	50	1.76	652306	1.52	654306	20	60	47	14.5	1000	350	800	640



mm		kg		kg		kg		mm				andN			
mm	mm	kg	CODE	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	andN	andN	
100	40	1.33	655302	0.83	655412	1.50	655502	138	100x85	80x60	9	46	123	350	280











mm		kg		kg		kg		mm				andN			
mm	mm	kg	CODE	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	andN	andN	
100	40	3.36	655602	2.38	655702	4.24	655802	170	135x110	105x80	11	51	157	350	280
125	40	3.68	655603	2.70	655703	4.56	655803	182	135x110	105x80	11	51	157	450	360
160	50	4.18	655614	3.19	655714	5.06	655814	215	135x110	105x80	11	60	157	700	560
200	50	4.88	655606	3.90	655706	6.22	655806	252	135x110	105x80	11	70	157	800	640










“TR” POLYURETHANE WHEELS WITH POLYAMIDE 6 CENTRE

-  80-250 mm
-  95 Shore A
-  150-1000 daN
4 km/h
-  120-480 daN
6 km/h
-  100-400 daN
-  -20 / +80 °C



												
mm	mm	kg	CODE	kg	CODE	kg	CODE	mm	mm	andN	andN	andN
80	25	0.10	661101	0.13	663101	0.13	663201	12	39	225	100	150
100	30	0.16	661102	0.19	663102	0.19	663202	12	44	300	135	200
125	35	0.25	661103	0.28	663103	0.28	663203	15	44	400	150	250
150	40	0.45	661104	0.54	663104	0.54	663204	20	59	600	240	400
175	40	0.62	661105	0.73	663105	0.73	663205	20	59	680	270	470
200	50	0.78	661106	0.89	663106	0.89	663206	20	59	800	300	600
200	50	0.75	661206	0.85	663116			25	59	800	300	600
250	60	1.41	661108	1.52	663108	1.52	663208	25	88	1200	400	1000





													
mm	mm	kg	CODE	kg	CODE	mm	mm	mm	mm	andN	andN	andN	andN
80	25	0.15	662101	0.10	664101	12	32	28	10	225	100	150	120
100	30	0.25	662102	0.15	664102	12	40	32	11.5	300	135	200	160
125	35	0.33	662103	0.25	664103	15	40	35	13.5	400	150	250	200
175	40	0.85	662105	0.60	664105	20	55	47	14	680	270	470	380
200	50	1.07	662106	0.76	664106	20	55	52	15	800	300	600	480
200	50	1.06	662126	0.76	664106	25	55	52	15	800	300	600	480

"TR" POLYURETHANE WHEELS WITH POLYAMIDE 6 CENTRE, STANDARD DUTY BRACKETS (NL)

-  80-250 mm
-  95 Shore A
-  150-1000 daN
4 km/h
-  120-480 daN
6 km/h
-  100-400 daN
-  -20 / +80 °C


















		NL		NL		NL								4 km/h	
mm	mm	kg	CODE	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	mm	mm	daN
80	25	0.61	664201	0.37	665701	0.80	666601	107	100x85	80x60	9	37	120	150	
100	30	0.75	664202	0.44	665702	0.90	666602	128	100x85	80x60	9	35	120	200	
125	30	0.91	664203	0.66	665703	1.05	666603	156	100x85	80x60	9	37	120	220	
150	40	1.81	664204	1.44	665704	2.09	666604	194	140x110	105x80	11	56	156	300	
175	40	1.99	664205	1.70	665705	2.27	666605	217	140x110	105x80	11	56	156	300	
200	50	2.19	664206	1.97	665706	2.45	666606	240	140x110	105x80	11	56	156	300	
80	25	0.63	664501	0.41	665901	0.84	666621	107	100x85	80x60	9	37	120	150	
100	30	0.78	664502	0.46	665902	0.93	666622	128	100x85	80x60	9	35	120	200	
125	30	0.93	664503	0.68	665903	1.08	666623	156	100x85	80x60	9	37	120	220	
150	40	2.00	664504	1.53	665904	2.18	666624	194	140x110	105x80	11	56	156	300	
175	40	2.12	664505	1.79	665905	2.38	666625	217	140x110	105x80	11	56	156	300	
200	50	2.29	664506	2.08	665906	2.53	666626	240	140x110	105x80	11	56	156	300	

“TR” POLYURETHANE WHEELS WITH POLYAMIDE 6CENTRE, MEDIUM DUTY BRACKETS (M)



-  80-250 mm
-  95 Shore A
-  150-1000 daN
4 km/h
-  120-480 daN
6 km/h
-  100-400 daN
-  -20 / +80 °C

		M		M		M									
															
mm	mm	kg	CODE	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	mm	andN	
150	40	2.16	664304	1.44	665704	2.62	668704	194	140x110	105x80	11	58	178	400	
200	50	2.58	664306	1.97	665706	3.00	668706	240	140x110	105x80	11	50	178	500	
150	40	2.35	664804	1.53	665904	2.71	668904	194	140x110	105x80	11	58	178	400	
200	50	2.68	664806	2.08	665906	3.08	668906	240	140x110	105x80	11	50	178	500	
200	50	2.93	665306	2.32	665806	3.35	669206	240	140x110	105x80	11	50	178	500	

SOLID THERMOSETTING RESIN WHEELS, STANDARD DUTY BRACKETS (NL)



mm	mm	kg	COD.	mm	mm	andN	andN	andN
80	35	0,18	672201	12	39	250	125	150
100	35	0,30	671102	12	44	300	130	200



mm	mm	kg	COD.	kg	COD.	mm	mm	mm	mm	mm	andN
80	35	0,77	677201	0,49	677401	107	100x85	80x60	9	37	150
100	35	0,91	677202	0,59	677402	128	100x85	80x60	9	35	200



mm	mm	kg	COD.	mm	mm	mm	mm	andN
80	35	0,68	677501	107	73	12	37	150
100	35	0,78	677502	128	73	12	35	200

SOLID THERMOSETTING RESIN WHEELS, STAINLESS STEEL STANDARD DUTY BRACKETS (NLX)



INOX
STAINLESS STEEL



NLX		NLX											
mm	mm	kg	COD.	kg	COD.	mm	mm	mm	mm	mm	andN		
80	35	0,78	677901	0,47	678001	107	100x85	80x60	9	37	150		
100	35	0,86	677902	0,59	678002	128	100x85	80x60	9	35	200		



NLX													
mm	mm	kg	COD.	mm	mm	mm	mm	mm	mm	andN			
80	35	0,69	678201	107	73	12	37	150					
100	35	0,79	678202	128	73	12	35	200					

SOLID THERMOSETTING RESIN WHEELS WITH SHIELDED BALL BEARINGS, STANDARD DUTY BRACKETS (NL)



Wheel		Bracket 1			Bracket 2			Bracket 3			Performance			
mm	mm	kg	COD.	kg	COD.	kg	COD.	mm	mm	mm	mm	andN	andN	andN
80	35	0,27	672501	0,27	672601	0,21	674101	15	35	32	9	250	160	160
100	38	0,44	672502	0,44	672602	0,37	674102	15	38	32	9	300	240	240



Wheel		NL Bracket 1		NL Bracket 2		Bracket 3				Performance		
mm	mm	kg	COD.	kg	COD.	mm	mm	mm	mm	mm	andN	Axle set
80	35	0,75	677111	0,63	678111	107	100x85	80x60	9	37	160	
100	38	0,95	677112	0,80	678112	128	100x85	80x60	9	35	200	



Wheel		NL Bracket 1				Bracket 2		Performance	
mm	mm	kg	COD.	mm	mm	mm	mm	andN	4 km/h
80	35	0,70	676111	107	73	12	37	160	
100	38	0,87	676112	128	73	12	35	200	

SOLID THERMOSETTING RESIN WHEELS WITH SHIELDED BALL BEARINGS, STAINLESS STEEL STANDARD DUTY BRACKETS (NLX)

-  80-100 mm
-  150-240 daN
4 km/h
-  125-240 daN
-  -20 / +300 °C



INOX
STAINLESS STEEL

NLX		NLX		NLX						NLX	
mm	mm	kg	COD.	mm	mm	mm	mm	mm	mm	andN	
80	35	0,75	678801	107	100x85	80x60	9	37	160		
100	38	0,95	678802	128	100x85	80x60	9	35	200		



NLX		NLX				NLX		NLX	
mm	mm	kg	CODE.	mm	mm	mm	mm	day	
80	35	0,70	676711	107	73	12	37	160	
100	38	0,87	676712	128	73	12	35	200	

75


"TR" POLYURETHANE PALLET TRUCK ROLLERS WITH STEEL CENTRE



80-85 mm



95 Shore A



400-1000 daN

4 km/h




320-800 daN

6 km/h



150-400 daN




-20 / +80 °C




mm	mm	kg	CODE	kg	CODE	mm	mm	mm	mm	andN	andN	andN	andN		
80	70	1.06	752102	0.82	754102	20	70	47	14	800	250	700	560		
80	90	1.35	752105	1.11	754105	20	90	47	14	1000	335	900	720		
82	70	1.09	752132	0.85	754132	20	70	47	14	800	255	700	560		
82	85	1.27	752134	1.03	754134	20	85	47	14	900	300	800	640		
82	90	1.33	752135	1.09	754135	20	90	47	14	1000	340	900	720		
82	100	1.45	752137	1.21	754137	20	100	47	14	1100	390	1000	800		
85	40	0.72	752121	0.48	754121	20	40	47	14	450	150	400	320		
85	70	1.12	752122	0.88	754122	20	70	47	14	800	265	700	560		
85	80	1.25	752123	1.01	754123	20	80	47	14	900	310	800	640		
85	80	1.18	752223	0.90	754223	25	80	52	15	900	310	800	640		
85	90	1.39	752125	1.15	754125	20	90	47	14	1000	350	900	720		
85	100	1.52	752127	1.28	754127	20	100	47	14	1100	400	1000	800		

“TR-ROLL” POLYURETHANE PALLET TRUCK ROLLERS WITH STEEL CENTRE



mm		kg COD.		kg COD.		mm				andN	andN	andN	andN
mm	mm	kg	COD.	kg	COD.	mm	mm	mm	mm	Static	4 km/h 6km/h	4 km/h	6km/h
80	90	1,25	792105	1,06	794105	20	90	47	14	750	490	580	460
82	60	0,87	792121	0,67	794121	20	60	47	14	500	400	400	320
82	70	0,98	792122	0,79	794122	20	70	47	14	550	450	450	360
82	90	1,21	792125	1,03	794125	20	90	47	14	750	580	580	460
82	100	1,34	792127	1,15	794127	20	100	47	14	850	620	650	520
85	70	1,04	792132	0,84	794132	20	70	47	14	550	450	450	360
85	80	1,16	792133	0,96	794133	20	80	47	14	600	520	520	400
85	90	1,28	792135	1,08	794135	20	90	47	16	750	580	580	460
85	100	1,40	792137	1,20	794137	20	100	47	14	850	650	650	520

BLACK POLYAMIDE 6 INSTITUTIONAL WHEELS



mm	mm	kg	CODE	mm	mm	daN													
40	17	0.02	321102	8	21	30													
50	17	0.02	321104	8	22	40													
60	22	0.03	321106	8	28	60													





mm	mm	kg	CODE	mm	mm	mm	mm	mm	daN										
40	17	0.12	324101	61	42x42	30x30	5	24	30										
50	17	0.12	324102	66	42x42	30x30	5	24	40										
60	22	0.22	324103	83	60x60	45x45	6	21	60										



mm	mm	kg	CODE	mm	mm	mm	mm	daN											
40	17	0.10	325101	61	55x25	42	5	30											
50	17	0.10	325102	66	55x25	42	5	40											
60	22	0.20	325103	83	60x60	45x45	6	60											

BLACK POLYAMIDE 6 INSTITUTIONAL WHEELS



mm	mm	kg	CODE	mm	mm	mm	mm	mm	daN
40	17	0.12	326101	61	35	M10	20	24	30
50	17	0.14	326102	66	35	M10	20	24	40
60	22	0.23	326103	83	41	M12	24	21	60



mm	mm	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	mm	daN
50	18+18	0.28	324302	0.33	328202	71	60x60	45x45	6	25.5	83	90



mm	mm	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	mm	daN
50	18+18	0.29	326202	0.34	329202	71	52	M10	25	25.5	83	90

INSTITUTIONAL INJECTION POLYURETHANE WHEELS WITH POLYAMIDE 6 CENTRE



mm	mm	kg	COD.	mm	mm	andN
30	18	0,02	361100	6	21	30
40	18	0,02	361101	8	21	40
50	18	0,03	361102	8	22	55
60	25	0,06	361103	8	28	70





mm	mm	kg	COD.	kg	COD.	kg	COD.	mm	mm	mm	mm	mm	mm	mm	andN
30	18	0,08	364300	0,08	365100			47,5	42x42	30x30	5	14,5			30
40	18	0,11	364301	0,11	365101	0,13	368101	59	42x42	30x30	5	23	76		40
50	18	0,13	364302	0,12	365102	0,16	368102	66	55x55	40x40	6	24	76		55
60	25	0,24	364303	0,21	365103	0,28	368103	83	60x60	45x45	6	21	84		70




mm	mm	kg	COD.	kg	COD.	mm	mm	mm	mm	mm	andN
30	18	0,07	363100			47,5	35	10	14,5		30
40	18	0,10	363101	0,12	367101	59	35	10	23	76	40
50	18	0,13	363102	0,13	367102	66	35	10	24	76	55
60	25	0,24	363103	0,25	367103	83	42	13	21	84	70

INSTITUTIONAL INJECTION POLYURETHANE WHEELS WITH POLYAMIDE 6 CENTRE


30-60 mm


30-140 daN
3 km/h


-5°C / +40°C



mm	mm	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	mm	andN
30	18	0,09	366300			47,5	35	M8	15	14,5		30
40	18	0,12	366301	0,14	369101	59	35	M10	20	23	76	40
50	18	0,13	366302	0,16	369102	66	35	M10	20	24	76	55
60	25	0,24	366303	0,28	369103	83	42	M12	25	21	84	70



mm	mm	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	mm	andN
50	18+18	0,27	366202	0,32	367202	71	60x60	45x45	6	25,5	83	140



mm	mm	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	mm	andN
50	18+18	0,31	366402	0,36	369202	71	52	M10	25	25,5	83	140

GREY RUBBER INSTITUTIONAL WHEELS, POLYPROPYLENE CENTRE WITH THREADGUARDS



mm	mm	kg	CODE	mm	mm	andN
40	18	0.03	371100	8	21	30
50	20	0.06	371101	8	22	35
60	24	0.10	371102	8	28	50
80	24	0.17	371103	8	28	55
100	24	0.22	371104	8	28	60



mm	mm	kg	CODE	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	mm	andN
40	18	0.12	374100	0.11	375100	0.15	378100	59	42x42	31x31	5	24	78	30
50	18	0.20	374101	0.20	375101	0.24	378101	67	55x55	40x40	6	24	76	35
60	24	0.28	374102	0.26	375102	0.40	378102	83	60x60	45x45	6	21	84	50
80	24	0.43	374103	0.34	375103	0.50	378103	104	60x60	45x45	6	30	91	55
100	24	0.48	374104	0.40	375104	0.57	378104	121	60x60	45x45	6	32	95	55

GREY RUBBER INSTITUTIONAL WHEELS, POLYPROPYLENE CENTRE WITH THREADGUARDS




mm	mm	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	mm	andN
40	18	0.11	373100	0.14	377100	59	35	10	24	78	35	
50	18	0.16	373101	0.19	377101	66	35	10	24	76	50	
60	24	0.25	373102	0.32	377102	83	41	12	21	84	55	
80	24	0.34	373103	0.43	377103	104	41	12	25	91	55	
100	24	0.40	373104	0.49	377104	121	41	12	32	91	55	



mm	mm	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	mm	andN
40	18	0.13	376100	0.18	379100	59	35	M8	15	24	78	30
50	18	0.18	376101	0.21	379101	66	35	M8	15	24	76	35
60	24	0.29	376102	0.36	379102	83	41	M12	25	21	84	50
80	24	0.39	376103	0.46	379103	104	41	M12	25	30	91	55
100	24	0.44	376104	0.53	379104	121	41	M12	25	32	95	55

GREY NON-MARKING THERMOPLASTIC RUBBER WHEELS, POLYPROPYLENE CENTRE





mm		mm		kg		COD.		mm		mm		daN	
40	18	0,01	381100	8	21	30							
50	20	0,02	381101	8	22	40							
60	24	0,04	381102	8	28	60							
75	24	0,05	381203	8	28	70							
80	24	0,07	381103	8	28	70							



mm		mm		kg		COD.		kg		COD.		kg		COD.		mm		mm		mm		mm		daN	
40	18	0,09	384200	0,10	385200	0,12	388200	59	42x42	30x30	5	24	78	30											
50	18	0,13	384201	0,14	385201	0,15	388201	66	55x55	40x40	6	24	78	40											
60	24	0,22	384202	0,19	385202	0,26	388202	83	60x60	45x45	6	21	83	60											
75	24	0,26	384303	0,22	385303	0,32	388303	101	60x60	45x45	6	30	91	70											
80	24	0,28	384203	0,24	385203	0,33	388203	104	60x60	45x45	6	30	91	70											

GREY NON-MARKING THERMOPLASTIC RUBBER WHEELS, POLYPROPYLENE CENTRE



mm	mm	kg	COD.	kg	COD.	mm	mm	mm	mm	mm	mm	andN	
40	18	0,08	383200	0,11	387200	59	35	10	24	78	30		
50	18	0,10	383201	0,12	387201	66	35	10	24	78	40		
60	24	0,19	383202	0,22	387202	83	41	12	21	83	60		
75	24	0,23	383303	0,28	387303	101	41	12	30	91	70		
80	24	0,24	383203	0,29	387203	104	41	12	30	91	70		



mm	mm	kg	COD.	kg	COD.	mm	mm	mm	mm	mm	mm	andN	
40	18	0,09	386200	0,12	389200	59	35	M8	15	24	78	30	
50	18	0,11	386201	0,14	389201	66	35	M8	15	24	78	40	
60	24	0,22	386202	0,26	389202	83	41	M12	25	21	83	60	
75	24	0,26	386303	0,32	389303	101	41	M12	25	30	91	70	
80	24	0,28	386203	0,33	389203	104	41	M12	25	30	91	70	

CUSTOMISED SOLUTIONS



CUSTOMISED SOLUTIONS



Contact your local dealer - Get in touch with your local dealer

Complete range: Series included in Tellure Rôta's general catalogue



INDUSTRIAL LIGHT DUTY LOADS



INDUSTRIAL MEDIUM DUTY LOADS



INDUSTRIAL HEAVY DUTY LOADS AND MECHANICAL HANDLING



HIGH TEMPERATURE



PALLET TRUCK ROLLERS



* = series available also with stainless steel brackets

SCAFFOLDINGS



SERIES 60
400 daN



SERIES 68
400 daN



WASTE BIN CONTAINERS



SERIES 52
225 daN



SERIES 53
230 daN



SERIES 72
500 daN



INSTITUTIONAL



SERIES 32
90 daN



SERIES 36
140 daN



SERIES 37
80 daN



SERIES 38
70 daN



SERIES 51
90 and N



FURNITURE



SERIES 33
30 daN



SERIES 34
40 daN



SERIES 35
40 daN



SERIES 39
40 daN



ANTISTATIC AND STATICALLY CONDUCTIVE




CUSTOMISED SOLUTIONS



ACCESSORIES




Gite Industries
Pvt. Ltd.



Wheels and Castors



 +91 99670 96087

 info@giteindustries.com

www.giteindustries.com