Tenax	Revision nr.2 Dated 9/30/2020 Printed on 11/6/2020	
RESINA	Page n. 1 / 11 Replaced revision:1 (Dated 6/26/2015)	
	Safety Data Shee According to U.S.A. Federal Hazcom 2	
1. Identification		
1.1. Product identifier		
Product name Chemical name and synonym	RESINA 6010 EPOXY RESIN FROM BISPHENOL A	
1.2. Relevant identified uses of the substance or m	ixture and uses advised against	
Intended use	LIQUID EPOXY RESIN FOR STONES	
Identified Uses ADHESIVE SYSTEM/TREATMENT FOR STONE SECTOR 1.3. Details of the supplier of the safety data sheet	Industrial Professio - 🗸	nal Consumer
Name Full address District and Country	Tenax Spa Via I Maggio, 226 37020 Volargne Italy Tel. +39 045 6887593 Fax +39 045 6862456	(VR)
e-mail address of the competent person responsible for the Safety Data Sheet	msds@tenax.it	
Product distribution by:	Tenax Usa 7606 Whitehall Executive Center Driv Tel. 001 7045831173 - Fax 001 704583 info@tenaxusa.com	
1.4. Emergency telephone number		
For urgent inquiries refer to	Infotrac US and Canada: 1-800-535-5053 Int'l: 1-352-323-3500 info@infotrac.net	
2. Hazards identification		

#### 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200). The product thus requires a safety datasheet. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Classification and Hazard Statement Germ cell mutagenicity, category 2 Eye irritation, category 2 Skin irritation, category 2 Skin sensitization, category 1

Hazard pictograms:



Signal words:

Warning

Hazard statements:

Suspected of causing genetic defects. Causes serious eye irritation. Causes skin irritation. May cause an allergic skin reaction.

Revision nr.2 Dated 9/30/2020 Printed on 11/6/2020 Page n. 2 / 11 Replaced revision:1 (Dated 6/26/2015)

# 2. Hazards identification ....

H341	Suspected of causing genetic defects.	
H319	Causes serious eye irritation.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
Precautionary statemer	nts:	
Prevention:		
P261	Avoid breathing dust / fume / gas / mist / vapours	
P202	Do not handle until all safety precautions have be	een read and understood.
P201	Obtain special instructions before use.	
P280	Wear protective gloves/ protective clothing / eye	protection / face protection.
P264	Wash the hands thoroughly after handling.	
P272	Contaminated work clothing should not be allowed	ed out of the workplace.
Response:		
P305+P351+P338	IF IN EYES: Rinse cautiously with water for seve Continue rinsing.	rral minutes. Remove contact lenses, if present and easy to
P308+P313	IF exposed or concerned: Get medical advice / a	ttention.
P333+P313	If skin irritation or rash occurs: Get medical advic	e / attention.
P337+P313	If eye irritation persists: Get medical advice / atte	ention.
P302+P352	IF ON SKIN: wash with plenty of water /	
P362+P364	Take off contaminated clothing and wash it befor	e reuse.
P363	Wash contaminated clothing before reuse.	
Storage:		
P405	Store locked up.	
Disposal:		
P501	Dispose of contents / container according to app	licable law.
. Other hazards Environmental classifica	ation as for Reg. (EU) 1272/2008 (CLP):	
Environmental classifica	ation as for Reg. (EU) 1272/2008 (CLP): d as hazardous for environment pursuant to the provis	sions set forth in EC Regulation 1272/2008 (CLP).
Environmental classifica The product is classified Classification and Haza	d as hazardous for environment pursuant to the provis	sions set forth in EC Regulation 1272/2008 (CLP). Toxic to aquatic life with long lasting effects.
Environmental classifica The product is classified Classification and Haza	d as hazardous for environment pursuant to the provis	
Environmental classifica The product is classified Classification and Haza Hazardous to the aq	d as hazardous for environment pursuant to the provis	
Environmental classifica The product is classified Classification and Haza Hazardous to the aq	d as hazardous for environment pursuant to the provis	
Environmental classifica The product is classified Classification and Haza Hazardous to the aq Hazard pictograms:	d as hazardous for environment pursuant to the provis and Statement juatic environment, chronic toxicity, category 2 Toxic to aquatic life with long lasting effects.	
Environmental classifica The product is classified Classification and Haza Hazardous to the aq Hazard pictograms: Weight of the second Hazard statements: Hazard statements: H411 Precautionary statemer	d as hazardous for environment pursuant to the provis and Statement juatic environment, chronic toxicity, category 2 Toxic to aquatic life with long lasting effects.	
Environmental classifica The product is classified Classification and Haza Hazardous to the aq Hazard pictograms: Hazard statements: H411 Precautionary statemer Prevention:	d as hazardous for environment pursuant to the provis and Statement juatic environment, chronic toxicity, category 2 Toxic to aquatic life with long lasting effects.	
Environmental classifica The product is classified Classification and Haza Hazardous to the aq Hazard pictograms: Hazard statements: H411 Precautionary statemer Prevention: P273	d as hazardous for environment pursuant to the provis and Statement juatic environment, chronic toxicity, category 2 Toxic to aquatic life with long lasting effects.	
Environmental classifica The product is classified Classification and Haza Hazardous to the aq Hazard pictograms: Weight the second sec	d as hazardous for environment pursuant to the provis and Statement juatic environment, chronic toxicity, category 2 Toxic to aquatic life with long lasting effects. hts: Avoid release to the environment.	
Environmental classifica The product is classified Classification and Haza Hazardous to the aq Hazard pictograms: Weight the second sec	d as hazardous for environment pursuant to the provis and Statement juatic environment, chronic toxicity, category 2 Toxic to aquatic life with long lasting effects.	
Environmental classifica The product is classified Classification and Haza Hazardous to the aq Hazard pictograms: Weight the second sec	d as hazardous for environment pursuant to the provis and Statement juatic environment, chronic toxicity, category 2 Toxic to aquatic life with long lasting effects. hts: Avoid release to the environment. Collect spillage.	
Environmental classifica The product is classified Classification and Haza Hazardous to the aq Hazard pictograms: Weight the second statements: H411 Precautionary statemer Prevention: P273 Response: P391 Storage:	d as hazardous for environment pursuant to the provis and Statement juatic environment, chronic toxicity, category 2 Toxic to aquatic life with long lasting effects. hts: Avoid release to the environment.	
Environmental classifica The product is classified Classification and Haza Hazardous to the aq Hazard pictograms: Weight the second sec	d as hazardous for environment pursuant to the provis and Statement juatic environment, chronic toxicity, category 2 Toxic to aquatic life with long lasting effects. hts: Avoid release to the environment. Collect spillage.	Toxic to aquatic life with long lasting effects.

Contains epoxy constituents. May produce an allergic reaction.

# 3. Composition/information on ingredients

Revision nr.2 Dated 9/30/2020 Printed on 11/6/2020 Page n. 3 / 11 Replaced revision:1 (Dated 6/26/2015)

#### 3. Composition/information on ingredients ..../

# 3.2. Mixtures

Contains:		
Identification	x = Conc. %	Classification:
REACTION F	PRODUCT: BISPHENOL A-(I	EPICHLORHYDRIN)
CAS	25068-38-6 67 ≤ x < 69	Eye irritation, category 2 H319, Skin irritation, category 2 H315, Skin sensitization, category 1 H317, Hazardous to the aquatic environment, chronic toxicity, category 2 H411
EC	500-033-5	
INDEX	603-074-00-8	
2,3-EPOXYP	ROPYL O-TOLYL ETHER	
CAS	2210-79-9 22 ≤ x < 24	Germ cell mutagenicity, category 2 H341, Skin irritation, category 2 H315, Skin sensitization, category 1 H317, Hazardous to the aquatic environment, chronic toxicity, category 2 H411
EC	218-645-3	
INDEX	603-056-00-X	
1,6-BIS (2,3-	epoxypropoxy) hexane	
CAS	933999-84-9 8.5 ≤ x < 9.	Flammable liquid, category 4 H227, Eye irritation, category 2 H319, Skin irritation, category 2 H315, Skin sensitization, category 1 H317, Hazardous to the aquatic environment, chronic toxicity, category 3 H412
EC INDEX	618-939-5	. ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
* There is a b	atch to batch variation.	

The full wording of hazard (H) phrases is given in section 16 of the sheet.

# 4. First-aid measures

## 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

### 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

# 5. Fire-fighting measures

### 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

# 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

## 5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

Revision nr.2 Dated 9/30/2020 Printed on 11/6/2020 Page n. 4 / 11 Replaced revision:1 (Dated 6/26/2015)

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERSNormal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

# 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

# 7. Handling and storage

## 7.1. Precautions for safe handling

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat. Avoid leakage of the product into the environment.

### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a cool and well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

#### 7.3. Specific end use(s)

Information not available

# 8. Exposure controls/personal protection

#### 8.1. Control parameters

Information not available

#### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. Personal protective equipment must comply with current regulations. HAND PROTECTION

Protect hands with category III work gloves (OSHA 29 CFR 1910.138).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear. Wash body with soap and water after removing protective clothing. EYE PROTECTION

Wear airtight protective goggles (OSHA 29 CFR 1910.133).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, wear a mask with a

Revision nr.2 Dated 9/30/2020 Printed on 11/6/2020 Page n. 5 / 11 Replaced revision:1 (Dated 6/26/2015)

# 8. Exposure controls/personal protection ..../

NIOSH certified filter, whose class must be chosen according to the limit of use concentration (NIOSH 42 CFR 84, OSHA 29 CFR 1910.134). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required. Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited. If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus or external air-intake breathing apparatus. For a correct choice of respiratory protection device, see standard NIOSH 42 CFR 84, OSHA 29 CFR 1910.134.

# ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

# 9. Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	liquid	
Colour	colourless	
Odour	odourless	
Odour threshold	Not available	
pH	Not available	
Melting point / freezing point	Not available	
Initial boiling point	Not available	
Boiling range	Not available	
Flash point	160 °C (320 °F	)
Evaporation Rate	Not available	
Flammability of solids and gases	Not available	
Lower inflammability limit	Not available	
Upper inflammability limit	Not available	
Lower explosive limit	Not available	
Upper explosive limit	Not available	
Vapour pressure	Not available	
Vapour density	Not available	
Relative density	1.1 g/cc	
Solubility	SOLUBLE IN AROMATIC	
Partition coefficient: n-octanol/water	Not available	
Auto-ignition temperature	Not available	
Decomposition temperature	Not available	
Viscosity	Not available	
Explosive properties	Not available	
Oxidising properties	Not available	
9.2. Other information		
Total solids (250°C / 482°F)	100,00 %	

# 10. Stability and reactivity

#### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

## 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

## 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

## 10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

## 10.5. Incompatible materials

Information not available

Revision nr.2 Dated 9/30/2020 Printed on 11/6/2020 Page n. 6 / 11 Replaced revision:1 (Dated 6/26/2015)

#### 10. Stability and reactivity

# 10.6. Hazardous decomposition products

In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released.

# 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

## 11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

#### ACUTE TOXICITY

2,3-EPOXYPROPYL O-TOLYL ETHER LD50 (Oral) LD50 (Dermal)

2800 mg/kg Ratto > 2000 mg/kg Ratto

REACTION PRODUCT: BISPHENOL A-(EPICHLORHYDRIN)LD50 (Oral)> 15000 mg/kg RattoLD50 (Dermal)23000 mg/kg Coniglio

1,6-BIS (2,3-epoxypropoxy) hexane LD50 (Oral) LD50 (Dermal)

2900 mg/kg Ratto > 2000 mg/kg Ratto

#### SKIN CORROSION / IRRITATION

Causes skin irritation

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

GERM CELL MUTAGENICITY

Suspected of causing genetic defects

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Revision nr.2 Dated 9/30/2020 Printed on 11/6/2020 Page n. 7 / 11 Replaced revision:1 (Dated 6/26/2015)

# 11. Toxicological information

Does not meet the classification criteria for this hazard class

### STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

### ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

# **12. Ecological information**

This product is dangerous for the environment and is toxic for aquatic organisms. In the long term, it have negative effects on acquatic environment.

# 12.1. Toxicity

REACTION PRODUCT: BISPHENOL A-(EPICHLO	RHYDRIN)
LC50 - for Fish	2 mg/l/96h Oncorhynchus mykiss
EC50 - for Crustacea	1.8 mg/l/48h Daphnia
EC50 - for Algae / Aquatic Plants	> 11 mg/l/72h Scenedesmus capricornutum
Chronic NOEC for Crustacea	0.3 mg/l Daphnia
Chronic NOEC for Algae / Aquatic Plants	4.2 mg/l Scenedesmus capricornutum
1,6-BIS (2,3-epoxypropoxy) hexane	
LC50 - for Fish	30 mg/l/96h Trota arcobaleno
EC50 - for Crustacea	47 mg/l/48h Dafnia
EC50 - for Algae / Aquatic Plants	23.1 mg/l/72h
12.2. Persistence and degradability	
REACTION PRODUCT: BISPHENOL A-(EPICHLO	
Solubility in water NOT rapidly degradable	0.1 - 100 mg/l
12.3. Bioaccumulative potential	
REACTION PRODUCT: BISPHENOL A-(EPICHLOI	
Partition coefficient: n-octanol/water	> 2.918
BCF	31
1,6-BIS (2,3-epoxypropoxy) hexane	
BCF	3.57
12.4. Mobility in soil	
REACTION PRODUCT: BISPHENOL A-(EPICHLO	
Partition coefficient: soil/water	2.65
12.5. Results of PBT and vPvB assessment	

Revision nr.2 Dated 9/30/2020 Printed on 11/6/2020 Page n. 8 / 11 Replaced revision:1 (Dated 6/26/2015)

#### 12. Ecological information

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

#### 12.6. Other adverse effects

Information not available

# 13. Disposal considerations

#### 13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

# 14. Transport information

# 14.1. UN number

ADR / RID, IMDG, IATA: 3082

ADR / RID:	In accordance with Special Provision 375, this product, when is packed in receptacles of a capacity ≤ 5Kg or 5L, is not submitted to ADR provisions.
IMDG:	In accordance with Section 2.10.2.7 of IMDG Code, this product, when is packed in receptacles of a capacity $\leq$ 5Kg or 5L, is not submitted to IMDG Code provisions.
IATA:	In accordance with SP A197, this product, when is packed in receptacles of a capacity ≤ 5Kg or 5L, is not submitted to IATA dangerous goods regulations.

### 14.2. UN proper shipping name

ADR / RID:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (REACTION PRODUCT: BISPHENOL
	A-(EPICHLORHYDRIN); 2,3-EPOXYPROPYL O-TOLYL ETHER)
IMDG:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (REACTION PRODUCT: BISPHENOL
	A-(EPICHLORHYDRIN); 2,3-EPOXYPROPYL O-TOLYL ETHER)
IATA:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (REACTION PRODUCT: BISPHENOL
	A-(EPICHLORHYDRIN); 2,3-EPOXYPROPYL O-TOLYL ETHER)

9

#### 14.3. Transport hazard class(es)

ADR / RID:	Class: 9	Label: 9	
IMDG:	Class: 9	Label: 9	
IATA:	Class: 9	Label: 9	Â,

#### 14.4. Packing group

ADR / RID, IMDG, IATA: III

Revision nr.2 Dated 9/30/2020 Printed on 11/6/2020 Page n. 9 / 11 Replaced revision:1 (Dated 6/26/2015)

#### 14. Transport information ... /

## 14.5. Environmental hazards

ADR / RID:	Environmentally Hazardous	
IMDG:	Marine Pollutant	
IATA:	Environmentally Hazardous	

# 14.6. Special precautions for user

ADR / RID:	HIN - Kemler: 90 Special Provision: -	Limited Quantities: 5 L	Tunnel restriction code: (-)
IMDG:	EMS: F-A, S-F	Limited Quantities: 5 L	
IATA:	Cargo:	Maximum quantity: 450 L	Packaging instructions: 964
	Pass.:	Maximum quantity: 450 L	Packaging instructions: 964
	Special Instructions:	A97, A158, A197	

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

# **15. Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Federal Regulations

TSCA: All components are listed on TSCA Inventory.

Clean Air Act Section 112(b): No component(s) listed.

Clean Air Act Section 602 Class I Substances: No component(s) listed.

Clean Air Act Section 602 Class II Substances: No component(s) listed.

Clean Water Act – Priority Pollutants: No component(s) listed.

Clean Water Act – Toxic Pollutants: No component(s) listed.

DEA List I Chemicals (Precursor Chemicals): No component(s) listed.

DEA List II Chemicals (Essential Chemicals): No component(s) listed.

EPA List of Lists: 313 Category Code: No component(s) listed.

EPCRA 302 EHS TPQ: No component(s) listed.

EPCRA 304 EHS RQ:

Revision nr.2 Dated 9/30/2020 Printed on 11/6/2020 Page n. 10 / 11 Replaced revision:1 (Dated 6/26/2015)

# 15. Regulatory information ...

No component(s) listed.

CERCLA RQ: No component(s) listed.

EPCRA 313 TRI: No component(s) listed.

RCRA Code: No component(s) listed.

CAA 112 (r) RMP TQ: No component(s) listed.

State Regulations

Massachussetts: No component(s) listed.

Minnesota: No component(s) listed.

New Jersey: No component(s) listed.

New York: No component(s) listed.

Pennsylvania: No component(s) listed.

California:

25068-38-6 REACTION PRODUCT: BISPHENOL A-(EPICHLORHYDRIN) (Phenols)

Proposition 65:

This product does not contain any substances know to the State of California to cause cancer, reproductive harm or birth defects.

#### International Regulations

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

# Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

# 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

H227	Combustible liquid.
H341	Suspected of causing genetic defects.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- 313 CATEGORY CODE: Emergency Planning and Community Right-to Know Act Section 313 Category Code
- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAA 112 ® RMP TQ: Risk Management Plan Threshold Quantity (Clean Air Act Section 112®)
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CERCLA RQ: Reportable Quantity (Comprehensive Environment Response, Compensation, and Liability Act)
- CLP: EC Regulation 1272/2008
- DEA: Drug Enforcement Administration
- EmS: Emergency Schedule
- EPA: US Environmental Protection Agency

Revision nr.2 Dated 9/30/2020 Printed on 11/6/2020 Page n. 11 / 11 Replaced revision:1 (Dated 6/26/2015)

#### 16. Other information ....

- EPCRA: Emergency Planning and Community Right-to Know Act- EPCRA 302 EHS TPQ: Extremely Hazardous Substance Threshold Planning Quantity (Section 302 Category Code)
- EPCRA 304 EHS RQ: Extremely Hazardous Substance Reportable Quantity (Section 304 Category Code)
- EPCRA 313 TRI: Toxics Release Inventory (Section 313 Category Code)
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PEL: Predicted exposure level
- RCRA Code: Resource Conservation and Recovery Act Code
- REL: Recommended exposure limit
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TSCA: Toxic Substances Control Act
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- WHMIS: Workplace Hazardous Materials Information System.

#### **GENERAL BIBLIOGRAPHY:**

- GHS rev. 3
- The Merck Index. 10th Edition
- Handling Chemical Safety
- Niosh Registry of Toxic Effects of Chemical Substances
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy
- 6 NYCRR part 597
- Cal/OSHA website
- California Safe Drinking Water and Toxic Enforcement Act
- EPA website
- Hazard Comunication Standard (HCS 2012)
- IARC website
- List Of Lists EPA: Consolidated List of Chemicals Subject to EPCRA, CERCLA and Section 112® of the Clean Air Act
- Massachussetts 105 CMR Department of public health 670.000: "Right to Know"
- Minensota Chapter 5206 Departemnt Of Labor and Industry Hazardous Substances, Employee "Right to Know".
- New Jersey Worker and Community Right to know Act N.J.S.A.
- NTP. 2011. Report on Carcinogens, 12th Edition.
- OSHA website
- Pennsylvania, Hazardous Substance List, Chapter 323

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

### CALCULATION METHODS FOR CLASSIFICATION

Product classification derives from criteria established by the OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200), unless determined otherwise in Section 11 and 12. The data for evaluation of chemical-physical properties are reported in section 9.

Changes to previous review:

The following sections were modified:

01 / 02 / 03 / 04 / 07 / 08 / 09 / 10 / 11 / 12 / 13 / 14 / 15 / 16.