


BUYER'S GUIDE SPRING 2024

THE WORLD'S FIRST



20" DUAL BEAM 4-FUNCTION LED LIGHT BAR





TITANIUM **T4**



20" DUAL BEAM 4-FUNCTION LED LIGHT BAR

DRIVING / FOG / POSITION / SAFETY STROBE

Part No. 76240 See page 11







4-FUNCTION SWITCH **QUAD RELAY - PLUG N' PLAY**

> Part No. 73601 See page 12









DIAMOND SERIES MID-SIZE BEACON

SAE CLASS 1 CLEAR LENS WITH AMBER/BLUE OUTPUT

Part No. S8MM24AB See page 24





DIAMOND SERIES MID-SIZE BEACON

SAE CLASS 1 CLEAR LENS WITH AMBER OUTPUT

Part No. S8MM24A See page 24







DIAMOND SERIES MINI LIGHTBAR


SAE CLASS 1 AMBER/BLUE OUTPUT / AMBER OUTPUT


Part No. S10MM48AB / S10MM48A See page 23











WHITE FLOOD WITH SAE/DOT AMBER STROBE	Part No. 790702 CDN RETAIL \$158.00
WATTAGE	Flood Light - 24W / Warning Light - 12W
VOLTAGE	9-36V DC
THEORETICAL LUMENS	3200 lm
ACTUAL LUMENS	2700 lm
1 LUX @	49 m
IP RATING	IP68/IP69K
BEAM PATTERN	Flood
OPERATING TEMPERATURE	-40°C - +60°C
COLOUR	5700K (Main Beam)
HOUSING MATERIAL	Aluminum Alloy
LENS MATERIAL	Polycarbonate
DIMENSIONS	164/192 x 61 x 41 mm
CONNECTION	DT-4 with Whip
LED LIFESPAN	50,000+ hrs
CERTIFICATION	SAE/DOT J595, RoHS, ECE R23/R10
WARRANTY	3 Year Limited























4" SIDE SHOOTER WITH STROBE	Part No. 794701 CDN RETAIL \$229.00/ea	
WATTAGE	70W	
VOLTAGE	10-30V DC	
THEORETICAL LUMENS	2210 lm	
ACTUAL LUMENS	1177 lm	
1 LUX @	327 m	
IP RATING	IP67/IP69K	
BEAM PATTERN	140° Spot with Side Shooter	
OPERATING TEMPERATURE	-25°C - +40°C	
SAFETY STROBE	Amber	
COLOUR	5700K (Main Beam)	
HOUSING MATERIAL	Aluminum Alloy	
LENS MATERIAL	Polycarbonate	
DIMENSIONS	97 x 75 x 77 mm	
CONNECTION	DT-3 with Whip	
LED LIFESPAN	30,000+ hrs	
CERTIFICATION	SAE/DOT, J591, J595, RoHS	
WARRANTY	3 Year Limited	











4" SQUARE / 4" ROUND	Part No. 791362F / 891362F	CDN RETAIL \$55.00
WATTAGE	36W	
VOLTAGE	10-30V DC	
AMPERAGE 12V/24V	2.1A/1.1A	
COLOUR TEMPERATURE	5700K	
THEORETICAL LUMENS	3600 lm	
ACTUAL LUMENS	3200 lm	
LUX	1 lux @ 54 m	
IP RATING	IP68	
BEAM PATTERN	60° Flood Pattern	
TEMPERATURE RANGE	-45° - +60°C	
HOUSING MATERIAL	Aluminum Alloy with Powder Coating]
LENS MATERIAL	Polycarbonate	
DIMENSIONS	110 x 109 x 43 mm	
CONNECTION	DT Built in (whip sold separately PN	73350)
LED LIFESPAN	30,000+ hrs	
CERTIFICATION	CE, ECE R10, RoHS	
WARRANTY	3 Year Limited	



4" SQUARE HIGH OUTPUT	Part No. 791482F	CDN RETAIL \$78.00
WATTAGE	48W	
VOLTAGE	10-30V DC	
AMPERAGE 12V/24V	3.3A/1.6A	
COLOUR TEMPERATURE	6000K	
THEORETICAL LUMENS	6000 lm	
ACTUAL LUMENS	3840 lm	
LUX	1 lux @ 68 m	
IP RATING	IP68/69K	
BEAM PATTERN	60° High Output Flood Pattern	
TEMPERATURE RANGE	-45°C - +60°C	
HOUSING MATERIAL	Lightweight Aluminum/Magnesium	with Powder Coating
LENS MATERIAL	Polycarbonate	
DIMENSIONS	110 x 110 x 71 mm	
CONNECTION	12" Cable with Pigtail (no connected	or)
LED LIFESPAN	30,000+ hrs	
CERTIFICATION	E-Mark, CE, ECE R10, RoHS	
WARRANTY	3 Year Limited	



6" x 1.75" RECTANGULAR	Part No. 791154F	CDN RETAIL \$55.00
WATTAGE	18W	
VOLTAGE	10-30V DC	
AMPERAGE 12V/24V	1.5A/0.7A	
COLOUR TEMPERATURE	6000K	
THEORETICAL LUMENS	1620 lm	
ACTUAL LUMENS	1061 lm	
LUX	1 lux @ 32 m	
IP RATING	IP67	
BEAM PATTERN	90° Flood Pattern	
TEMPERATURE RANGE	-40°C - +60°C	
HOUSING MATERIAL	Aluminum Alloy with Powder Co	ating
LENS MATERIAL	Polycarbonate	
DIMENSIONS	160 x 45 x 63 mm	
CONNECTION	DT Built in (whip sold separately	/ PN 73350)
LED LIFESPAN	30,000+ hrs	
CERTIFICATION	EMC, ECE, RoHS	
WARRANTY	3 Year Limited	






4" GRAPHENE WORK LIGHT	Part No. 891272F	CDN RETAIL \$48.00
WATTAGE	15W	
VOLTAGE	10-30V DC	
AMPERAGE 12V/24V	1.21/0.59A	
COLOUR TEMPERATURE	6000K	
THEORETICAL LUMENS	2300 lm	
ACTUAL LUMENS	1218 lm	
LUX	1 lux @ 26 m	
IP RATING	IP67/6K9K	
BEAM PATTERN	160° Diffused Flood Pattern	
TEMPERATURE RANGE	-40°C - +50°C	
HOUSING MATERIAL	Graphene/PA66	
LENS MATERIAL	Polycarbonate	
DIMENSIONS	126 x 105 x 80 mm	
CONNECTION	Built-in DT port (includes whip with DT)	
LED LIFESPAN	30,000+ hrs	
CERTIFICATION	CISPR 25 - Class 5, ECE R10	
WARRANTY	5 Year Limited	



6.3" x 4.4" HIGH OUTPUT	Part No. 791082F	CDN RETAIL \$199.00	
WATTAGE	108W		
VOLTAGE	10-30V DC		
AMPERAGE 12V/24V	4.38A/2.19A		
COLOUR TEMPERATURE	6000K		
THEORETICAL LUMENS	7920 lm		
ACTUAL LUMENS	5223 lm		
LUX	1 lux @ 57 m		
IP RATING	IP6K9K		
BEAM PATTERN	High Output Asymmetric Floor	High Output Asymmetric Flood Pattern	
TEMPERATURE RANGE	-45°C - +60°C		
HOUSING MATERIAL	Lightweight Aluminum Alloy w	ith Powder Coating	
LENS MATERIAL	Polycarbonate		
MOUNTING BRACKET	Vertical or Horizontal Mount w	vith Stainless Hardware	
DIMENSIONS	160 x 98 x 68 mm		
CONNECTION	Cable with Pigtail	Cable with Pigtail	
LED LIFESPAN	30,000+ hrs	30,000+ hrs	
CERTIFICATION	E-Mark, CE, ECE R10, RoHS	E-Mark, CE, ECE R10, RoHS	
WARRANTY	3 Year Limited		



TITANIUM — SERIES—

6" x 4" ZERO GLARE	Part No. 779150	CDN RETAIL \$193.00
WATTAGE	60W	
VOLTAGE	9-36V DC	
AMPERAGE 12V/24V	5.5A/2.8A	
COLOUR TEMPERATURE	5700K	
THEORETICAL LUMENS	5600 lm	
ACTUAL LUMENS	4400 lm	
LUX	1 lux @ 144 m	
IP RATING	IP69/69K	
BEAM PATTERN	100° x 40° Diffused Zero Gla	re
TEMPERATURE RANGE	-40°C - +60°C	
HOUSING MATERIAL	Aluminum with Anodized Poly	yester Powder Coating
LENS MATERIAL	PMMA Acrylic	
DIMENSIONS	150 x 90 x 88 mm	
CONNECTION	DT, Harness PN 72999 sold s	separately
LED LIFESPAN	50,000+ hrs	
CERTIFICATION	E-Mark, CISPR 36 - Class 3,	R112/R10, RoHS
WARRANTY	5 Year Limited	






4" x 6" WIDE ANGLE TRI-LITE	Part No. 790602	CDN RETAIL \$220.00
WATTAGE	60W	
VOLTAGE	9-36V DC	
AMPERAGE 12V/24V	4.2A/2.1A	
COLOUR TEMPERATURE	5700K	
THEORETICAL LUMENS	5600 lm	
ACTUAL LUMENS	4600 lm	
LUX	1 lux @ 88 m	
IP RATING	IP68/69K	
BEAM PATTERN	35° x 120° Diffused	
TEMPERATURE RANGE	-40°C - +60°C	
HOUSING MATERIAL	Aluminum with Anodized Polye	ester Powder Coating
LENS MATERIAL	Epoxy Encapsulated Lexan Po	lycarbonate
DIMENSIONS	137 x 90 x 67.5 mm	
CONNECTION	DT (Harness 72999 sold separ	ately)
LED LIFESPAN	50,000+ hrs	
CERTIFICATION	CISPR 25 - Class 3, ECE R10	
WARRANTY	5 Year Limited	



6" x 2" ANGLED SCENE	Part No. 791192F	CDN RETAIL \$78.00
WATTAGE	19W	
VOLTAGE	10-40V DC	
AMPERAGE 12V/24V	1.54A/0.80A	
COLOUR TEMPERATURE	6000K	
THEORETICAL LUMENS	4133 lm	
ACUAL LUMENS	2296 lm	
LUX	9.61 lux @ 10 m	
IP RATING	IP68/69K	
BEAM PATTERN	45° Angled Flood Pattern	
TEMPERATURE RANGE	-40°C - +60°C	
HOUSING MATERIAL	Aluminum with Powder Coating	9
LENS MATERIAL	Epoxy Encapsulated Lexan Po	lycarbonate
DIMENSIONS	150 x 47 x 39.5 mm	
CONNECTION	DT (Harness 72999 sold separ	ately)
LED LIFESPAN	30,000+ hrs	
CERTIFICATION	ECE R10	
WARRANTY	3 Year Limited	











6" x 2" BACK-UP / AREA	Part No. 776152	CDN RETAIL \$237.00/pair	
WATTAGE	14W		
VOLTAGE	9-30V DC		
AMPERAGE 12V/24V	1.1A/0.56A		
COLOUR TEMPERATURE	6500K		
THEORETICAL LUMENS	1960 lm		
ACTUAL LUMENS	1862 lm		
LUX	1 lux @ 25 m		
IP RATING	IP68 with Waterproof Breat	ther	
BEAM PATTERN	140° Flood		
TEMPERATURE RANGE	-40°C - +60°C		
HOUSING MATERIAL	Aluminum with Polyester P	owder Coating	
LENS MATERIAL	Lexan Polycarbonate		
DIMENSIONS	144 x 50 x 75 mm	144 x 50 x 75 mm	
CONNECTION	DT (Whips included, Harne	ess sold separately PN 73240)	
LED LIFESPAN	50,000+ hrs		
CERTIFICATION	E-Mark, ECE R23/R10, Ro	HS	
WARRANTY	5 Year Limited		






5" EXTREME DUTY	Part No. 795401	CDN RETAIL \$206.00
WATTAGE	40W	
VOLTAGE	10-32V DC	
AMPERAGE 12V/24V	3.6A/1.6A	_
COLOUR TEMPERATURE	6500K	
THEORETICAL LUMENS	5400 lm	
ACTUAL LUMENS	4590 lm	
LUX	1 lux @ 87 m	
IP RATING	IP69 - water/steam/dust proof	
BEAM PATTERN	50° Flood	
TEMPERATURE RANGE	-40°C - +60°C	
HOUSING MATERIAL	Aluminum with Polyester Powder C	oating
LENS MATERIAL	Lexan Polycarbonate	
DIMENSIONS	122 x 125 x 65 mm	_
MOUNTING BRACKET	Stainless Steel with Anti-Vibration C	Grommets
CONNECTION	Built-in Deutsch Connector (whip in	cluded)
LED LIFESPAN	50,000+ hrs	
CERTIFICATION	E-Mark, ECE R10, CISPR 25, RoH	S
WARRANTY	5 Year Limited	


See next page for heated version (795401H)





8.5" EXTREME DUTY HO	Part No. 891203F	CDN RETAIL \$568.00 \$399.00
WATTAGE	120W	
VOLTAGE	9-32V DC	
AMPERAGE 12V/24V	10A/5A	
COLOUR TEMPERATURE	6000K	
THEORETICAL LUMENS	10800 lm	
ACTUAL LUMENS	8740 lm	
LUX	1 lux @ 67 m	
IP RATING	IP68	
BEAM PATTERN	Flood	
TEMPERATURE RANGE	-40°C - +105°C	
HOUSING MATERIAL	Aluminum Alloy	
LENS MATERIAL	Optical Polycarbonate	
DIMENSIONS	220 x 152 x 91 mm	
CONNECTION	DT	
LED LIFESPAN	50,000+ hrs	
CERTIFICATION	CISPR 25, ECE R10, CE	E, RoHS
WARRANTY	3 Year Limited	





Mounting pads for curved & flat surfaces included

ROCK LIGHT/WORK/CLEARANCE LIGHT	Part No. 78215	CDN RETAIL \$57.00
WATTAGE	9W	
VOLTAGE	10-40V DC	
AMPERAGE 12V/24V	0.38A/0.19A	
COLOUR TEMPERATURE	5700K	
THEORETICAL LUMENS	810 lm	
ACTUAL LUMENS	411 lm	
LUX	9.61 lux @ 10 m	
IP RATING	IP68	
BEAM PATTERN	90° Flood	
TEMPERATURE RANGE	-20°C - +50°C	
HOUSING MATERIAL	Die-Cast Aluminum	
LENS MATERIAL	Optically Clear PC	
DIMENSIONS	77 x 44 x 11 mm	
CONNECTION	Pigtail with 45 cm wire	
LED LIFESPAN	30,000+ hrs	
WARRANTY	3 Year Limited	

 $\label{prices} \mbox{Prices shown are subject to change without notice, check our website for current pricing.}$






5" HEATED EXTREME DUTY	Part No. 795401H	CDN RETAIL \$231.00		
WATTAGE	40W			
VOLTAGE	10-32V DC			
AMPERAGE 12V/24V	3.6A LED, 3.6A Heated Lens Combine	d 5.3A @12V		
COLOUR TEMPERATURE	6500K			
THEORETICAL LUMENS	5400 lm			
ACTUAL LUMENS	4590 lm			
LUX	1 lux @ 87 m			
IP RATING	IP69 - water/steam/dust proof			
BEAM PATTERN	50° Flood			
PATENTED SNOW MELT SYSTEM	Yes			
TEMPERATURE RANGE	-40°C - +60°C			
HOUSING MATERIAL	Aluminum with Polyester Powder Coat	ing		
LENS MATERIAL	Lexan Polycarbonate			
DIMENSIONS	122 x 125 x 65 mm			
CONNECTION	Built-in Deutsch Connector (whip inclu	ded)		
LED LIFESPAN	50,000+ hrs			
CERTIFICATION	E-Mark, ECE R10, CISPR 25, RoHS			
WARRANTY	5 Year Limited			

See previous page for non-heated version (795401)



HEATED SAE/DOT SNOWPLOW HEADLIGHT	Part No. 7910001 CDN RETAIL \$464.00
WATTAGE	20W Low Beam / 38W High Beam
VOLTAGE	9-32V DC
AMPERAGE 12V/24V	4.2A/2.0A
COLOUR TEMPERATURE	5700K
LUMENS	1800 lm Low Beam / 3600 lm High Beam
REVERSE POLARITY PROTECTION	Yes
IP RATING	IP68
BEAM PATTERN	SAE/DOT High/Low Beam Headlight
PATENTED SNOW MELT SYSTEM	Yes
MOUNTING BRACKET	Multi-directional (Turn signal also multi-fit)
TEMPERATURE RANGE	-40°C - +105°C
HOUSING MATERIAL	Aluminum with Powder Coating
LENS MATERIAL	Tempered Glass
DIMENSIONS	150 x 150 x 80 mm
CONNECTION	DT6 Connector with whip
LED LIFESPAN	50,000+ hrs
CERTIFICATION	SAE/DOT, CISPR 25, ECE R10, CE, RoHS
WARRANTY	3 Year Limited



20" E-MARK HEATED LED BAR	Part No. 781202H CDN RETAIL \$399			
WATTAGE	LED Only 96W / Heating System 40W			
VOLTAGE	9-30V DC			
AMPERAGE 12V/24V	LED Only 5.8A/2.9A / LED and H	eat System 10.2A/4.6A		
COLOUR TEMPERATURE	6000K			
THEORETICAL LUMENS	8900 lm			
ACTUAL LUMENS	7500 lm			
LUX	1 lux @ 450 m			
IP RATING	IP68/69K			
BEAM PATTERN	E-Mark Driving			
PATENTED SNOW MELT SYSTEM	Yes			
TEMPERATURE RANGE	-40°C - +60°C			
HOUSING MATERIAL	Aluminum with Anodized Polyeste	er Powder Coating		
LENS MATERIAL	Tempered Glass			
DIMENSIONS	505 x 58 x 68.5 mm			
CONNECTION	Harness Included			
LED LIFESPAN	50,000+ hrs			
CERTIFICATION	E-Mark, ECE R112/R10, RoHS			
WARRANTY	5 Year Limited			



CUBE LIGHT COMPARISON





RFB Titanium 20W

- Same reflector size as Traditional CubesSmaller housing
 - Almost double the output
- RFB Titanium





SFB Titanium 40W

- · Largest reflector
- Slightly larger housing
- Massive light output!






SAE/DOT Approved 25W

- Driving or fog
- White or yellow beam
- Same housing size as Traditional






PART No. 74006 CDN RETAIL \$216.00/pr








PART No. 76006 CDN RETAIL \$279.00/pr



TITANIUM SERIES OFF-ROAD CUBE KITS

Part No.	RFB 74006	SFB 76006
WATTAGE	20W	40W
VOLTAGE	10-30V DC	10-30V DC
AMPERAGE 12V/24V	1.5A/0.75A	3.9A/1.62A
COLOUR TEMPERATURE	5700K	5700K
THEORETICAL LUMENS	1920 lm	4800 lm
ACTUAL LUMENS	1751 lm	3317 lm
LUX	254 m	271 m
IP RATING	IP67/69K w DT	IP67/69K w DT
BEAM PATTERN	Spot	Spot
OPERATING TEMPERATURE	-40°C - +60°C	-40°C - +60°C
HOUSING MATERIAL	Aluminum w/ Powder Coat	Aluminum w/ Powder Coat
LENS MATERIAL	Polycarbonate	Polycarbonate
DIMENSIONS	69.9 x 64.2 x 59.6 mm	81 x 75 x 67.5 mm
ELECTRONIC HEAT MANAGEMENT	Yes	Yes
OVER/UNDER VOLT PROTECTION	Yes	Yes
REVERSE POLARITY PROTECTION	Yes	Yes
CONNECTION	DT	DT
HARNESS	Included	Included
LED LIFESPAN	30,000+ hrs	30,000+ hrs
WARRANTY	5 Year Limited	5 Year Limited







SAE/DOT APPROVED CUBE KITS REGULAR MOUNT




DRIVING PATTERN

75001 (White) CDN RETAIL \$259.00/pr 75003 (Yellow) CDN RETAIL \$259.00/pr



FOG PATTERN

75001F (White) CDN RETAIL \$259.00/pr 75003F (Yellow) CDN RETAIL \$259.00/pr







SAE/DOT APPROVED CUBE KITS FLUSH MOUNT



DRIVING PATTERN

75002 (White) CDN RETAIL \$279.00/pr 75004 (Yellow) CDN RETAIL \$279.00/pr



FOG PATTERN

75002F (White) CDN RETAIL \$279.00/pr 75004F (Yellow) CDN RETAIL \$279.00/pr









Part No.	75001/75002	75001F/75002F	75003/75004	75003F/75004F
WATTAGE	25W	25W	25W	25W
VOLTAGE	10-30V DC	10-30V DC	10-30V DC	10-30V DC
AMPERAGE 12V/24V	1.6A/0.8A	1.6A/0.8A	1.6A/0.8A	1.6A/0.8A
THEORETICAL LUMENS	2700 lm	1470 lm	1350 lm	1350 lm
ACTUAL LUMENS	1043 lm	1009 lm	762 lm	762 lm
1 LUX @	217 m	54 m	247 m	54 m
IP RATING	IP67/69K	IP67/69K	IP67/69K	IP67/69K
BEAM PATTERN	Spot/Driving (White)	Fog (White)	Spot/Driving (Yellow)	Fog (Yellow)
OPERATING TEMPERATURE	-40°C - +50°C	-40°C - +50°C	-40°C - +50°C	-40°C - +50°C
HOUSING MATERIAL	Aluminum with Powder Coat			
LENS MATERIAL	Anti-UV Polycarbonate	Anti-UV Polycarbonate	Anti-UV Polycarbonate	Anti-UV Polycarbonate
DIMENSIONS	80 x 75 x 82 mm			
CONNECTION	DT	DT	DT	DT
HARNESS	Included	Included	Included	Included
LED LIFESPAN	30,000+ hrs	30,000+ hrs	30,000+ hrs	30,000+ hrs
CERTIFICATION	SAE/DOT J581	SAE/DOT J583	SAE/DOT J581	SAE/DOT J583
WARRANTY	5 Year Limited	5 Year Limited	5 Year Limited	5 Year Limited

Street legal anywhere in North America

Covers available for 75001 in different colours – see page 18.



TITANIUM T4

20" DUAL BEAM 4-FUNCTION LED LIGHT BAR



Part No. 76240 CDN RETAIL \$588.00










Switching between the powerful white driving light and the focused, low glare yellow fog light allows the driver to adjust instantly to changing weather conditions. The driving light is E-Mark Certified and the fog pattern is SAE/DOT approved. The Amber strobe lights on each end of the light bar provide additional safety in an SAE/DOT double flash pattern. The two colour, centrally located marker light adds a customization option—you select the running colour—bright white or rich amber. Excellent for fleet vehicles.


There is a **boost** function for the fog light, where you can increase the yellow beam pattern output for improved visibility off-road or in challenging weather conditions. Simply press the fog button a second time on the 4 Position Multi-Switch to activate.

WATTAGE (Theoretical/Actual)	Driving 87W/85W; Fog 1 12W/10W; Fog 2 24W/22W; Safety 3W/3W; Position 5W/4W
VOLTAGE	9-30V DC
AMPERAGE 12V/24V	Driving 7.08A/3.54A; Fog 1 1A/0.5A, Fog 2 1.83A/0.92A
LUMENS	Driving Light 8700 Raw lm; 8500 Effective Im
1 LUX @	420 m (Driving Light)
IP RATING	IP67
BEAM PATTERN	Top Row SAE Fog Beam/Bottom Row E-Mark Driving Beam
OPERATING TEMPERATURE	-45°C - +65°C
SAFETY LIGHT	SAE/DOT Amber Double Flash
COLOUR	Driving 5700K/Fog 3000K
HOUSING MATERIAL	Aluminum with Anodized Polyester Powder Coat
LENS MATERIAL	Lexan Polycarbonate
MOUNTING BRACKETS	Side Mounts and Back Mounts Included
DIMENSIONS	520 x 80 x 73 mm/20.5 x 3.15 x 2.88" (Height 85 mm/3.35" including bracket)
CONNECTION	6 pin DT plus 30 cm Whip
LED LIFESPAN	30,000+ hrs
CERTIFICATION	E-Mark, ECE R1 12/R10, SAEJ595, J222, J583
WARRANTY	3 Year Limited









DRIVING BEAM AND FOG BEAM



TITANIUM T4

4 POSITION MULTI-SWITCH KIT with INTEGRAL RELAYS

Part No. 73601 CDN RETAIL \$229.00











Simply, securely and safely power up your BrightSource® **TITANIUM T4** Light Bar with the innovative BrightSource® 4-Function Multi-Switch Kit. Also designed as a universal switch, it can be used to power up an infinite number of applications. Button icon label sheet is included. **Reduces your install time from hours to just minutes.**

FEATURES:

- Designed for use with our 76240 TITANIUM T4 Dual Beam Light Bar
- · All-in-one controller with integrated relays
- 4 function buttons (each can be programmed separately for on/off or momentary operation)
- · 20 Amp shared output capacity
- Additional button stickers to clearly label your panel for universal applications
- · Soft touch buttons with dual colour LED background

SWITCH KIT INCLUDES:

- 4 Position Multi-Switch w/snap-in mount (Part No. 73606)
- Power harness (Part No. 73602)
- 5 Metre extension cable (Part No. 73604)
- High beam adapter (Part No. 73603)

SPECIFICATIONS				
VOLTAGE	10-30V DC			
MAXIMUM OUTPUT	20A			
DIMENSIONS	62 x 62 x 25 mm (2.4" x 2.4" x 1")			
MOUNT	Dash Mount			
WARRANTY	2 Year Warranty			






Complete Switch Kit Part No. 73601

Part No. 73603

SAE/DOT APPROVED 20" DOUBLE ROW LIGHT BAR



Part No.	76220	CDN RETAIL \$348.00
WATTAGE	100W	
VOLTAGE	10-30V DC	
COLOUR TEMPERATURE	6000K	
THEORETICAL LUMENS	7068 lm	
ACTUAL LUMENS	1350 lm	
LUX	1 lux @ 251 m	
IP RATING	IP67 with Gore-Tex	Breather
BEAM PATTERN	SAE/DOT J581 Dri	ving
TEMPERATURE RANGE	-40°C - +60°C	
HOUSING MATERIAL	Die-Cast Aluminum	with Powder Coat
LENS MATERIAL	Lexan Polycarbona	ite
MOUNTING BRACKETS	Die-Cast Aluminum	with Powder Coat
DIMENSIONS	545 x 85 x 90 mm	
CONNECTION	Harness with Switc	h and Relay
LED LIFESPAN	50,000+ hrs	
CERTIFICATION	SAE/DOT J581	
WARRANTY	5 Year Limited	

Street legal anywhere in North America

E-MARK CERTIFIED DOUBLE ROW LIGHT BARS



PART No. 72006E (6") **CDN RETAIL \$199.00**



(E)

CDN RETAIL \$299.00



PART No. 72012E (12")







PART No. 72020E (20") **CDN RETAIL \$399.00**











Part No.	72006E	72012E	72020E	
WATTAGE	36W	72W	120W	
VOLTAGE	10-30V DC	10-30V DC	10-30V DC	
AMPERAGE 12V/24V	1.9A/0.9A	3.8A/1.9A	6.9A/3.5A	
COLOUR TEMPERATURE	5000K	5000K	5000K	
THEORETICAL LUMENS	3240 lm	6480 lm	10800 lm	
ACTUAL LUMENS	1403 lm	2635 lm	3935 lm	
1 LUX @	312 m	431 m	406 m	
IP RATING	IP67	IP67	IP67	
BEAM PATTERN	Driving	Driving	Driving	
PERATING TEMPERATURE -40°C - +60°C		-40°C - +60°C	-40°C - +60°C	
HOUSING MATERIAL Aluminum with Powder Coat		Aluminum with Powder Coat	Aluminum with Powder Coat	
LENS MATERIAL Epoxy Encapsulated PC		Epoxy Encapsulated PC	Epoxy Encapsulated PC	
MOUNTING BRACKET	Side & Bottom Included	Side & Bottom Included	Side & Bottom Included	
DIMENSIONS	206 x 79 x 87 mm	358 x 79 x 87 mm	563 x 79 x 87 mm	
CONNECTION	DT	DT	DT	
HARNESS	Included	Included	Included	
LED LIFESPAN	50,000+ hrs	50,000+ hrs	50,000+ hrs	
CERTIFICATION	E-Mark, ECE R10, RoHS	E-Mark, ECE R10, RoHS	E-Mark, ECE R10, RoHS	
WARRANTY	5 Year Limited	5 Year Limited	5 Year Limited	

Street legal anywhere in Canada except in AB, SK, MB. Covers available in different sizes and colours - see page 19.



TITANIUM LIGHT BARS



PART No. 771102 (10") CDN RETAIL \$226.00



PART No. 771202 (20") CDN RETAIL \$284.00



PART No. 771302 (30") CDN RETAIL \$398.00







PART No. 772202 (20" Double Row) CDN RETAIL \$519.00





Part No.	771102	771202	771302	771252	772202
WATTAGE	45W	90W	135W	90W	180W
VOLTAGE	9-30V DC	9-30V DC	9-30V DC	9-30V DC	9-30V DC
AMPERAGE 12V/24V	3.1A/1.4A	6.2A/2.8A	8.2A/3.9A	6.2A/2.8A	12.5A/5.9A
COLOUR TEMPERATURE	6500K	6500K	6500K	6500K	6500K
THEORETICAL LUMENS	4100 lm	8100 lm	12200 lm	8100 lm	16400 lm
ACTUAL LUMENS	3280 lm	6950 lm	9800 lm	6950 lm	14000 lm
1 LUX @	360 m	448 m	491 m	450 m	607 m
IP RATING	IP68 with Breather	IP68 with Breather	IP68 with Breather	IP68 with Breather	IP68 with Breather
BEAM PATTERN	Driving	Driving	Driving	Driving	Combo
OPERATING TEMPERATURE	-40°C - +60°C	-40°C - +60°C	-40°C - +60°C	-40°C - +60°C	-40°C - +60°C
HOUSING MATERIAL	Aluminum with Powder Coat	Aluminum with Powder Coat	Aluminum with Powder Coat	Aluminum with Powder Coat	Aluminum with Powder Coat
LENS MATERIAL	Lexan Polycarbonate	Lexan Polycarbonate	Lexan Polycarbonate	Lexan Polycarbonate	Lexan Polycarbonate
DIMENSIONS	272 x 68 x 38.5 mm	515 x 68 x 38.5 mm	758 x 69.8 x 38.5 mm	518 x 81 x 38.5 mm	525 x 80 x 68 mm
ELECTRONIC HEAT MANAGEMENT	Yes	Yes	Yes	Yes	Yes
MOUNTING BRACKET	Side & Bottom Included	Side & Bottom Included			
REVERSE POLARITY PROTECTION	Yes	Yes	Yes	Yes	Yes
CONNECTION	DT (Whip Included)	DT (Whip Included)	DT (Whip Included)	DT (Whip Included)	DT (Whip Included)
HARNESS (Sold Separately)	72999	72999	72999	72999	73300
CENTRE CONNECT KIT (For joining two lamps together)	771000	772000	772000	772000	N/A
CERTIFICATION	E-Mark, ECE R112/R10 CE RoHS				
WARRANTY	5 Year Limited	5 Year Limited	5 Year Limited	5 Year Limited	5 Year Limited



ECO2 LED BARS



PART No. 72206 (6") CDN RETAIL \$98.00



PART No. 72210 (10") CDN RETAIL \$125.00



Wind/Noise/Whistle Eliminator for any BrightSource® ECO 2 and E-Mark Certified Series light bars. Fits straight or curved bars. Sold individually.

PART No. 74500 CDN RETAIL \$6.00/ea PART No. 745004 CDN RETAIL \$22.00/4pk



PART No. 72220 (20") CDN RETAIL \$171.00



PART No. 72230 (30") CDN RETAIL \$227.00

PART No.	72206	72210	72220	72230
WATTAGE	18W	30W	60W	90W
VOLTAGE	10-30V DC	10-30V DC	10-30V DC	10-30V DC
AMPERAGE 12V	12V-1.2A	12V-1.8A	12V-3.5A	12V-5.2A
COLOUR TEMPERATURE	6000K	6000K	6000K	6000K
THEORETICAL LUMENS	3010 lm	5016 lm	8360 lm	12540 lm
ACTUAL LUMENS	1170 lm	1950 lm	3925 lm	5880 lm
LUX	682 @ 6 m	1280 @ 6 m	2610 @ 6 m	3920 @ 6 m
IP RATING	IP68	IP68	IP68	IP68
BEAM PATTERN	Combo	Combo	Combo	Combo
OPERATING TEMPERATURE	-40°C - +45°C	-40°C - +45°C	-40°C - +45°C	-40°C - +45°C
HOUSING MATERIAL	Aluminum with Powder Coat			
LENS MATERIAL	Lexan Polycarbonate	Lexan Polycarbonate	Lexan Polycarbonate	Lexan Polycarbonate
DIMENSIONS	208.4 x 49.8 x 74.9 mm	310 x 49.8 x 74.9 mm	564 x 49.8 x 74.9 mm	818 x 49.8 x 74.9 mm
CONNECTION	DT (Whip included)	DT (Whip included)	DT (Whip included)	DT (Whip included)
HARNESS (Sold Separately)	72999	72999	72999	72999
WARRANTY	3 Year Limited	3 Year Limited	3 Year Limited	3 Year Limited

Harness adapters and harnesses available separately – see page 17.



ECO2 CURVED LIGHT BARS







PART No. 72530 (32") CDN RETAIL \$339.00





PART No. 72540 (42") CDN RETAIL \$399.00

PART No.	72520	72530	72540
WATTAGE	60W	90W	120W
VOLTAGE	9-36V DC	9-36V DC	9-36V DC
AMPERAGE 12V	12V-3.5A	12V-5.2A	12V-7.2A
COLOUR TEMPERATURE	6000K	6000K	6000K
THEORETICAL LUMENS	8360 lm	12540 lm	16720 lm
ACTUAL LUMENS	3925 lm	5880 lm	7880 lm
LUX	2610 @ 6 m	3920 @ 6 m	5200 @ 6 m
IP RATING	IP68	IP68	IP68
BEAM PATTERN	Combination	Combination	Combination
OPERATING TEMPERATURE	-40°C - +45°C	-40°C - +45°C	-40°C - +45°C
HOUSING MATERIAL	Aluminum with Powder Coat	Aluminum with Powder Coat	Aluminum with Powder Coat
LENS MATERIAL	Polycarbonate	Polycarbonate	Polycarbonate
MOUNTING	Side & Bottom Included	Side & Bottom Included	Side & Bottom Included
DIMENSIONS	564 x 74.9 x 49.8 mm	818 x 74.9 x 49.8 mm	1074 x 74.9 x 49.8 mm
CONNECTION	DT (Whip included)	DT (Whip included)	DT (Whip included)
HARNESS (Sold Separately)	72999	72999	72999
LED LIFESPAN	50,000+ hrs	50,000+ hrs	50,000+ hrs
CERTIFICATION	N/A	N/A	N/A
WARRANTY	3 Year Limited	3 Year Limited	3 Year Limited

Harness adapters and harnesses available separately – see page 19.





PART No. 72999 CDN RETAIL \$57.00 15A Wiring harness/switch

for single lamps up to 156W
(DT Connector – 9' length from DT connector to relay)
2 Year Limited Warranty

PART No. 72999-1 CDN RETAIL \$71.25 30A Wiring harness/switch

for single lamps with dual colour position light, up to 120W each Includes DT Connector and 1 x 270438 DT4 to DT2 Adapter



PART No. 73240 CDN RETAIL \$74.00 30A Wiring harness/switch

for dual lamps up to 120W each
(DT connector - 9' length from DT connector to relay)
2 Year Limited Warranty

PART No. 73240-2 CDN RETAIL \$104.50 30A Wiring harness/switch

for two lamps with dual colour position light, up to 120W each Includes DT Connector and 2 x 270438 DT4 to DT2 Adapters



PART No. 73300 CDN RETAIL \$74.00 40A Wiring harness/switch for single lamps up to 300W (DTP connector)



PART No. 270438 CDN RETAIL \$19.00 Siberia Adapter - DT4 to DT2

(1 adapter required per lamp) fits to 72999 & 73240 harnesses



PART No. 73700 CDN RETAIL \$76.00 Quick Power Harness

Female DT connector
Fits into 7 pin trailer plug - wire stretches 7 m or 22 ft
3 Year Limited Warranty



PART No. 73350 CDN RETAIL \$19.00 30 cm Deutsch Connector Whip Female DT connector (standard 15A)



30 cm Deutsch Connector Whip Female DTP connector (larger heavy duty 30A)



DUST CAPS



33701C GMC OEM Replacement CDN RETAIL \$64.00/pr



33601C Ford F150 2015-2017 Deeper than OEM to accomodate LED bulbs CDN RETAIL \$49.00/pr



33401C
Dodge RAM Non-Projector Quad Headlights
OEM Replacement
CDN RETAIL \$64.00/pr



33402C
Dodge RAM Projector L&R
Deeper than OEM to accomodate LED bulbs
CDN RETAIL \$64.00/pr

SOFT SHELL NEOPRENE COVERS







Neoprene covers for Titanium Series Round Lights.

These fit BrightSource® 8800721 (7") and 870092 (9") lights only.

Sold individually.

PART No. 74197 (7") CDN RETAIL \$18.00/ea PART No. 74199 (9") CDN RETAIL \$18.00/ea



MOUNTING BRACKETS

CUSTOM














PART No.	DESCRIPTION	CDN RETAIL
212007	Jeep JK Bracket Kit for 10" or 20" light bar (bottom of grille)	\$102.00
211235	F150 2015+; F250/350 2017+ Bracket Kit (1 cube light/side)	\$78.00
221715	F250/350 2017+ Bracket Kit (2 cube lights/side)	\$169.00
200875	Universal 7/8" Tube Mount Bracket Kit	\$34.00/pr
200100	Universal 1.0" Tube Mount Bracket Kit	\$34.00/pr
200125	Universal 1.25" Tube Mount Bracket Kit	\$34.00/pr
200150	Universal 1.5" Tube Mount Bracket Kit	\$34.00/pr
200175	Universal 1.75" Tube Mount Bracket Kit	\$34.00/pr
200200	Universal 2.0" Tube Mount Bracket Kit	\$44.00/pr
200250	Universal 2.5" Tube Mount Bracket Kit	\$44.00/pr
200300	Universal 3.0" Tube Mount Bracket Kit	\$44.00/pr
200423B	23"x 1.25" Universal License Plate Bracket (stainless black)	\$78.00/ea
200423P	23"x 1.25" Universal License Plate Bracket (stainless polished)	\$89.00/ea



LENS COVERS FOR TITANIUM & SIBERIA 2 ROW LIGHT BARS





3", 6" & 8" POLYCARBONATE LENS COVERS

3" fits BrightSource® Cube Lights: 74001, 75001, 75002, 75003, 75004, 76001, 76006 6" & 8" combine to fit: 76220, 72006E, 72012E, 72020E, and City Series skus (discontinued)

PART No.	DESCRIPTION	CDN RETAIL
74101	3" Amber Polycarbonate Lens Cover	\$8.00/ea
74102	3" Black Polycarbonate Lens Cover	\$8.00/ea
74103	3" Green Polycarbonate Lens Cover	\$8.00/ea
74104	3" Red Polycarbonate Lens Cover	\$8.00/ea
74105	3" Blue Polycarbonate Lens Cover	\$8.00/ea
74106	3" Clear Polycarbonate Lens Cover	\$8.00/ea
74161	6" Amber Polycarbonate Lens Cover	\$9.00/ea
74162	6" Black Polycarbonate Lens Cover	\$9.00/ea
74163	6" Green Polycarbonate Lens Cover	\$9.00/ea
74164	6" Red Polycarbonate Lens Cover	\$9.00/ea
74165	6" Blue Polycarbonate Lens Cover	\$9.00/ea
74166	6" Clear Polycarbonate Lens Cover	\$9.00/ea
74181	8" Amber Polycarbonate Lens Cover	\$10.00/ea
74182	8" Black Polycarbonate Lens Cover	\$10.00/ea
74183	8" Green Polycarbonate Lens Cover	\$10.00/ea
74184	8" Red Polycarbonate Lens Cover	\$10.00/ea
74185	8" Blue Polycarbonate Lens Cover	\$10.00/ea
74186	8" Clear Polycarbonate Lens Cover	\$10.00/ea



DEFENDER SURFACE MOUNT WARNING/MARKER SUPER SLIM









SURFACE MOUNT MARKER	PART No. S19SM12 CDN RETAIL \$79.00
LED POWER	12pcs * 2W OSRAM
VOLTAGE	12-24V DC
COLOUR	Amber/Blue/Red/White
DIMENSIONS	130 x 40 mm
WATERPROOF	IP67
CERTIFICATION	SAE, ECE R65 Single Flash, ECE R10, SAE J595 Class 1 Double Flash
MATERIAL	PC lens, Aluminum Base with 3M Pad
PATTERNS	19 – single, double, alternate flash
FUNCTION	With memory, flashing at same time, split flashing
FIVE WIRES	Red - Positive, Black - Negative, Yellow - Switch, White - Input, Grey - Output
WARRANTY	3 Year Limited









SURFACE MOUNT MARKER	PART No. S19SM18 CDN RETAIL \$84.00
LED POWER	18pcs * 1W OSRAM
VOLTAGE	12-24V DC
COLOUR	Amber/Blue/Red/White
DIMENSIONS	130 x 55 mm
WATERPROOF	IP67
CERTIFICATION	SAE, ECE R65 Single Flash, ECE R10, SAE J595 Class 1 Double Flash
MATERIAL	PC lens, Aluminum Base with 3M Pad
PATTERNS	19 – single, double, alternate flash
FUNCTION	With memory, flashing at same time, split flashing
FIVE WIRES	Red - Positive, Black - Negative, Yellow - Switch, White - Input, Grey - Output
WARRANTY	3 Year Limited









SURFACE MOUNT MARKER	PART No. S19SM24 CDN RETAIL \$89.00
LED POWER	24pcs * 1W OSRAM
VOLTAGE	12-24V DC
COLOUR	Amber/Blue/Red/White
DIMENSIONS	130 x 65 mm
WATERPROOF	IP67
CERTIFICATION	SAE, ECE R65 Single Flash, ECE R10, SAE J595 Class 1 Double Flash
MATERIAL	PC lens, Aluminum Base with 3M Pad
PATTERNS	19 – single, double, alternate flash
FUNCTION	With memory, flashing at same time, split flashing
FIVE WIRES	Red - Positive, Black - Negative, Yellow - Switch, White - Input, Grey - Output
WARRANTY	3 Year Limited



PART No.	DESCRIPTION	CDN RETAIL
S19SM12A	2-Row Amber Warning, 12 LEDs	\$79.00
S19SM12B	2-Row Blue Warning, 12 LEDs	\$79.00
S19SM12R	2-Row Red Warning, 12 LEDs	\$79.00
S19SM12AW	2-Row Amber/White Warning, 12 LEDs	\$79.00
S19SM12RB	2-Row Red/Blue Warning, 12 LEDs	\$79.00
S19SM12RW	2-Row Red/White Warning, 12 LEDs	\$79.00
S19SM18A	3-Row Amber Warning, 18 LEDs	\$84.00
S19SM18B	3-Row Blue Warning, 18 LEDs	\$84.00
S19SM18R	3-Row Red Warning, 18 LEDs	\$84.00
S19SM18AW	3-Row Amber/White Warning, 18 LEDs	\$84.00
S19SM18RB	3-Row Red/Blue Warning, 18 LEDs	\$84.00
S19SM18RW	3-Row Red/White Warning, 18 LEDs	\$84.00
S19SM24A	4-Row Amber Warning, 24 LEDs	\$89.00
S19SM24B	4-Row Blue Warning, 24 LEDs	\$89.00
S19SM24R	4-Row Red Warning, 24 LEDs	\$89.00
S19SM24AW	4-Row Amber/White Warning, 24 LEDs	\$89.00
S19SM24RB	4-Row Red/Blue Warning, 24 LEDs	\$89.00
S19SM24RW	4-Row Red/White Warning, 24 LEDs	\$89.00



DEFENDER LED MARKER SUPER SLIM with STROBE & DUAL COLOUR POSITION

PART No.	COLOUR (POSITION)	PACK SIZE	CDN RETAIL
S20SM4AAW	Amber/White	Single	\$89.00
S20SM4AAW4	Amber/White	Pro Pack 4	\$338.00
S20SM4AAR	Amber/Red	Single	\$89.00
S20SM4AAR4	Amber/Red	Pro Pack 4	\$338.00










SPECIAL FEATURES:

- · Waterproof ultra low-profile design
- 20 amber strobe flash patterns
- · Switchable white/amber or red/amber position light
- · Multi-unit synchronization in simultaneous or alternating pattern
- · Square shape for versatile mounting
- ECE R65/R148/R10, SAE W-1, DOT Certified
- Self-adhesive backing/stainless steel screws for quick & easy installation
- 10-30V DC multi-voltage input
- Optional chrome trim bezel available for custom applications
- · Vibration-resistant design
- · Solid aluminum backing for efficient heat dissipation and maximum durability
- · 3 year limited warranty



DEFENDER RAPTOR MARKER SWITCHABLE DUAL COLOUR

PART No.	COLOUR (POSITION)	PACK SIZE	CDN RETAIL
S1SMAW	Amber/White	Single	\$31.00
S1SMAW3	Amber/White	Pro Pack 3	\$89.00

















SPECIAL FEATURES:

- · Unique switchable white/amber position light
- · Ultra low-profile design
- Can be mounted 'Raptor Style' in the grill
- Endless mounting possibilites (side marker/hood/step light/mirror)
- Surface mount with double-sided 3M tape/stainless hardware or use mounting bracket (all included)
- Same performance output as position light on S20SM4AAW (see above)
- · Available individually and in Pro Pack of 3 lights
- · Waterproof (IP69K)
- · 2 year limited warranty











SLIM WARNING LIGHT BAR

PART No. S144B24A-B72A



Our new BrightSource® High Performance Slim LED Warning Bar is perfect for mounting on today's vehicles. The extremely thin design creates less wind noise and reduces fuel consumption. 14 Flash patterns, 6 different lengths and replaceable modules to save money & time. Quality abounds with full certification from both ECE and SAE (DOT). 3 year limited warranty.

PART No.	Length	Flash Colour	Power	CDN Retail
S144B24A	24"	Amber	74W	\$735.00
S144B30A	30"	Amber	82W	\$843.00
S144B42A	42"	Amber	98W	\$1,054.00
S144B48A	48"	Amber	106W	\$1,161.00
S144B60A	60"	Amber	122W	\$1,373.00
S144B72A	72"	Amber	138W	\$1,585.00



DIAMOND SERIES MINI LIGHT BARS SAE CLASS 1 AMBER or AMBER/BLUE OUTPUT

S10MM48A (AMBER) CDN Retail \$189.00 S10MM48AB (AMBER/BLUE) CDN Retail \$224.00










Expanding on very successful sales with our current series Mini Light Bars, we are excited to announce a new addition – the Diamond Series SAE/DOT Mini Light Bar. There are two new models featuring amber/blue or amber output.

The clear lens amber or amber/blue lights are proven to improve safety for our highway service and emergency crews by effectively slowing traffic on all types of roadways.

FEATURES:

- SAE J845 Class 1 Rating
- Dual colour 24 amber LEDs, 24 blue LEDs
- 10 selectable flash patterns
- · Powerful magnet or permanent mount




DIAMOND SERIES MINI LIGHT BAR PART No. S10MM48A / S10MM48AB LEDs \$10MM48A - 48 Amber / \$10MM48AB - T

LEDs	S10MM48A - 48 Amber / S10MM48AB - Total 48 - 24 Amber; 24 Blue	
FLASH PATTERNS	10 selectable patterns	
COLOUR	S10MM48A - Amber / S10MM48AB - Amber/Blue	
IP RATING	IP66	
TEMPERATURE RANGE	-30 - +50°C	
LENS MATERIAL	Clear polycarbonate	
MOUNTING	Magnetic or permanent bolt mount	
DIMENSIONS	13" (L) x 7" (W) x 2" (D) / 328 x 186 x 50 mm	
WEIGHT	2.4 lbs / 1.1 kg	
CERTIFICATION	SAE J845 Class 1, ECE R65 Double Flash, ECE R10 Cert., 9E-10R	
POWER CABLE	Lighter plug with switch for colour choice and pattern, upgraded 20 AWG wiring	
WARRANTY	3 year limited	











DIAMOND SERIES MID-SIZE BEACONS SAE CLASS 1 AMBER or CLEAR LENS WITH AMBER/BLUE OUTPUT



S8MM24A (AMBER) CDN Retail \$110.00 S8MM24AB (AMBER/BLUE) CDN Retail \$139.00







Expanding on our very popular Safety Beacon program, we are excited to announce a new addition – the Diamond Series Mid-Size SAE/DOT Safety Beacon. There are two new models featuring amber or amber/blue output.

The amber or clear lens amber/blue lights are proven to improve safety for our highway service and emergency crews by effectively slowing traffic on all types of roadways.

FEATURES:


- SAE Class 1 rating
- · Combination amber/blue
- Dual colour 24 amber LEDs, 24 blue LEDs
- 8 selectable flash patterns
- Synchronize with other S8MM24A or S8MM24AB
- · Powerful magnet with suction cup

	>
100	THE REAL PROPERTY.

DIAMOND SERIES MID-SIZE BEACONS PART No. S8MM24A / S8MM24AB		
LEDs	S8MM24A - 24 Amber / S8MM48AB - Total 48 - 24 Amber; 24	
FLASH PATTERNS	10 selectable patterns	
COLOUR	S10MM48A - Amber / S10MM48AB - Amber/Blue	
IP RATING	IP66	
TEMPERATURE RANGE	-30 - +50°C	
LENS MATERIAL	Clear polycarbonate	
MOUNTING	Magnetic with suction cup	
DIMENSIONS	5.1" (H) x 5" (W) / 131 x 126 mm	
WEIGHT	1.6 lbs / 750g	
CERTIFICATION	SAE J845 Class 1, ECE R65, ECE R10	
POWER CABLE	Lighter plug with switch for colour choice and pattern, upgraded 20 AWG wiring	
WARRANTY	3 Year Limited	

Sold Separately: Part No. 375MD - 3M Self-Adhesive Metal Disc (3.75° diameter) acts as a magnetic base for aluminum or fibreglass truck caps or work cabs.








3 LED MARKER LIGHT (Single) 3 LED MARKER LIGHT (3 Pack)	PART No. S19SM3A PART No. S19SM3A3	CDN RETAIL \$54.00 CDN RETAIL \$142.00	
VOLTAGE	12-24V DC		
LEDs	3 x 3W	3 x 3W	
COLOUR	Amber		
PATTERN	19 flash patterns with memory function to synchronize up to 20 separate marker lights		
IP RATING	IP67		
MOUNTING	Surface mount with 3M Tape or screws (both included)		
TEMPERATURE RANGE	-30°C - +50°C		
DIMENSIONS	7 x 82 x 30 mm		
CERTIFICATION	SAE J595 Class 1 Double Flash, ECE R65 Single Flash		
WARRANTY	3 Year Limited		










6 LED MARKER LIGHT (Single) 6 LED MARKER LIGHT (3 Pack)	PART No. S19SM6A PART No. S19SM6A3	CDN RETAIL \$74.00 CDN RETAIL \$211.00
VOLTAGE	12-24V DC	
LEDs	6 x 3W	
COLOUR	Amber	
PATTERN	19 flash patterns with memory function to synchronize up to 20 separate marker lights	
IP RATING	IP67	
MOUNTING	Surface mount with 3M Tape or screws (both included)	
TEMPERATURE RANGE	-30°C - +50°C	
DIMENSIONS	7 x 130 x 30 mm	
CERTIFICATION	SAE J595 Class 1 Double Flash, ECE R65 Single Flash	
WARRANTY	3 Year Limited	





MINI WARNING BEACON	PART No. S12B30A	CDN RETAIL \$42.00
VOLTAGE	12-110V DC	
LEDs	30 x 5050SMD	
COLOUR	Amber	
PATTERN	Quad Flash	
IP RATING	IP56	
MOUNTING	Permanent 2 Bolt	
TEMPERATURE RANGE	-30°C - +50°C	
DIMENSIONS	129 x 99 mm	
CONNECTION	Pigtail Wire off the Light	
CERTIFICATION	N/A	
WARRANTY	3 Year Limited	



MID-SIZE WARNING BEACON	PART No. S2MM60A	CDN RETAIL \$65.00
VOLTAGE	12-24V DC	
LEDs	60 High Power	
COLOUR	Amber	
PATTERN	Revolving/Quad Flash	
IP RATING	IP56	
MOUNTING	Magnetic or 3 Bolt	
TEMPERATURE RANGE	-30°C - +50°C	
DIMENSIONS	94 x 129 x 80 mm	
CONNECTION	Lighter Socket/12V Accessory Outlet	
CERTIFICATION	N/A	
WARRANTY	3 Year Limited	








MID-SIZE WARNING BEACON	PART No. S8MM32A	CDN RETAIL \$65.00
VOLTAGE	12-24V DC	
LEDs	32 High Power	
COLOUR	Amber	
PATTERN	8 Flash Patterns	
IP RATING	IP56	
MOUNTING	Magnetic or 3 Bolt	
TEMPERATURE RANGE	-30°C - +50°C	
DIMENSIONS	94 x 129 x 80 mm	
CONNECTION	Lighter Socket/12V Accessory Outle	et
CERTIFICATION	SAE J845 Class 1, ECE E9	
WARRANTY	3 Year Limited	




SAFETY


















RECHARGEABLE BEACON BEACON including METAL DISC		CDN RETAIL \$165.00 CDN RETAIL \$184.00
VOLTAGE	12-24V DC	
LEDs	36 High Power	
COLOUR	Amber	
PATTERN	2 SAE Class 1 Flash Patterns	
IP RATING	IP66	
MOUNTING	Powerful Magnet with Suction Pad	
CHARGING CABLE	Lighter socket style included	
TEMPERATURE RANGE	-30°C - +50°C	
DIMENSIONS	94 x 125 mm	
CONNECTION	Lighter Socket/12V Accessory Outlet	
CERTIFICATION	SAE Class 1, ECE R65 (120 Flashes/mi	n) TA1, ECE R10
WARRANTY	3 Year Limited	




3.75" METAL DISC	PART No. 375MD	CDN RETAIL \$19.00
DIMENSIONS	95 mm diameter x 2.5 mm (including adhesive pad)	





MINI LIGHT BAR 11" x 6.3"	PART No. S2MM80A	CDN RETAIL \$178.00	
VOLTAGE	12-24V DC		
LEDs	80 High Power		
COLOUR	Amber		
PATTERN	SAE J845 Class 1 Double Flas	h with 9 additional options	
IP RATING	IP56		
MOUNTING	Magnetic/Permanent	Magnetic/Permanent	
TEMPERATURE RANGE	-40°C - +50°C		
DIMENSIONS	126 x 105 x 80 mm		
CONNECTION	Lighter Socket/12V Accessory	Outlet	
CERTIFICATION	SAE J845 Class 1 Double Flas EMC, ECE R10	h, ECE R65 Single Flash,	
WARRANTY	3 Year Limited		





RECHARGEABLE MULTI-USE LIGHTSTICK

Part No. 793120 CDN RETAIL \$119.00





FEATURES:

- · Extremely versatile
- Durable housing
- 360° rotational ends with super strong magnets
- · Battery charge level indicator
- · Stepless dimmer
- Includes Type-C USB charging cable
- 1 year limited warranty

RECHARGEABLE MULTI-USE LIGHTSTICK	Part No. 793120
СОВ	Super Bright Dimmable 10W
STEPLESS DIMMER	80-1200 lm
COLOUR TEMPERATURE	6500K
CHARGING CABLE	Type-C USB charging cable included
BATTERY	High quality 3.7v 4000 mAh Li-ion battery
RUN TIME	2-15 hours
CHARGING TIME	2.5 hours
CRI	Ra > 80
CERTIFICATION	CE RoHS IP44 IK07
WARRANTY	1 Year Limited Warranty














HEADLAMP (Hands Free)	PART No. 793001	CDN RETAIL \$74.00
LEDs	1 x 3W COB	
PATTERN	Area Flood	
LIGHT FUNCTION	100%/50%/Off	
LUMINOUS FLUX	260 lm/120 lm	
COLOUR TEMPERATURE	6500K	
RECHARGEABLE BATTERY	Li-Poly 3.7V, 1400mAH	
OPERATING TIME	100% 2-3 hrs/50% 4-5 hrs	
CHARGING TIME	2.5 hrs	
CHARGING INPUT	Micro USB 5V DC 1A	
POWER BANK	N/A	
IP RATING	IP44	
TEMPERATURE RANGE	-20°C - +40°C	
DIMENSIONS	78 x 45 x 40 mm	
USB CABLE	Included	
WARRANTY	1 Year Limited	
6 PACK DEALER SPECIAL	Part No. 7930016	







TECH SERIES RECHARGEABLE



POCKET SLIMLIGHT (Foldable)	PART No. 793110	CDN RETAIL \$63.00
LEDs	Side Light - High Power COB; Top Ligh	t - High Power SMD
PATTERN	Sides - Area Flood; Top - Focused Spot	
LIGHT FUNCTION	Top - On/Off; Large Panel - High/Low; S	Small Panel: On/Off
LUMINOUS FLUX	Top - 80 lm; Large Panel - 100 lm/200 l	m; Small Panel - 180 lm
COLOUR TEMPERATURE	6000K-7000K	
RECHARGEABLE BATTERY	Li-Ion 3.7V, 700mAH	
OPERATING TIME	Top - 3 hrs; Large Panel - 2 hrs/4 hrs; S	mall Panel - 2.2 hrs
CHARGING TIME	2.5 hrs	
CHARGING INPUT	5V 1A	
POWER BANK	N/A	
IP RATING	IP54	
TEMPERATURE RANGE	-10°C - +40°C	
DIMENSIONS	164 x 30 mm	
USB CABLE	Included	
WARRANTY	1 Year Limited	
6 PACK DEALER SPECIAL	Part No. 7931108	






500 Lumens



Industrial Strength Magnet Base

Magnet Base







120 Lumens

TWIN BEAM POCKET	PART No. 793016	CDN RETAIL \$84.00
LEDs	1 x 7W COB Flood/3W SMD	Spot
PATTERN	Spot and Flood	
LIGHT FUNCTION	Spot Light; Low, Medium and	d High Mode Flood
LUMINOUS FLUX	Spot - 250 lm; Flood - 100 lm	Low, 350 lm Med, 700 lm High
COLOUR TEMPERATURE	6500K; CRI 80+	
RECHARGEABLE BATTERY	Li-lon 3.7V, 2600mAH	
OPERATING TIME	Spot - 4 hrs; Flood - 10 hrs L	ow, 4.5 hrs Med, 2.5 hrs High
CHARGING TIME	4.5 hrs	
CHARGING INPUT	Type C 5V DC 1A	
POWER BANK	N/A	
IP RATING	IP65	
TEMPERATURE RANGE	-10°C - +40°C	
DIMENSIONS	93.5 x 80 x 35.5 mm	
USB CABLE	Included	
WARRANTY	1 Year Limited	
6 PACK DEALER SPECIAL	Part No. 7930166	









4 x 6" WORK LIGHT w/ USB	PART No. 791101R	CDN RETAIL \$34.00
LEDs	2 x 5W COB	
PATTERN	Area Flood	
LIGHT FUNCTION	100%/50%/Flash	
LUMINOUS FLUX	750 lm	
COLOUR TEMPERATURE	5000K	
RECHARGEABLE BATTERY	Li-lon 3.7V, 2000mAH	
OPERATING TIME	100% 2-3 hrs/50% 4-5 hrs	
CHARGING TIME	4-5 hrs	
CHARGING INPUT	5V 800mAh	
POWER BANK	Micro USB 5V DC 1A	
IP RATING	IPx5	
TEMPERATURE RANGE	-20°C - +40°C	
DIMENSIONS	136 x 96 x 43 mm	
USB CABLE	Included	
WARRANTY	1 Year Limited	
8 PACK DEALER SPECIAL	Part No. 791101R8	



FOLDING FLASHLIGHT (MAG BASE)	PART No. 791108R	CDN RETAIL \$28.00
LEDs	5W COB Side, 3W Top	
PATTERN	Adjustable Multi Angle	
LIGHT FUNCTION	Top Light and Side Light	
LUMINOUS FLUX	150 lm Top/360 lm Side	
COLOUR TEMPERATURE	6500K	
RECHARGEABLE BATTERY	Li-Ion 3.7V, 2000mAH	
OPERATING TIME	Top Light 4-5 hrs/Side Light 3 hrs	
CHARGING TIME	4-5 hrs	
CHARGING INPUT	5V 800mAh	
POWER BANK	N/A	
IP RATING	IP54	
TEMPERATURE RANGE	-20°C - +40°C	
DIMENSIONS	150 x 38 x 31 mm (folded)	
USB CABLE	Included	
WARRANTY	1 Year Limited	
8 PACK DEALER SPECIAL	Part No. 791108R8	



COMBO PACK (4 x 6" + FLASHLIGHT)	PART No. 791101RT	CDN RETAIL \$64.00
PRODUCT SPECIFICATIONS	Please see 791101R and 791108R above	
6 PACK DEALER SPECIAL	Part No. 791101RT6	

Toll Free: (855) 954-4487

RECHARGEABLE



5 x 7" WORK LIGHT w/ USB	PART No. 791102R	CDN RETAIL \$47.00
LEDs	1 x 10W COB	
PATTERN	Area Flood	
LIGHT FUNCTION	100%/50%/Flash	
LUMINOUS FLUX	750 lm	
COLOUR TEMPERATURE	5000K	
RECHARGEABLE BATTERY	Li-Ion 3.6V, 4400mAH	
OPERATING TIME	100% 3-4 hrs/50% 5-6 hrs	
CHARGING TIME	5-6 hrs	_
CHARGING INPUT	5V 800mAh	
POWER BANK	Micro USB 5V DC 1A	
IP RATING	IPx4	
TEMPERATURE RANGE	-20°C - +40°C	
DIMENSIONS	125 x 175 x 50 mm	
USB CABLE	Included	
WARRANTY	1 Year Limited	
6 PACK DEALER SPECIAL	Part No. 791102R6	



TRIANGULAR SAFETY LIGHT	PART No. 791109R	CDN RETAIL \$42.00	
LEDs	3 x 3W COB/35 x Red SMD		
PATTERN	White Area/Red Emergency		
LIGHT FUNCTION	100%/50%/Red Flashing Strobe	9	
LUMINOUS FLUX	900 lm		
COLOUR TEMPERATURE	6000K		
RECHARGEABLE BATTERY	2 x Li-lon 3.7V, 4400mAH		
OPERATING TIME	White 100%/50% 2 hrs/4 hrs; R	White 100%/50% 2 hrs/4 hrs; Red/Red Flashing 4 hrs/12 hrs	
CHARGING TIME	4-5 hrs		
CHARGING INPUT	12V DC 1A		
POWER BANK	Micro USB 5V DC 2A		
IP RATING	IP64		
TEMPERATURE RANGE	-15°C - +45°C		
DIMENSIONS	Sides 210 mm/Depth 41 mm		
USB CABLE	Included		
WARRANTY	1 Year Limited		
8 PACK DEALER SPECIAL	Part No. 791109R8		





POWER BANK / JUMP STARTER	PART No. PB600	CDN RETAIL \$199.00
BATTERY	Lithium Cobalt LiCo02	
CAPACITY	3.7V 27Wh	
INPUT	9V/2A	
OUTPUT	QC 3.0 9V/2A, 5V/2A	
VEHICLE VOLTAGE	12V-16V	
START CURRENT	300A	
PEAK CURRENT	600A	
TEMPERATE RANGE	-20°C - +60°C	
DIMENSIONS	175 x 87 x 36 mm (6.89 x 3.43 x 1.42	.")
WARRANTY	1 Year Limited	





7 SERIES MAG-LEV (ML) LED BULB UPGRADES


BrightSource®

ML Series LED Bulbs The Other Guys' LED

Halogen







BRIGHTSOURCE vs.
COMPETITOR LED BULB
COMPARISON

LAB TEST RESULTS

BrightSource 9005:

Lumens: 4222.0 lm Wattage: 51.33W Amps: 3.780A

BrightSource H11:

Lumens: 4470.1 lm Wattage: 52.58W Amps: 3.901A

Competitor 9005:

Lumens: 1679.4 lm Wattage: 16.95W Amps: 1.257A

Competitor H11:

Lumens 1303.4 lm Wattage: 12.74W Amps: 0.944A

Conclusions from lab testing: BrightSource is 2-3 times better than Competitor in all areas

BrightSource Competitor BrightSource Competitor **REAL WORLD** H11 H11 9005 9005 **RESULTS** 74911ML H11XULED 74905ML 9005XULED Watts after 5 minutes burn in time: 54.8W 11.4W 51.5W 12.7W 270 Lux @ 10M: 627 1971 969 Lumens after 3 minutes burn in time: 4410 1303 4222 1679

Conclusions from lab testing: BrightSource is 2-3 times better than Competitor in all areas

7 SERIES MAG-LEV (ML) HEADLIGHT/FOG LIGHT BULBS

PART No. 71904ML-71999ML (single bulbs)

CDN RETAIL: \$104 single filament; \$126 dual filament

PART No. 74904ML-74999ML (twin packs)

CDN RETAIL: \$189 single filament; \$229 dual filament







BrightSource® has supplied our customers with headlight and fog light upgrade solutions since 2010. Our Canadian vehicle focused, vehicle specific solutions and technologies have made driving safer for tens of thousands of drivers.

We are excited to introduce the new 7 Series ML LED bulbs that improve your ability to see at night by increasing the light output on the road, where you need it.

WATTAGE	110W (55W/bulb)
VOLTAGE	8-18V DC
IP RATING	IP65
COLOUR TEMPERATURE	6000K
LUMINOUS FLUX AT START UP	5500 lm
LUMINOUS FLUX AT STABILIZATION	4470 lm
IP RATING	IP65
TEMPERATURE RANGE	-40°C - +100°C
WARRANTY	3 Year Limited

SPECIAL FEATURES:

- · Wattage increased to 55W per bulb
- · Better focus on the road with the latest in LED technology
- High and Low Beam output on H13, 9007 and H4 bulbs significantly improved
- Copper tubing provides a cooling cycle to keep the circuit boards at optimal operating temperature
- The Mag-Lev fan is quiet the frictionless operation dramatically improves bulb life (50,000+ hours)

7 SERIES ML FAN BASE TWIN PACKS

PART No.	DESCRIPTION
74904ML	9004 Hi and Low Beam LED (with fan base)
74905ML	9005 Hi or Low LED (with fan base)
74906ML	9006 Hi or Low LED (with fan base)
74907ML	9007 Hi and Low Beam LED (with fan base)
74910ML	H10 Hi or Low LED (with fan base)
74911ML	H11 Hi or Low LED (with fan base)
74912ML	9012 Hi or Low LED (with fan base)
74913ML	H13 Hi and Low Beam LED (with fan base)
74991ML	H1 Hi or Low LED (with fan base)
74994ML	H4 Hi and Low Beam LED (with fan base)
74997ML	H7 Hi or Low LED (with fan base)
74998ML	H8 Hi or Low LED (with fan base)
74999ML	H9 Hi or Low LED (with fan base)

7 SERIES ML FAN BASE SINGLE BULBS

PART No.	DESCRIPTION
71904ML	9004 Hi and Low Beam LED (with fan base)
71905ML	9005 Hi or Low LED (with fan base)
71906ML	9006 Hi or Low LED (with fan base)
71907ML	9007 Hi and Low Beam LED (with fan base)
71910ML	H10 Hi or Low LED (with fan base)
71911ML	H11 Hi or Low LED (with fan base)
71912ML	9012 Hi or Low LED (with fan base)
71913ML	H13 Hi and Low Beam LED (with fan base)
71991ML	H1 Hi or Low LED (with fan base)
71994ML	H4 Hi and Low Beam LED (with fan base))
71997ML	H7 Hi or Low LED (with fan base)
71998ML	H8 Hi or Low LED (with fan base)
71999ML	H9 Hi or Low LED (with fan base)

Toll Free: (855) 954-4487



The BrightSource® VEHICLE SPECIFIC KIT

Designed for Canadian vehicles by Canadian drivers

WHAT'S IN THE BOX?

Depending on your vehicle, the BrightSource VSK may include the following components – all designed for simple plug and play installations:

OPTICOUPLER

The BrightSource® Opticoupler is manufactured in British Columbia. It is a control unit designed to optimize your bulb life and performance. This unit is also programmed to move your Daytime Running Light from High Beam to Low Beam (where required). This function ensures you are not projecting a glaring high beam into oncoming traffic. There are other control features built into the Opticoupler to make the operation of your vehicle specific kit as seamless as the OEM headlight.

HARNESS

The correct harness for your vehicle's bulbs is included in the kit and includes a dummy plug to ensure weatherproofing for your exposed connectors (if needed).

CUSTOM DESIGNED DUST CAPS WITH GROMMETS

Specifically designed for your vehicle, these custom dust caps ensure the interior of your headlight remains water-tight. Some LED bulbs have larger bases than the halogen factory bulb and these dust caps provide the clearance to ensure a tight fit for the headlight.

ANTI-FLICKER DEVICES, DIELECTRIC GREASE AND OTHER COMPONENTS

Supplied as needed to ensure the life of your LED bulb upgrades and delivers perfectly, every time you drive.











H11 Input / 9006 Output Single Unit



Provides a moisture proof barrier that lubricates and protects electrical equipment from salt, dirt and corrosion. 5 gram tube.



H13 Resistor Kit for Dodge, Ram, Jeep & Ford

Toll Free: (855) 954-4487

LED VEHICLE SPECIFIC KITS 3 YEAR WARRANTY

The BrightSource® Vehicle Specific Kits include custom harnesses and wiring solutions for Canadian vehicles – even stubborn Chrysler, Jeep, and Dodge vehicles. Where needed, some kits even include a custom dust cap to provide extra clearance for your new bulbs. This is a complete kit designed to get you the best light output possible, specifically for the vehicles listed below. Check our website for the latest updates.

PART No.	DESCRIPTION	CDN RETAIL
93705	2011-15 Chevy Cruze H13 - High/Low Beam	\$249.00
93706	1999-06 Chev/GMC 1500, 2500, 3500 9006 - Low Beam	\$249.00
93707	2007-13 Chev/GMC 1500, 2500, 3500 H11 - Low Beam	\$249.00
934200	2011-15 Chrysler 200/300 9012 - High/Low (Projector)	\$269.00
944244L	2011-14 Dodge Avenger, 2014-17 Dodge Journey 9006 - Low Beam Kit w/Opticoupler	\$389.00
944244HL	2011-14 Dodge Avenger, 2014-17 Dodge Journey 9006/9005 - Combo High/Low Beam kit	\$549.00
934400	2006-10 Dodge Charger 9006 - Low Beam	\$249.00
934600	2011-14 Dodge Charger H11 - Low Beam	\$249.00
944016	2013-14 Dodge Dart, 2015-16 Dodge Charger 9012 - High/Low Projector w/Opticoupler	\$419.00
934130L	2013-18 Dodge Grand Caravan H11 - Low Beam	\$269.00
934130H	2013-18 Dodge Grand Caravan H11 - High Beam	\$269.00
944032	2002-05 Dodge Ram 9007 - High/Low Kit w/Opticoupler	\$459.00
944064	2006-12 Dodge Ram/Caliber, 2009-21 Jeep Wrangler H13 - High/Low w/Opticoupler	\$409.00
944094L	2009-10 Dodge Ram H11 - Low Beam w/Opticoupler	\$399.00
944094HL	2009-10 Dodge Ram H11/9005 - Combo High/Low Beam kit	\$549.00
944134L	2011-23 Ram Classic H11 - Low Beam (non-Projector) w/Opticoupler	\$439.00
944134HL	2011-23 Ram Classic H11/9005 - Combo High/Low Beam kit	\$599.00
944144L	2013-15 Ram 9012 - Low Beam (Projector) w/Opticoupler	\$539.00
944144HL	2013-15 Ram 9012/9005 - Combo High/Low Beam kit	\$599.00
944146L	2016-23 Ram Classic 9005 - Low Beam (Projector) w/Opticoupler	\$539.00
944146HL	2016-23 Ram Projector Classic 9005/9005 - Combo High/Low Beam kit	\$599.00
93612	2006-15 Ford Edge/Fiesta/Fusion H11 - Low Beam	\$269.00
93605	2005-14 Ford F150, 2005-16 F350 H13 - High/Low	\$289.00
93616	2012-17 Ford Focus H11 - Low Beam	\$369.00
93617	2011-15 Ford Explorer, 2010-12 Taurus 9005 - High/Low Shutter	\$279.00
73615L	2015-22 Ford F150 H11 / 2023 F350 - Low Beam includes special dust covers	\$369.00
73615H	2015-17 Ford F150 H11 / 2023 F350 9005 - High Beam includes special dust covers	\$309.00
93618	2017-22 Ford Super Duty Quad Headlight H13 - High/Low (4 bulbs)	\$509.00
944613	2014-17 Ford Taurus, 2013-15 Edge 9012 - High/Low Shutter w/Opticoupler	\$439.00
93716	2014-15 GMC Sierra 1500, 2015 only GMC HD 9012 - includes drilled dust caps	\$319.00
944994	2007-17 Honda Fit - H4 High/Low	\$439.00
944145L	2014-19 Jeep Grand Cherokee /Ram New body with DRL on high beam . H11 - Low Beam w/Opticopler	\$439.00
944145HL	2014-17 Dodge Durango/Jeep Grand Cherokee/ Ram New body with DRL high beam. H11/9005 - Combo Hi/Lo kit	\$599.00
944149HL	2018-23 Jeep Grand Cherokee H11/H9 - Combo High/Low Beam kit	\$599.00
967911	2014-17 Toyota 4Runner 9005 - High beam	\$249.00
95906	Multi Fit 9006 - Fog Light	\$269.00
95910	Multi Flt H10 - Fog Light	\$269.00
93715	Multi Fit H11 - Low Beam work with new body RAM without high beam DRL	\$319.00
967994	Multi Fit H4 - with Harness (High/Low)	\$289.00









UNIVERSAL LED BULBS - TWIN PACK - 3 YEAR WARRANTY

PART No.	DESCRIPTION	CDN RETAIL
74904ML	9004 H/L LED (w/Fan base) Twin Pack	\$229.00
74905ML	9005 H/L LED (w/Fan base) Twin Pack	\$189.00
74906ML	9006 H/L LED (w/Fan base) Twin Pack	\$189.00
74907ML	9007 H/L LED (w/Fan base) Twin Pack	\$229.00
74910ML	H10 H/L LED (w/Fan base) Twin Pack	\$189.00
74911ML	H11 H/L LED (w/Fan base) Twin Pack	\$189.00
74912ML	9012 H/L LED (w/Fan base) Twin Pack	\$189.00
74913ML	H13 H/L LED (w/Fan base) Twin Pack	\$229.00
74991ML	H1 H/L LED (w/Fan base) Twin Pack	\$189.00
74994ML	H4 H/L LED (w/Fan base) Twin Pack	\$229.00
74997ML	H7 H/L LED (w/Fan base) Twin Pack	\$189.00
74998ML	H8 H/L LED (w/Fan base) Twin Pack	\$189.00
74999ML	H9 H/L LED (w/Fan base) Twin Pack	\$189.00
94522	5202 LED (w/Alloy base) Twin Pack	\$189.00
94904	9004 H/L LED (w/Alloy base) Twin Pack - sell through and reorder using 74904ML	\$229.00
94905	9005 LED (w/Alloy base) Twin Pack - sell through and reorder using 74905ML	\$189.00
94906	9006 LED (w/Alloy base) Twin Pack	\$189.00
94907	9007 H/L LED (w/Alloy base) Twin Pack - sell through and reorder using 74907ML	\$229.00
94910	H10 LED (w/Alloy base) Twin Pack - sell through and reorder using 74910ML	\$189.00
94911	H11 LED (w/Alloy base) Twin Pack - sell through and reorder using 74911ML	\$189.00
94912	9012 LED (w/Alloy base) Twin Pack - sell through and reorder using 74912ML	\$189.00
94913	H13 H/L LED (w/Alloy base) Twin Pack - sell through and reorder using 74913ML	\$229.00
94980	880 LED (w/Alloy base) Twin Pack	\$189.00
94981	881 LED (w/Alloy base) Twin Pack	\$189.00
94991	H1 LED (w/Alloy base) Twin Pack - sell through and reorder using 74991ML	\$189.00
94993	H3 LED (w/Alloy base) Twin Pack	\$189.00
94994	H4 H/L LED (w/Alloy base) Twin Pack - sell through and reorder using 74994ML	\$229.00
94997	H7 LED (w/Alloy base) Twin Pack - sell through and reorder using 74997ML	\$189.00
94998	H8 LED (w/Alloy base) Twin Pack - sell through and reorder using 74998ML	\$189.00
94999	H9 LED (w/Alloy base) Twin Pack - sell through and reorder using 74999ML	\$189.00

UNIVERSAL LED BULBS - SINGLE PACK - 3 YEAR WARRANTY

PART No.	DESCRIPTION	CDN RETAIL
71904ML	9004 H/L LED (w/Fan base) Single Pack	\$126.00
71905ML	9005 H/L LED (w/Fan base) Single Pack	\$104.00
71906ML	9006 H/L LED (w/Fan base) Single Pack	\$104.00
71907ML	9007 H/L LED (w/Fan base) Single Pack	\$126.00
71910ML	H10 H/L LED (w/Fan base) Single Pack	\$104.00
71911ML	H11 H/L LED (w/Fan base) Single Pack	\$104.00
71912ML	9012 H/L LED (w/Fan base) Single Pack	\$104.00
71913ML	H13 H/L LED (w/Fan base) Single Pack	\$126.00
71991ML	H1 H/L LED (w/Fan base) Single Pack	\$104.00
71994ML	H4 H/L LED (w/Fan base) Single Pack	\$126.00
71997ML	H7 H/L LED (w/Fan base) Single Pack	\$104.00
71998ML	H8 H/L LED (w/Fan base) Single Pack	\$104.00
71999ML	H9 H/L LED (w/Fan base) Single Pack	\$104.00
91522	5202 LED (w/Alloy base) Single Pack	\$104.00
91904	9004 H/L LED (w/Alloy base) Single Pack - sell through and reorder using 71904ML	\$126.00
91905	9005 LED (w/Alloy base) Single Pack - sell through and reorder using 71905ML	\$104.00
91906	9006 LED (w/Alloy base) Single Pack	\$104.00
91907	9007 H/L LED (w/Alloy base) Single Pack - sell through and reorder using 71907ML	\$126.00
91910	H10 LED (w/Alloy base) Single Pack - sell through and reorder using 71910ML	\$104.00
91911	H11 LED (w/Alloy base) Single Pack - sell through and reorder using 71911ML	\$104.00
91912	9012 LED (w/Alloy base) Single Pack - sell through and reorder using 71912ML	\$104.00
91913	H13 H/L LED (w/Alloy base) Single Pack - sell through and reorder using 71913ML	\$126.00
91980	880 LED (w/Alloy base) Single Pack	\$104.00
91981	881 LED (w/Alloy base) Single Pack	\$104.00
91991	H1 LED (w/Alloy base) Single Pack - sell through and reorder using 71991ML	\$104.00
91993	H3 LED (w/Alloy base) Single Pack	\$104.00
91994	H4 H/L LED (w/Alloy base) Single Pack - sell through and reorder using 71994ML	\$126.00
91997	H7 LED (w/Alloy base) Single Pack - sell through and reorder using 71997ML	\$104.00
91998	H8 LED (w/Alloy base) Single Pack - sell through and reorder using 71998ML	\$104.00
91999	H9 LED (w/Alloy base) Single Pack - sell through and reorder using 71999ML	\$104.00







Perfect for clear nights & dark roads



Ideal for fog, snow and rainy conditions



6000K Cool White

Significantly whiter light output than factory halogen fog light bulbs. Improve your night vision with a more focused white LED bulb.



3000K Anti-Glare Yellow

Minimal glare from the penetrating yellow light output. Ideal for fog, snow and rainy conditions.

DUO SERIES LED FOG LIGHT BULBS - TWIN PACK

PART No.	DESCRIPTION	CDN RETAIL
96522	5202/PS24W/PS24X Dual Colour LED Fog Light Bulbs Twin Pack	\$104.00
96880	880 Dual Colour LED Fog Light Bulbs Twin Pack	\$104.00
96905	9005 Dual Colour LED Fog Light Bulbs Twin Pack	\$104.00
96906	9006 Dual Colour LED Fog Light Bulbs Twin Pack	\$104.00
96910	H10 Dual Colour LED Fog Light Bulbs Twin Pack	\$104.00
96911	H11 Dual Colour LED Fog Light Bulbs Twin Pack	\$104.00
96998	H8 Dual Colour LED Fog Light Bulbs Twin Pack	\$104.00
96999	H9 Dual Colour LED Fog Light Bulbs Twin Pack	\$104.00

WATTAGE	22W		
VOLTAGE	9-16V DC		
OPERATING VOLTAGE	12V DC		
AMPERAGE	1.8A		
LUMENS	6000K/3000K		
	2400 lm/1800 lm		
COLOUR	White/Yellow		
OPERATING TEMPERATURE	-40°C - +85°C		
WARRANTY	1 Year Limited		













VEHICLE SPECIFIC HID KITS (6000K) - 2 YEAR WARRANTY

PART No.	DESCRIPTION	CDN RETAIL					
35735	2005-on BMW/Hyundai/KIA H7 35W - Low Beam	\$419.00					
33705	2011-15 Chevy Cruze H13 - High/Low Beam	\$399.00					
33706	1999-06 Chev/GMC 1500, 2500, 3500 9006 - Low Beam	\$369.00					
33707	2007-13 Chev/GMC 1500, 2500, 3500 H11 - Low Beam						
334200	2011-15 Chrysler 200/300 9012 - High/Low (Projector)						
344244L	2011-14 Dodge Avenger, 2014-17 Dodge Journey 9006 - Low Beam Kit w/Opticoupler	\$519.00					
344244HA	2011-14 Dodge Avenger, 2014-17 Dodge Journey 9005 - High Beam Add-on kit	\$379.00					
334400	2006-10 Dodge Charger 9006 - Low Beam	\$399.00					
334600	2011-14 Dodge Charger H11 - Low Beam	\$399.00					
344016	2013-14 Dodge Dart, 2015-16 Dodge Charger 9012 - High/Low Proj. w/Opticoupler	\$559.00					
334130L	2013-18 Dodge Grand Caravan H11 - Low Beam	\$449.00					
334130H	2013-18 Dodge Grand Caravan H11 - High Beam	\$449.00					
344032	2002-05 Dodge Ram 9007 - High/Low w/Opticoupler	\$517.00					
344064	2006-12 Dodge Ram/Caliber, 2009-17 Jeep Wrangler H13 - High/Low w/Opticoupler	\$569.00					
344094L	2009-10 Dodge Ram H11 - Low Beam w/Opticoupler	\$519.00					
344094HA	2009-10 Dodge Ram 9005 - High Beam Add-on kit for 344094L	\$419.00					
344134L	2009-23 Ram Classic H11 - Low Beam (non-Projector) w/Opticoupler includes dust caps	\$569.00					
344134HA	2009-23 Ram Classic 9005 - High Beam Add-on kit for 344134L	\$369.00					
344144L	2013-15 Ram 9012 - Low Beam (Projector) w/Opticoupler	\$519.00					
344146L	2016-23 Ram Classic 9005 - Low Beam (Projector) w/Opticoupler	\$519.00					
344144HA	2013-23 Ram Classic 9005 - High Beam Add-on kit for 344144L & 344146L	\$419.00					
350635	2013-18 Ram 9006 - Fog Light (vertical)	\$449.00					
351035	2013-18 Ram H10 - Fog Light (horizontal)	\$449.00					
334500	2011-15 Fiat 500 / 500L 9012 - High/Low Shutter	\$399.00					
351135	2013-on Fiat/Hyundai H11 - Fog/Low Beam	\$417.00					
33612	2006-15 Ford Edge/Fiesta/Fusion H11 - Low Beam	\$449.00					
33605	2005-14 Ford F150 2005-16 F350 H13 - High/Low	\$399.00					
33615L	2015-22 Ford F150 H11 - Low Beam, Super Duty 2023	\$449.00					
33615H	2015-20 Ford F150 9005 - High Beam	\$449.00					
33616	2012-17 Ford Focus H11 - Low Beam	\$518.00					
33617	2011-15 Ford Explorer, 2010-12 Taurus 9005 - High/Low Shutter	\$449.00					
33618	2017-22 Ford Super Duty Quad Headlight H13 - High/Low (4 bulbs)	\$697.00					
344613	2013-17 Ford Taurus 9012 - High/Low Shutter w/Opticoupler	\$529.00					
33716	2014-15 GMC Sierra 1500, 2015 GMC HD 9012 - High/Low Shutter includes dust caps	\$499.00					
344145L	2014-21 Jeep Grand Cherokee H11 - Low Beam w/Opticoupler/ New body style Ram 19-23 with DRL on High Beam	\$529.00					
344145HA	2014-17 Dodge Durango/Jeep Grand Cherokee H11/9005 - Combo High/Low Beam kit/ New body Ram 19-23 DRL High Beam	\$419.00					
344149HA	2018-23 Jeep Grand Cherokee H9 - High Beam Add-On Kit	\$419.00					
35745	2005-on Mercedes/BMW/Audi H7 45W - Low Beam	\$419.00					
357444	2003-08 Mini H7 - Low Beam	\$559.00					
33808	2008-16 Mitsubishi Lancer 2008-12 Outlander 9006 - Low Beam	\$417.00					
33811	2011-17 Mitsubishi RVR H11 - Low Beam	\$417.00					
33908	2008-16 Subaru Impreza/WRX H11 - Low Beam	\$417.00					
33715	Multi Fit H11 - Low Beam work with new body RAM without high beam DRL	\$449.00					

UNIVERSAL HID KITS (6000K - 2 YEAR WARRANTY

PART No.	DESCRIPTION	CDN RETAIL
35202	5202/H16 HID Kit	\$289.00
39004	9004 High/Low HID Kit incl. Harness	\$329.00
39005	9005 HID Kit	\$315.00
39006	9006 HID Kit	\$269.00
39007	9007 High/Low HID Kit incl. Harness	\$329.00
39012	9012/HIR HID Kit	\$299.00
39880	880 HID Kit	\$269.00
39881	881 HID Kit	\$269.00
39910	H10/9145 HID Kit	\$269.00
39911	H11 HID Kit	\$269.00
39913	H13 High/Low HID Kit incl. Harness	\$329.00
39991	H1 HID Kit	\$269.00
39993	H3 HID Kit	\$269.00
39994	H4 High/Low HID Kit incl. Harness	\$329.00
39997	H7 HID Kit	\$269.00
39998	H8 HID Kit	\$269.00
39999	H9 HID Kit	\$269.00





SPECIAL FEATURES:

- · Industry leading design
- · American sourced components
- Extraordinary quality & exceptional value
- 2 year limited warranty



PART No.	D1S43	D1S60	D2S43	D2S60	D3S43	D3S60	D4S43	D4S60	D4S43	D5S55
WATTAGE	35W									
COLOUR TEMPERATURE	4300K	6000K	4300K	6000K	4300K	6000K	4300K	6000K	4300K	5500K
OEM REPLACEMENT	1		1		1		1			
OEM UPGRADE		1		1		1		✓	1	1
CDN RETAIL	\$119.00	\$119.00	\$109.00	\$109.00	\$149.00	\$149.00	\$149.00	\$149.00	\$174.00	\$174.00

PART No.	D2R43	D2R60	D4R43	D4R60
WATTAGE	35W	35W	35W	35W
COLOUR TEMPERATURE	4300K	6000K	4300K	6000K
OEM REPLACEMENT	1		1	
OEM UPGRADE		1		/
CDN RETAIL	\$109.00	\$109.00	\$149.00	\$149.00



DOT approved street legal upgrade for many 2016-20 Chevy/ GMC pickups. This is a simple swap out with the OE bulb, whiter and brighter than stock. The original bulb will be 25W - 4300K, these are 35W in 4300K or 5500K. We suggest replacing in pairs when upgrading as the older bulb will not match for colour or brightness.

4300K

5500K



D5S43 and D5S55 Colour Comparison Both of these bulbs are brighter than stock so replace in pairs when upgrading.

NOTE: Automatic headlights need to be switched to the ON position for proper function/operation



