



P

Reframing Your Workplace

2025 COLLECTION

Contents


POD

Metal Cabinet

Public Seating

Monitor Arm

Departures					
TIME	TO	FLIGHT	GATE	REMARKS	
06:10	SYDNEY	AF2471	14		
06:35	MADRID	DN551	6	DELAYED	
06:50	TORONTO	AB4260	23		
08:20	NEW YORK	WHN754	12		
08:35	LONDON	DL256	21	DELAYED	
08:55	TOKYO	AD1399	25	DELAYED	
09:15	COPENHAGEN	FH148	11		
09:45	PARIS	KO337	14		



POD

What's the features?

- ➔ Sound insulation
- ➔ Durable
- ➔ Comfortable
- ➔ Easy assembly
- ➔ Customizable





Basic Configuration



Magnetic door lock



Concealed door closer



Light



Controller



Modular power outlet





S POD



S-WM shelf table
W300mm * D820mm * H116mm



S-WM L-shape shelf table
W891* D941* H42mm



C-table
W550mm * D378mm * H650mm



S-WM shelf table+Comcealed
adjustable table modeule
W300mm * D820mm * H116mm



S-Wall mounted perch seat
W700mm * D130mm * H250mm



Pneumatic adjustable stool
W460 * D430 * H1000mm



S-Square bench
W940mm * D550mm * H440mm



S-Pneumatic adjustable stool
W460 * D430 * H1000mm





M-WM working table
W1283 * D600 * H400 mm



M-Swivel armchair
W650 * D660 * H800mm




M-WM F2F table
W1293 * D530 * H750 mm



M-Corner bench
W606 * D568 * H450mm



M POD



M-WM bar table
W1462 * D470 * H1050mm



C-table
W550mm * D378mm * H650mm



Pneumatic adjustable stool
W460 * D430 * H1000mm



Privacy couch
W1190 * D580 * H1350mm







SL- Trapezoidal coffee Table
W700 * D400 * H650mm



SL-82 sofa
W810 * D620 * H800mm

SL POD





L-125 meeting table
W630 * D1210 * H750mm



L-Electrical adjustable desk
W1680 * D650 * H700-1200 mm



L-168 couch
W1630 * D620 * H800mm



L-WM 125 meeting table
W630 * D1210 * H750mm



C-table
W550mm * D378mm * H650mm



L- 200 L-shape couch
W2000 * D1630 * H800mm

L POD







XL-Meeting table
W800 * D1800 * H750mm



Meeting chair
W640 * D480 * H840-940mm



XL-Wall mounted bar-height table
W765 * D1760 * H1050mm



Pneumatic adjustable stool
W460 * D430 * H1000mm

XL POD



XL-Rounded table
φ800 * H750mm



Swivel armchair
W650 * D660 * H800mm



C-table
W550 * D378 * H650mm



XL- 230 L-shape couch
W2300 * D2300 * H800mm

Metal Cabinet



DRAWER STORAGE


order now

drawer storage cabinet is made of superior cold rolled steel and environmental metal powder coating, provides a varied tailored strucuture possibility.

Classical Multi-door Gray Locker



Details Show



Feature of Product

- Front frame KD structure, transport and assemble easily.
- Aluminum alloy handle and mechanical lock, durable, high safe.
- Provide a variety of specifications to meet the different needs.
- 60kg loading for each shelf.

SPECIFICATION



CF-G02

H1800*W900*D450
KD Packing Volume: 0.147m³
Fitting: 2 mirrors/2 hangers/ 4 shelves



CF-G03

H1800*W900*D450
KD Packing Volume: 0.182m³
Fitting: 3 mirrors/3 hangers/6 shelves



CF-G04

H1800*W900*D450
KD Packing Volume: 0.172m³
Fitting: 4 mirrors/4 hangers/
4 shelves



CF-G05

H1800*W970*D420
KD Packing Volume: 0.179m³
Fitting: 1 mirror/1 hanger/
4 shelves



CF-G06

H1800*W900*D450
KD Packing Volume: 0.172m³
Fitting: 6 mirrors/6 hangers/
6 shelves

Product opening display

- Multi door combination.
- Optional locks available.
- Label holder, handle, hanger, adjustable shelf available.

SPECIFICATION



CF-G09

H1800*W900*D390
KD Packing Volume: 0.147m³
Fitting: 9 mirror



CF-G12

H1800*W900*D390
KD Packing Volume: 0.182m³
Fitting: /



CF-G15

H1800*W970*D390
KD Packing Volume: 0.182m³
Fitting: /



CF-G18

H1800*W900*D390
KD Packing Volume: 0.182m³
Fitting: /



CF-G30

H1800*W900*D360
KD Packing Volume: 0.182m³
Fitting: /



CF-GZ01

H1800*W380*D450
KD Packing Volume: 0.062m³
Fitting: 1mirror/1 hanger/2 shelves



CF-GZ02

H1800*W380*D450
KD Packing Volume: 0.062m³
Fitting: 2 mirrors/2 hangers/2 shelves



CF-GZ03

H1800*W380*D450
KD Packing Volume: 0.062m³
Fitting: /



CF-GZ04

H1800*W380*D450
KD Packing Volume: 0.062m³
Fitting: /



CF-GZ05

H1800*W380*D450
KD Packing Volume: 0.062m³
Fitting: /



CF-GZ06

H1800*W380*D450
KD Packing Volume: 0.062m³
Fitting: /



CF-WZ01A

H570*W400*D300
KD Packing Volume: 0.025m³
Fitting: 1 shelf/ magnet lock



CF-WZ01B

H1270*W380*D380
KD Packing Volume: 0.06m³
Fitting: 2 shelves/ cyber lock



CF-WZ01C

H1800*W380*D380
KD Packing Volume: 0.086m³
Fitting: 3 shelves/ cyber lock



CF-WZ03

H580*W1200*D400
KD Packing Volume: 0.072m³
Fitting: 1 shelf/ magnet lock

High Classical File Cabinet



SPECIFICATION



CF-W02
H1800*W900*D390
KD Packing Volume: 0.147m³
Fitting: 4 shelves



CF-WP04
H1800*W850*D350
KD Packing Volume: 0.188m³
Fitting: 6 shelves



CF-WC02
H1800*W900*D390
KD Packing Volume: 0.147m³
Fitting: 4 shelves



CF-WB02
H1800*W900*D390
KD Packing Volume: 0.147m³
Fitting: 4 shelves



CF-W4
H1800*W900*D390
KD Packing Volume: 0.148m³
Fitting: 3 shelves



CF-WB04
H1800*W900*D390
KD Packing Volume: 0.147m³
Fitting: 3 shelves



CF-W24
H1800*W900*D390
KD Packing Volume: 0.19m³
Fitting: 3 shelves



CF-WB35
H1800*W900*D390
KD Packing Volume: 0.187m³
Fitting: 2 shelves

High Classical Gray File Cabinet



SPECIFICATION



CF-WB24

H1800*W900*D390
KD Packing Volume: 0.19m³
Fitting: 3 shelves



CF-WB04B

H1800*W900*D390
KD Packing Volume: 0.225m³
Fitting: 3 shelves



CF-W01

H1800*W900*D390
KD Packing Volume: 0.19m³
Fitting: 4 shelves



CF-WG02

H1800*W900*D390
KD Packing Volume: 0.156m³
Fitting: 4 shelves/1 hanger/1 mirror



Sliding Door File Storage Cabinet

SPECIFICATION



CF-Y02

H1800*W900*D390
KD Packing Volume: 0.225m³
Fitting: 4 shelves



CF-YB02

H1800*W900*D390
KD Packing Volume: 0.225m³
Fitting: 4 shelves



CF-YB04

H1800*W900*D390
KD Packing Volume: 0.225m³
Fitting: 3 shelves



CF-Y24

H1800*W900*D390
KD Packing Volume: 0.225m³
Fitting: 3 shelves

Half Cabinet



Feature of Product

- Front frame KD structure, transport and assemble easily.
- Aluminum alloy handle and mechanical lock, durable, high safe.
- Provide a variety of specifications to meet the different needs.
- 60kg loading for each shelf.

SPECIFICATION



CF-WA01

H1130*W900*D390
KD Packing Volume: 0.1m³
Fitting: 2 shelves



CF-WAC02

H1130*W900*D390
KD Packing Volume: 0.137m³
Fitting: 2 shelves



CF-WAB02

H1130*W900*D390
KD Packing Volume: 0.137m³
Fitting: 2 shelves



CF-WAJ02

H1130*W900*D450
KD Packing Volume: 0.11m³
Fitting: 2 shelves



CF-YA02

H1130*W900*D390
KD Packing Volume: 0.165m³
Fitting: 2 shelves



CF-YAB02

H1130*W850*D390
KD Packing Volume: 0.165m³
Fitting: 2 shelves



CF-WAY02

H690*W800*D420
KD Packing Volume: 0.109m³
Fitting: 1 shelf



CF-WA41

H690*W800*D420
KD Packing Volume: 0.109m³
Fitting: 1 shelf



CF-TNJ3

H655*W1000*D450
KD Packing Volume: 0.3m³
Fitting: 1 shelf

Drawer File Storage Cabinet



Feature of Product

- PVC door, dedicated track, easy and smooth to push and pull.
- The door equipped with square magnet bar, close automatically by attracting each other.
- Reinforced layer plate with folding three sides, capacity: 50kg/layer.
- Knocked down structure, assembled quickly and steady.



CF-KL02
H716*W900*D460
KD Packing Volume: 0.075m³
Fitting: 4 adjustable bar



CF-KL03
H1015*W900*D460
KD Packing Volume: 0.089m³
Fitting: 6 adjustable bar



CF-KL04
H1315*W900*D460
KD Packing Volume: 0.131m³
Fitting: 8 adjustable bar



CF-KF02 **CF-KF03** **CF-KF04**

Feature of Product

- Front frame KD structure, transport and assemble easily.
- Superior and thicker steel plate, ensure 55kg big loading for each drawer.
- Three-section full-extension ball bearing sliding, easy to pull silently.
- Anti-tilt function; only one drawer can be opened at a time.
- Central control locking system located on the top drawer, durable and high safety.

Model	Size/mm	KD Packing Volume	Fitting
CF-KF02	H716*W460*D600	0.049m ³	2 drawers
CF-KF03	H1015*W460*D600	0.063m ³	3 drawers
CF-KF04	H1315*W460*D600	0.074m ³	4 drawers

Rolling Shutter Door Cabinet





Metal Steel Pedestals

Feature of Product

- Full extension three section ball bearing rail, each drawer bearing capacity 50kg.
- Equipped with braking wheels, and anti-tilt device.
- Normal key lock and combination security lock for option.

SPECIFICATION



CF-TN03

H600*W390*D500
Packing Volume: 0.138m³
Fitting: 1 pencil case



CF-TC03

H600*W390*D500
Packing Volume: 0.138m³
Fitting: 1 pencil case



CF-T03D

H600*W390*D500
Packing Volume: 0.138m³
Fitting: 1 pencil case



CF-T03L

H645*W404*D500
KD Packing Volume: 0.045m³
Fitting: /



CF-T03E

H645*W404*D500
KD Packing Volume: 0.045m³
Fitting: /



Mobile Filing Cabinet



CF-M13
H2390*W900*D560



CF-MZ13
H2390*W900*D560



CF-M03
0# H2300*W1300*D960
1# H2300*W1000*D660


Easy To Build Your Want

Step 1 / Choose The Bay Type



Step 2 / Choose The Line Type and QTY

- Line with doors-double side
- Middle line-double side
- Fixed line with back-single side



Step 3 / The Rest We Will Do

Book-Shelf

SPECIFICATION



HDS-04
H2235*W950*D450
KD Packing Volume: 0.32m³



HDS-F04
H2235*W950*D450
KD Packing Volume: 0.32m³



HDS-M04
H2235*W950*D500
KD Packing Volume: 0.45m³



HDS-M10
H2000*W950*D730
KD Packing Volume: 0.76m³



HDS-07
H2000*W950*D500



HDS-F08
H2000*W1200*D800

Book-Shelf

SPECIFICATION



HDH-Q02
H1800*W914*D410
KD Packing Volume: 0.06m³



HDH-M01
H2000*W1800*D600
H2000*W1740*D600
KD Packing Volume: 0.64m³



HDH-Q01
H2000*W900*D400
KD Packing Volume: 0.095m³



HDH-M02
H2000*W1800*D600
H2000*W1740*D600
KD Packing Volume: 0.6m³




Public Seating

Build a beautiful public space with focus





Avanti



SPECIFICATION:

Optional Armrest/ Leg 1:

Made of composite nylon + glass fiber, injection molded through special precision molds.

Optional Armrest/ Leg 2:

Die-casting aluminium alloy with polish treatment and sprayed with static powder.

Seat/ Back:

High-density polyurethane(PU) built-in high quality cold-rolled steel plate, high-speed pressure molding.


Beam:

The high-quality iron square tube has load-bearing and stability, and the surface is electro-statically sprayed after derusting treatment.



CF-9062

CF-9062SG



SPECIFICATION:

Armrest/ Leg/ Bracket:

Die casting aluminium alloy with polish treatment and sprayed with static powder.

Seat/ Back:

High density polyurethane(PU) with metal frame inside.

Beam:

High intensity hexagonal metal tube, with superior load-bearing capacity and stability.

COLOR OPTION













CF-9079



CF-9079L



CF-9079G



SPECIFICATION:

Optional Armrest/ Leg 1:

The use of high quality aluminum alloy material, electrostatic powder spraying treatment.

Optional Armrest/ Leg 2:

Die-casting iron with polish treatment and sprayed with static powder.

Seat/ Back:

High-density polyurethane(PU) built-in high quality cold-rolled steel plate, high-speed pressure molding.

Beam:

High intensity hexagonal metal tube, with superior load-bearing capacity and stability.

SPECIFICATION:

Armrest/ Leg:

Die casting aluminium alloy with polish treatment and sprayed with static powder.

Seat/ Back:

High-density polyurethane(PU) built-in high quality cold-rolled steel plate, high-speed pressure molding.

Beam:

High intensity hexagonal metal tube, with superior load-bearing capacity and stability.

COLOR OPTION






CF-9077



CF-9077L



CF-9077G



SPECIFICATION:

Optional Armrest/ Leg 1:

With cold-roll steel, metal paint, sprayed static powder after polishing and antirust treatment.

Optional Armrest/ Leg 2:


Die-casting aluminium alloy with polish treatment and sprayed with static powder.

Seat/ Back:

High density polyurethane(PU) with metal frame inside.

Beam:

Use high-quality triangular steel tube, sprayed with air-conditioning outdoor paint powder, strong safety performance.



SPECIFICATION:

Armrest/ Leg/ Bracket:

The split backplane is molded with high density polyurethane (PU) (built-in steel frame).

Seat/ Back:

High quality aluminum alloy die casting after direct polishing, the surface of electrostatic powder spraying treatment or polymer nano treatment.

Beam:

Using high-strength triangular cold-rolled steel tube with moisture-proof and rustproof treatment, it has super bearing capacity and stability.

COLOR OPTION





CF-708L

CF-708APU



CF-708ALPU



CF-708LAL



CF-820G

CF-820GAPU





CF-820GAL



CF-820GA



CF-820GAS



SPECIFICATION:

Armrest/ Leg:

With cold-roll steel, metal paint, sprayed with static powder after polishing and antirust treatment.

Seat/ Back:

1.5mm cold-rolled steel plate. Sprayed with static powder after antirust treatment.

Beam:

1.5mm thickness. High intensity triangle metal tube, sprayed with static powder after antirust treatment. With superior load-bearing capacity and stability.

COLOR OPTION



SPECIFICATION:

Armrest/ Leg:

Using thickness high-quality imported cold-rolled steel, with electroplating chrome treatment.

Seat/ Back:

High-quality imported cold-rolled steel sprayed with static powder after antirust treatment.

Beam:

High-quality metal tube, sprayed with static powder after antirust treatment.

COLOR OPTION



Fipo CF-A03

Fipo Luxe is the state-of-the-art theatre seat featuring with ergonomic padding, crafted wood armrest and sophisticated tablet system.

If you are looking for a refine chair look to enhance ambiance without compromising on function, Fipo Luxe would be definitely the perfect choice beyond your expectation.



Performer CF-20601

- Polypropylene outerback and seat pan
- Ergonomic cushion shaped with lumbar support
- Dual-spring tip-up seat mechanism
- Hardwood armrest with anti-panic writing tablet
- Powder coated steel end panel
- High or low back available



Herman CF-9612

- Plywood outerback and seat pan with wood veneer finish
- Cold-moulded foam for optimal comfort
- Hardwood armrest with stowed ABS writing tablet (A3 size)
- Arms can be customized to fit built-in audio system
- Tip-up seat with combination of spring and damping mechanism



Louisville CF-10601P

- Polypropylene outerback & seat panel
- Cold-molded foam for remarkably comfortable lumbar support
- Full upholstered end panel with PP arm cap, writing tablet available
- Tip-up seat with counterweight mechanism



Lano CF-19601

- Fully upholstered outerback and seat panel
- Ergonomic cushion shaped with lumbar support
- High impact PP armrest
- Strong steel structural support with full upholstered end panel



Performer CF-13601NC

- Polypropylene outerback and seat pan
- Counterweight tip-up seat mechanism
- PP armrest with plywood writing tablet
- PP end panel
- High or low back available



Arthur

CF-A02-1

Arthur series auditorium seat stands out for its great flexibility in different types of stanchions and multiple finishing options.

Choosing from U shape, T shape or single pedestal to suit your specific needs.

The easily open and fold wood writing tablet adds functionality for informative purpose space.



McLane

CF-6618

- Optional full upholstered or plywood outerback and seat
- Cold-molded foam for years of exceptional performance
- Polypropylene arm cap, writing tablet available
- Space saver - only 21" wide
- Stylish, low back profile



Glaston

CF-6619

- Optional full upholstered or plywooded outerback/ seat panel
- Slim back design and ergonomic seat cushion
- Optional polypropylene or wooden arm cap with writing tablet
- Space saver with only 21" seat width
- Tip-up seat with counterweight mechanism



Arthur

CF-A05-1

Arthur series auditorium seat stands out for its great flexibility in different types of stanchions and multiple finishing options.

Choosing from U shape, T shape or single pedestal to suit your specific needs.

The easily open and fold wood writing tablet adds functionality for informative purpose space.



Milo

CF-12601

- Fully upholstered outerback & seat pan
- High-density foam for comfort
- Retractable polypropylene or hardwood armrest
- Tip-up seat with counterweight mechanism
- Single pedestal support



Arcadia

CF-20603

- Plywood outerback and seat pan
- Ergonomic cushion shaped with lumbar support
- Hardwood armrest with wood veneer finish
- Steel standard with hardwood end panel



Maestro CF-813B

- Swivel food table
- Lift-up middle arm
- Powered adjustable headrest
- Full upholstered arm padding- replaceable if required



Millennium CF-818

Millennium features a high function design that creates the perfect angle for full-body relaxation. Recline the seat and the powered-adjustable headrest, you can enjoy the ideal weight distribution which helps optimize blood circulation and reduce pressure on the neck, back and legs with perfect sightline.



Muno
CF-7801



Adora
CF-7802




Odin
CF-M05

Linnet CF-M06

Designed for versatility, Linnet foldable and moveable chair is suitable for a wide range of applications-from classrooms that require frequent reconfiguration to auditoriums needing extra seating for large gatherings.

When not in use, it can be easily folded, allowing you to save valuable floor space. With its smooth-rolling castors, it effortlessly move from one location to another, providing exceptional flexibility and convenience.





Odin
CF-M05





Titan CF-420

Simple, modern and innovative, Titan provides practicality, durability and versatility for today's classroom. Designed with the busiest of educational settings in mind, the Titan can be placed in pairs in straight or curved rows, working well whether on steps or a flat floor.



The swivel seats rotating 360 -degrees allows for coworking and collaborating between rows.



Seats smoothly retract automatically once the student has left-ideal for keeping aisles clear, excellent for saving space, and exceptional for easy maintenance.



Electric power supply system is available-providing convenience for the increasing amount of learning technology, from tablets to laptops.

Straight Configuration On Flat Floor





Titan Flex

CF-E03



Simple, modern and innovative, Titan provides practicality, durability and versatility for today's classroom. Designed with the busiest of educational settings in mind, the Titan can be placed in pairs in straight or curved rows, working well whether on steps or a flat floor.




Monitor Arm



CF-100




CF-106




Item No.	Screen	kg	Lift	Up/Down	Swivel	Pivot	VESA	Package size (mm)	N.W(kg)	G.W(kg)	Thru-hole	Clamp
CF-100	16:9	Weight capacity	Lift (mm)	Tilt	Swivel	Pivot	VESA	Package size (mm)	N.W(kg)	G.W(kg)	Thru-hole	Clamp
	<34"	2-10	340	-30°~+75°	±90°	±90°	75*75 inner: 560*235*125 outer: 579*250*395 inner/outer: 31	inner: 3.7 outer: 11	inner: 4.5 outer: 14	10-50	10-50	100*100
	8-20											

Item No.	Screen	kg	Lift	Up/Down	Swivel	Pivot	VESA	Package size (mm)	N.W(kg)	G.W(kg)	Thru-hole	Clamp
CF-106	<34"	0.5-5	340	-30°~+75°	±90°	±90°	75*75 inner: 490*290*175 outer: 505*305*545 inner/outer: 31	inner: 5.2 outer: 15.6	inner: 6.5 outer: 21	10-50	10-50	100*100

CF-200




CF-203




Item No.	Screen	kg	Lift	Up/Down	Swivel	Pivot	VESA	Package size (mm)	N.W(kg)	G.W(kg)	Thru-hole	Clamp	
CF-200	16:9	32:9	Weight capacity	Lift (mm)	Tilt	Swivel	Pivot	VESA	Package size (mm)	N.W(kg)	G.W(kg)	Thru-hole	Clamp
	<32"	2-10	340	-30°~+75°	±90°	±90°	75*75 outer: 535*225*130 inner: 535*240*410 inner/outer: 31	inner: 6.4 outer: 19.2	inner: 6.8 outer: 21	10-70	10-80	100*100	
	8-20												

Item	Screen	kg	Lift	Up/Down	Swivel	Pivot	VESA	Packing Size (mm)	N.W(kg)	G.W(kg)	Thru-desk	Desk clamp
Model	LCD Size	Wt. Capacity	Lift(mm)	Tilt	Swivel	Pivot	VESA	Packing Size (mm)	N.W(kg)	G.W(kg)	Thru-desk	Desk clamp
CF-203	≤24"	2-10 8-20	340	+75° ~-30°	±90°	±90°	75*75 inner: 580*225*165 outer: 595*240*515 inner/outer: 31	inner: 6.5 outer: 19.5	inner: 7.5 outer: 23	60	50	100*100

CTM-100




CTM-200




Item No.	Screen	Weight capacity	Post Height (mm)	Tilt	Swivel	Pivot	VESA	Package size (mm)	N.W(kg)	G.W(kg)	Thru-hole	Clamp	Table thickness (mm)
CTM-100	<34"	<12	300	+90°~10°	180°/360°	± 90°	75*75 100*100 内外: 31	内: —— 外: —— 内外: 31	内: —— 外: —— 内外: 31	内: —— 外: —— 内外: 31	<50	15~50	

Item No.	Screen	Weight capacity	Post Height (mm)	Tilt	Swivel	Pivot	VESA	Package size (mm)	N.W(kg)	G.W(kg)	Thru-hole	Clamp	Table thickness (mm)
CTM-200	<30"	<12	400	+90°~10°	180°/360°	± 90°	75*75 100*100 内外: 31	内: —— 外: —— 内外: 31	内: —— 外: —— 内外: 31	内: —— 外: —— 内外: 31	<50	15~50	

CTM-300




CTM-400




Item No.	Screen	Weight capacity	Post Height (mm)	Tilt	Swivel	Pivot	VESA	Package size (mm)	N.W(kg)	G.W(kg)	Thru-hole	Clamp	Table thickness (mm)
CTM-300	<30"	<8	400	+90°~10°	180°/360°	± 90°	75*75 100*100 内外: 31	内: —— 外: —— 内外: 31	内: —— 外: —— 内外: 31	内: —— 外: —— 内外: 31	<50	15~50	

Item No.	Screen	Weight capacity	Post Height (mm)	Tilt	Swivel	Pivot	VESA	Package size (mm)	N.W(kg)	G.W(kg)	Thru-hole	Clamp	Table thickness (mm)
CTM-400	<30"	<12	700	+90°~10°	180°/360°	± 90°	75*75 100*100 内外: 31	内: —— 外: —— 内外: 31	内: —— 外: —— 内外: 31	内: —— 外: —— 内外: 31	<50	15~50	

CM-100




CM-200



Item	LCD Size	Wt. Capacity	Post Height (mm)	Tilt	Swivel	Pivot	VESA	Packing Size (mm)	NW(kg)	GW(kg)
Model	≤30"	≤8	400	+85° ~ -60°	360°	± 90°	75*75 100*100	inner: 555*250*120 outer: 565*270*175 inner/outer: 3/1	inner: 2.9 outer: 8.6	inner: 3.6 outer: 12


Item	LCD Size	Wt. Capacity	Post Height (mm)	Tilt	Swivel	Pivot	VESA	Packing Size (mm)	NW(kg)	GW(kg)
Model	≤30"	≤8	400	+85° ~ -60°	360°	± 90°	75*75 100*100	inner: 570*340*120 outer: 585*355*175 inner/outer: 3/1	inner: 4.1 outer: 12.3	inner: 5.0 outer: 16.8

CM-300



Item	LCD Size	Wt. Capacity	Post Height (mm)	Tilt	Swivel	Pivot	VESA	Packing Size (mm)	NW(kg)	GW(kg)
Model	≤24"	≤8	400	+85° ~ -60°	360°	± 90°	75*75 100*100	810*325*155	5.2	6.2

CM-400



Item	LCD Size	Wt. Capacity	Post Height (mm)	Tilt	Swivel	Pivot	VESA	Packing Size (mm)	NW(kg)	GW(kg)
Model	≤30"	≤8	700	+85° ~ -60°	360°	± 90°	75*75 100*100	855*395*160	6.8	8.1



Colors and size of product in this catalog are for reference only .
Please make the object as standard.



Hangzhou Confiza Furniture Technology Co., Ltd

Office Address 1 :

No. 16 Beitang Road, Xiaoshan District, Hangzhou City, Zhejiang Province, China

Office Address 2 :

Room 509, Building 2, No. 1699 Zhixing Road, Xiaoshan District, Hangzhou Province, China

Web: www.iconfiza.com

E-mail: info@iconfiza.com

Tel: 0571-87711637