

مواسير كهرباء ثقيل جداً

EXTRA HEAVY DUTY UPVC CONDUIT * IEC CODE 5521 4000N

Item Code	Nominal Size (O.D.)	Standard Packs	
		Pcs	Mtrs
AQEP-2	20	30	87
AQEP-3	25	30	87
AQEP-4	32	20	58
AQEP-5	38	15	43.5
AQEP-6	50	10	29

مواسير كهرباء ثقيل

HEAVY DUTY UPVC CONDUIT * IEC CODE 4421 1250N

Item Code	Nominal Size (O.D.)	Wall Thickness	Standard Packs	
			Pcs	Mtrs
AQSP-2	20	1.8	30	87
AQSP-3	25	1.9	30	87
AQSP-4	32	2.5	20	58
AQSP-5	38	2.5	15	43.5
AQSP-6	50	3.2	10	29

مواسير كهرباء وسط

MEDIUM DUTY UPVC CONDUIT * IEC CODE 3321 750N


Item Code	Nominal Size (O.D.)	Wall Thickness	Standard Packs	
			Pcs	Mtrs
AQMP-2	20	1.55	30	87
AQMP-3	25	1.8	30	87
AQMP-4	32	2.1	20	58
AQMP-5	38	2.2	15	43.5
AQMP-6	50	2.5	10	29

مواسير كهرباء خفيف

LIGHT DUTY UPVC CONDUIT * IEC CODE 2221 320N

Item Code	Nominal Size (O.D.)	Wall Thickness	Standard Packs	
			Pcs	Mtrs
AQLP-2	20	1.4	30	87
AQLP-3	25	1.55	30	87
AQLP-4	32	1.7	20	58
AQLP-5	38	1.7	15	43.5
AQLP-6	50	1.9	10	29

IEC, BS & EN CONDUIT SYSTEM



All pipes are also available with sockets

New

All pipes are also available with sockets

New


* Manufactured according to BS 6099, EN 61386 (IEC 61386), part 1 & 21 standard length 2.9m. Other lengths available on request.

* All above are available in 2 colors: Black and White or any other color on request.

IEC, BS & EN CONDUIT SYSTEM

STANDARD COUPLING المصنف بعدة قياسات

Item Code	Size (mm)	Standard Packs
AQSC-2	20	250
AQSC-3	25	150
AQSC-4	32	75
AQSC-5	38	50
AQSC-6	50	25



FEMALE ADAPTERS أدابتيرات بعدة قياسات

Item Code	Size (mm)	Standard Packs
AQFA-2	20	250
AQFA-3	25	200
AQFA-4	32	100
AQFA-5	38	50
AQFA-6	50	25



ROUND SPRING CLIPS مرائب كبس

Item Code	Size (mm)	Standard Packs
AQCC-2	20	200
AQCC-3	25	150



BENDS-HEAVY DUTY WITH BELL ENDS أنكواع تمديد بعدة قياسات

Item Code	Size (mm)	Standard Packs
AQHB-2	20	250
AQHB-3	25	200
AQHB-4	32	100
AQHB-5	38	50
AQHB-6	50	25



SADDLE WITH BASE مرائب برغي بعدة قياسات

Item Code	Size (mm)	Standard Packs
AQSB-2	20	250
AQSB-3	25	150
AQSB-4	32	100
AQSB-5	38	50
AQSB-6	50	25



IEC, BS & EN CONDUIT SYSTEM

ANGLE - TWO WAY BOX علبة لوب زاوية

Item Code	Size (mm)	Standard Packs
2/AQL/3	20	40
3/AQL/3	25	40



TEE - THREE WAY BOX علبة لوب ثلاثي

Item Code	Size (mm)	Standard Packs
2/AQL/4	20	32
3/AQL/4	25	32



Y - THREE WAY BOX علبة لوب Y

Item Code	Size (mm)	Standard Packs
2/AQL/5	20	32
3/AQL/5	25	32



INTERSECTION -FOUR WAY BOX علبة لوب رباعي

Item Code	Size (mm)	Standard Packs
2/AQL/6	20	32
3/AQL/6	25	32



H - FOUR WAY BOX علبة لوب H

Item Code	Size (mm)	Standard Packs
2/AQL/7	20	32
3/AQL/7	25	32



TERMINAL - ONE WAY BOX علبة لوب مفرد

Item Code	Size (mm)	Standard Packs
2/AQL/1	20	40
3/AQL/1	25	40



THROUGH - TWO WAY BOX علبة لوب ثنائي

Item Code	Size (mm)	Standard Packs
2/AQL/2	20	40
3/AQL/2	25	40



UPVC PRESSURE & WATER SUPPLY PIPES

All pipes are also available with sockets



New

مواسير مياه ضغط 16 بار

UPVC PRESSURE PIPE 16 BAR

Item Code	Nominal Size (O.D.)	Wall Thickness	Standard Packs	
	mm	mm	Pcs	Mtrs
AQPP-2	20	1.5	20	60
AQPP-3	25	1.9	20	60
AQPP-4	32	2.4	20	60
AQPP-5	40	3	15	45
AQPP-6	50	3.7	10	30
AQPP-7	63	4.7	5	15

- * Manufactured according to (DIN 8061/8062, DIN 19532).
- * Standard length 3 MTR. Other lengths available on request.
- * Class 3 (6 Bar) + Class 4 (10 Bar) available on request



مواسير تمديدات مياه

UPVC WATER SUPPLY PIPES

Item Code	Nominal Size (Inch.)	Wall Thickness	Standard Packs	
	Inch	mm	Pcs	Mtrs
AQWP-2	1/2"	3.73	10	60
AQWP-3	3/4"	3.91	10	60
AQWP-4	1"	4.55	5	30

- * Manufactured according to ASTM D - 1785, schedule 80.
- * Standard length 6 MTR.
- * Pipes according to Schedule 40 available also on request.

