

ALLOY	SIZE	WEIGHT
CURRENT PLATE INVENTORY		
Alloy 13-8	0.187 X 48.000 X 192.000 4.7498MM X 1219.2 X 4876.8	873 LBS 396 KG
Alloy 13-8	0.187 X 48.000 X 200.000 4.7498MM X 1219.2 X 5080	584 LBS 265 KG
Alloy 13-8	0.187 X 48.125 X 200.000 4.7498MM X 1222.375 X 5080	1014 LBS 460 KG
Alloy 13-8	0.187 X 48.125 X 200.130 4.7498MM X 1222.375 X 5083.302	1103 LBS 500 KG
Alloy 13-8	0.187 X 48.250 X 48.125 4.7498MM X 1225.55 X 1222.375	1037 LBS 470 KG
Alloy 13-8	0.187 X 48.250 X 200.000 4.7498MM X 1225.55 X 5080	1100 LBS 499 KG
Alloy 13-8	0.187 X 48.250 X 200.125 4.7498MM X 1225.55 X 5083.175	585 LBS 265 KG
Alloy 13-8	0.250 X 48.000 X 200.120 6.35MM X 1219.2 X 5083.048	790 LBS 358 KG
Alloy 13-8	0.250 X 48.125 X 156.625 6.35MM X 1222.375 X 3978.275	616 LBS 279 KG
Alloy 13-8	0.250 X 48.125 X 200.000 6.35MM X 1222.375 X 5080	2314 LBS 1050 KG
Alloy 13-8	0.250 X 48.250 X 200.120 6.35MM X 1225.55 X 5083.048	779 LBS 353 KG
Alloy 13-8	0.375 X 48.000 X 200.000 9.525MM X 1219.2 X 5080	2284 LBS 1036 KG
Alloy 13-8	0.375 X 48.125 X 65.250 9.525MM X 1222.375 X 1657.35	341 LBS 155 KG
Alloy 13-8 - DUE DATE: 11-02-24	0.375 X 48.125 X 200.120 9.525MM X 1222.375 X 5083.048	6960 LBS 3157 KG
Alloy 13-8	0.375 X 48.125 X 200.125 9.525MM X 1222.375 X 5083.175	1134 LBS 514 KG
Alloy 13-8	0.500 X 48.000 X 200.000 12.7MM X 1219.2 X 5080	1465 LBS 665 KG
Alloy 13-8	0.500 X 48.125 X 134.000 12.7MM X 1222.375 X 3403.6	972 LBS 441 KG
Alloy 13-8	0.500 X 48.125 X 200.010 12.7MM X 1222.375 X 5080.254	2948 LBS 1337 KG
Alloy 13-8	0.500 X 48.125 X 200.020 12.7MM X 1222.375 X 5080.508	2950 LBS 1338 KG
Alloy 13-8	0.500 X 48.125 X 200.125 12.7MM X 1222.375 X 5083.175	1497 LBS 679 KG
Alloy 13-8 - DUE DATE: 08-25-24	0.500 X 48.187 X 200.000 12.7MM X 1223.9498 X 5080	9036 LBS 4099 KG
Alloy 13-8	0.500 X 48.250 X 199.870 12.7MM X 1225.55 X 5076.698	1434 LBS 650 KG
Alloy 13-8	0.500 X 48.250 X 200.000 12.7MM X 1225.55 X 5080	2839 LBS 1288 KG
Alloy 13-8	0.500 X 48.250 X 200.010 12.7MM X 1225.55 X 5080.254	1495 LBS 678 KG

Alloy 13-8	0.625 X 60.125 X 200.010 15.875MM X 1527.175 X 5080.254	4487 LBS 2035 KG
Alloy 13-8 - DUE DATE: 08-25-24	0.625 X 60.187 X 200.000 15.875MM X 1528.7498 X 5080	9248 LBS 4195 KG
Alloy 13-8	0.625 X 60.250 X 200.130 15.875MM X 1530.35 X 5083.302	2845 LBS 1290 KG
Alloy 13-8	0.750 X 48.000 X 200.000 19.05MM X 1219.2 X 5080	2044 LBS 927 KG
Alloy 13-8	0.750 X 48.000 X 200.010 19.05MM X 1219.2 X 5080.254	2156 LBS 978 KG
Alloy 13-8	0.750 X 48.250 X 200.125 19.05MM X 1225.55 X 5083.175	2157 LBS 978 KG
Alloy 13-8	1.000 X 64.750 X 162.750 25.4MM X 1644.65 X 4133.85	6462 LBS 2931 KG
Alloy 13-8	1.000 X 64.750 X 166.620 25.4MM X 1644.65 X 4232.148	3207 LBS 1455 KG
Alloy 13-8	1.000 X 64.875 X 56.000 25.4MM X 1647.825 X 1422.4	1071 LBS 486 KG
Alloy 13-8	1.000 X 64.875 X 169.250 25.4MM X 1647.825 X 4298.95	3227 LBS 1464 KG
Alloy 13-8	1.250 X 59.375 X 13.375 31.75MM X 1508.125 X 339.725	300 LBS 136 KG
Alloy 13-8	1.250 X 60.625 X 149.000 31.75MM X 1539.875 X 3784.6	3336 LBS 1513 KG
Alloy 13-8	1.250 X 60.750 X 149.000 31.75MM X 1543.05 X 3784.6	3328 LBS 1510 KG
Alloy 13-8	1.250 X 61.000 X 149.250 31.75MM X 1549.4 X 3790.95	3321 LBS 1506 KG
Alloy 13-8	1.500 X 60.000 X 200.000 38.1MM X 1524 X 5080	5310 LBS 2409 KG
Alloy 13-8 - DUE DATE: 08-25-24	1.500 X 60.197 X 200.000 38.1MM X 1529.0038 X 5080	5141 LBS 2332 KG
Alloy 13-8	1.750 X 12.625 X 20.500 44.45MM X 320.675 X 520.7	140 LBS 64 KG
Alloy 13-8	1.750 X 48.125 X 200.000 44.45MM X 1222.375 X 5080	4814 LBS 2184 KG
Alloy 13-8	1.750 X 48.250 X 173.875 44.45MM X 1225.55 X 4416.425	4255 LBS 1930 KG
Alloy 13-8	2.000 X 25.875 X 12.750 50.8MM X 657.225 X 323.85	318 LBS 144 KG
Alloy 13-8	2.000 X 28.250 X 22.500 50.8MM X 717.55 X 571.5	452 LBS 205 KG
Alloy 13-8	2.000 X 60.000 X 200.000 50.8MM X 1524 X 5080	7036 LBS 3191 KG
Alloy 13-8	2.375 X 34.000 X 55.875 60.325MM X 863.6 X 1419.225	1514 LBS 687 KG
Alloy 13-8	2.375 X 34.000 X 139.000 60.325MM X 863.6 X 3530.6	6426 LBS 2915 KG
Alloy 13-8	2.500 X 56.250 X 142.000 63.5MM X 1428.75 X 3606.8	5796 LBS 2629 KG

Alloy 13-8	3.000 X 3.000 X 28.750 76.2MM X 76.2 X 730.25	79 LBS 36 KG
Alloy 13-8	3.000 X 4.750 X 24.875 76.2MM X 120.65 X 631.825	144 LBS 65 KG
Alloy 13-8	3.000 X 23.000 X 4.380 76.2MM X 584.2 X 111.252	94 LBS 43 KG
Alloy 13-8	3.000 X 56.375 X 56.625 76.2MM X 1431.925 X 1438.275	2911 LBS 1320 KG
Alloy 13-8	3.000 X 60.125 X 22.750 76.2MM X 1527.175 X 577.85	1949 LBS 884 KG
Alloy 13-8	3.000 X 60.250 X 144.000 76.2MM X 1530.35 X 3657.6	7558 LBS 3428 KG
Alloy 13-8	3.500 X 9.500 X 32.000 88.9MM X 241.3 X 812.8	524 LBS 238 KG
Alloy 13-8	3.500 X 11.875 X 45.000 88.9MM X 301.625 X 1143	938 LBS 425 KG
Alloy 13-8	3.500 X 44.875 X 68.625 88.9MM X 1139.825 X 1743.075	3120 LBS 1415 KG
Alloy 13-8	3.500 X 60.000 X 104.750 88.9MM X 1524 X 2660.65	6398 LBS 2902 KG
Alloy 13-8	4.000 X 15.750 X 16.250 101.6MM X 400.05 X 412.75	430 LBS 195 KG
Alloy 13-8	4.020 X 58.000 X 94.375 102.108MM X 1473.2 X 2397.125	6384 LBS 2896 KG
<b>ALLOY</b>	<b>SIZE</b>	<b>WEIGHT</b>
<b>CURRENT BAR INVENTORY</b>		
Alloy 13-8	0.510 DIA X 161 RL 12.954MM DIA	1475 LBS 669 KG
Alloy 13-8	0.510 DIA X 53.1+141/160RL 12.954MM DIA	206 LBS 93 KG
Alloy 13-8	1.010 DIA X 104.5 25.654MM DIA	24 LBS 11 KG
Alloy 13-8	1.260 DIA X !!SOLD OUT!! 32.004MM DIA	7 LBS 3 KG
Alloy 13-8	1.385 DIA X 172 RL 35.179MM DIA	2160 LBS 980 KG
Alloy 13-8	1.385 DIA X 44.625+116+144 35.179MM DIA	130 LBS 59 KG
Alloy 13-8 - DUE DATE: 07-20-24	1.760 DIA X 160 RL 44.704MM DIA	1150 LBS 522 KG
Alloy 13-8	1.760 DIA X 72.8+151/170RL 44.704MM DIA	1874 LBS 850 KG
Alloy 13-8	2.260 DIA X 61.5+128/156RL 57.404MM DIA	5555 LBS 2520 KG
Alloy 13-8	2.510 DIA X 106/173 RL 63.754MM DIA	5393 LBS 2446 KG
Alloy 13-8	2.510 DIA X 23.375 + 150RL 63.754MM DIA	863 LBS 391 KG
Alloy 13-8	2.760 DIA X 131/141 RL 70.104MM DIA	1135 LBS 515 KG

Alloy 13-8	2.760 DIA X 136/166 RL 70.104MM DIA	6192 LBS 2809 KG
Alloy 13-8	2.760 DIA X 40 70.104MM DIA	67 LBS 30 KG
Alloy 13-8	3.010 DIA X 75.2+150/160RL 76.454MM DIA	4763 LBS 2160 KG
Alloy 13-8	3.260 DIA X 130+143/147 RL 82.804MM DIA	1652 LBS 749 KG
Alloy 13-8	3.260 DIA X 169/182 RL 82.804MM DIA	3325 LBS 1508 KG
Alloy 13-8	3.520 DIA X 11.8+166/188RL 89.408MM DIA	2521 LBS 1144 KG
Alloy 13-8	3.520 DIA X 117+141+152 89.408MM DIA	1120 LBS 508 KG
Alloy 13-8	3.520 DIA X 67.3+107/162RL 89.408MM DIA	1658 LBS 752 KG
Alloy 13-8	3.760 DIA X 134+163/167 RL 95.504MM DIA	4066 LBS 1844 KG
Alloy 13-8	4.020 DIA X 15.8+137/155RL 102.108MM DIA	5565 LBS 2524 KG
Alloy 13-8	4.770 DIA X 50+109+112/133 121.158MM DIA	2026 LBS 919 KG
Alloy 13-8	5.265 DIA X 154.125+157.75 133.731MM DIA	1916 LBS 869 KG
Alloy 13-8	5.270 DIA X 103/145 RL 133.858MM DIA	3828 LBS 1736 KG
Alloy 13-8	5.270 DIA X 117/136 RL 133.858MM DIA	3200 LBS 1451 KG
Alloy 13-8	5.270 DIA X 16.625 + 96 133.858MM DIA	693 LBS 314 KG
Alloy 13-8	5.500 DIA X 30.375 139.7MM DIA	205 LBS 93 KG
Alloy 13-8	5.520 DIA X 78.7+129.5+171 140.208MM DIA	2550 LBS 1157 KG
Alloy 13-8	5.750 DIA X 135.75+142.75 146.05MM DIA	2039 LBS 925 KG
Alloy 13-8	6.020 DIA X 64.250 152.908MM DIA	512 LBS 232 KG
Alloy 13-8	6.020 DIA X 148.250 152.908MM DIA	1259 LBS 571 KG
Alloy 13-8	6.520 DIA X 15 + 136/154RL 165.608MM DIA	4235 LBS 1921 KG
Alloy 13-8	6.520 DIA X 3.5 165.608MM DIA	36 LBS 16 KG
Alloy 13-8	7.020 DIA X 127.625 + 157 178.308MM DIA	3098 LBS 1405 KG
Alloy 13-8	7.020 DIA X 40.375 178.308MM DIA	461 LBS 209 KG
Alloy 13-8	7.020 DIA X 152.625 178.308MM DIA	1667 LBS 756 KG

Alloy 13-8	7.520 DIA X 111+140/172RL 191.008MM DIA	7047 LBS 3196 KG
Alloy 13-8	8.020 DIA X 163.250 203.708MM DIA	2321 LBS 1053 KG
CURRENT SHEET INVENTORY		
Alloy 13-8	0.063 X 36.000 X 96.000 1.6002MM X 914.4 X 2438.4	1896 LBS 860 KG
Alloy 13-8	0.125 X 36.000 X 2.250 3.175MM X 914.4 X 57.15	4 LBS 2 KG
CURRENT FLAT BAR INVENTORY		
Alloy 13-8	0.750 X 2.000 X 144 RL 19.05MM X 50.8	2194 LBS 995 KG
Alloy 13-8	0.750 X 2.000 X 144 RL 19.05MM X 50.8	325 LBS 147 KG
Alloy 13-8	0.750 X 2.250 X 144 RL 19.05MM X 57.15	1258 LBS 571 KG
Alloy 13-8	1.000 X 2.000 X 144 RL 25.4MM X 50.8	6298 LBS 2857 KG
CURRENT BAR INVENTORY		
Alloy 13-8 SUPER TOUGH (AMS 5934)	1.010 DIA X 100+134/156 RL 25.654MM DIA	1276 LBS 579 KG
Alloy 13-8 SUPER TOUGH (AMS 5934)	1.260 DIA X 131/148 RL 32.004MM DIA	1234 LBS 560 KG
Alloy 13-8 SUPER TOUGH (AMS 5934) - DUE DATE: 11-25-24	1.510 DIA X 80/160 RL 38.354MM DIA	5180 LBS 2350 KG
Alloy 13-8 SUPER TOUGH (AMS 5934)	2.010 DIA X 11.6+108/109RL 51.054MM DIA	799 LBS 362 KG
Alloy 13-8 SUPER TOUGH (AMS 5934)	2.510 DIA X 109.125+107.87 63.754MM DIA	456 LBS 207 KG
Alloy 13-8 SUPER TOUGH (AMS 5934)	3.020 DIA X 105/108 RL 76.708MM DIA	862 LBS 391 KG
Alloy 13-8 SUPER TOUGH (AMS 5934)	3.020 DIA X 2@108 + 26.5 76.708MM DIA	487 LBS 221 KG
Alloy 13-8 SUPER TOUGH (AMS 5934)	3.520 DIA X 91+93+96+100 89.408MM DIA	1047 LBS 475 KG
Alloy 13-8 SUPER TOUGH (AMS 5934)	3.520 DIA X 97 + 102/109RL 89.408MM DIA	1136 LBS 515 KG
Alloy 13-8 SUPER TOUGH (AMS 5934)	4.020 DIA X 102+104+107 102.108MM DIA	1123 LBS 509 KG
Alloy 13-8 SUPER TOUGH (AMS 5934)	4.020 DIA X 47.625+104+106 102.108MM DIA	922 LBS 418 KG
<b>ALLOY</b>	<b>SIZE</b>	<b>WEIGHT</b>
CURRENT FLAT BAR INVENTORY		
Alloy 13-8 SUPER TOUGH (AMS 5934)	4.020 X 10.020 X 144 RL 102.108MM X 254.508	2479 LBS 1124 KG
Alloy 13-8 SUPER TOUGH (AMS 5934)	5.020 X 12.020 X 144 RL 127.508MM X 305.308	2784 LBS 1263 KG
<b>SIZE</b>	<b>WEIGHT</b>	
CURRENT BAR INVENTORY		
Alloy 13-8/H1000 CONDITION BAR - DUE	0.385 DIA X 160 RL	1582 LBS

Alloy 13-8/H1000 CONDITION BAR - DUE DATE: 02-01-25	9.779MM DIA	718 KG
Alloy 13-8/H1000 CONDITION BAR	0.510 DIA X 143" RL 12.954MM DIA	49 LBS 22 KG
Alloy 13-8/H1000 CONDITION BAR - DUE DATE: 11-30-24	0.510 DIA X 160 RL 12.954MM DIA	1582 LBS 718 KG
Alloy 13-8/H1000 CONDITION BAR - DUE DATE: 11-30-24	0.635 DIA X 160 RL 16.129MM DIA	1582 LBS 718 KG
Alloy 13-8/H1000 CONDITION BAR	0.760 DIA X 123/143 RL 19.304MM DIA	977 LBS 443 KG
Alloy 13-8/H1000 CONDITION BAR	1.010 DIA X 133.125+159RL 25.654MM DIA	738 LBS 335 KG
Alloy 13-8/H1000 CONDITION BAR	1.010 DIA X 1@ 2 + 3@ 3.5 25.654MM DIA	4 LBS 2 KG
Alloy 13-8/H1000 CONDITION BAR	1.260 DIA X 160-172RL + 62 32.004MM DIA	839 LBS 381 KG
Alloy 13-8/H1000 CONDITION BAR - DUE DATE: 11-30-24	1.510 DIA X 160 RL 38.354MM DIA	1582 LBS 718 KG
Alloy 13-8/H1000 CONDITION BAR	1.510 DIA X 46.6+149/157RL 38.354MM DIA	765 LBS 347 KG
Alloy 13-8/H1000 CONDITION BAR	1.760 DIA X 169/187 RL 44.704MM DIA	1567 LBS 711 KG
Alloy 13-8/H1000 CONDITION BAR - DUE DATE: 11-30-24	2.010 DIA X 160 RL 51.054MM DIA	1582 LBS 718 KG
Alloy 13-8/H1000 CONDITION BAR	2.260 DIA X 121+168/186RL 57.404MM DIA	2967 LBS 1346 KG
Alloy 13-8/H1000 CONDITION BAR - DUE DATE: 08-10-24	2.510 DIA X 160 RL 63.754MM DIA	1404 LBS 637 KG
Alloy 13-8/H1000 CONDITION BAR	2.510 DIA X 51+146/164 RL 63.754MM DIA	934 LBS 424 KG
Alloy 13-8/H1000 CONDITION BAR	3.020 DIA X 91+118+182RL 76.708MM DIA	2910 LBS 1320 KG
Alloy 13-8/H1000 CONDITION BAR - DUE DATE: 11-30-24	3.520 DIA X 160 RL 89.408MM DIA	3164 LBS 1435 KG
Alloy 13-8/H1000 CONDITION BAR	3.520 DIA X 43.5+167/177RL 89.408MM DIA	1523 LBS 691 KG
Alloy 13-8/H1000 CONDITION BAR	4.020 DIA X 125.250+160RL 102.108MM DIA	1605 LBS 728 KG
Alloy 13-8/H1000 CONDITION BAR - DUE DATE: 07-15-25	4.520 DIA X 160 RL 114.808MM DIA	3000 LBS 1361 KG
Alloy 13-8/H1000 CONDITION BAR	5.020 DIA X 110+144/158RL 127.508MM DIA	3165 LBS 1436 KG
Alloy 13-8/H1000 CONDITION BAR	5.520 DIA X 98+152+154 140.208MM DIA	2742 LBS 1244 KG
Alloy 13-8/H1000 CONDITION BAR	6.020 DIA X 82 + 124 + 130 152.908MM DIA	2740 LBS 1243 KG