

| ALLOY                             | SIZE  | WEIGHT              |
|-----------------------------------|---|---------------------|
| CURRENT PLATE INVENTORY           |   |                     |
| Alloy 230 - DUE<br>DATE: 07-01-24 | 0.187 X 36.000 X 120.000<br>4.7498MM X 914.4 X 3048       | 5000 LBS<br>2268 KG |
| Alloy 230                         | 0.187 X 48.000 X 48.375<br>4.7498MM X 1219.2 X 1228.725   | 148 LBS<br>67 KG    |
| Alloy 230                         | 0.187 X 48.000 X 120.000<br>4.7498MM X 1219.2 X 3048      | 2170 LBS<br>984 KG  |
| Alloy 230                         | 0.250 X 48.000 X 120.000<br>6.35MM X 1219.2 X 3048        | 4147 LBS<br>1881 KG |
| Alloy 230                         | 0.250 X 48.000 X 168.000<br>6.35MM X 1219.2 X 4267.2      | 8964 LBS<br>4066 KG |
| Alloy 230                         | 0.250 X 48.000 X 189.500<br>6.35MM X 1219.2 X 4813.3      | 2441 LBS<br>1107 KG |
| Alloy 230                         | 0.250 X 48.001 X 168.000<br>6.35MM X 1219.2254 X 4267.2   | 1500 LBS<br>680 KG  |
| Alloy 230                         | 0.312 X 48.000 X 14.125<br>7.9248MM X 1219.2 X 358.775    | 74 LBS<br>34 KG     |
| Alloy 230                         | 0.312 X 48.000 X 144.000<br>7.9248MM X 1219.2 X 3657.6    | 3553 LBS<br>1612 KG |
| Alloy 230                         | 0.312 X 48.001 X 144.000<br>7.9248MM X 1219.2254 X 3657.6 | 771 LBS<br>350 KG   |
| Alloy 230                         | 0.375 X 8.250 X 13.500<br>9.525MM X 209.55 X 342.9        | 23 LBS<br>10 KG     |
| Alloy 230                         | 0.375 X 48.000 X 60.125<br>9.525MM X 1219.2 X 1527.175    | 387 LBS<br>176 KG   |
| Alloy 230                         | 0.375 X 48.000 X 200.000<br>9.525MM X 1219.2 X 5080       | 5181 LBS<br>2350 KG |
| Alloy 230                         | 0.500 X 48.000 X 168.000<br>12.7MM X 1219.2 X 4267.2      | 5662 LBS<br>2568 KG |
| Alloy 230 - DUE<br>DATE: 08-10-24 | 0.500 X 48.000 X 168.000<br>12.7MM X 1219.2 X 4267.2      | 1427 LBS<br>647 KG  |
| Alloy 230                         | 0.750 X 7.000 X 12.500<br>19.05MM X 177.8 X 317.5         | 25 LBS<br>11 KG     |
| Alloy 230                         | 0.750 X 48.000 X 130.375<br>19.05MM X 1219.2 X 3311.525   | 1650 LBS<br>748 KG  |
| Alloy 230                         | 0.750 X 48.000 X 144.000<br>19.05MM X 1219.2 X 3657.6     | 5312 LBS<br>2409 KG |
| Alloy 230                         | 1.000 X 6.250 X 48.630<br>25.4MM X 158.75 X 1235.202      | 286 LBS<br>130 KG   |
| Alloy 230                         | 1.000 X 48.000 X 10.125<br>25.4MM X 1219.2 X 257.175      | 370 LBS<br>168 KG   |
| Alloy 230                         | 1.000 X 48.125 X 115.875<br>25.4MM X 1222.375 X 2943.225  | 2107 LBS<br>956 KG  |
| Alloy 230                         | 1.000 X 49.000 X 168.125<br>25.4MM X 1244.6 X 4270.375    | 2816 LBS<br>1277 KG |
| Alloy 230                         | 1.500 X 48.000 X 95.125<br>38.1MM X 1219.2 X 2416.175     | 2309 LBS<br>1047 KG |
| Alloy 230                         | 1.500 X 48.125 X 95.500<br>38.1MM X 1222.375 X 2425.7     | 2327 LBS<br>1056 KG |
| Alloy 230                         | 1.500 X 48.125 X 96.250<br>38.1MM X 1222.375 X 2444.75    | 2326 LBS<br>1055 KG |

|                                   |  |                     |
|-----------------------------------|--|---------------------|
| Alloy 230                         | 1.510 X 2.600 X 76.880<br>38.354MM X 66.04 X 1952.752    | 255 LBS<br>116 KG   |
| Alloy 230                         | 1.510 X 47.930 X 15.125<br>38.354MM X 1217.422 X 384.175 | 1057 LBS<br>479 KG  |
| <b>ALLOY</b>                      | <b>SIZE</b>  | <b>WEIGHT</b>       |
| <b>CURRENT BAR INVENTORY</b>      |  |                     |
| Alloy 230                         | 0.260 DIA X 128.75 + 144RL<br>6.604MM DIA                | 751 LBS<br>341 KG   |
| Alloy 230                         | 0.260 DIA X 144 RL<br>6.604MM DIA                        | 329 LBS<br>149 KG   |
| Alloy 230                         | 0.385 DIA X 31 + 104-168RL<br>9.779MM DIA                | 1519 LBS<br>689 KG  |
| Alloy 230 - DUE<br>DATE: 06-15-24 | 0.510 DIA X 161 RL<br>12.954MM DIA                       | 1500 LBS<br>680 KG  |
| Alloy 230 - DUE<br>DATE: 07-10-24 | 0.510 DIA X 162 RL<br>12.954MM DIA                       | 1000 LBS<br>454 KG  |
| Alloy 230                         | 0.510 DIA X 7.87+136-170RL<br>12.954MM DIA               | 1422 LBS<br>645 KG  |
| Alloy 230                         | 0.760 DIA X 140-171 RL<br>19.304MM DIA                   | 2219 LBS<br>1007 KG |
| Alloy 230                         | 0.760 DIA X 26.750+26.375<br>19.304MM DIA                | 8 LBS<br>4 KG       |
| Alloy 230                         | 0.875 DIA X 40.3+112-136RL<br>22.225MM DIA               | 239 LBS<br>108 KG   |
| Alloy 230 - DUE<br>DATE: 12-02-24 | 0.885 DIA X 160 RL<br>22.479MM DIA                       | 1500 LBS<br>680 KG  |
| Alloy 230                         | 1.010 DIA X 106-164 RL<br>25.654MM DIA                   | 1779 LBS<br>807 KG  |
| Alloy 230 - DUE<br>DATE: 02-20-25 | 1.010 DIA X 161 RL<br>25.654MM DIA                       | 2000 LBS<br>907 KG  |
| Alloy 230 - DUE<br>DATE: 02-20-25 | 1.260 DIA X 160 RL<br>32.004MM DIA                       | 2000 LBS<br>907 KG  |
| Alloy 230 - DUE<br>DATE: 05-20-25 | 1.260 DIA X 161 RL<br>32.004MM DIA                       | 2000 LBS<br>907 KG  |
| Alloy 230                         | 1.260 DIA X 80.1+118-159RL<br>32.004MM DIA               | 1291 LBS<br>586 KG  |
| Alloy 230                         | 1.510 DIA X 121-166 RL<br>38.354MM DIA                   | 1635 LBS<br>742 KG  |
| Alloy 230                         | 1.510 DIA X 125-169 RL<br>38.354MM DIA                   | 1163 LBS<br>528 KG  |
| Alloy 230 - DUE<br>DATE: 12-02-24 | 1.510 DIA X 162 RL<br>38.354MM DIA                       | 2000 LBS<br>907 KG  |
| Alloy 230                         | 1.510 DIA X 66.500<br>38.354MM DIA                       | 38 LBS<br>17 KG     |
| Alloy 230                         | 1.760 DIA X 136-158 RL<br>44.704MM DIA                   | 1958 LBS<br>888 KG  |
| Alloy 230                         | 1.760 DIA X 139-161RL+50.6<br>44.704MM DIA               | 734 LBS<br>333 KG   |
| Alloy 230 - DUE<br>DATE: 05-20-25 | 1.760 DIA X 160 RL<br>44.704MM DIA                       | 2000 LBS<br>907 KG  |
| Alloy 230                         | 2.010 DIA X 156-163 RL<br>51.054MM DIA                   | 1374 LBS<br>623 KG  |

|                                   |   |                     |
|-----------------------------------|---|---------------------|
| Alloy 230 - DUE<br>DATE: 02-20-25 | 2.010 DIA X 159 RL<br>51.054MM DIA          | 2000 LBS<br>907 KG  |
| Alloy 230 - DUE<br>DATE: 07-24-24 | 2.010 DIA X 160 RL<br>51.054MM DIA          | 3000 LBS<br>1361 KG |
| Alloy 230 - DUE<br>DATE: 12-02-24 | 2.010 DIA X 161 RL<br>51.054MM DIA          | 3000 LBS<br>1361 KG |
| Alloy 230                         | 2.260 DIA X 144.5<br>57.404MM DIA           | 187 LBS<br>85 KG    |
| Alloy 230                         | 2.260 DIA X 157-165 RL<br>57.404MM DIA      | 2536 LBS<br>1150 KG |
| Alloy 230                         | 2.362 DIA X 39.8+129-150RL<br>59.9948MM DIA | 1218 LBS<br>552 KG  |
| Alloy 230                         | 2.362 DIA X 86-133 RL<br>59.9948MM DIA      | 2157 LBS<br>978 KG  |
| Alloy 230                         | 2.510 DIA X 117+123-141RL<br>63.754MM DIA   | 1232 LBS<br>559 KG  |
| Alloy 230                         | 2.510 DIA X 125-139RL<br>63.754MM DIA       | 1704 LBS<br>773 KG  |
| Alloy 230                         | 2.510 DIA X 125-191RL<br>63.754MM DIA       | 3001 LBS<br>1361 KG |
| Alloy 230 - DUE<br>DATE: 12-02-24 | 2.510 DIA X 162 RL<br>63.754MM DIA          | 3000 LBS<br>1361 KG |
| Alloy 230 - DUE<br>DATE: 01-20-25 | 2.510 DIA X 163 RL<br>63.754MM DIA          | 2000 LBS<br>907 KG  |
| Alloy 230                         | 2.510 DIA X 9.875<br>63.754MM DIA           | 16 LBS<br>7 KG      |
| Alloy 230                         | 2.520 DIA X 1.75<br>64.008MM DIA            | 3 LBS<br>1 KG       |
| Alloy 230                         | 2.520 DIA X 39<br>64.008MM DIA              | 63 LBS<br>29 KG     |
| Alloy 230                         | 2.760 DIA X 114-123 RL<br>70.104MM DIA      | 1630 LBS<br>739 KG  |
| Alloy 230 - DUE<br>DATE: 10-15-24 | 2.760 DIA X 160 RL<br>70.104MM DIA          | 1476 LBS<br>670 KG  |
| Alloy 230                         | 2.760 DIA X 92.375<br>70.104MM DIA          | 181 LBS<br>82 KG    |
| Alloy 230                         | 2.760 DIA X 95 + 176 + 185<br>70.104MM DIA  | 886 LBS<br>402 KG   |
| Alloy 230 - DUE<br>DATE: 05-20-25 | 3.020 DIA X 159 RL<br>76.708MM DIA          | 5000 LBS<br>2268 KG |
| Alloy 230 - DUE<br>DATE: 05-25-25 | 3.020 DIA X 161 RL<br>76.708MM DIA          | 3000 LBS<br>1361 KG |
| Alloy 230 - DUE<br>DATE: 09-20-24 | 3.020 DIA X 162 RL<br>76.708MM DIA          | 3000 LBS<br>1361 KG |
| Alloy 230 - DUE<br>DATE: 12-02-24 | 3.020 DIA X 163 RL<br>76.708MM DIA          | 5000 LBS<br>2268 KG |
| Alloy 230 - DUE<br>DATE: 02-20-25 | 3.020 DIA X 164 RL<br>76.708MM DIA          | 4000 LBS<br>1814 KG |
| Alloy 230                         | 3.020 DIA X 30.750<br>76.708MM DIA          | 72 LBS<br>33 KG     |
| Alloy 230 - DUE<br>DATE: 05-25-25 | 3.520 DIA X<br>89.408MM DIA                 | 3000 LBS<br>1361 KG |

|                                   |  |                      |
|-----------------------------------|--|----------------------|
| Alloy 230                         | 3.520 DIA X 123+124+125<br>89.408MM DIA                | 1178 LBS<br>534 KG   |
| Alloy 230                         | 3.520 DIA X 140.625+95.375<br>89.408MM DIA             | 743 LBS<br>337 KG    |
| Alloy 230                         | 3.520 DIA X 3.250<br>89.408MM DIA                      | 10 LBS<br>5 KG       |
| Alloy 230                         | 4.020 DIA X 118.625+143.25<br>102.108MM DIA            | 1077 LBS<br>489 KG   |
| Alloy 230                         | 4.020 DIA X 173-185 RL<br>102.108MM DIA                | 2976 LBS<br>1350 KG  |
| Alloy 230                         | 4.020 DIA X 25.1+109-186RL<br>102.108MM DIA            | 2792 LBS<br>1266 KG  |
| Alloy 230                         | 4.520 DIA X 1.875<br>114.808MM DIA                     | 10 LBS<br>5 KG       |
| Alloy 230 - DUE<br>DATE: 01-20-25 | 4.520 DIA X 192 RL<br>114.808MM DIA                    | 4000 LBS<br>1814 KG  |
| Alloy 230                         | 4.520 DIA X 207 + 213.75<br>114.808MM DIA              | 2224 LBS<br>1009 KG  |
| Alloy 230                         | 4.520 DIA X 96.375<br>114.808MM DIA                    | 514 LBS<br>233 KG    |
| Alloy 230                         | 5.020 DIA X 114+110+102<br>127.508MM DIA               | 2868 LBS<br>1301 KG  |
| Alloy 230                         | 5.020 DIA X 119.8 + 139.3<br>127.508MM DIA             | 1685 LBS<br>764 KG   |
| Alloy 230                         | 5.020 DIA X 122.7 + 144.2<br>127.508MM DIA             | 1741 LBS<br>790 KG   |
| Alloy 230 - DUE<br>DATE: 09-20-24 | 5.020 DIA X 192 RL<br>127.508MM DIA                    | 4500 LBS<br>2041 KG  |
| Alloy 230 - DUE<br>DATE: 09-20-24 | 5.020 DIA X 193 RL<br>127.508MM DIA                    | 4000 LBS<br>1814 KG  |
| Alloy 230                         | 6.020 DIA X 101.250<br>152.908MM DIA                   | 946 LBS<br>429 KG    |
| Alloy 230                         | 6.020 DIA X 127+123+71.875<br>152.908MM DIA            | 2996 LBS<br>1359 KG  |
| Alloy 230                         | 6.020 DIA X 130+129+108<br>152.908MM DIA               | 3408 LBS<br>1546 KG  |
| Alloy 230                         | 6.020 DIA X 130.5<br>152.908MM DIA                     | 1212 LBS<br>550 KG   |
| Alloy 230 - DUE<br>DATE: 09-15-25 | 6.020 DIA X 188 RL<br>152.908MM DIA                    | 4000 LBS<br>1814 KG  |
| Alloy 230 - DUE<br>DATE: 09-15-24 | 6.020 DIA X 191 RL<br>152.908MM DIA                    | 4500 LBS<br>2041 KG  |
| Alloy 230 - DUE<br>DATE: 12-02-24 | 6.020 DIA X 192 RL<br>152.908MM DIA                    | 17900 LBS<br>8119 KG |
| Alloy 230 - DUE<br>DATE: 09-20-24 | 6.020 DIA X 193 RL<br>152.908MM DIA                    | 4500 LBS<br>2041 KG  |
| <b>ALLOY</b>                      | <b>SIZE</b>  | <b>WEIGHT</b>        |
| CURRENT SHEET INVENTORY           |  |                      |
| Alloy 230                         | 0.016 X 36.000 X 120.000<br>0.4064MM X 914.4 X 3048    | 2661 LBS<br>1207 KG  |
| Alloy 230 - DUE<br>DATE: 02-25-25 | 0.020 X 34.000 X 120.010<br>0.508MM X 863.6 X 3048.254 | 4000 LBS<br>1814 KG  |

|                                   |   |                     |
|-----------------------------------|---|---------------------|
| Alloy 230                         | 0.020 X 36.000 X 10.870<br>0.508MM X 914.4 X 276.098    | 3 LBS<br>1 KG       |
| Alloy 230                         | 0.020 X 36.000 X 120.000<br>0.508MM X 914.4 X 3048      | 1672 LBS<br>758 KG  |
| Alloy 230                         | 0.032 X 30.000 X 120.000<br>0.8128MM X 762 X 3048       | 657 LBS<br>298 KG   |
| Alloy 230 - DUE<br>DATE: 06-20-24 | 0.032 X 34.000 X 120.000<br>0.8128MM X 863.6 X 3048     | 4000 LBS<br>1814 KG |
| Alloy 230 - DUE<br>DATE: 06-01-24 | 0.040 X 32.000 X 120.000<br>1.016MM X 812.8 X 3048      | 4000 LBS<br>1814 KG |
| Alloy 230                         | 0.040 X 34.000 X 120.000<br>1.016MM X 863.6 X 3048      | 2795 LBS<br>1268 KG |
| Alloy 230 - DUE<br>DATE: 06-20-24 | 0.040 X 34.000 X 120.010<br>1.016MM X 863.6 X 3048.254  | 4000 LBS<br>1814 KG |
| Alloy 230                         | 0.050 X 36.000 X 14.250<br>1.27MM X 914.4 X 361.95      | 8 LBS<br>4 KG       |
| Alloy 230                         | 0.050 X 36.000 X 120.000<br>1.27MM X 914.4 X 3048       | 5624 LBS<br>2551 KG |
| Alloy 230 - DUE<br>DATE: 02-15-25 | 0.050 X 36.000 X 120.000<br>1.27MM X 914.4 X 3048       | 4000 LBS<br>1814 KG |
| Alloy 230                         | 0.063 X 34.000 X 120.000<br>1.6002MM X 863.6 X 3048     | 3041 LBS<br>1379 KG |
| Alloy 230 - DUE<br>DATE: 07-04-24 | 0.063 X 34.000 X 120.020<br>1.6002MM X 863.6 X 3048.508 | 4000 LBS<br>1814 KG |
| Alloy 230 - DUE<br>DATE: 08-27-24 | 0.063 X 34.000 X 120.030<br>1.6002MM X 863.6 X 3048.762 | 4000 LBS<br>1814 KG |
| Alloy 230 - DUE<br>DATE: 01-10-25 | 0.063 X 34.000 X 120.040<br>1.6002MM X 863.6 X 3049.016 | 4000 LBS<br>1814 KG |
| Alloy 230                         | 0.080 X 36.000 X 120.000<br>2.032MM X 914.4 X 3048      | 3105 LBS<br>1408 KG |
| Alloy 230                         | 0.084 X 36.000 X 120.000<br>2.1336MM X 914.4 X 3048     | 1414 LBS<br>641 KG  |
| Alloy 230 - DUE<br>DATE: 06-30-24 | 0.093 X 34.000 X 120.000<br>2.3622MM X 863.6 X 3048     | 2670 LBS<br>1211 KG |
| Alloy 230                         | 0.093 X 36.000 X 120.000<br>2.3622MM X 914.4 X 3048     | 2568 LBS<br>1165 KG |
| Alloy 230 - DUE<br>DATE: 01-15-25 | 0.125 X 34.000 X 120.000<br>3.175MM X 863.6 X 3048      | 5000 LBS<br>2268 KG |
| Alloy 230                         | 0.125 X 35.500 X 120.000<br>3.175MM X 901.7 X 3048      | 1384 LBS<br>628 KG  |
| Alloy 230                         | 0.125 X 36.000 X 120.000<br>3.175MM X 914.4 X 3048      | 1656 LBS<br>751 KG  |